

REFERENCES

- Abid, O., Sellami-Kammoun, A., Ayadi, H., Drira, Z., Bouain, A. and Aleya, L. (2008):** Biochemical adaptation of phytoplankton to salinity and nutrient gradients in a coastal solar saltern, Tunisia. *Estuarine, Coastal and Shelf Science*; 80: 391-400.
- Abo El-kheir, M. S. A., Kandil, S. A. and El-Zeiny, H. A. (2000):** Growth yield and some physiological processes of sunflower plants as affected by paclobutrazole treatments under salt stress conditions. *Egypt. J. Agron*; 22:107-124.
- Adams, C. W. M., and Bayliss, O. B. (1975):** Lipid histochemistry. In *Techniques of Biochemical and Biophysical Morphology*. Vol. 2. D. Glick and R. M. Rosenbaum, editors. Wiley Interscience, New York. 99-156.
- Ahlgren, G. and Hyenstrand, P. (2003):** Nitrogen limitation effects of different nitrogen sources on the nutritional quality of two freshwater organisms, *Scenedesmus quadricauda* (Chlorophyceae) and *Synechococcus* sp. (Cyanophyceae). *J. Phycol*; 39:906–917.
- Akazawa, K. and Okamoto, K. (1980):** Biosynthesis of sucrose. In: Preiss J. editor. *The biochemistry of plants*, vol. 3. New York: Academic press; pp. 199-218.
- Akkerman, I., Janssen, M., Rocha, J. and Wijffels, R. H. (2002):** Photobiological hydrogen production: photochemical efficiency and bioreactor design. *Int. J. Hydrogen Energy*; 27:1195–1208.
- Akoto, L., Pel, R., Irth, H., Brinkman, U. A. T. and Vreuls, R. J. J. (2005):** GC- MS analysis of raw biological samples. Application to fatty acid of aquatic micro-organisms. *J. Analyt. Appl. Pyrol*; 73:69–75.
- Al- widyan, M. I. and AL-Shyokh, A. O. (2002):** Experimental evaluation of the transesterification of waste palm oil into biodiesel. *Bioresour Technol*; 85:253-256.

- Alonzo, F. and Mayzaud, P. (1999):** Spectrofluorometric quantification of neutral and polar lipid in zooplankton using Nile red. *Marine chemistry*; 67:289–301.
- An, J. Y., Sim, S. J., Lee, J. S. and Kim, B. K. (2003):** Hydrocarbon production from secondarily treated wastewater by the green algae *Botryococcus braunii*. *J. Appl. Phycol*; 15:185-191.
- Anand, N., Hopper, R., Jagatheswari, G., Kashyap, A. and Kunar, H. (1994):** Responses of certain blue green algae (cyanobacteria) to salinity. *Rec. Adv. Physiol*; 28:255-259.
- Antolin, G., Tinaut, F. V. and Briceno, Y. (2002):** Optimization of biodiesel production by sunflower oil transesterification. *Bioresour. Technol*; 83:111-114.
- Arisz, S. A., Van-Himbergen, J. A. J., Musgrave, A. and Munnik, T. (2000):** Polar glycerolipids of *Chlamydomonas moewusii*. *Phytochemistry*; 53:265–270.
- Aslan, S. and Kapdan, I. K. (2006):** Batch kinetics of nitrogen and phosphorus removal from synthetic wastewater by algae. *J. Ecol. Eng*; 28 (1): 64–70.
- Baker, A. J. M. (1981):** Accumulators and excluders. Strategies in the response of plants to heavy metals, *J. Plant Nutr*; 3: 643-654.
- Balat, H. (2010):** Prospects of biofuels for a sustainable energy future: a critical assessment. *Energ. Educ. Sci. Technol. Part. A*; 24:85-111.
- Banerjee, A., Sharma, R., Chisti, Y. and Benerjee, U. C. (2002):** *Botryococcus braunii*: A renewable source of hydrocarbons and other chemicals. *Crit. Rev. Biotechnol.* 22 (3), 245–279.
- Barclay, B. (1984):** Microalgae Culture Collection 1984–1985. Microalgal Technology Research Group (MTRG). SERI/SP-2231-2486.
- Barrington, D. J. and Ghadouani, A. (2008):** Application of hydrogen peroxide for the removal of toxic cyanobacteria and other phytoplankton from wastewater. *Env. Sci. Technol*; 42:8916–8921.

- Barrow, C. and Shahidi, F. (2008):** Marine nutraceuticals and functional foods. CRC Press, Taylor and Francis Group.
- Becker, E. W. (1994):** In Baddiley, J. *et. al.*, editors. Microalgae: Biotechnology and Microbiology. Cambridge (New York): Cambridge Univ. Press; 1994.
- Becker, E. W. (2004):** Microalgae in human and animal nutrition, P. 312-351. In: Richmond, A. (ed.), Hand book of microalgal culture. Blackwell, Oxford.
- Behzadi, S. and Farid, M. M. (2007):** Review: examining the use of different feedstock for the production of biodiesel. Asia Pacific J. Chem. Eng; 2:480–486.
- Belarbi, E. H., Molina-Grima, E. and Chisti, Y. (2000):** A process for high yield and scaleable recovery of high purity eicosapentaenoic acid esters from microalgae and fish oil. Enzyme Microbial Technol; 26:516–529.
- Ben-Amotz, A., Tomabene, T. G. and Thomas, W. H. (1985):** Chemical profile of selected species of microalgae with emphasis on lipids. J. Phycol; 21:72–81.
- Bergmann, L. (1955):** Stoffwechsel und Minerals alznernihrung einzelliger Griunalgen. II. Vergleichende Untersuchungen uiber den Einfluss mineralischer Faktoren bei heterotropher und mixotropher Erniihrung. Flora; 142: 493-539.
- Bilanovic, D., Andargatchew, A., Kroeger, T. and Shelef, G. (2009):** Freshwater and marine microalgae sequestering of CO₂ at different C and N concentrations-response surface methodology analysis. Energy Conversion and Management; 50:262–267.
- Bligh, E. G. and Dyer, W. J. (1959):** A rapid method for total lipid extractionand purification. Canad. J. Biochem. and Physiol; 37:911–917.

- Bojovic, B. and Stojanovic, J. (2005):** Chlorophyll and carotenoid content in wheat cultivars as a function of mineral nutrition. Archives of Biological Sciences; 57:283–290.
- Borowitzka, M. A. (1999):** Commercial production of microalgae: ponds, tanks, tubes and fermentors. J. Biotechnol; 70:313-321.
- Bouaid, A., Martins, M. and Aracil, J. (2007):** long storage stability of biodiesel from vegetable and used frying oils. Fuel; 86:2596-2602.
- Brady, D., Nigam, P., Marchant, R., McHale, L. and McHale, A. P. (1996):** Ethanol production at 45⁰C by *Kluyveromyces marxianus* IMB3 immobilized in magnetically responsive alginate matrices. Biotechnol. Lett; 18(10):1213-1216.
- Brady, D., Nigam, P., Marchant, R. and McHale, A. P. (1997a):** Ethanol production at 45⁰C by immobilized *Kluyveromyces marxianus* IMB3 during growth on lactose-containing media. Bioproc. Eng; 16:101-104.
- Brady, D., Nigam, P., Marchant, R., Singh, D. and McHale, A.P. (1997b):** The effect of Mn²⁺ on ethanol production from actose using *Kluyveromyces Marxianus* IMB3 immobilized in magnetically responsive matrices. Bioproc. Eng; 17:31-34.
- Brennan, L. and Owende, P. (2010):** Biofuels from microalge a review of Technologies for production, processing and extraction of biofuels and co-products. Renew. Sustain. Energy Rev; 14:557-577.
- Brown, A. D. and Edgley, M. (1980):** Osmoregulation in yeast. In: Genetic Engineering of Osmoregulation (Ed. By D.W. Rains. R. C. Valentine and A. Hollander) pp. 75-89. plenum publishing Co., New Yourk.
- Brown, L. M. and Zeiler, B. G. (1993):** Aquatic biomass and carbon dioxide trapping. Energy Convers Manage; 34:1005–1013.
- Bruce, E. R. (2008):** Opportunities for renewable bioenergy using microorganisms. Biotechnol. Bioeng; 100(2):203–212.

- Bunyakiat, K., Makmee, S., Sawangkeaw, R. and Ngamprasertsith, S. (2006):** Continuous production of biodiesel via transesterification from vegetable oil supercritical methanol. *Energy Fuels*; 20:812-817.
- Burnell, J. N. (1988):** The biochemistry of manganese in plants. In: Graham, R. D, Hannam, R. J, Uren, N. C., eds. *Manganese in soils and plants*. Dordrecht, Kluwer Publishers, pp. 125–137.
- Castorday, K., Gombos, Z. and Szalontai, B. (1984):** Manganese and cobalt toxicity in chlorophyll biosynthesis. *Proc. Nat. Acad. Sci. USA*; 81,476.
- Chance, B. H., Sies, A. and Boveris. (1979):** Hydrogen peroxide metabolism in mammalian organs, *Physiol. Rev*; 59:527–605.
- Chaumont, D. (2005):** Biotechnology of algal biomass production: a review of systems for outdoor mass culture. *J. Appl. Phycol*; 5:593–604.
- Chinnasamy, S., Bhatnagar, A., Hunt, R. W. and Das, K. C. (2010):** Microalgae cultivation in a wastewater dominated by carpet mill effluents for biofuel applications. *Bioresour. Technol*; 101:3097–3105.
- Chisti, Y. (2007):** Biodiesel from microalgae. *Biotechnol. Adv*; 25:294–306.
- Chisti, Y. (2008):** Biodiesel from microalgae beats bioethanol. *Trends in Biotechnology*; 26:126-131.
- Chiu, S. Y., Kao, C. Y., Tsai, M. T., Ong, S. C., Chen, C. H. and Lin, C. S. (2009):** Lipid accumulation and CO₂ utilization of *Nannochloropsis oculata* in response to CO₂ aeration. *Bioresour. Technol*; 100:833-838.
- Chong, W., Hainan, K., Xin-Ze, W., Haodong, W., Yan, L. and Sheng-Bing, H. E. (2010):** Effects of Iron on growth and intracellular chemical contents of *Microcystis aeruginosa*. *Biomed. Env. Sci*; 23:48-52.

- Clarkson, D. T and Hanson, J. B. (1980):** The mineral nutrition of higher plants. *Annual Review of Plant Physiology*; 31:239–298.
- Clemens, M. G. Palmgren and Kramer, U. (2002):** A long way ahead: understanding and engineering plant metal accumulation, *Trends Plant Sci*; 7: 309-315.
- Conn, H. J. (1953):** *Biological Stains*. Sixth Edition. Williams and Wilkins Co., Baltimore.
- Cooksey, K. E., Guckert, J. G., Williams, S. A. and Callis, P. R. (1987):** Fluorometric determination of the neutral lipid content of microalgal cells using Nile red. *J. Microbiological Methods*; 6:333–345.
- Cornet, J. F. (1998):** Le technoscope: Les photobiore'acteurs. *Biofutur*; 176:1-10.
- Courchesne, N. M. D., Parisien, A., Wang, B. and Lan, C. Q. (2009):** Enhancement of lipid production using biochemical, genetic and transcription factor engineering approaches. *J. Biotechnol*; 141:31–41.
- Dahlia, M. E. (1997):** The biotechnology of culturing *Dunaliella salina* for the production of some valuable metabolites: M.Sc. Thesis, Faculty of Science, Alexandria University.
- Damiani, M. C., Popovich, C. A., Constenla, D. and Leonardi, P. I. (2010):** Lipid analysis in *Haematococcus pluvialis* to assess its potential use as a biodiesel feedstock. *Bioresour. Technol*; 101:3801–3807.
- Davis, M. M., and Hetzer, H. B. (1966):** Titrimetric and equilibrium studies using indicators related to Nile blue A. *Anal. Chem*; 38:451-461.
- Dayananda, C., Sarada, R., Bhattacharya, S. and Ravishankar, G. A. (2005):** Effect of media and culture conditions on growth and hydrocarbon production from *Botryococcus braunii*. *Process Biochem*; 40:3125–3131.

- De-Bashan, L. E., Hernandez, J. P., Morey, T. and Bashan, Y. (2004):** Microalgae growth-promoting bacteria as “helpers” for microalgae: a novel approach for removing ammonium and phosphorus from municipal wastewater. *Water Res*; 38:466–474.
- Delfort, B., Durand, I., Hillion, G., Jaecker-Voirol, A. and Montagne, X. (2008):** Glycerin for new biodiesel formulation. *Oil Gas Sci. Technol. Rev. IFP*; 63(4):395-404.
- Demirbas, A. (2008):** Biofuels sources, biofuel policy, biofuel economy and global biofuel projections. *Energy Convers Manage*; 49:2106–2116.
- Demirbas, A. (2009 a):** Future energy sources: part I. *Future Energy Sources*; 1:1–95.
- Demirbas, A. (2009 b):** Inexpensive oil and fats feed stocks for production of biodiesel. *Energy Educ. Sci. Technol. Part A.*, 23:1–13.
- De-Morais, M. G. and Costa, J. A. V. (2007):** Carbon dioxide fixation by *Chlorella kessleri*, *C. vulgaris*, *Scenedesmus obliquus* and *Spirulina* sp. cultivated in flasks and vertical tubular photobioreactors. *Biotechnol. Lett*; 29(9):1349–1352.
- Desouky, S. A. (1995):** Effect of some organic additives on salinized *Chlorella vulgaris*. Ph D. Thesis, Faculty of Science, Assiut University, Egypt.
- Dijkstra, A. J. (2006):** Revisiting the formation of trans isomers during partial hydrogenation of triacylglycerol oils. *Eur. J. Lipid Sci. Technol*; 108(3):249–264.
- Dimitrov, K. (2008):** Green fuel technologies: a case study for industrial photosynthetic energy capture. Brisbane, Australia.
<<http://www.nanostring.net/Algae/>>
- Dincer, K. (2008):** Lower emissions from biodiesel combustion. *Energy Sources Part A*; 30:963–968.

- Dismukes, G. C., Carrieri, D., Bennette, N., Ananyev, G. M. and Posewitz, M. C. (2008):** Aquatic phototrophs: efficient alternatives to land-based crops for biofuels. *Current Opinion in Biotechnology*, 19(3):235-240.
- Dominik, A., Vladimir, V. Z. and Wolfgang, H. S. (2007):** Biofuels from microbes. *J. Appl. Microbiol. Biotechnol*; 77:23-35.
- Drábková, M., Admiraal, W. and Marsálek, B. (2007):** Combined exposure to hydrogen peroxide and light-selective effects on cyanobacteria, green algae, and diatoms. *Env. Sci. Technol*; 41:309–314.
- Duffield, J. A. (2007):** Biodiesel: Production and economic issues. *Inhalation Toxicology*, 19:1029-1031.
- Dumas, A., Laliberte, G., Lessard, P. and Noue, J. (1998):** Biotreatment of fish farm effluents using the cyanobacterium *Phormidium bohneri*. *Aquaculture Engineering*; 17:57–68.
- El-Bassiouny, H. M. and Bakheta, M. A. (2005):** Effect of salt stress on relative water content, lipid peroxidation, polyamines, aminoacids and ethylene of two wheat cultivaris. *Int. J. Agric. Biol*; 7:363-368.
- El-Naggar, A. H, Osman, M. E. H, Dyab, M. A. and El-Mohsenawy, E. A. (1999):** Cobalt and lead toxicities on *Calothrix fusca* and *Nostoc muscorum*. *J. Union. Arab. Biol. Cairo*; 7:421-441.
- El-Sheekh, M. M. and Hafez, H. O. (2002):** Effect of high salt stress on growth and fatty acids content of the unicellular green alga *Chlorella vulgaris*. *Azhar J. Microbiol*; 55:181-191.
- El-Sheekh, M. M., El-Naggar, A. H., Osman, M. E. H. and El-Mazaly, E. (2003):** Effect of cobalt on growth, pigments and the photosynthetic electron transport in *Monoraphidium minutum* and *Nitzschia perminuta*. *Braz. J. Plant Physiol*; 15(3):159-166.
- Eriksen, N. T. (2008):** The technology of microalgal culturing. *Biotechnol. Lett*; 30:1525–1536.

- Fabregas, J., Patino, M., Arredondo-Vega, B. O., Tobar, J. L. and Otero, A., (1995):** Renewal rate and nutrient concentration as tools to modify productivity and biochemical composition of cyclostat cultures of the marine microalga *Dunaliella tertiolecta*. Appl. Microbiol. Biotechnol; 44: 287-292.
- Falkowski, P. G., Sukenik, A. and Herzig, R. (1989):** Nitrogen limitation in *Isochrysis galbana* (Haptophyceae). II. Relative abundance of chloroplast proteins. J. Phycol., 25, 471-478.
- Falkowsky, P. G. (1980):** Primary productivity in the sea. In: Falkowsky, P. G. (ed.), Environmental Science Research, vol. 19. Plenum Press, New York/London.
- Fan, L. H., Zhang, Y. T., Zhang, L. and Chen, H. L. (2008):** Evaluation of a membrane-sparged helical tubular photobioreactor for carbon dioxide biofixation by *Chlorella vulgaris*. J. of Membrane Sci; 325: 336–345.
- Fangrui M. A. and Milford A. H. (1999):** Biodiesel production: A review. Bioresour. Technol; 70:1-15.
- Fisher, N. S., Jones, G. J. and Nelson, D. M. (1981):** Effect of copper and zinc on growth, morphology and metabolism of *Asterionella japonica* (Cleve). J. Exp. Mar. Biol. Ecol; 51:37-56.
- Fogg, G. E. (1959):** Nitrogen nutrition and metabolic patterns in algae. Symposia Soc. Exp. Biol; 13:106-125.
- Fogg, G. E. (1975):** Algal culture and phytoplankton ecology. Univ. Wisconsin press; pp.12-36.
- Francisco, E. C., Neves, D. B., Jacob-Lopes, E. and Franco, T. T. (2009):** Microalgae as feedstock for biodiesel production: Carbon dioxide sequestration, lipid production and biofuel quality. J. Chem. Technol. Biotechnol; 85:395–403.
- Frenz, J., Largeau, C. and Casadevall, E. (1989):** Hydrocarbon recovery by extraction with a biochemical solvent from free and immobilized cultures of *Botryococcus braunii*. Enzyme Microbial Technol; 11:717.

- Fu, F. X. and Bell, P. R. F. (2003):** Effect of salinity on growth, pigmentation, N₂ fixation and alkaline phosphatase activity of cultured *Trichodesmium* sp. Mar. Ecol. Prog. Ser; 257:69-76.
- Geider, R. J. and La Roche, J. (1994):** The role of iron in phytoplankton photosynthesis, and the potential for iron-limitation of primary productivity in the sea. Photosynth. Res; 39:275–301.
- Geller D. P. and Goodrum J. W. (2004):** Effects of specific fatty acid methyl esters on diesel fuel lubricity. Fuel; 83:2351-2356.
- Ghirardi, M. L., Zhang, J. P., Lee, J. W., Flynn, T., Seibert, M., Greenbaum, E., et al. (2000):** Microalgae: A green source of renewable H₂. Trends Biotechnol; 18:506–511.
- Gibbons, W. R. and Westby, C. A. (1989):** Cofermentation of sweet sorghum juice and grain for production of fuel ethanol and distillers' wet grain. Biomass; 18(1):43-57.
- Giselrød, H. R., Patil, V. and Tran, K. (2008):** Towards sustainable production of biofuels from microalgae. Int. J. Mol. Sci; 9:1188-1195.
- Goldberg, I. K. and Cohen, Z. (2006):** The effect of phosphate starvation on the lipid and fatty acid composition of the fresh water eustigmatophyte *Monodus subterraneus*. Phytochem; 67:696–701.
- Gonzales, L. E., Canizares, R. O. and Baena, S. (1997):** Efficiency of ammonia and phosphorus removal from a Colombian agroindustrial wastewater by the microalgae *Chlorella vulgaris* and *Scenedesmus dimorphus*. Bioresour. Technol; 60:259–262.
- Green, M. L. H. (1968):** *Organometallic compounds*: The transition elements. Vol. 2, London, Methuen & Co., 456 pp.
- Greenspan, P., Mayer, E. P. and Fowler, S. D. (1985):** Nile red: A selective fluorescent stain for intracellular lipid droplets. J. Cell Biology; 100:965–973.

- Griffiths, M. and Harrison, S. (2009):** Lipid productivity as a key characteristic for choosing algal species for biodiesel production. *J. Appl. Phycol*; 21:493-507.
- Guil-Guerrero, J. L., Navarro-Juarez, R., Lopez-Martinez, J. C., Campra-madrid, P. and Reboloso-Fuentes, M. M. (2004):** Functional properties of the biomass of three micralgal species. *J. Food Eng*; 65:511-517.
- Guschina, I. A. and Harwood, J. L. (2006):** Lipids and lipid metabolism in eukaryotic algae. *Prog. Lipid Res*; 45:160–186.
- Hacisalihoglu, B., Kirtay, E. and Demirbas, A. (2009):** Historical role of Turkey in petroleum between Caspian Sea Basin and the Middle East. *Soc. Polit. Econ. Cultural Res*; 1:1–25.
- Hagemann, M., Erdmann, N. and Schiewer, U. (1989):** Salt adaptation of the cyanobacteria *Microcystis firma* and *Synechocystis aquatilis* in turbidostat cultures. I. Steady state values. *Arch. Hydrobiol. Suppl.* 82, 4. Algological studies; (57):425-435.
- Halliwell, J. M. C. and Gutteridge. (1984):** Oxygen toxicity, oxygen radicals, transition metals and disease. *J. Biochem*; 219:1–14.
- Hill, J., Nelson, E., Tilman, D., Polasky, S. and Tiffany, D. (2006):** Environmental, economic, and energetic costs and benefits of biodiesel and ethanol biofuels. *Proc. Nat. Acad. Sci. USA*; 103: 11206–11210.
- Houles, V., Guerfi M. and Mary, B. (2007):** Elaboration of a nitrogen nutrition indicator for winter wheat based on leaf area index and chlorophyll content for making nitrogen recommendations. *Eur. J. Agron*; 27: 1–11.
- Hsieh, C. and Wu, W. (2009):** Cultivation of microalgae for oil production with a cultivation strategy of area limitation. *Bioresour. Technol*; 100:3921-3926.

- Hu, Q. (2004):** Environmental effects on cell composition. In: Richmond, A. (Ed.), Handbook of Microalgal Culture: Biotechnol. Appl. Phycol. Blackwell Sci. Victoria; pp. 83–93.
- Hu, Q., Sommerfeld, M., Jarvis, E., Ghirardi, M., Posewitz, M. and Seibert, M. (2008):** Microalgal triacylglycerols as feedstocks for biofuels production: perspectives and advances. Plant J; 54:621–639.
- Huang, G., Chen, F., Wei, D., Zhang, X. and Chen, G. (2010):** Biodiesel production by microalgal biotechnology. Appl. Energy; 87:38–46.
- Huntsman, S. A. and Sunda, W. G. (1980):** The role of trace metals in regulating phytoplankton. In: Morris I, ed. The physiological ecology of phytoplankton. Berkeley, CA, University of California, pp. 285–328.
- Hutchins, D. A. and Bruland, K. W. (1998):** Iron-limited diatom growth and Si: N uptake ratios in a coastal upwelling regime. Nature; 393: 561–564.
- Illman, A. M., Scragg, A. H. and Shales, S. W. (2000):** Increase in *Chlorella* strains calorific values when grown in low nitrogen medium. Enzyme and Microbial Technol; 27:631–635.
- Iwasaki, I., Hu, Q., Kurano, N. and Miyachi, S. (1998):** Effect of extremely high-CO₂ stress on energy distribution between photosystem I and photosystem II in a ‘high- CO₂’ tolerant green alga. *Chlorococcum littorale* and the intolerant green alga *Stichococcus bacillaris*. J. Photochem. Photobiol; 44:184–190.
- Jang, E. S., Jung, M. Y. and Min, D. B. (2005):** Hydrogenation for low trans and high conjugated fatty acids. Comp. Rev. Food Sci. Saf; 4: 22–30.
- Jayakumar, K., Cheruth Abdul Jaleel. and Vijayarengan, P. (2009):** Effect of different concentrations of cobalt on pigment contents of Soybean. Botany Research International; 2 (3): 153-156.

- Jimenez-Perez, M. V., Sanches-Castillo, P., Romera, O., Fernandez Moreno, D. and Perez-Martinez, C. (2004):** Growth and nutrient removal in free and immobilized planktonic green algae isolated from pig manure. *Enzyme and Microbial Technol*; 34:392–398.
- Kadam, K. L. (1997):** Power plant flue gas as a source of CO₂ for Microalgae cultivation: Economic impact of different process options. *Energy Conversion and Management*., 38:505–510.
- Kadam, K. L. (2001):** Microalgae production from power plant flue gas: environmental implications on a life cycle basis. NREL/TP-510-29417. Colorado, USA: National Renewable Energy Laboratory.
- Kaewpintong, K. (2004):** Cultivation of *Haematococcus pluvialis* in Airlift Bioreactor. Master thesis in chemical engineering. Department of Chemical Engineering, Faculty of Engineering, Chulalongkorn University.
- Kalacheva, G. S., Zhila, N. O. and Volova, T. G. (2002):** Lipid and hydrocarbon compositions of a collection strain and a wild sample of the green microalga *Botryococcus*. *Aqua. Ecology*; 36:317–330.
- Kauss, H. (1967):** Isofloridosid und Osmoregulation bei *Ochromonas malhamensis*. *Z. Pflanzen Physiol*; 56:553-565.
- Kay, S. H., Quimby, P. C., Jr, and Ouzts, J. D. (1982):** Hydrogen peroxide: A potential algicide for aquaculture. *Proceedings of the Southern Weed Science Society*; 35:275-289.
- Kirtay, E. (2009):** The role of renewable energy sources in meeting Turkey's electrical energy demand. *Energy Educ. Sci. Technol. Part A*; 23:15-30.
- Knothe, G. (2005):** Dependence of biodiesel fuel properties on the structure of fatty acid alkyl esters. *Fuel Proc. Technol*; 86:1059-1070.
- Knothe, G. (2006):** Analyzing biodiesel: Standards and other methods. *J .Am Oil Chem. Soc*; 83:823–833.

- Kolber, Z. S., Barber, R. T., Coale, K. H., Fitzwater, S. E., Greene, R. M., Johnson, K. S., Lindley, S. and Falkowski, P. G. (1994):** Iron limitation of phytoplankton photosynthesis in the equatorial Pacific Ocean. *Nature*; 371:145–149.
- Laliberte, G., Lessard, P., Noue, J. and Sylvestre, S. (1997):** Effect of phosphorus addition on nutrient removal from wastewater with the cyanobacterium *Phormidium bohneri*. *Bioresour. Technol*; 59:227–233.
- Lang, X., Dalai, A. K. and Bakhshi, N. N. (2001):** Preparation and characterization of bio-diesels from various bio-oils. *Bioresour. Technol*; 80:53–62.
- Larson, E. D. (2008):** Biofuel production technologies: status, prospects and implications for trade and development. Report No. UNCTAD/DITC/TED/2007/10. United Nations Conference on Trade and Development, New York and Geneva.
- Laureillard, J., Largeau, C. and Casadevall, E. (1988):** Oleic acid in the biosynthesis of the resistant biopolymers of *Botryococcus braunii*. *Phytochemistry*; 27: 2095–2098.
- Lee, K. and Lee and C. G. (2001):** Effect of light/dark cycles on wastewater treatments by microalgae. *Biotechnol. Bioproc. Eng*; 6:194–199.
- Lee, S. J., Yoon, B. D. and Oh, H. M. (1998):** Rapid method for the determination of lipid from the green alga *Botryococcus braunii*. *Biotechnol. Techniq*; 12:553–6.
- Li, Y. C., Chen, Y. F., Chen, P., Min, M., Zhou, W. G., Martinez, B., Zhu, J. and Ruan, R. (2011):** Characterization of a microalga *Chlorella* sp. well adapted to highly concentrated municipal wastewater for nutrient removal and biodiesel production. *Bioresour. Technol*; 102:5138–5144.
- Li, Y., Horsman, M., Wu, N., Lan, C. Q. and Dubois-Calero, N. (2008a):** Biofuels from microalgae. *Biotechnology Progress*; 24(4):815–820.

- Li, Y., Wang, B., Wu, N. and Lan, C. Q. (2008b):** Effects of nitrogen sources on cell growth and lipid production of *Neochloris oleoabundans*. Appl. Microbiol. Biotechnol; 81(4):629–636.
- Lichtlé, C. (1979):** Effects of nitrogen deficiency and light high intensity on (*Cryptomonas rufescens* (Cryptophyceae): I. cell and photosynthetic apparatus transformation and encystment. Protoplasma; 101:283-299.
- Lin, C. K. and Schelske, C. L. (1981):** Seasonal variation of potential nutrient limitation to chlorophyll production in southern Lake Huron. Can. J. Fish Aquat. Sci; 38(1), 19.
- Liu, Z. Y., Wang, G. C. and Zhou, B. C. (2008):** Effect of iron on growth and lipid accumulation in *Chlorella vulgaris*. Bioresour.Technol; 99:4717-4722.
- Love, G., Gough, S., Brady, D., Barron, N., Nigam, P. and Singh, D. (1998):** Continuous fermentation at 45⁰C using *Kluyveromyces marxianus* IMB3 immobilized in calcium alginate and kissiris. Bioproc. Eng; 18:187-189.
- Lowery, O. H., Rosenbroug, N. J., Farr, A. F. and Randall, R. J. (1951):** Protein measurement with the folin phenol reagent. J. Biol. Chem; 193: 265-275.
- Lustigman, B., Lee, L.H. and Weiss, M. (1995):** Effect of cobalt and pH on the growth of *Chlamydomonas reinhardtii*. Bull. Env. Contam. Toxicol; 55, 65.
- Macedo, R. V. T. and Alegre, R. M. (2001):** Influência do Teor de Nitrogênio no Cultivo de *Spirulina maxima* em Dois Níveis de Temperatura – Parte II. Produção de Lipídios Cieñc Tecnol Aliment Campinas; 21(2):183-186.
- Maeda, K., Owada, M., Kimura, N., Omata, K. and Karube, I. (1995):** CO₂ fixation from the flue gas on coal-fired thermal power plant by microalgae. Energy Conversion and Management; 36(6–9):717–720.

- Mallick, N. and Rai, L. C. (1992):** Metal induced inhibition of photosynthesis, photosynthetic electron transport chain and ATP content of *Anabaena doliolum* and *Chlorella vulgaris* interaction with exogenous ATP. Biomed. Env. Sci; 5 (3): 241.
- Mannivannan, P., Jaleel, C. A., Sanker, B., Kishorekumar, A., Murali, P. V., Somasundaram, R. and Panneerselvam, R. (2008):** Mineral uptake and biochemical changes in *Helianthus annus* under treatment with sodium salts. Colloids Surf. Bionterf; 62:58-63.
- Marchetti, J. M., Miguel, V. U. and Errazu, A. F. (2007):** Possible methods for biodiesel production. Renew. Sustain. Energy Rev; 11:1300–1311.
- Martin, J. H, Coale, K. H, Johnson, K. S., et al. (1994):** Testing the iron hypothesis in ecosystems of the equatorial Pacific Ocean. Nature; 371(6493), 123-129.
- Martinez, M. E., Sanchez, S., Jimenez, J. M., El-Yousfi, F. and Muñoz, L. (2000):** Nitrogen and phosphorus removal from urban wastewater by the microalga *Scenedesmus obliquus*. Bioresour. Technol; 73(3):263–272.
- Meher, L. C, Vidya Sagar, D. and Naik, S. N. (2006):** Technical aspects of biodiesel production by transesterification –a review. Renew. Sustain. Energy Rev; 10:248–268.
- Meireles, L. A., Guedes, A.C. and Malcata, F. X. (2003):** Lipid class composition of the microalga *Pavlova lutheri*: eicosapentaenoic and docosahexaenoic acids. J. Agri. Food Chem; 51:2237–2241.
- Mekii, B. B, Abo El-kheir, M. S. A. and Habba, E. E. (1993):** Response of two sunflower cultivaris to salt stress. Egypt. J. Appl. Sci., Zagazig Univ., Egypt, 8: 142-154.
- Melis, A. (2002):** Green alga hydrogen production: progress, challenges and prospects. Int. J. Hydrogen Energy; 27:1217–28.
- Metting, F. B. (1996):** Biodiversity and application of microalgae. J. Industrial Microbiology; 17(5-6): 477-489.

- Metzener, H., Rau, H. and Sénger, H. (1965):** Untersuchungen zur synchronisier barkiet einzelner pigmangel-mutantenvon *Chlorella*. Planta; 65:186.
- Metzger, P. and Largeau, C. (2005):** *Botryococcus braunii*: a rich source for hydrocarbonsand related ether lipids. Appl. Microbiol. Biotechnol; 66, 486–496.
- Miao, X. and Wu, Q. (2004):** High yield bio-oil production from fast pyrolysis by metabolic controlling of *Chlorella protothecoides*. J. Biotechnol; 110:85-93.
- Miao, X. L. and Wu, Q. Y. (2006)** Biodiesel production from heterotrophic microalgal oil. Bioresour. Technol; 97:841–846.
- Michael S. G. and Robert L. M. (1998):** Combustion of fat and vegetable oil derived fuels in diesel engines. Progr. Combust. Sci; 24:125-164.
- Miller, J. D. A. (1962):** Fats and Steroids. In: R. A. Lewin (1962), Physiology and Biochemistry of Algae. Academic Press, NY, 929p.
- Mohammed, A. A. and Shafea, A. A (1990):** Growth and some metabolic activities of various salinized *Scendesmus obliquus*. Bull. Fac. Sci. Assiut Univ; 19:73-91.
- Munda, L.M. and Hudnik, V. (1988):** The effect of Zn, Mn and Co accumulation on growth and chemical composition of *Fucus vesiculosus* under different temperature and salnity conditions. PSZNI Mar. Ecol. 9, 213.
- Murakami, M., Yamada, F., Nishide, T., Muranaka, T., Yamaguchi, N. and Takimoto, Y. (1998):** The biological CO₂ fixation using *Chlorella sp.* with high capability in fixing CO₂. Studies in Surface Science and Catalysis; 114:315–320.
- Naito, K., Matsui, M. and Imai, I. (2005):** Ability of marine eukaryotic red tide microalgae to utilize insoluble iron. Harmful Algae; 4: 1021–1032.

- Nalini, P. and Chandra, P. S. (2002):** Effect of heavy metals Co^{+2} , Ni^{+2} and Cd^{+2} on growth and metabolism of cabbage. J. Plant Science; 163:753- 758.
- Neenan, B., Feinberg, D., Hill, A., McIntosh, R. and Terry, k. (1986):** Fuels from microalgae. Technology Status, Potential and Research Requirements, SERI/SP-231-2550, Golden, Colo. J. Solar Energy Research Institute.
- Nichols, H. W. (1973):** Growth media – freshwater. In Stein, J. (Ed.) Handbook of Phycological Methods, Culture Methods and Growth Measurements, Camb. Univ. Press pp. 7-24.
- Nigam, P., Banat, I. M., Singh, D., McHale, A. P. and Marchant A. P. (1997):** Continuous ethanol production by thermo tolerant *Kluyveromyces marxianus* immobilized on mineral kissiris at 45⁰C. World. J. Microbiol. Biotechnol; 13:283-288.
- Oijen, T. V., Van Leeuwe, M., Gieskes, W. W. C. and De Baar, H. J. W. (2004):** Effects of iron limitation on photosynthesis and carbohydrate metabolism in the Antarctic diatom *Chartoceros brevis* (Bacillariophyceae). Eur. J. Phycol; 39:161–171.
- Olguin, E. J., Galicia, S., Mercado, G. and Perez, T. (2003):** Annual productivity of *Spirulina* (Arthrospira) and nutrient removal in a pig wastewater recycle process under tropical conditions. J. Appl. Phycol; 15:249–257.
- Ozkurt, I. (2009):** Qualifying of safflower and algae for energy. Energy Educ. Sci. Technol. Part A; 23:145–151.
- Parrish, C. C. and Wangersky, P. J. (1990):** Particulate and dissolved lipid classes in cultures of *Phaeodactylum tricornutum* in cage culture turbidostats with a range of nitrogen supply rates. Mar. Ecol. Progr. Ser; 35: 119-128.
- Patil, V., Reitan, K. I., Knudsen, G., Mortensen, L., Kallqvist, T. and Olsen, E. (2005):** Microalgae as source of polyunsaturated fatty acids for aquaculture. Curr. Topics Plant Biol; 6:57–65.

- Peterson, C. L., Reece, D. L., Thompson, J. C., Beck, S. M. and Chase, C. (1996):** Ethyl ester of rapeseed used as a biodiesel fuel: A case study. *Biomass Bioenergy*; 10:331-336.
- Pirson, A. and Bergmann, L. (1955):** Manganese requirement and carbon source in *Chlorella*. *Nature*; 176: 209-210.
- Pirson, A., Tichy, C. and Wilhemi, G. (1952):** Stoffwechsel und Mineralsalzernahrung einzelliger Grünalgen. I. Vergleichende Untersuchungen an Magelkulturen von *Ankistrodesmus*. *Planta*; 40: 199-253.
- Pirt, S. J. (1986):** The thermodynamic efficiency (quantum demand) and dynamics of photosynthetic growth. *New Phytol*; 102:3–37.
- Plumley, F. G., Douglas, S. E., Switzer, A. B. and Schmidt, G. W. (1989):** Nitrogen-dependent biogenesis of chlorophyll-protein complexes. In Briggs, W. R. (ed.), *photosynthesis*, Alan R. Liss, Inc., New York, pp. 311-329.
- Poonam, S. N. and Anoop, S. (2010):** Production of liquid biofuels from renewable resources. *Progress in energy and combustion science*; 1-17.
- Price, N. M. and Morel, F. M. M. (1990):** Cadmium and cobalt substitution for zinc in marine diatoms. *Nature*; 344, 656.
- Priscu, J. C., Priscu, L. R., Palmisano, A. C. and Sullivan, C. W. (1990):** Estimation of neutral lipid levels in Antarctic sea ice microalgae by Nile red fluorescence. *Antarctic Sci*; 2:149–155.
- Pulz, O. and Gross, W. (2004):** Valuable products from biotechnology of microalgae. *J. Appl. Microbiol. Biotechnol*; 65(6):635–648.
- Qian, H. Yu, S., Sun, Z., Xie, X., Liu, W. and Fu, Z. (2010):** Effects of copper sulfate, hydrogen peroxide and N-phenyl-2-naphthylamine on oxidative stress and the expression of genes involved photosynthesis and microcystin disposition in *Microcystis aeruginosa*. *Aquat. Toxicol*; doi:10.1016/j.aquatox. 05.018).

- Qian, H. F., Xu, X. Y., Chen, W., Jiang, H., Jin, Y. X., Liu, W. P. and Fu, Z. W. (2009):** Allelo chemical stress causes oxidative damage and inhibition of photosynthesis in *Chlorella vulgaris*. *Chemosphere*; 75:368–375.
- Rachlin, J. W. and Grosso, A. (1993):** The growth response of the green alga *Chlorella vulgaris* to combined divalent cation exposure. *Arch. Env. Contam. Toxicol*; 24 (1), 16.
- Radwan, S. S. (1978):** Coupling of two dimension thin layer chromatography with gas chromatography for the quantitative analysis of lipids classes and their constituent fatty acids. *J. Chromatog. Sci*; 16:538-542.
- Rai, L. C., Tyagi, B., Rai, P. K. and Mallick, N. (1998):** Interactive effect of UV-B and heavy metals (Cu and Pb) on nitrogen and phosphorus metabolism of N₂-fixing cyanobacterium *Anabaena doliolum*. *Env. Exp. Bot.* 39, 221.
- Rains, D. W. (1976):** Mineral metabolism. In: Bonner, J., Varner, J. E. (ed.) *Plant biochemistry*, 3rd ed. Academic Press, New York, p. 561-597.
- Raja, R., Hemaiswarya, S., Kumar, N. A., Sridhar, S. and Rengasamy, R. (2008):** A perspective on the biotechnological potential of microalgae. *Critical Rev. Microbiol*; 34(2):77–88.
- Rao, A. R., Dayananda, C., Sarada, R., Shamala, T. R. and Ravishankar, G. A. (2007):** Effect of salinity on growth of green alga *Botryococcus braunii* and its constituents. *Bioresour. Technol*; 98:560–564.
- Ratledge, C. and Cohen, Z. (2008):** Microbial and algal oils: Do they have a future for biodiesel or as commodity oils? *Lipid Technology*; 20:155-160.
- Raven, J. A. (1982):** The energetic of fresh water algae, energy requirements for biosynthesis and volume regulation. *New Phytol*; (92):1-20.

- Reisner, G. S. and Thompson, J. F. (1956):** Manganese deficiency in *Chlorella* under heterotrophic carbon nutrition. *Nature*; 178:1473-1474.
- Renaud, S. M. and Parry, D. L. (1994):** Microalgae for use in tropical aquaculture II: Effect of salinity on growth, gross chemical composition and fatty acid composition of three species of marine microalgae. *J. Appl. Phycol*; 6:347-356.
- Renaud, S. M., Thinh, L. V. and Parry, D. L. (1999):** The gross chemical composition and fatty acid composition of 18 species of tropical Australian microalgae for possible use in mariculture. *Aquaculture*; 170:147–159.
- Reuveni, M., Bennett, A. B., Bressan, R. A. and Haswgawa, P. M. (1990):** Enhanced H^+ transport capacity and ATP hydrolysis activity of the tonoplast H^+ ATP-ase after NaCl adaptation. *Plant Physiol*; (94): 524-530.
- Richmond, A. (2004):** Handbook of microalgal culture: Biotechnol. Appl. Phycol. Blackwell Science Ltd.
- Riordon, C., Love, G., Barron, N., Nigam, P., Marchant, R. and McHale, L. (1996):** Production of ethanol from sucrose at 45 °C by alginate immobilized preparations of the thermo tolerant yeast strain *Kluyveromyces marxianus* IMB 3. *J. Bioresour. Technol*; 55:171-173.
- Robert, R. L. G. (1979):** Growth measurements. Division rate. In R. J. Stein (Ed) physiological methods. Culture methods and growth measurements. Cambridge Univ. press, Cambridge; 29-31.
- Rodolfi, L., Zittelli, G. C., Bassi, N., Padovani, G., Biondi, N. and Bonini, G. (2009):** Microalgae for oil: Strain selection, induction of lipid synthesis and outdoor mass cultivation in a low-cost photobioreactor. *Biotechnol. Bioeng*; 102(1):100–112.

- Rodriguez, A. A., Stella, A. M., Storni, M. M., Zulpa, G. and Zaccaro, M. C. (2006):** Effects of cyanobacterial extracellular products and gibberellic acid on salinity tolerance in *Oryza sativa* L. saline System. J; 2:1-7.
- Rosenberg, J. N., Oyler, G. A., Wilkinson, L. and Betenbaugh, M. J. (2008):** A green light for engineered algae: redirecting metabolism to fuel a biotechnology revolution. Curr. Opin. Biotechnol; 19(5):430–436.
- Sabo, M., Teklic, T. and Vidovic, I. (2002):** Photosynthetic productivity of two winter wheat varieties (*Triticum aestivum* L.). Rostlinna Vyboba; 48, 80–86.
- Sadasivam, S. and Manickam, A. (1996):** Biochemical methods. 2nd ed. New age International (P) limited, Tmail Nadu Agricultural University. ISBN: 976-978.
- Sakai, N., Sakamoto, Y., Kishimoto, N., Chihara, M. and Karube, I. (1995):** *Chlorella* strains from hot springs tolerant to high temperature and high CO₂. Energy Conversion and Management., 36(6–9):693–696.
- Schenk, P. M., Thomas-Hall, S. R., Stephens, E., Marx, U. C., Mussnug, J. H. and Posten, C. (2008):** high efficiency microalgae for biodiesel production. Bio-Energy Res; 1:20–43.
- Shadad, M. A., Ismail, A. M., Azooz, M. M. and Abdel-Latef, A. A. (2005):** Effect of salt stress on growth and some related metabolites of three wheat cultivars. Assiut. Univ. J. Bot; 34:477-491.
- Sheehan, J., Dunahay, T., Benemann, J. and Roessler, P. (1998):** A look back at the US Department of Energy's Aquatic Species Program-biodiesel from algae. National Renewable Energy Laboratory (NREL) report: NREL/TP-580-24190. Golden, CO.
- Shen, T. and Wang, J. Y (1989):** Lipids [A]. In Biochemistry [M]. 2nd ed. Beijing: Advanced Education Press; p. 44–51.

- Sims, R. E. H., Mabee, W., Saddler, J. N. and Taylor, M. (2010):** An overview of second generation biofuel technologies. *Bioresour. Technol*; 101:1570–1580.
- Sinah, R. P. and Hader, D. P. (1996):** Response of a rice field cyanobacterium *Anabaena sp* to physiological stressors. *Germany J. Env. Exp. Bot*; 36:2, 147-155.
- Singh, D. P. and Kshatriya, K. (2002):** NaCl- induced oxidative damage in the cyanobacterium *Anabaena dolium*. *Curr. Microbiol*; 44:411-417.
- Singh, S., Kate, B. N. and Banerjee, U. C. (2005):** Bioactive compounds from cyanobacteria and microalgae: an overview. *Crit. Rev. Biotechnol*; 25:73–95.
- Soletto, D., Binaghi, L., Lodi, A., Carvalho, J. C. M. and Converti, A. (2005):** Batch and fed-batch cultivation of *Spirulina platensis* using ammonium sulphate and urea as nitrogen sources. *Aquaculture*; 243:217-224.
- Spolaore, P., Joannis-Cassn, C., Duran, E. and Isambert, A. (2006):** Commercial application of microalgae. *J. Biosci. Bioengin*; 101(2):87-96.
- Stevens, D. J., Worgetten, M. and Saddler, J. (2004):** Biofuels for transportation: an examination of policy and technical issues. IEA Bioenergy Task 39, Liquid Biofuels Final Report 2001-2003. Canada.
- Sticko-Goad, L. and Anderson, N. A. (1991):** Effect of growth and light/dark cycles on diatom lipid content and composition. *J. Phycol*; 27: 710-718.
- Stumpf, P. K. (1984):** Fatty acid biosynthesis in higher plants. In: Fatty acid metabolism and its regulations. New York: Elsevier.

- Sukenik, A. and Livne, A. (1991):** Variations in lipid and fatty acid content in relation to acetyl CoA carboxylase in the marine Prymnesiophyte *Isochrysis galbana*. Plant Cell Physiology; 32:371–378.
- Suresh, K., Kiran-Sree, N. and Rao, L. V. (1999):** Utilization of damaged sorghum and rice grains for ethanol production by simultaneous saccharification and fermentation. Bioresour. Technol; 68(3):301–304.
- Takagi, M., Karseno, et al. (2006):** Effect of salt concentration on intracellular accumulation of lipids and triacylglyceride in marine microalgae *Dunaliella* cells. J. Biosci. Bioengin; 101(3):223–226.
- Teresa, M. M., Antonio, A. and Martins, N. S. (2010):** Microalgae for biodiesel production and other applications. Renew. Sustain. Energy Reviews; 14:217–232.
- Thomas, W. H., Tornabene, T. G. and Weissman, J. (1984):** Screening for lipid yielding microalgae: activities for 1983. SERI/STR-231–2207.
- Thorpe, J. F. (1907):** A reaction of certain coloring matters of the oxazine series. J. Chem. Soc; 91: 324–336.
- Tiwari, S. and Mohanty, P. (1996):** Cobalt induced changes in photosystem activity in *Synechocystis* PCC6803: Alteration in energy distribution and stoichiometry. Photosynth. Res; 50, 243.
- Tukaj, Z., Bohdanowicz, J. and Aksmann, A. (1998):** A morphometric and stereological analysis of ultrastructural changes in two *Scenedesmus* (Chlorococcales, Chlorophyta) strains subjected to diesel fuel oil pollution. Phycologia; 37(5), 388.
- Turpin. D. H. (1991):** Effect of inorganic N availability on algal photosynthesis and carbon metabolism. J. Phycol; 27:14–20.

- Valderramaa, L.T., Campoa, C. M. D., Rodriguez, C. M., Luz, E., De-Bashana, B. and Bashan, Y. (2002):** Treatment of recalcitrant wastewater from ethanol and citric acid production using the microalga *Chlorella vulgaris* and the macrophyte *Lemna minuscula*. Water Res; 36:4185–4192.
- Van, G. (2009):** J. Biofuel. Methods in molecular biology. In: Jonathan R. Mielenz editor. Biodiesel: small scale production and quality requirements. Humana Press, a part of Springer Science and Business Media, New Jersey; p. 281–290.
- Vasudevan, P. T. and Briggs, M. (2008):** Biodiesel production-current state of the art and challenges. J. Ind. Microbiol. Biotechnol; 35:421–430.
- Vazhappilly, R. and Chen, F. (1998):** Heterotrophic production potential of omega-3-polyunsaturated fatty acids by microalgae and algae-like microorganisms. Bot. Mar; 41:553–558.
- Vicente, G., Martinez, M. and Aracil, J. (2004):** Integrated biodiesel production: A comparison of different homogeneous catalysts systems. Bioresour. Technol; 92:297–305.
- Vogel, A. J. (1975):** A text book of practical organic chemistry .3rd ed. P.969-971, English Language Book Society and Longman Group Ltd. London.
- Volkman, J. K., Jeffrey, S. W., Nichols, P. D., Rogers, G. I. and Garland, C. D. (1989):** Fatty acid and lipid composition of 10 species of microalgae used in mariculture. J. Exp. Mar. Biol. Ecol; 128:219–240.
- Walsby, A. E. (1982):** Cell-Water and cell-solute relations. In: Carr, N. G., Whitton, B. A. The biology of Cyanobacteria, Blakwell, Oxford; 237-262.
- Wang, B., Li, Y., Wu, N. and Lan, C. Q. (2008):** CO₂ bio-mitigation using microalgae. Appl. Microbiol. Biotechnol; 79(5):707–718.

- Wang, L., Li, Y., Chen, P., Min, M., Chen, Y. and Zhu, J. (2010):** Anaerobic digested dairy manure as a nutrient supplement for cultivation of oil-rich green microalgae *Chlorella* sp. *Bioresour. Technol*; 101:2623–2628.
- Woolhouse, H. W. (1983):** Toxicity and tolerance in the responses of plants to metals. In: Lange, O. C, Nobel, P. S, Osmond, C. B, Ziegler, H., eds. *Encyclopedia of plant physiology II*. Vol. 12 B. New York, NY, Springer-Verlag, pp. 245–300.
- Wright, P. J. and Reed, R. H. (1985):** The effects of osmotic stress on intracellular hexitols in the marine brown alga *Himanthalia elongata* (L.) J. Exp. Mar. Biol. Ecol; 93:183-190.
- Xiong, W., Li, X., Xiang, J. and Wu, O. (2008):** High-density fermentation of microalga *Chlorella protothecoides* in bioreactor for microbiodiesel production. *Appl. Microbiol. Biotechnol*; 78:29-36.
- Xu, H., Miao, X. L. and Wu, Q. Y. (2006):** High quality biodiesel production from a microalga *Chlorella protothecoides* by heterotrophic growth in fermenters. *J. Biotechnol*; 126:499–507.
- Xu, X. Q. and Beardall, J. (1997):** Effect of salinity on fatty acid composition of a green microalga from an antarctic hypersaline lake. *J. Phytochem*; 45:655-658.
- Yaguchi, T., Tanaka, S., Yokochi, T., Nakahara, T. and Higashihara, T. (1997):** Production of high yields of docosahexaenoic acid by *Schizochytrium* sp. strain SR21. *J. Am. Oil Chem. Soc*; 74:1431–1434.
- Yang, C., Hua, Q. and Shimizu, K. (2000):** Energetics and carbon Metabolism during growth of microalgal cells under photoautotrophic, mixotrophic and cyclic light autotrophic/ dark-heterotrophic conditions. *J. Biochem. Eng*; 6:87-102.
- Yoo, C., Jun, S. Y., Lee, J. Y., Ahn, C. Y. and Oh, H. M. (2010):** Selection of microalgae for lipid production under high levels carbon dioxide. *Bioresour. Technol*; 101:71–74.

- Zeiler, K. G., Heacox, D. A., Toon, S. T., Kadam, K. L. and Brown, L. M. (1995):** Use of microalgae for assimilation and utilization of carbon dioxide from fossil fuel-fired power plant flue gas. *Energy Conversion and Management*; 36(6–9):707–712.
- Zhao, R., Bean, S. R., Wang, D., Park, S. H., Schober, T. J. and Wilson, J. D. (2009):** Small-scale mashing procedure for predicting ethanol yield of sorghum grain. *J. Cereal. Sci*; 49(2):230-238.