

References

- Abbas, A., (2005):***Assessment of technical nurses, quality of care for patient in selected military hospital. Master thesis p.p84-87. Faculty of Nursing cairo university.
- Abd Alla, M., (1998):*** Educational program for pediatric nurses about viral hepatitis. Master thesis . Pediatric Nursing. Faculty of Nursing. Ain shames University.p.p. 126-138.
- Abdel-Hamid, M.El-Daly, M. and El-Kafrawy, S., (2002):*** Comparison of second- and third-generation enzyme immunoassays for detecting antibodies to hepatitis C virus. J 40(11)p.p.1656-1659.
- Acoresh, et al., (2007) :*** Prevalence of chronic kidney disease in united state journal of American Medical Association. 7 (17) P.P. 2038 – 2047.
- Adams, A., (2004):*** Incidence of chronic renal failure in Egypt. The Egyptian Society Nephrology; 6(6)P.15.
- Ahmed, M.M.,(2004):*** "An interventional study for prevention of HCV infection in some hemodialysis units in Alexandria. Alex. Univ. (EGYO. High Inst. Of Public Health).
- Ahmed, S., (2003):*** "Infection control aspect in pediatric insentience care of unit at Tanta Hospital, Doctorate thesis, Cairo University".
- Ahmed, S.H., (2003):*** Development of clinical nursing care standers for adult surgical patient. Doctorate thesis, Faculty of Nursing, Alexandria University.
- Alexander,M. Fawcetty,J. And Runicman, P., (2009):*** Nursing practice, Hospital and hom the adult 2nded Copyright licensing Ayeney Toronto Churchill living stone, New York P.P. 451 – 457.
-
-

- Alfurayh ,O. Sabeel, A.and Hamid, M., (2000):**Hand contamination with hepatitis C virus in staff looking after hepatitis C-positive hemodialysis patients. Am J Nephrol Mar-Apr;20(2)p.p. 103-6.
- Allender, J. and Spradley, B., (2003):** Community health nursing concepts and practices. 5th ed. Lippicott. Philadelphia.p.p. 357-547.
- Alter, H.J. and Seef, L.B., (2002):** Recovery, persisistence and sequal in hepatitis C virus infection a prospective on long term out come seminars in liver disease .6 (1)p.p. 17-35.
- Alter, M.J. Hutin, J.F.and Arms Srong, G.L., (2000):** Epidemiology of H.C.V San diegosca: Academic press.
- Alter, M.J. Kuhnert, W.L. and Finelli, L., (2003):** Guidelines for laboratory testing and result reporting of antibody to hepatitis C virus. 52(1)p.p.13- 15.
- Alter, M.J., (2002):** Prevention of spread of hepatitis C. Hepatology 36(9) P.P .93-98.
- Alter,M.J.,(2007):**Epidemiology of hepatitis C virus infection.J of gastroenterology 13(17)2438-2441.
- American Academy of pediatrics (AAP), (2007):** General Principals in the care of children and adolescents with genetic disorders and other chronic health condition.99 (4)p.p643-44.
- Andews, L. and Gibbs, M.,(2003):** Anti hypertensive medications and renal disease. Nephrology Nurse J 6(17)p.p 29:379.
- Arduino,M.and Tokars,J., (2005):** Why is an infection control program needed in the hemodialysis setting? Available at:
<http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed>
- Awad,T. Thorlund,K. and Hauser G.StimacD.MabroukM. and GluudC.,(2010):**Piginterferon Alfa 2a is associated with higher
-
-

sustained virological response than peginterferon alfa 2b
in chronic hepatitis C systematic review of randomized trials
hepatology 51 (4) P.P 1176-1184.

Bachw, I.k. and Thung, S.N., (1998): The histological changes of H.C.V
and autoimmune hepatitis a comparative analysis Hepatology 15
(4) p.572

**Bakirci, T., Sasak, G. Ozturk, S. Akcay, S. Sezer S. and Haberal, M.,
(2007):** Pleural effusion in long-term hemodialysis patients.
Transplant Proc; 39(4)p.p.889-91.

Barril, G. and Traver, J.A.,(2003): Decrease in the hepatitis C virus
(HCV) prevalence in hemodialysis patients in Spain: Effect of
time, initiating HCV prevalence studies and adoption of
isolation measures. AntivirRes. 60(2) P.P. 129-134.

Barsoum, R., (2003): End-stage renal disease in North Africa, Kidney
International Journal; 63(83)p.p. 11-14.

Bergman S. Accortt N.and Turner A., (2005):Hepatitis C infection
acquired pre-ESRD. Am J Kidney Dis Apr.45(4)p.p.684-9.

Bigam, D.L. Pennington, J.J.and Carpentier, A., (2000): Hepatitis C-
related cirrhosis: a predictor of diabetes after liver
transplantation, Hepatology. 32 (1)p.p.87-90.

Black, J. Hawks, J. and Keene, A., (2001): Medical surgical nursing:
management of clients with renal failure, 6th ed., WB Saunders
Company, Philadelphia. p.p.28-89.

Booth, J.C. Grady, J.O. and Neuberger, J., (2001): Clinical guidelines
on the management of hepatitis C. 49(1)P.P 11-121.

Borawski, J. Naumnik, B. and Mysliwiec, M., (2005): Liver disease vs.
systemic inflammation in hemodialysis patients. Nephrol Dial
Transplant. 20(1)p.p.277-1278.

- Bowden, V. R. and Greenberg, C. S., (2003):** Pediatric Nursing procedures, text book, pediatric guidelines and procedures lippincott Williams and Wilkins, Philadelphia. p.p. 250-700.
- Bowel, B., (2009):** ARisk to others nursing time journal 88 (4) p.p.38-34.
- Boyd, M., (2004):** Expanding the role of practice Nurses: Care management for high risk chronically ill children practice.
- Bregman, M.N. and Daugirdas, J.T., (2005):** Complication during heamodialysis in Handbook of dialysis 3th ed Chapter 2 P.P. 148 -168.
- Brophy, P.D., (2005):** developing clinical protocols for nursing practice of website <http://www.pumber.com>.
- Brown, R., (2008) :** Single parenting with chronic illness: An under studied phenomena Journal of pediatric psychology. 33 (4) p.p. 408 – 421.
- Buisson, C., (1996):** Practices guide lines for prevention of infection in European ICU : A call for standard intensive care medicine p.p. 22-30.
- Burrel, L., (2005):** Adult nursing in hospital and community setting, Appleton and Lange, New York. p.p. 1240-65.
- Busch, M.P. Glynn, S.A.and Stramer, S.L., (2005):** A new strategy for estimating risks of transfusion-transmitted viral infections based on rates of detection of recently infected donors. Transfusion 45(13) p.p.54-264.
- Castillo, I. Ro driquez, L. Inigo, E. Lopez, Alcorcho, J.M. and pardom., (2006):** Hepatitis C virus replicate in the liver of patient who have a sustained response to antiviral treatment. Clinical infectious disease 43 (10) p.p 1277-83.
-
-

- Center for Disease Control and Prevention [CDC], (2001):** Recommendations for preventing transmission of infections among chronic hemodialysis patients. 33(5)p.p.1-43.
- Center for Disease Control and Prevention [CDC], (2003):** National center for infectious Disease, Atlanta, Hospital .infect .J 2(5)p.21.
- Center for Disease Control and Prevention [CDC], (2004):** Hand hygiene in health care setting, Recommendations of the health care infection control practice . 55 (18). p. 10
- Center for Disease Control and Prevention,[CDC], (2002):** Management of occupational blood exposures J Am Dent Assoc. 133 (12): P. 1630.
- Chalupa,E. Marthanen, P.K. Galligan, C.J.and Qunin M., (2008):** Needle stick and sharp injury prevention are we reaching ourgoal?
- Chlabicz, S. Flisiak, R. and Grzeszczuk, A., (2006):** Known and probable risk factors for hepatitis C infection: A case series in north eastern Poland. World J Gastroenterol.9(12)p.p.141-145.
- Choo, Q.L. Kuo, G.and Weiner, A.J., (1989):** Isolation of DNA clone derived from ablood borne diagnostic and vaccine Europe pattern office non-A, non –B viral hepatitis genome. Science 10(44)p.p.359-362.
- Chrirstiane, D. Edwin, A.and Jeramy, L., (2009):** Hand book of dialysis oxford university New York 3th ed .p.p. 150-55.
- Clausen,T. Burski,T. oyen,N. Godangk, Boller slev, J. and Henriksen, T., (2005):** Aprospective study for Maternal Anthropometric and Metabolic factor in the first half of pregnancy and risk of Neonatal macrosomia in term pregnancies Eur J endocrinal 3153 (6) p.p.887 – 894.
-
-

- Clifford, C., (1993):** the clinical role of the nurse teacher in United Kingdom , Journal of advanced nursing 18(9) p.p.281-289.
- Conjeevaram, H .S. Fried, M.W.and Jeffers, L.J., (2006):** Peginterferon and ribavirin treatment in American patient with chronic hepatitis C gens type I Gastroenterology 131(6)p.p. 470-477.
- Cooper, C., (2006):** Continuing care of sick children (examining the impact of chronic illness will shire mark Allen publishing: London p.p. 118 – 120.
- Corea, A. Christensen, L. and Vogel, S., (2002):** Patient and Machine monitoring and assessment. In: Review of Hemodialysis for nurses and dialysis personnel. Gutch CF, Stoner MH, Corea AL (eds.). Mosby, St Louis.
- Coxal, S.A. Netski, D.M. and Mosbruger, T., (2005):** prespective evaluation of community acquired acute phase hepatitis C virus infetion "cliniccal infectious disease. 40 (7) P.P. 951-8.
- Craven, A.M. Hawley, C.M. and McDonald, S.P., (2007):** Predictors of renal recovery in Australian and New Zealand end-stage renal failure patients treated with peritoneal dialysis. Perit Dial Int. Mar Apr;27(2)p.p.184-91.
- Daugirdas, J.T.Van, Stone, J.C. and Boag, J.T., (2001):** Hemodialysis apparatus. Handbook of dialysis 3rd ed , Lippincott William and Wilkins.p.p.46-66.
- Diab, S.S.,(1998):**Exploring factors contributing to hazards of intravenous infusion and the actual nursing management in pediatric departments in Shebin El-kom Hospitals.
- Diaugirdas,J.T. Black, P.G,and Ingt. S., (2007):** Hand book of dialysis 4th ed Philadelphia lippin cott Williams and wilkns awalters kluwer Bussins.
-
-

Dingueall, R.,(2006): End stage renal failure and its treatments; available at : <http://www.google.com>.

Dolin,H. Gerald, L. Mandell,A. John, E. Bennett, N.and Raphael,J. (2010) : Principles and practice of infectious diseases (7th ed.). Philadelphia, PA: Churchill Livingstone/Elsevier.Chapter 154. p.p57-70.

Douglas, D., (2003): The effective nurses leader and manager 2nd ed , the CV Mosby company ST Louis;p.p. 224-227.

Drench, M. Noonan, A. Sharby, N. and Ventura, S., (2003): Psychosocial aspects of health care.prentice hall, inc. Upper Saddle River, New Jersey; p.p.147-57.

Edwin, A. Christiane, D.and Jeramyl, B. L., (2009): Hand Book of dialysis 3th ed oxford univesty New yourk p.p. 45-50.

El Sadawy, M.K. Frank, C.I. and Strickland, G.T., (2004): The role of parenteral antischistosomal therapy in the spread of hepatitis C virus in Egypt. 3 (12)P.P. 87-91.

Ellis, D. and Avner, J., (2008): Chronic renal failure etiology, pathophysiology and management Nelson textbook, 18th edition, section (5)p.p.2210-2217.

El-Raziky, M.S. El-Hawary, M. and Esntat, G., (2007): "Prevalence and risk factors of asymptomatic hepatitis C virus infection in Egyptian children. World J Gastroenterol . 13(12) p.p.1828-32.

EL-Sayed, H.A., (2006): Quality improvement of immediate post partum nursing care At Benha university hospital Master thesis faculty of Nursing Benha university.

Elsenier, M. and VanWaelghem, J.,(2003):Identifying complication among ESRD patients in Europ. Aprospectivemulty center study. NephrolNews issues:17(8)p.p.61-99.

- Evansmith P., (2005):** Taylor clinical a nursing process approach, Lippincott. Williams and Wilkins, Philadelphia p.p.503-507.
- Fadem, D. and Stephen, Z., (2008):** Calculators for Health Care Professionals. National Kidney Foundation.
- Fathy, F., (2002):** Infection Control Practices by Nurses Working at Ainshams Children Hospital, Master Thesis, Faculty of Nursing, Ainshams University.
- Feigin, R. and Cherig, J., (2007):** pediatric infections disease, 9th ed. W.B. Saunders company Tokay p.p. 685-690.
- Figlerowicz, M. Sluzewski, W .and Kowala-Piaskowska A., (2004):** Interferon alpha and ribavirin in the treatment of children with chronic hepatitis C. Eur J Pediatr.2(9)p.p. 163:265.
- Fine, L., (2002):** The uremic syndrome, adaptive mechanisms and therapy, Hospital Practice; 22(55)p.p.63-73.
- Fink, J. Blahut, S. Reddy, M. and Light, P., (2001):** Use of erythropetin before the initiation of dialysis and its impact on mortality. American Journal of Kidney Diseases; 37(2)p.p.348-55.
- Foote, B.S. Spooner, L.M.and Belliveau, P.P., (2011).** Boceprevir: a protease inhibitor for the treatment of chronic hepatitis C. Ann Pharmacother 45 (9): 1085–93.
- Fuller, J. and Schaller, J., (2000):** Health assessment, 3rd ed., Lippincott, Philadelphia. p.p.148-49.
- Fung, J.I. Lai. C.L.and Hung, I., (2008):** Chronic hepatitis C virus genotype 6 infection response to pegylated interferon and ribavirin the journal of infectious disease 198 (6)p.22.
- Garcia-Valdescasas, Bernal, M.C. and Cerezo, S.,(2005):** Strategies reduce the transmission of HCV infection in hemodialysis(HD) unit (abstract). J Am Soc Nephrol 4(7)p.347.
-
-

- Ged Fellay, J. and Thompson, A.J., (2009):** "Genetic variation in predicts hepatitis C treatment induced viral clearance J 4(8)p.77.
- Georg-Gay, B. and Cherneck, C., (2002):** Clinical medical surgical nursing: Renal failure and its management, WB Saunders Co. Philadelphia. p.p. 145-60,847-55.
- Ghany, M.G. Nelson, D.R. Strader, D.B, Thomas, D.L.and Seeff, L.B., (2011).** An update on treatment of genotype 1 chronic hepatitis C virus infection: 2011 practice guideline by the American.
- Goarge, M.B., (2007):** The essential resources for clinical use of medicine in children textbook 3th ed BNF for children, oxford university, society of Great Britain, London P.P. 250-52.
- Golper,A.,(1995):**Nursing management asystem approach. WBSaunders,phildelphia.p.p.300-305.
- Had Ziyannis ,S.J. Sette, H.J., Morgan T.R., et al., (2007) :** Peginter feron alfa-2a and ribavirin combination therapy in chronic hepatitis C and randomized study of treatment duration and ribavirin dose. Annal's of internal medicine ; 140(7)p.p.396-355.
- Hahn, J.A., (2007):** Sex,Drugs, and Hepatitis C Virus". J Infectious disease. 195 (11) P.P. 1556-9.
- Hardikar ,W., (2002):** Advanced in pediatric gastroenterology hepatitis CV in childhood J. gastroenterol hepatol . 4(17)p.470.
- Hino, K. and Oklta, K., (2004):** Interferon therapy as chemoprevention of hepatocarcinogenesis in patients with chronic hepatitis C. J Antimicrob Chemother J. 53(1)p.p. 19-22.
- Hollely,J.,(2007):**Acute complication during hemodialysis.Available at :<http://patient.suptodate.com/topic.asp?filedialysis/22853>.
- Hollow, N., (2003):** Nursing the critically ill adult applying nursing diagnosis, 14th ed., Addison-Wesley Publishing, London; p.p.304-310.
-
-

- Holloway, N., (2004):** Medical surgical care planning (4th ed) Awalters kluwer company Tokyo. p.p. 771 – 788.
- Horle, W.H., (2002):** Anemia management in chronic kidney disease Nephrol Dial transplant 17 (11)p.p. 35-38.
- Houghton, M., (2009):** The long and winding roadleading to the identification of the hepatitis C virus journal of hepatology 51 (5) P.P. 939-48.
- Jacobson, K.K. Murray, K. Zellos ,A. and sch warzk, B., (2002):** An analysis of published trials of inrerferon Monotherapy in children with chronic hepatitis C.J. pediatr Gastro enterol Nutr ,42(5) p.p.34- 52.
- Jadoul, M. Poignet, J.L.and Geddes, C., (2004):** The changing epidemiology of hepatitisC virus (HCV) infection in hemodialysis: European multicentre study. Nephrol Dial Transplant 19(8)p.p. 904-9.
- Jafari, S. Copes, R. Baharlou, S. Etminan, M.and Buxton, J .,(2010):** Tattooing and the risk of transmission of hepatitis C: a systematic review and meta-analysis". International journal of infectious diseases : IJID : Official publication of the International Society for Infectiou Diseases14 (11):928–40.
- Jakson, P., (2004)** Primary care of children with chronic condition, 4th ed Sounders company .P.P. 732 – 733.
- JenerK., (1999):**Effect of primary nursing care on renal transplant patient Jof nurse administration ,sept:49(27)p.p..85-89.
- Jenson, H.B. and Baltimore, R.S., (2002):** Viral hepatitis from Pediatrice infectious diseases; Principles and practice".2nd ed Sounders company.p. 1121
- Jeramy, L. Edwin, A.and Christiae, D., (2009):** Handbook of dialysis3thed oxford university New yourk P.P. 135-140.
-
-

- Kamyar, Kalantar-Zadeh, Kopple, J. Block, G. and Humphreys, M., (2001):** Association among SF 36 quality of life measures and nutrition, hospitalization, and mortality in hemodialysis. *Journal of American Society of Nephrology*;6 (12)p.p.2797-2806.
- Karmochkine, M. Carrat, F.and Dos Santos, O., (2006):** "A case-control study of risk factors for hepatitis C infection in patients with unexplained routes of infection". *J. Viral Hepat.* 13(11)p.p.775-82.
- KDIGO, (2008):** Clinical Practice Guidelines for the Prevention, Diagnosis, Evaluation, and Treatment of Hepatitis C in *Chronic Kidney Disease*.*Kidney International* 73 (109)p.p.510-599.
- KDOQI, (2008):** KDOQI Clinical Practice Guideline for Hemodialysis Adequacy. 2008 update.. ([Medline](#)).
- Kean, C. and Mahl, V., (2002):** Saunders review for practical nurses 8th ed, W.B. saunders company, Philadelphia: p.p.79-80.
- Kedzierski, M., (1991):** Management of viral hepatitis nursing standard, *jul*, 5 (42)p.p.29-33.
- Kew, M. Francois G. and Lavanchy, D., (2004):** Prevention of hepatitis C virus infection". *J Virol Hepat.* 11(3) p.p. 198-205.
- Kinnay, M. Dunbar, and Packa, S., (2004):** Clinical reference for critical care nursing, 3th ed, London, Mosby; Year Book.p.666.
- Lagging, M. Langeland, W. and Pedersen, C., (2008):** Weight adjusted dosing of ribavirin and importance of hepatitisC virus RNA in short term e.g interferon therapy for chronic genotype hepatitis C virus infection "*Hepatology* 48 (2) p.p 695.
- Laskus, T. Wang, L.F .and Radkowski, M., (2009):** Exposure of hepatitis C virus (HCV)RNA-positive blood donors results in rapid predominance of a single donor strain and exclusion and /or suppression of the recipient strain. Available at :([http://](#)
-
-

www.ncbi.nlm.nih.gov/pubmed/11160710) journal of virology
75 (5): P.P. 2059-66.

Lauer, G.M. and Walker, B.D., (2001): Hepatitis C virus infection N Engl J. med;345(1)p.p.41-52.

Lemon, P. and Burke, K., (2004): Medical surgical nursing critical thinking in client care volume , 3rd ed., prentice it all, Inc Upper Saddle River, New Jersey;p.p.764-88.

Levi, F., Lavecchia, C., Lucchini F. and Boyle P., (2003): Hepatitis C virus incidence and mortality in Europe, Preventive med. 38 (3) p.p.155 – 229.

Levine, D. (2004): Caring for the renal patient, 3rd ed., WB Saunders Co. Philadelphia;p.p. 649-51.

Levy, J. Movgan, J. and Brown, E., (2009): Principle of hemodialysis in oxford handbook of dialysis 2(7)p.p. 74-224.

Levy, J.B. and Brown, E.A., (2004): Oxford Handbook of Dialysis. 2nd edition new yourk P.P. 125-30.

Lewis, N. Heith emper, M. and Dirksen, R. (2004): Medical surgical nursing assessment and management of chinal problem, 6th ed Mosby : USA ; p.p .735 – 741.

Lewis, S. Collier, I. and Heitkemper, M., (2007): Medical surgical nursing: assessment and management of clinical problems, 7th ed., Mosby, St Louis,p.p. 1371-1402.

Lindenbach, B. and Rice, C., (2005): "Unravelling hepatitis C virus replication from genome to function". Nature 36(4): P.P933-8.

Linton, A. and Mabius, M., (2003): Introduction to Medical Surgical Nursing, 3rd ed., London; p.p.788-789.

Linton, A., Matteson, A. and Maebius, W., (2000): Introductory nursing care of adults, 2nd ed , W.B. saunders company ,Tokyo; pp. 551 – 554.

- Locateli, F. Martin-Malo, A. and Hannedouche, T., (2009):** "Effect of Membrane Permeability on Survival of Hemodialysis Patients".! Am JSoc Nephrol 20(9)p. 645.
- Lock, G.T. Discheri, M and. Obermeier, L ., (2006):** Hepatitis C contamination of tooth brushes J viral hepat 15 (9) P.P. 571-530.
- Lubkin, I.M. and Larsen, P.D., (2006):** Chronic illness impact and intervention (7th ed) Jones and Bartlett, publishers : London; pp. 326 – 328.
- Maheshwari, A. and Thuluvath, P.J., (2010):** Management of acute hepatitis C". Clinics in liver disease 14 (1): 169–76.
- Mahmmoud, F., (2002):** Infection control practice by nurses working at Ain Shams children hospital master thesis Ain Shams Univerisy .pp100.
- Majesky, S. Brester, M. and Nishio, K., (2005):** Development of a research tool: Patient indicators of nursing care. Nursing research, November-December 27(6)p.p.365-710.
- Mak, R.H., (2007):** Chronic kidney disease in children: state of the art. Pediatr Nephrol. Oct ;22(10)p.p.1687-8.
- Manley, K. and Bellmen, L., (2000):** Surgical Nursing advanced practice 1st ed churchill living stone New Yourk P.P. 153.
- Martin, P. and Fabrizi, F.,(2008):** Hepatitis C virus and kidney disease. J Hepatol. ;49(4)p.p.613-24.
- Massalha, S. Tiram, E. Bar chana, M. and Friendlander, X., (2004):** Birth weight and other risk factor. For acut HCV Epidemiol Biomarkers Prev 13 (6)p.p.1057 – 1064.
- Mast, E.E. Mahoney, F.J. Alter, M.J .and Margolis, H.S., (2004):** Mother to infant HCV transimission and breast feeding. J 16(2) P.P. 211-6.
-
-

- Mathers, T., (1999):** Effects of psychosocial education on adaptation in elderly hemodialysis patients. ANINA J; 26(6)p.p.587-89.
- Meers, P. Jacobsen, W. and Mcpherson, M., (1994):** Hospital infection control for nurses 2nd ed chap man&Hall London p.p.128-159.
- Meyer, K. Espindle, D. Degiacomo, J. Jenuleson, C. Kurtin, P. and Davies, A., (2001):** Monitoring dialysis patients health status. Am J kidney Dis; 24(2)p.p.267-79.
- Miller, A. Recsky, M. and Arm strong, R.C., (2004):** Responding to the needs of children with chronic health condition in an Era of health services reform candian medical Association Journal, Ottawa; 171 (11) p.p.1366 – 1367.
- Mitsui, T. Iwano, K. and Masuko, K., (2005):** Hepatitis C infection in medical personal after needle stick accident. Hepatology Nov 16(5)p.p.1109-14.
- Mohamed, M.K. Bakr, I. and El-Hoseiny, M., (2006):** HCV-related morbidity in a rural community of Egypt. J Med Virol. 76(9) P.P. 1185-9.
- Mohamed, M.k., (2006):** Epidemiology of H.C.V Egypt the afro-arab liver journal , 3 (2)P.P. 41-52.
- Mohammed, M., (2008):** Needs assessment of children undergoing hemodialysis therapy . master thesis faculty of Nursing Benha University.p.p .67.
- Moreno, M. Rua, M. Custillo, T. Garcica., Nova, M. Santos, M. Navas, S. and carreno, V., (2008):** Treatment of children with chronic H.C with recombinant innerferon alfa apilotstudy Gastroenterology 16 (4) p.p.882-884.
- Mostafa, M., (2009):** Improve the quality of nurses performance to provide client satisfaction in kidney dialysis. Doctora thesis Faculty of Nursing Benha University.p.p.77-82.
-
-

- Mott, R. James, R. and sperhac, M., (2007):** Nursing care of children and family, (5th ed). Harcourt health science : New York : p.p. 724 – 730.
- Moucari, R. Asselah, T. and Cazals-Hatem, D., (2008):** Insulin resistance in chronic hepatitis C: association with genotypes 1 and 4, serum HCV RNA level, and liver fibrosis. Gastroenterology.; 134(2): P.P. 416-23.
- National Kidney Foundation, (2006):** K/DOQI guidelines, 2000: Adult guidelines, maintenance dialysis: management of protein and energy intake. Guideline number 15. Nephrol Dial Transplant; 20(8)p.1670.
- National kidney foundation, (2008) :** Chronic kidney disease on web site Http : // www. Google . eg . com .
- Nelson, P.K. Mathers, B.M. Cowie, B. Hagan, H. Des Jarlais, D.Horyniak, D.and Degenhardt, L., (2011).** Global epidemiology of hepatitis B and hepatitis C in people who inject drugs: results of systematic reviews". Lancet 378 (9791): 571–83.
- Op De Beeck, A.P. and Dubuisson J.A., (2003):** Topology of hepatitis C virus envelope glycoproteins". Rev. Med. Virol. 13(4): P.P. 233-41.
- Owen, W., (2007):** Patterns of care for patients with chronic kidney disease in the United States: Dying for Improvement.
- Ozaras, R. Tahan, V., (2009).** Acute hepatitis C: prevention and treatment. Expert review of anti-infective therapy 7 (3): 351–61.
- Patrick, M. Wood, S.Graven,R. Rokosky,J. and Brano, P., (2000):**Pathophysiological concepts, 3thed ,Lippincott, st louis, p.p.1115-25.
- Periera, B.J. and Levely, A.S., (2004):** Hepatitis C virus infection in dialysis and renal transplantation Kidney 51(4)p.p.981-99.
-
-

- Perry, A. and potter, P., (1997):** Fundamentals of nursing concepts, process and practices 4th ed C.V Mosby co st. Louis, Baltimore, p.p. 742 – 755.
- Petit, J.M. Bour, J.B. and Galland-Jos C., (2001):** Risk factors for diabetes mellitus and early insulin resistance in chronic hepatitis CJ Hepato. 35(2)p.p.279-83.
- Phipps, W. Sands, J. and Marek, J., (2002):** Medical surgical nursing: management of persons with renal failure, 6th ed., Mosby Co. United States of America. p.p.15-20.
- Pizzo, H. Philip, R. and Poplack, D., (2006):** Principles and practice of pediatric (5 th ed) Lippincott: Philadelphia p.p. 246-250.
- Pondé, Robério Amorim de Almeida (2011 Feb):** Hidden hazards of HCV transmission. Medical microbiology and immunology 200 (1): 7–11.
- Racek, B., (2007):** How symptoms affect functioning and well-being. Renal Rehabilitation Reort; 11(4)p.p.2-8.
- Rais-Jalali, G. and Khajehdehi, P., (2002):** Anti-HCV seropositivity among hemodialysis patients of Iranian origin. Nephrol Dial Transplant Aug;14(8)p.p.2055-6.
- Ramadan, E.N., (2004):** An Educational health promotion program for nurses about viral hepatitis "B" and "C" in rural areas. Doctora thesis. Faculty of Nursing Benha University.p.p.112-115.
- Ray, S., (2008):** "Acute hepatitis C". Lancet 372 (9635)p.p.321–32.
- Reberton, A.M. and Kenil Worth. S.T., (2002):** Treatment of hepatitis C virus infection: updated Swedish consensus recommendations "scandinavian journal of infectious disease 14(6) P.P. 389-402.
- Reda, T., (2002):** Etiology of chronic renal failure among a sample of the Egyptian population. Master thesis, Faculty of Medicine, Ain Shams University; p.p.69-73.
-
-

- Regev, A. Berho, M. and Jeffers, L.J.,(2002):** Sampling error at intraobserver variation in liver biopsy in patients with chronic HCV infection. Am J Gastroentrol 97(3) P.P. 2614.
- Rocco, M.R., (2007):** More frequent hemodialysis back to the future in Advanced in chronic kidney disease 2(14)p.p. 154-187.
- Rosen, H.R., (2011):** Clinical practice. Chronic hepatitis C infection". The New England journal of medicine 364 (25)p.p.2429–38.
- Ross, A.p. and Chung, R.T, (2004):** Natural history of acute hepatitis C in U.S. cohort. Abstract of Digestive Disease Week. New Orleans, Louisiana, (abstract 105779).
- Rothock, J.C., (2003):** Care of the patient in surgery 12th ed Mosby London p.p. 106-110.
- Ryan, K.J.and Ray, C.G. , (2004):** Sherries medical microbiology 4th ed MCG row Hill P.P. 551 -2.
- Santacroce, S., (2002):** Un certainty, Anxiety and symptoms of posttraumatic stressing parents of children recently diagnosed with hepatitis c virus Journal of pediatric nursing ; 19 (8) p.p.104 - 111.
- Savey, A. Simon, and Izopett, (2005):** A large nosocomial out break of Hepatitis C Virusinfections at ahemodialysis center. Infection control Hosp Epidemiol 26(6)p.p. 752-760.
- Scott, J.D.and Burden, B.J., (2006):** High rate of spontaneous negativity for hepatis C virus RNA after establishing of chronic infection in Alaska wative clinical infectious disease 42 (7) P.P. 945-52.
- Seef, L.N., (2002):** Natural history of hepatitis C, edited by T.J jake linage and joy h Hoo fangle. Academic press. p.p.535-46.
- Sharaf, A. Eweda, S. E-Belbessi, A. and Salem M., (2007):** Assessment and nursing interventions for intradialytic problems of patients are maintenance hemodialysis. ASNJ. 3(1)p.p.103-17.
-
-

- Shepard, C.w.Finelli, L. Fiore, A. and Bell, B.P., (2005):** Epidemiology of hepatitis B and hepatitis C virus infection in United States children. *Pediatric Infection Disease J* 33(24) P.P. 755-760.
- Shiff man, M.L. Suter, F. and Bacon, B.R., (2007):** Peginerferon Alfa 2 a and Ribavirin for 16 or 24 weeks in HCV genotype 2 or3. *N Engl J Med* 357 (2) p.p.22-30
- Simjanovska , L.J. Porcu, K. and Amitov, V., (2004):** Reverse transcriptase/polymerase chain reaction analyses of hemodialysis ultrafiltrates and sera of hepatitis C virus positive patients. *Int J Artif Organs* 27 (7)p.p.35-39.
- Simmons, J.M. Wilson, C.J. Potter, D.E.and Hollidary, M.A., (2006) :** Relation of calorie deficiency to growth failure in children on hemodialysis and the growth response to calorie supplementation *NEngl J. Med.* 285 (77)p.p. 653 – 656.
- Slova, K.M. Kopecky, K. and Cassileth, P., (2000):** Analysis Predicts Outcome of Pre remission and post remission therapy in Adult acute. *HCV* 96 (13) p.p. 75-83.
- Smeltzer, S. and Bare, G., (2000):** Text book of medical surgical nursing, 7th ed., JB Lippincott Company, Philadelphia; p.p.1112-1121.
- Smeltzer, S. and Bar, B., (2005):** Branner and suddarths text book of medical surgical nursing lippiniccott company. London p.p.986-1007
- Smeltzer, S. and Bare, G., (2003):** Textbook of medical surgical nursing, 9th ed., Lippincott Co., Philadelphia; p.p.1109-15.
- Smeltzer, S. and Bare, G., (2004):** Medical surgical nursing: Dialysis and renal failure 10th ed. Lippincott Williams and Wilkins, United States of America p.p. 1285-1337.
-
-

- Smith, L.S. Nelson, M. Naik, S. and Woten, J., (2011).** Telaprevir: an protease inhibitor for the treatment of chronic hepatitis C. *Ann Pharmacother* 45 (5): 639–48.
- Sorecki, K. Green, J. and Breanner, B.M., (2005):** Chroic renal Failure in Harrison's principles of internal medicine textbook 16th ed New yourk, MC, Graw Hill P.P. 1633-63.
- Strader, D.B. wright, T. Thomas, D.L. and seefff, L.B., (2004):** Diagnosis management and treatment of hepatitis C. *Hepatology*; 39(60)p.p.1147-1171.
- Swearingen, P., (2004):** All-in-one, care planning resource: Chronic renal failure, dialysis and care of renal transplant, recipient, United States: Mosby Co;p.p.243-71.
- Sypsa, V. Psichogiou, M. and Katsoulidou, A., (2005):** Incidence and patterns of hepatitis C virus seroconversion in a cohort of hemodialysis patients. *Am J Kidney Dis* 45(3)p.p. 334-43.
- Taskapan, H. Ates, F. Keys, B. Emul, M. Kaya, M. Tskapanc, and Sahin, I., (2005):** Psychiatric disorders and large in terdialytic weight gain in patients on chronic haemodialysis. *Nephrology*; p.1
- Taskapan, H. Oymak, O. Dogukan, A. and Utas, C.,(2001):** Patient to patient transmission of hepatitis C virus in hemodialysis units. *Clin Nephrol.* 55(11)p.p.477-481.
- Taylor, C. Lillis, C. and lemone, P., (2004):** Fundamental of nursing, the art and science of nursing care, 4th ed., Lippincott Company, Philadelphia;p.p. 135-1360.
- The Lasker Foundation, (2008):** 2000 Winners Albert Lasker Award for Clinical Medical Research Retrieved 20 Feb.
- Thomas, N. and Smith, T.,(2004):** Renal nursing, 2nd ed, reprinted, bailliere tindall. Elsevier Science Limited; p.p.30-35.
-
-

- Thomas, N., (2002):** Renal nursing, 2nd ed., Baillie Tindall; p.p. 87-93,129-37,171-205,282-84,286-89,299-309.
- Thompson, J. Mcfarland, G. Hirsch, J. and Tucker, S., (2003):** Clinical Nursing Renal Failure, 5th ed., Mosby, Inc, St Louis; p.p.894-902.
- Tietjen, L. and McIntosh, A., (1991):** Infection control in family planning facilities , out look 7, p.p. 2-8.
- Tohme, R.A.and Holmberg, S.D. (2010).** Is sexual contact a major mode of hepatitis C virus transmission?. Hepatology 52 (4): 1497–505.
- Tokars, J. Arduino, M.J. and Alter, M.J.,(2001):** Infection control in haemodialysis units. Infect Dis Clin North Am, Sep; 15 (3)p.p. 797-812.
- Tower, R. and Spector, L., (2007):**The Epidemiology of childhood HCV with afocus on Birth weight and diet .44(6)p.p. 205-242.
- Valentine, F. and Lowes, L., (2007):** Nursing Care of children and young people with chronic illness Black well publishing 3th ed : oxford; P. 7778.
- Valtuille, R. Moretto, H.and Lef, L., (2002):** Decline of high hepatitis C virus prevalence in a hemodialysis unit with no isolation measures during a 6-year follow-up. Clin Nephrol 57(10)p.p.371-5.
- Vanderborght, B.O. Rouzere, C. and Ginuino, C.F., (2004):** High prevalence of hepatitis C virus infection among Brazillian hemodialysis patients in Rio de Janeiro: one-year follow-up study. Rev Inst Med Trop Sao Paulo;37(1)p.p.75-79.
- Vescio, M.F. Longo, B. and Gabudieris, A., (2008):** Correlates of hepatitis C virus seropositivity in prison inmates ameta analysis journal of Epidemiology and community Health 62 (4) P.P. 305-13.
-
-

- Walsh, M., (2002):** Clinical nursing and related sciences: The Person with Impaired Renal Function, 6th ed.
- Webb, S. and Dobb, G., (2007):** Acute renal failure, Acute kidney injury Anesthesia and intensive care 35, (6)p.p. 843-4.
- Weiler, J. and Colurr, T.S., (2001):** Nursing care of children W.B. Saunders Company London P.P. 1250-1265.
- Weisbord, B. Finkelstein, S. Kliger, A. and Finkelstein, F., (2005):** Patient assessment of quality of care in a chronic peritoneal dialysis facility. Am J Kidney Dis. Apr; 35(4)p.p.638-43.
- Wilkins, T. Malcolm, J.K. Raina, D. and Schade, R.R., (2010):** "Hepatitis C: diagnosis and treatment". American family physician 81 (11)p.p. 1351-7.
- Williams, L. and Hopper, P., (2003):** Understanding medical surgical nursing. Urinary system function, assessment and therapeutic measures and renal failure, FA Davis Co. Philadelphia; p.p. 700-708.
- Wilson, D. Hocken, berry, M.J. and Winkelestein, M.L., (2009):** Essentials of pediatric Nursing (7th ed) Mosby, Elsevier, India p.p. 527 – 535.
- Wreghitt, T.G., (1999):** Blood-borne virus infections in dialysis units a review. Rev Med Virol 9(11)p.p.101-9.
- Xia, X., Laoi J. Bav, J. and Yu, R., (2008):** Epidemiology of HCV infection among injection drug user in china: systematic review and meta analysis. Public health; 122 (10): 990-1003.
- Young, E., (2003):** kidney and urologic disease in children of website <http://www.kidney.org>
- Youniss, A., (1997):** Assessment of health personal knowledge Attitude and practice in relation to infection control in General surgical
-
-



unit unpublished Master, thesis F. of N. Ain shem Unive Egypt,
P.P. 94-103.

Zein, C.O. Levy, C. Basu, A. and Zein, N.N., (2005): Chronic hepatitis C and type II diabetes mellitus: a prospective cross-sectional study. Am J Gastroenterology.; 100(1)p.p.48-55.

Zeisel, M. Batrth, H. and Schuster, C., (2009): Hepatitis C virus entry : Molecular Mechanisms and targets for antiviral therapy. Frontiers in bio Science a journal and virtual library 14 (8): P.P. 3274-3285.

Zuckerman, A., (1996): Viral hepatitis and liver diseases, Alan R. Liss. INC. New York. p. 113.
