

REFERENCES

- Abo- Ghalia , H.H.;EL-MOKADEM ,M.T and Ghanem ,A.M.(2004)** Antimicrobial activity of essential oils of some medicinal plants. N.Egypt J . Microbiol ., **9** : 37-50
- Abascal, K. and Yarnell, E. (2002):** Herbs and drug resistance Complementary Therapies, 237-241.
- Abd-El-Hamid.R.S.(2010)** : Biological and physiological effect of certain medicinal volatile plants oils on some microorganisms , M.S.Sc.thesis , Department of Botany , Faculty of Science , Zagazig Univ ., Egypt .
- Abd-El-Rhaman , M.N. (2008)** : Studies on some clinical bacteria resistance to beta-lactam antibiotics M.Sc.thesis Dep. of Botany , Faculty of Science , Zagazig Univ ., Egypt .
- Adwan, M.G.;Abu-Shanab,A.B. and Adwan,M.K.(2008).** In vitro activity of certain drugs in combination with plant extracts against *Staphylococcus aureus* infections. Pak. J. Med., 24: 541-544.
- Afifi, E.A and El Nashaby , F.M. (2001)** : Microbial decontamination of some chicken meat products by gamma irradiation .Arab J. of Nucl . Scie. and Appl., 34: 305-317 .
- Ahmed F.M. (2004)** : Antimicrobial studies of some essential oils on some bacteria ; M.Sc;Botany Department Faculty of Science ; Botany Department .

- Akhtar , A.; Deshmukh , A.A.; Bhonsle , A.V.;Kshirsagar , P.M., and Kolekar , M.A. (2008):** In vitro antimicrobial activity of *Pimpinella anisum* fruit extracts against some pathogenic bacteria . Veterinary Work Vol . 1 (9): 272-274 .
- Aridogan,B. C.;Baydar,H.;Kaya,S.;Demirici,M.;Ozbasar,D.;and Mumcu,E. (2002).** Antimicrobial activity and chemical composition of some essential oils. Archives of Pharmacal Research. 25: 860-864.
- Ashraf, M. I. (2005):** Studies on some clinical bacteria resistance to some antibiotic M. Sc. Thesis Dep. Botany Faculty of Science Zagazig University Egypt.
- Babcock , H . M . ; Zack , J . E , Garrison , T . ; Trovillion, E . ; Kollef , M.H.and Fraser ,V.J. (2003).**Ventilator-associated pneumonia in a multi-hospital system: differences in microbiology by location. Infect. Control. Hosp. Epidemiol., 24: 853-858.
- Bagherwal, R. K. and Shukla, P. C. (1997):** Use of pefloxacin in the treatment of bovine mastitis. Indian Journal of Veterinary Medicine 16:1, 16-17.
- Barnett,A.G.; Beyersmann, J.; Allignol, A.; Rosenthal ,V.D.; Graves N. and Wolkewitz, M .(2011).** The time-dependent bias and its effect on extra length of stay due to nosocomial infection. Value Health, 14: 381-386.

- Baron, E.J. and Finegold,S.M.(1990):** General microbiology; Baily and Scotts Diagnostic Microbiology .8th . Ed .Mosby Co.St.Louis.Balitimore.
- Baron, E.J.O.; Peterson, L.R. and Finegold, S.M. (1994):** *Enterobacteriaceae* .In Baron , E .J . O . , Peterson , L . R . and Finegold,S.M.[eds] Bailey and Scotts-Diagnostic Microbiology,Mosby,inc.,Missuri. Pp.62-385.
- Bauer , A . W . ; Kirby , W . M . ; Sherris , J . C . and Turk,M.(1986):**Antibiotics susceptibility testing by a standerized single disk method Am.J of Cl.pathology,45:493-496.
- Bearman,G.M.L.;Munro, C .;Sessler,C.N.andWenzel,R.P.(2006)** Infection control and the prevention of noscomial infections in the intensive care unit. Semin Respir Crit Care Med. ;27:310-324.
- Ben,S.M.; Hassen ,A.;Saidia ,N and Ackermann, H.W. (2009).** Study of the relationship between bacteriophage and selective host cells according to different conditions of UV-C irradiation. Desalination., 248: 76- 87.
- Bendahou, M.A.; Muselli, M.; Grignon-Dubois, M.; Benyoucef, J. M.; Desjobert, A. F.; and J.Costa (2008) .** Antimicrobial activity and chemical composition of *oiganum glandulosum* Desf. essential oil and extract obtained by microwave

extraction: comparison with hydrodistillation. Food chemistry. 106: 132–139.

Betoni, J.E.; Mantovani, R.P.; Barbosa, L.N.; De-Stasi, L.C. and Junior, F.A. (2006): Synergism between plant extract and antimicrobial drugs used on *Staphylococcus* diseases. Mem. Inst. Oswaldo Cruz., 101[4]: 387-390.

Bowden , G.H.W. (1990) :Microbiology of root surface caries in human Dent.Res ., 69 . Pp. 1205 – 1210 .

Bossemeyer, D. (2003). Infection Prevention. guidelines for healthcare facilities with limited resources. Baltimore, MD: JHPIEGO.

Bousbia,N.M.A.;Vian, M. A.; Ferhat, E.; Petitcolas, B. Y.; Meklati and Chemat,F.(2009).Comparison of two isolation methods for essential oil from rosemary leaves: Hydrodistillation and microwave hydro diffusion and gravity. Food Chemistry,355-362.

Braunwald , E. A . S. ; Hauser , S . L . ; Longo ,D.L.;Jameson,J.L.and Isselbacher, K.J,eds. Harrison's (2004) Principles of internal medicine. 16th ed. New York: McGraw Hill .

Brochert,M.D. (1999): *Klebsiella* ; one potentially nasty bactceria
<http://www.personalmd.com/news/klebsiella> 102299.shtml.

- Brook , G.F. ; Butel , S. and Morese, S.A. (2001) :** Bacteriology .
Jawetz, Melnick and Adel bergs Medical Microbiology , 2nd
Edition , Lang medical books , chapter 11 , pp., 176 – 180 .
- Burke, J.P (2003) :** Patient safety : infection control – a prplem for
patient safety . N Engl J Med .; 348 . Pp.651-656 .
- Cal, K., (2006)** Skin penetration of terpenes from essential oils and
topicalvehicles. *Planta Med.* 72, 311–316.
- Carson, C.F.; Riley, (2003) , T.V.** Non-antibiotic therapies for
infectious diseases. *Commun. Dis. Intell.*, , S143-S146.
- Cappelletty, D. M., and Rybak. M. J. (1996):** Comparison of
methodologies for synergism testing of drug combination
against resistant strains of *Pseudomonas aeuroginosa*
Antimicrob. Agents. Chemother., 40: 677-683.
- Chaieb, K.; Hajlaoui, H.; Zmantar, T.; Nakbi, K.A.B.;**
Rouabhia,M Mahdouani,-K.and Bakhrouf,A.(2007) :
The chemical compition and biological activity of essential
oil, *Eugenia cryophyllata Syzygiu aromaticum L.*
[Myrtaceae]: a short review.phytother Res.,21[6].P 501-506.
- Chaudhury,H.(2006).** The use of single patient rooms multiple
occupancy rooms in acute care environments. available at:
http://www.aia.org/aah_gd_hospcons..

- Chavan, M.J.;Shinde, D.B. and Nirmal, S.A. (2006).** Major volatile constituents of *Annona squamosa* L. bark.Nat. Prod. Res., 20: 754-757.
- Chen, Y.Y.; Chou,YC and Chou,P.(2005):** Impact of nosocomial infection on cost of illness and length of stay in intensive care units. Infect Cont Hosp Epidemiol. ;26(3):281-287.
- Chessbrough, M. (2000):** Biochemical test to identify bacteria
cheesbrough , M. (ed) . Laboratory practice in tropical counetrie Cambridge University Press , UK.,Vol .2.Pp.63-70.
- Colle, J.G. and Marr,W. (1989):** Culture container and culture media in practical medical microbiology 13th ed vol>{2}
collee ,J.G.; Duguid .J, P; Fraser,A.G; and marmion ,B .P;
[eds},Churchill livingstone Newyork.pp.100-120.
- Dang, M. N., M.;Takacsova, D. V.; Nguyen , N .and K. Kristianova. (2001):**Antioxidant activity of essential oils from various spices. Nahrung/Food. 45: 64–66.
- Dantas, S.R.; Kuboyama, R.H.; Mazzali,M.and Moretti,M.L. (2006).** Nosocomial infections in renal transplant patients: risk factors and treatment implications associated with urinary tract and surgical site infections. J Hosp Infect. :117-123.

- Das,R.n.; Chandrashekhar,T.S.; Joshi, H.S.; Gurug, M.; Shrestha, N. and Shivanada,P.G. (2006):** Frequency and susceptibility profile of pathogens causing urinary tract infections at a tertiary care hospital in western Nepal. Singapore Med. J., 47: 281-285
- Dickson, R.A., P.J.; Houghton, P.J. Hylands and S. Gibbons,(2006)** Antimicrobial, resistance-modifying effects, antioxidant and free radical scavenging activities of *Mezoneuron benthamianum* Baill, *Securinega virosa* Roxb. and Wlld. and *Microglossa pyrifolia* Lam. Phytother Res., 20: 41-45.
- Diekema,D.J. and Jones,R.N. (2001).** Oxazolidinone antibiotics lancet.;358(9297):1975-1982.
- Dorman , H.J.D. and Deans , S.G.(2000) :** Antimicrobial agent from plants : antibacterial activity of plant volatile oils . J. of appl . microbio . 88 : 308 – 316 .
- Du WX, Olsen CW, Avena-Bustillos RJ, Mchugh TH, Levin CE, Mandrell R, Friedman M (2009).** Antibacterial effects of all spice, garlic, and oregano essential oils in tomato films determined by overlay and vapor-phase methods. J. Food Sci., 74: M390-M397.
- Edmond, M.B.; White-Russell, M.B.; Ober,J.;Woolard,C.D. and Earman GM. (2005).** A statewide survey of nosocomial

- infection surveillance in acute care hospitals. Am J Infect Control. Oct 2005;33(8):480-482.
- EL-Aidy , E .E .G . F . (2008) :** Antibiotic resistance of some microorganisms.Isolated from cancer patients. M. Sc. Thesis, Department of Botany, College of Science, Zagazig University.Egypt
- El-Bouhy, A. M. I. K. (2005):** Studies on some clinical bacteria resistance to some antibiotics B.Sc. thesis Faculty of Science Zagazig University.
- El Nashaby , F.M. (2001) :** Microbial decontamination of some chicken meat products by gamma irradiation .Arab J. of Nucl . Scie. And Appl., 34: 305-317 .
- Elgayyar, M., F.A.; Draughon, D.A. and Golden,J.R(2003) :** Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms23 (2): 221-222.
- Engl, J. (2003),** Infection Control - A problem for patient safety . ;348(7):651-656 .
- ESFA ,(2011) .** Scientific opinion on the efficacy microbiological safety of irradiation of food . Eur . Food Saf . Authority J . Dev . cooperat ., 7 : 11- 28 .
- European pharmacopoeia, (2001),** 4thcd,Council of Europe, Strasbourg,.Pp.93-99.

- Ezzat , S.M. Ghaly , M. F. ; El-Sherbeny and El-gendy , M. K. (2003) :** Comparison between the effect of antibiotic and plant extracts on some opportunistic microorganisms of bed sores . Egyptian Journal of Biotechnology , 14 : 384 – 398 .
- Fallah, A. A.;Tajik, H.; Razavi Rohani, M.; and Rahnama, M., (2008).** Microbial and sensory characteristics of camel meat during refrigerated storage as affected by gamma Irradiation. Pakistan Journal of Biological Sciences, 11(6), 894-899.
- Farkas, J.; Andrassy, E. and Polyak-Feher, K. (2005) :** Improvement of the microbiological safety of two chilled semi – prepared meals by gamma irradiation, Food Technol . Biotechnol ., 43 : 263 – 269
- Farrag , H. A.; EL-Bazza , Z. E. M.; EL-Fouly , M. E. D. and EL-tablawy, S. Y. M. (2000) :**Effect of gamma irradiation on the bacterial flora of *Nigella sativa* L. seeds and its oil constituents . Acta phaarm .,50: 159-207.
- Fauci, A.S.(2004):** Harrison’s Principles of Internal Medicine. 16th ed. New York: McGraw Hill ., 23: 220- 225 .
- Forbes, B.A.; Sham,D.F.and Weissfeld , A.S. (1998) :** Infection control in Bailey and Scoitt,s diagnostic microbiology . 10 th ed .Pp. 28 : 418 . Mosby , St .Louis .
- Fu,Y.;Zu,Y.;Chen,L.;Shi, X.;Wang, Z.; Sun ,S. and Efferth ,T. (2007) :** Antimicrobial activity of clove and rosemary

essential oils alone and combination
 .photother.Res.21.Pp.989-994.

Garner , J.S. (1996) : Hospital infection control practices advisory
 committee . Guideline for Isolation precaution in hospital . J.
 of infect . Control Hosp . Epidemiol ., 17 : 53 – 80 .

Gaunt L.F, Higgins S.C, Hughes J.F (2005). Interaction of air ions
 and bactericidal vapours to control micro-organisms. *Journal*
of Applied Microbiology. 99:1324-1329.

Gaynes, R.; Martone , W. and Culver , Culvr ,D. (1991) :
 Comparison of rates of nosocomial infection in neonatal
 intensive care unit in U.S.A. Amer. J.Med . 3 : 492 B- 496 B

Gaynes,R.;Edwards,J.R.;(2005) : National Nosocomial Infections
 surveillance system. Overview of nosocomial infections
 caused by gram-negative bacilli. Clin Infect Dis. 848-854.

Geffers, C.; Zuschneid , I.;Sohr, D.;Ruden, H.and Gastmeier, P.
(2004):Microbiological isolates associated with nosocomial
 infections in intensive care units: Data of 274 intensive care
 units participating in the German nosocomial infections
 surveillance system KISS. anesthesiol intensivmed
 notfallmed schmerzther;39.Pp.15-19.

Gerard D.W.and D.S.Arelene (2007) . New strategies for
 combating multi – drug resistant bacteria Mol . Med (6) :
 260 – 267 .

- Ghaly,M.F.; Shalaby, M.A.; Shash,S.M.S.; Shehata,M.N. and Ayad,A.A.(2009):**Synergistic effect of antibiotics and plant extract to control clinical bacterial isolates implicated in urinary tract infection . Journal of Applied Sciences Research ,5[10].Pp.1298-1306.
- Ghaznavi-Rad E, Ghasemzadeh - Moghaddam H , Shamsudin M N,Hamat RA, Sekawi Z, Aziz MN, Tavakol M, van Belkum A, Neela V (2010).** Environmental contamination in the hospital as a possible source for nosocomial infection with methicillin-resistant *Staphylococcus aureus*. Infect. Control Hosp. Epidemiol., 31: 1302- 1303 .
- Giacometti,A;Ciriani,O; Schinizzi, A.M.; Del-Prete, M.S.; Barchies F.;Derrico,M.M.;Petrelli,E.and Scalise,G.(2000):** Epidemiology and microbiology of surgical wound infections. J. Clin. Microb . 38 (2): 918-922.
- Gibbons, S., (2004).** Anti-staphylococcal plant natural products. Nat. Prod. Rep., 21: 263-277.
- Gill,A.O.;Delaquis,P.; Russo, P.Holley, R.A.(2002) :** Evaluation of antilisterial action of cilantro oil on vacuum packed ham. International Journal of Food Microbiology, 73:83– 92.
- Gonzales,R.D.;Schreckenberger,P.C.;Graham,M.B.;Kelkar,S.;DenBesten,K and Quinn, J.P.(2001) .** Infections due to

- vancomycin-resistant enterococcus faecium resistant to linezolid. Lancet. ;357(9263):1179.
- Gould ,I.M and Carlet, J. (2000).** Infection services in the intensive care unit. Clin. Microbiol. Infect., 6: 442-444.
- Go Yoshimura. M.L.; Theerathavaj Srithhavaj;Sroisiri Thaweboon and Suwan Choonharuangdej (2007):**Antimicrobial activity of the midicnal herbal extracts against *Mutans Streptococci* and *Candida albicans* in vitro.
- Guerrant, R.L,(2001):**Practice guidelines for the management of infectious diarrhea. Clin Infect Dis. ;32(3):331-351.
- Gulluce, M. F.; Shain, M;Sokmen, H.; Ozer, D.; Daferera, A.; Sokmen.; M.; Polissiou, A.; Adiguzel. H. and Ozcan.(2007):** Antimicrobial and antioxidant properties of the essential oils and methanol extract from *Mentha longifolia L. spp. longifolia*. Food Chemistry. 103: 1449-1456.
- Guynot M.:(2003):** Antifungal activity of volatile compounds generated by essential oils against fungi , pp 315 – 321 .
- Hall , E.j. and Giaccia , A.j. (2006) :** Radiology for radiologist , 6 th edn .Philadelphia , PA : Lippincott Williiams and Wilkins
- Haller,I.(1985):**Comprehensive evaluation of ciprofloxacin aminoglycoside combinations against *Enterobacteriaceae*

and *Pseudomonas aeruginosa* strains. Antimicrob. Agents Chemother 28:663-666.

Hanna,H.A.(2003) : Antibiotic-impregnated catheters associated with significant decrease in nosocomial and multidrug-resistant bacteremias in critically ill patients. Chest.1030-1038.

Han, J.; Lawson ,L.and Han ,G. (1995) A spectrophotometric method for quantitative determination of allicin and total garlic thiosulfinates. Annals of Biochemistry. 225: 157-160.

Hant.C.; Gomes Fetosa,L.;Castell,M.E.;Moreira, R.G. and Sliva,S.F. (2004) , Quality of packaged romine lettuce hearts exposed to low – dose electron beam irradiation , Lebensm . Wiss . Technolo , pp 705 – 715 .

Harris, A.; Torres-Viera, C.; Venkataraman , L.; Degirolami, P.; Samore , M. and Carmeli , Y. (1999): Epidmiology and clinical outecomes of patients with multiresistant *Pseudomonas aeruginosa* . Clin Infect Dis ; 28 . Pp . 1128-1133 .

Hasanien , H.(2010): Studies on incidence and prevention of nosocomial infection of urinary tract endoscopies by different antimicrobial agents Sc.. Botany Department . Faculty of science ,Zagazig University.

- Hosseinimehr, S.J.; Pourmorad, F.; Shahabimajd, N.; Shahrbandy, K. and Hosseinzadeh, R. (2007):** In vitro antioxidant activity of *Polygonum hyrcanicum*, *Centaurea depressa*, *Sambucus edulus*, *Mentha spicata* and *Phytolacca Americana*. Pakistan Journal of Biological Sciences. 10. Pp. 637-640.
- Ibrahim, Y.; Sinan . U. and Ayhan, T. (2005) :** Effect of gamma irradiation on some principle microbiological and chemical quality parameters of raw Turkish meat ball .J. food control, 16 : 363 – 367 .
- Iscan, G.;Kirimer, M.; Kurkcuoglu, K. H. C. and Demirci, F .(2002).** Antimicrobial screening of *Mentha piperita* essential oils. Journal of Agriculture and Food Chemistry 50: 3943–3946.
- Isselbacher,KJ, (2004) .** Harrison’s Principles of Internal Medicine. 16th ed. New York: McGraw Hill.J. Food Protect. 64, 7 1019–1024.
- Jaber Aslanzadeh , (2006) :** Biochemical profile – based microbial identification system . Yi- Wei Tang Charles W.Stratton . Advanced techniques in diagnostic microbiology . Springer science business media , LLC . Pp . 84-116.

- Jacobs, M.R.; Bajaksouzian, S.; Appelbaum, P.C. and Bolstrom, A. (1992)** :Evaluation of the E- test for susceptibility testing of neumococci. *Diagn.Microbiol. Infect. Dis.*, 15: 473-485.
- Jirovetz,L.;Buchbauer,G.;Stoyanova,AS.andGeorgiev,E.V(2003)**).Damianova ST. Composition, quality control and antimicrobial activity of the essential oil of long time stored dill (*Anethum graveolens L.*) seeds from Bulgaria. *J. Agric. Food Chem.* 18 (51): 3854-7.
- Juliano, C.; Mattana, A., and Usai, M.,(2000).** Composition and in vitro antimicrobial activity of the essential oil of *thymus herba-barona* Loisel growing wild in Sardinia. *Journal of Essential Oil Research*, 12: 516–522.
- Kaur, C. and Kapoor, H.C. (2002):** Anti-oxidant activity and total phenolic content of some Asian vegetables. *International Journal of Food Science and Technology*. 37. Pp.153–161.
- Kawsar, S.M.A.; Seraj Uddin, M.;Huq, E.; Nahar, N. and Yasuhiro ozeki (2008):** Biological investigation of *Macrotyloma uniflorum* Linn. extracts against some pathogens. *Journal of biological sciences* 8 (6): 1051-1056.
- Kibria S. M. ; Kerr , K. G. Dave, J.; Gough , M. J. Homer V. S. ; and Mavor , A.I. (2002)** : Bacterial colonization of doppler

probes on vascular wards .Eur. J. Vasc . Endovasc . Surg .,
23 : 13 – 23 .

Kim , J.M. (2000) : Multicentre surveillance study for nosocomial
infections in major hospital in Korea . Am . J. of Infect .
Control , 28 : 454 – 458 .

Knobler, S.L.; Lemon, S.M.; Najafi ,M. and Burroughs, T
.(2003). The resistance phenomenon in microbes and
infectious disease vectors: Implications for human health and
Strategies for Containment—Workshop Summary.
Washington, DC: Institute of Medicine, The National
Academies Press .

Koneman , E.W.; Allen, S.D. and Janda , W.A. (1997):Guidelines
for collection , transport , processing, analysis and reporting
of culture from specific sources . In : Konemun , E.W.; Allen
, S.D.; Janda, W.A . Schreckenberger, P.C. and Winn,
J.R.[eds].Color Atlas and Textbook Diagnostic
Microbiology,Lippincott-williams&wilkins,Washington,USA.Pp.121.162

Langely , J.M ; HanaKowski , M.R.N . ; and John ,C . (2001) :
Unique .Epidemiology of nosocomialurinary tract infection
in children . American J . of infection control ., 29 : 94 – 98 .

Lautenbach ,E. (2001) . Impact of changes in antibiotic use
practices on nosocomial infections and antimicrobial

resistance evidence report/technology assessment, No. 43.
Rockville, MD: Agency for healthcare research and quality .

Libor Cervenka ; Iva Peskova ;Eva Foltynova ; Marcela Pejchalova ; Iveta Brozkova and Jarmila Vytrasova (2006) : Inhibitory effect os some spices and herb extract against *Arcobacter butzleri* , *A.eryaerophilus* and *A.skirrowee* . Current Microbiology vol . 53 . pp . 435 – 439

Maclaaren, R.(2005). Nosocomial infections due to multidrug-resistant *Pseudomonas aeruginosa*,epidemiology and treatment options. Pharmacotherapy. 1353-1364.

Mahady, G.B.; Pendland, S.L.; Stoia, A.; Hamill, F.A.; Fabricant, D.; Dietz, B.M. and Chadwick, L.R. (2005): In vitro susceptibility of *Helicobacter pylori* to botanical extracts used traditionally for the treatment of gastrointestinal disorders. Phototherapy Research 19(11). Pp. 988–991.

Mahmoud, B.S.M. and Burrage,D.D.(2009) : Inactivation of vibrio parahaemolyticus in pure culture , whole live and half shell oysters by x rays lett. Appl. microbial . 48 pp . 572 – 578 .

Mahmoud ,B.S.M.;G.; Bachman and R.H. Linton (2010) ,
inactivation of *Escherichia coil 0157: H7* , *Listeria*

monocytogenes , *Salmonella enterica* and *Shigella flexneri*
on spinach leaves by x rays food microbial

Maksimovic, Z.;Stojanovic, D .;Sostaric,I .; Dajic,Z. and Ristic,M. (2008).Composition and radical-scavenging activity of *Thymus glabrescens* Willd. (Lamiaceae)essential oil. Journal of the Science of Food and Agriculture. 88: 2036-2041.

Manohar, V.; Ingram ,C.; Gray ,J.;Talpur , N.; Echard, B.W, Bagchi D, Preuss,H.G. (2001) Antifungal activities of organum oil against *Candida albicans*. Molec Cell Biochem 228:111-117.

Marian, A. G. (2004): Antibiotic susceptibility pattern of Gram-positive cocci isolates from different clinical samples in sharkia governorate with DNA study of the most resistant strains. M.Sc thesis Dep. of Microbiology and Immunology. Faculty of Medicine Zagazig university, Egypt.

Matasyoh JC, Maiyo ZC, Ngure RM (2009), Chepkorir R. Chemical composition and antimicrobial activity of the essential oil of *Coriandrum sativum*. Food Chem., 113: 526-529.

Matto,J.:Angela,H.A.;Hoek,V.;Knord,J.D.;Saarela,M.;Florez.;A .B.;Brockmann , E.;Amtmann,E.;Mayo , B.;Henk , J.M. (2007) : Aarts and morten danielsen susceptibility of human

and probiotic *bifiidiobacterium* spp . To selected antibiotics as determined by the E.test method Int.Diary **17** (9) : 1123-1131.

Mermel ,L.A.; Farr, B.M.; Sherertz .R.J.;Grady, N.; Harris, J.S and Craven ,D.E. (2005) . Guidelines for the management of intravascular catheter-related infections. Clin Infect Dis. ;32(9):1249-1272.

Mendel Fridman; Philip R. Henika And Robert E. Mandrell (2002): Bactericidal activities of plant essential oils and some of their isolated constituents against *Campylobacter jejuni*, *Escherichia coil*, *Listeria monocytogenes* , and *Salmonella enterica*.Journal of food protection , Vol.65,No. 10.Pp.1545-1560.

Miller, R. ; Jeffrey, W. ; Mitchell , D. and Elasri, M. (1999) :acterial responses to ultraviolet light . Am. Soc. Microbial., 65 : 535 – 541 .

Mishra,P.R.,Sidhartha,H.,pal,A., and Hazari,S. (1996): Subclinical mastitis in goat with special references fungus . Indian journal of dairy science , 49:3,209 – 210 .

Mizuno, S.; Kato, K., Ono, Y.; Yano, K.; Kurosaka, H.; Takahashi, A., Abeta, H.; Kushiro, T.; Miyamoto, S.; Kurihara, R.; Hiki, N.;Kaminishi, M.; Iwasaki, A.; and

- Arakawa, Y.(2006)**, J. Gastroenterol. Hepatol., 21: 1297-301.
- Moini, S.; Tahergorabi, R.; SeyedVali, H.;Rabbani, M.; Tahergorabi, Z.; Feas , X.and Aflaki, F.(2009)**. Effect of gamma radiation on the quality and shelf life of refrigerated rainbow trout (*Oncorhynchus mykiss*) fillets. *Journal of Food Protection*, 72(7), 1419-1426.mortality.
- Monica,C.(1985)**: Medical laboratory manual for tropical countries . ELBS.ED.English language book society ,Tropical Health Technology, Buttrwoths vole II Enteric Gram-negative rods .pp42.Pp250-255.
- Moreno,S.;Scheyer,T.; Romano,C.S. and Vojnov, A.A. (2006) :** Antioxidant and antimicrobial activities of *rosemary* extracts linked to their polyphenol composition.Free Radical Research , 40.Pp.223-231.
- Mostafa, F. (2005)**: Antimicrobial studies of some essential oils on some bacteria. M. Sc thesis. Dep. of Botany. Zagazig Univ. Egypt.
- Najafi ,M. (2003)**: Implications for human health and strategies for containment workshop summary. Washington, DC: institute of medicine, the National Academies Press. pp ., 833 – 842.

- Nanasombat,S. and Wimuttigosol,P.(2011)** : Antimicrobial and antioxidant activity of spice essential oils. Food Sci. Biotechnol., 20: 45-53.
- National Committee for Clinical Laboratory Standards (NCCLS). (2000):** Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically, 5th ed. Approved standard NCCLS M7-A5. National Committee for Clinical Laboratory Standards, Wayne, Pa.
- Nathwani,D,(2005).**Tigecycline: clinical evidence and formulary positioning. Int J Antimicrob Agents.;25(3):185-192.
- Neff , J.M. ; Mandell , G.L. ; Bennett , J.E. ; Dolin R. and Philadelphia , P.A. (2000)** : Variola (smallpox) and monkeypox viruses In principles and practice of infectious Diseases , 5th Edition , Churchill Livingstone , pp ., 1555 – 1556 .
- Nevas, M.; Korhonen, A.-R., Lindstrom, M., Turkki, P., and Korkela, H. (2004).** Antibacterial efficiency of finnish spice essential oils against pathogenic and spoilage bacteria. Journal of Food Protection, 67, 199–202.
- Niemira, N. and Fan, B.(2006):**Food Irradiation resource and technology , blackwell publishing and the institute of food technologist , Ames , Iowa, pp . 169 – 191 .

- Nichols, R.L. (1992)** : The operating room .In Bennett , J.V and Brachman, P.S., Editors . Hospital Infections, (3 rd Ed) Little, Brown and Co., Boston, USA , pp., 461 – 471 .
- Obritsch, M.D. (2005)** : Nosocomial infections due to multidrug-resistant *Pseudomonas aeruginosa*: epidemiology and treatment options. Pharmacotherapy.;25(10):1353-1364.
- Ogata , K.; Kato, R.; Ito, k . and Yamada, S. (2002):** Prevalence of *Escherichia coli* possessing the eaeA gene of enteropathogenic *E.coli* (EPEC) or the aggR gene of enteroaggregative *E.coli* (EAggEC) travelers diarrhea diagnosed in those returning to Tama , Tokyo from other Asian countries . Jpn Infect . Dis .55.Pp.14-18.
- Olson ,D . (1998)** : Irradiation of food , Food Technol . 52 (1998) , pp. 56 – 62 . View Record in Scopus Cited by in Scopus (90).
- Oussalah, M.;Caillet ,S.; Saucier, Land Lacroix ,M .(2006).** Inhibitory effects of selected plant essential oils on the growth of four pathogenic bacteria: *E. coli* O157:H7, *Salmonella* Typhimurium, *Staphylococcus aureus* and *Listeria monocytogenes*. Food Control, 18: 414-420.
- Osman , S . and Musa , O. (2003)** : Antibacterial activity of turkish spice hydrosols . J . of Food Control ., 14 : 141 – 143 .

- Osterholm, M. T. & Norgan, A. P. (2004).** The role of irradiation in food safety. 350, 1898–190
- Ozcan, O. Sagdic,L.(2006)** : Inhibitory effects of spice essential oils on the growth of *Bacillus* species. J. M ed. Food, 9: 418
- Ozden, O. and Erkan, N. (2010):** Impacts of gamma radiation on nutritional components of minimal processed cultured sea bass (*Dicentrarchus labrax*). *Iranian Journal of Fisheries Sciences*, 9(2), 265-278.
- Pandey , A. K.; Rai,M.K. and Acharya, D.(2003)** : Chemical composition and antimycotic activity of the essential oils of corn mint (*Mentha arvensis*) and lemon grass (*Cymbopogon flexuosus*) against human pathogenic fungi. *Pharmaceutical Biology* .41.Pp.421-425.
- Park, M.J.; Gwak , K.S.; Yang , I.; Choi W.S.; Jo , H.j.;Chang , W.J.; Jeung , E.B. and Choli , I.G. (2007):**Antifungal activities of essential oils in *Syzygium aromaticum* (L.) Merr.Et Perry and *Leptospermum betersonni* Bailey and their constituents against various dematiphytes .J.Microbiol ., 45 (5) .Pp.460 – 465 .
- Parshanth,K.and Badrinath , S.(2004)** : In vitro susceptibility pattern of *Aceinobacter* spices to commonly used cephalosporin , quinolone , and aminoglycosides . Ind .j. Med . Microb.,22 (2) : 97-103 .

- Parviz Owlia ; Iraj Rasooli and Hhorieh Sadari (2007):**
Antisterptococct and antioxidant activity of essential oil
from matricaria chamomilla research journal of biological
science 2[2].Pp.155-160.
- Pawar,V.C. and Taker, V.S.[2006]:**In vitro efficacy of oils
against *Aspergillus niger* .Mycosis , 49[4].Pp.316-323.
- Pier ,G.D.; Braunwald, E.;Fauci ,A.S.; Hauser ,S.L.; Longo,
D.L.; Jameson ,J.L.and Isselbacher, K.J.(2004) :**
Harrison's principles of internal medicine. 16th ed. New
York: McGraw Hill. ;31(4):1011-1019.
- Prabuseenivasn, S.;Jayakumar, M. and Ignacimuthu,S.(2006).**
In vitro antibacterial activity of some plant essential oils.
BMC Complem. Altern.21
- Ponce, A.G.;Valle, C. and Roura, S.I. (2004).** Shelf life of leafy
vegetables treated with natural essential oils. J. Food Sci.,
69: FMS50-FMS56.
- Ram Kumar Pundir; Pranay Jain and Chetan Sharma
(2010):**Antimicrobial activity of ethanolic
extracts of *Syzygium aromaticum* and *Allium sativum*
against food associated bacteria and fungi . ethnobotanical
leaflets14.Pp.344-360.

- Rasooli, I.; Rezaei, M.B. and Allameh, A .(2006)**, Int. J. Infect. Dis., 10: 236-41.. Youdim, K.A., and Deans, S.G. 1999, Mechanisms of Ageing and Development, 109: 163-175
- Raymond,D.P, Pelletier, S.J, Crabtree, T.D.; Evans, H.L.; Pruett, T.L. and Sawyer, R.G. (2003).**Impact of antibiotic-resistant gram-negative bacilli infections on outcome in hospitalized patients. Crit Care Med. ;31(4):1035-1041.
- Raymond,J.E.; Lopez , S.; Bonnacorsi , C.; Poyart,G.; Moriette , P.H.; Jarreau , A. and Bingen,E.(2008)** : Evidence for transmission of *E.coli* from mother to child in late-onset neonatal infection . *Pediatr . Infect . Dis.J*.27 : 186-188.
- Reynolds , E.S.(1963)** : The use of lead citrate at high pH as an electron opaque stain in electron microscopy . *Journal of Cell Biology* , 17 : 207 – 212 .
- Rios, J.L. and Recio, M.C. (2005)** Medicinal plants and antimicrobial activity. *Journal of Ethnopharmacology*
- Roberts, R.R.; Scott, R.D.; Cordell ,R.; Solomon ,S.L.; Steele, L.; Kampe, L.M.; Trick, W.E. and Weinstein, R.A .(2003)** . The use of economic modeling to determine the hospital costs associated with nosocomial infections. *Clin Infect Dis.*;36(11):1424-1432.
- Rogério Santos Pereira; Tania Cristina Sumitaa; Marcos Roberto Furlanb;Antonio Olavo Cardoso Jorgec and**

- Mariko Ueno (2004)** :Antibacterial activity of essential oils on microorganisms isolated from Urinary tract infection . Rev Saude publica;38[2].
- Rosato . A.; Vitali, C.; De Laurentis .; Armenise, D. and Milillo, M.A.(2007)**:Antibacterial effect of some essential oils administered alone or in combination with norofloxacin. phytomedicine ,In Press, Corrected Proof, Available online 15 February 2007.
- Rula M . Darwish , Talal A. Aburjai (2009)** : Effect of ethnomedicinal plants used in folklore medicine in Jordan as antibiotic resistant inhibitors on *Escherichia coli* . Darwish and Aburjai BMC complementary and alternative medicine.
- Russell ,J. A. D.; Hugo, W. B. and Ayliffe, G.A.J. (1992)**: Principle and practice of disinfection preservation and sterilization. 2nd ed. black well scientific, Oxford.
- Sader,H.S.;Jones,.R.N.; Dowzicky, M.J . and Fritsche ,T.R .(2005)** : Antimicrobial activity of tigecycline tested against nosocomial bacterial pathogens from patients hospitalized in the intensive care unit. Diagn Microbiol Infect Dis. ;52(3):203-208.

- Sabahat Saeed and perween Tariq (2008):** In vitro antibacterial activity of clove against gram negative bacteria. Pak .J.Bot., 40[5].Pp.2157-2160.
- Salama ,O.E. (1996).** A study of nosocomial infection in a general hospital. Journal of the Egyptian Public Health Association,1(1,2):31–46.
- Salim-Rehman , Hussain .S.; Nawaz , H. ;Mushtaq ,M. M.; urtaza A. A. and Rizvi1, A.J. (2007).** Inhibitory effect of citrus peel essential oils on the microbial growth of bead. Pakistan Journal of nutrition, 6 (6): 558-561.
- Santoro, G.F.; Cardoso, M.G.; Guimaraes, L.G.; Mendonca, L.Z.and Soares, M.J. (2007).** Trypanosoma cruzi: activity of essential oils from *Achillea millefolium L.*, *Syzygium aromaticum L.* and *Ocimum basilicum L.* on epimastigotes and trypomastigotes. Exp. Parasitol.116, 283–290
- Schmidt, H.M. ;Palekar M.P, J.E. Maxim and Castilo, A . (2006)** , improving the microbiological quality and safety of fresh – cut tomatoes by low – dose electron beam irradiation , J. Food Prot . 69 , pp.575 – 581 .
- Schnitzler, P.; Koch, C.; Reichling, J.;(2007)** Susceptibility of drugresistant clinical HSV-1 strains to essential oils of ginger, thyme, hyssop and sandalwood. antimicrob. agents chemother. 51, 1859–1862.

Sedeh, F. M.; Arbabi. K.; Fatolahi . H. and Abhari, M.(2007).

Using gamma irradiation and low temperature on microbial decontamination of red meat in Iran. Indian Journal of microbiology, 47, 72–76.

Sehulster.L..and Chinn .R.Y.W. (2003). Guidelines for environmental infection control in health-care facilities. MMWR. 2003;52(RR10):1-42.

Sheldon , J. L.; Kokjohn , T. A . and Martin , E. L. (2005) : The effects of salt concentration and growth phase on MRSA solar and germicidal ultraviolet radiation resistance ostomy wound Mange ., 51 : 36 – 38 .

Shin , E.and Lee , Y.(2007) : Antimicrobial resistance of 114 porcine isolates *Cambylobacter coli* culture collection of antimicrobial resistance microbes , Int .J.Food Microbiol .,118 (2) : 223-227 .

Siddiqu.Y.M.; Ettayebi, M.; Haddad, A. and Al-Ahdal, M.N. (1996). Effect of essential oils on enveloped viruses: antiviral activity of oregano and clove oils on herpes simplex virus type 1 and newcastle disease virus. Med Sci Res 24:185-186 .

Silva, J.; Abebe, W.; Sousa, S.M.; Duarte, V.G.; Machado, M.I.L.and Matos, F.J.A. (2003) Analgesic and anti-

- inflammatory effects of essential oils of eucalyptus. *J. Ethnopharmacol.*, 89, 277-283.
- Simon , C.; F.Oxman,B.,Nrigu,J.(2009)** : Prevalance of antibiotics resistance bacteria and treatment. *Appl.Environ . Microbiol .* 75:5714-5718.
- Sirnivasana, V., Gillespiea , B.E . , Lewisa , M . J . , Ngoyena ,L.T.,Headricka,S.I.,Schukkenby.H.and Olivera,S.P. (2007)** : Phenolic and genotypic antimicrobial resistace .Pattern of *E.coil* isolated from diaycows with mastitis .
- Sivam, G.P.; Lampe ,J.W.; Ulness ,B. (1997)** *Helicobacter pylori* in vitro susceptibility to garlic (*Allium sativum*) extract. *Nutr. Cancer.*, 27: 118-121.
- Sklar, A. (2009).** *Weather Definitions*. Retrieved July 9, 2009, from AaronSklar:http://www.aaronsklar.com/aaronsklar/scienceclasses/sci10/Weather_Dynamics/Weather_Heat.htm .
- Sonnenwirth, A.C. (1980):** Gradwohols clinical laboratory methods and diagnosis.Vol .2; 8th ed .Sonnenwirth; AC and Jarett L. [eds]. The CV Mosby Co. Lodon; Tomato.
- Spetmpack,J.G.and Ward , R.T. (1969)** : An improved staining method for electron micrscopy . *j . cell Biol .*, 22 : 679 – 701.
- Spotts Whitney, E. A., M. E. Beatty, T. H. Taylor, Jr., R. Weyant, J. Sobel, M. J. Arduino, and D. A. Ashford**

- (2003). Inactivation of *Bacillus anthracis* spores. *Emerg. Infect. Dis.* 9:623-627.
- Srivastava, K.C. and Malhotra, N. (1991)** : Acetyl euginol. A component of oil of cloves [*Syzygium aromaticum* L.] inhibits aggregation and alters arachidonic acid metabolism in human blood platelets. Prostaglandins leukotessent fatty acids, 42[1]. Pp. 73-81.
- Stefanovic .O.; Comic L.; Stanojevic .D. and Solujic-Sukdolak .S .(2009):** Antibacterial activity of *Aegopodium podagraria* L. extracts and interaction between extracts and antibiotics. *Turk J Biol* 33:145-50.
- Tambya,P.A.; Knasinski.V . and Maki. D.G. (2002).** The direct costs of nosocomial catheter-associated urinary tract infection in the era of managed care. *Infection control and hospital epidemiology*, 23(1):27–31.
- Tietjen,L.(2003).** Infection prevention. guidelines for healthcare facilities with limited resources. Baltimore, MD: JHPIEGO 12 : 221 – 231.
- Thayer, D. W.; Rajkowski, K. T.; Boyd, G.; Cooke, P. H. and Soroka, D. S. (2003).** Inactivation of *Escherichia coli* O157:H7 and *Salmonella* by gamma irradiation of alfalfa seed intended for production of food sprouts. *J Food Prot* 66, 175–181.

- Ulger, F.; Esen, S. and Dilek, A. (2009)** .Annals of clinical microbiology and antimicrobials 17:111-114.
- Vosylius S, Sipylaite J, Ivaskevicius J (2003)**. Intensive care unit acquired infection: a prevalence and impact on morbidity and mortality. Acta. Anaesthesiol. Scand., 47: 1132-1137.
- Wang .T.; Macgregor, S. J .; Anderson, J.G.; Woolsey, G.A. (2006):** Pulsed ultra-violet inactivation spectrum of *Escherichia coli*. Water res .aug :(13):2921- 2925
- Wang, S. Y.; Chen , P.F and S, T. Chang(2005)**. Antifungal activities of essential oils and their constituents from indigenous cinnamon (*Cinnamomum osmophloeum*) leaves against wood decay fungi. bioresource technology. 96: 813–818.
- Weinstein ,R.A.,(2005)**. Hospital acquired infections. In: Harrison principles of internal medicine, 16th. Mc Graw Hill. pp. 775-781.
- Whitemore B.B., Naidu A.S. (2000)** Thiosulfinates. In: Naidu A.S. (Ed.), Natural Food Antimicrobial Systems. Boca Raton, FL: CRC Press, pp. 265-380 .
- WHO. (2007)**. 10 Facts on patient safety. Retrieved October 17, 2007, //www.who.int/features/factfiles/patient_safety/en/index.html

- World Health Organization.(2002)** Guidelines on prevention and control of hospital associated infection. New Delhi, WHO regional office for South-East Asia pp. 212-214.
- Yadegarinia, D. L.; Gachkar, M. B.; Rezaei, M.; Taghizadeh, S. A. and Astaneh,I.Rasooli. (2006).** Biochemical activities of Iranian *Mentha piperita* L. and *Mentha communis*L., essential oils. phytochemistry. 67:
- Yamagachi , Barak , Sawat R and Mitsuhashis (2002) :** The purification and properties of B-lactamase specificial by transmissible .R.F factor in *E.coli* . Biohem . 66:11-20.
- Zafra-Polo,,M.C.;Blazquez , M.A. and Villar , A. (1989) :** Spasmolytic and antimicrobial activity of essential oil from thymus leptophyllus and T.Webbianaus , Fitoterapia , J.Ess.,oil Res ., Eo : 5 , 469-473.
- Zaid, A. M. (2001):** Studies on B-lactamases producing bacteria belonging to genus *Pseudomonas*. Ph. D. thesis. Faculty of science, Zagazig university.1249-1255.