

References

- A Mett, J.J, (2005):** The developmental context of substance use in emerging adulthood. *Journal of Drug Issues*; 35,235-253.
- Abdel-Azim, K.A. (2001):** Psychosocial correlates of substance abuse. A study in an Egyptian sample. Unpublished thesis for Doctoral Degree in Psychiatry, faculty of Medicine, Ain Shams University.
- Alper, K.R., Lotsof, H.S., & Kaplan, C.D. (2008):** "The ibogaine medical subculture". *J Ethnopharmacol*; 115 (1), 9–24. Available at: <http://www.ibogaine.org/subculture.html>.
- Arria, A.M., Derauf, C., LaGasse, L.L., Grant, P., Shah, R., & Smith, L. (2006):** Methamphetamine and other substance use during pregnancy: preliminary estimates from the infant development, environment, and lifestyle (IDEAL) study. *Maternal and Child Health Journal*; 10(3), 293-302. Available at:
- Au, J.G., & Donaldson, S.I. (2000):** Social influences as explanations for substance use differences among Asian-American and European-American adolescents. *J. Psychoactive Drugs*-Jan, Mar; 32(1), 15-23.
- Bamford, Z., Booth, P.G. & McGuire, P.G. (2009):** Treatment outcome following day care for alcohol dependency: The effects of reducing program length. *Health and Social Care in the Community*; 11(5), 440-445. Available at: [BAO
http://www.apa.org/divisions/div12/est/newrpt.pdf](http://www.apa.org/divisions/div12/est/newrpt.pdf)
-

- Barr, A.M., Paneka, W.J., MacEwan, G.W., Thornton, A.E., Lang, D.J., & Honer, W.G. (2006):** The need for speed: An update on methamphetamine addiction. *Journal of Psychiatry and Neuroscience*; 31(5), 301-313.
- Bederman, J., Faraone, S., Monuteaux, M., & Feigher, J. (2000):** Pattern of alcoholic, and drug use in adolescents can be predicted. *Subs. Use dis. Pediatrics*, Dec.; 106.
- Berry, C. (2011):** Substance addiction. Right health results for social addiction. Kosmix TM Corporation. Available at: <http://www.righthealth.com/topic/Social>
- Betten, D.F., Vohra, R.B., Cook, M.D., Matteucci, M.J., & Clark R.F.(2006):** Antidote use in the critically ill poisoned patients. *Journal of Intensive Care Medicine*; 21(5),255-277.
- Bierma, J.R. (2005):** The role of remotivation therapy in substance abuse prevention, treatment, and relapse prevention. In: J.A. Dyer & M.L. Stotts (Eds.). *Handbook of Remotivation Therapy* pp. 147-156.
- Bladisseri, M.R. (2007):** Impaired health care professional. *Critical Care Medicine. Organizational and Management Ethics in the Intensive Care Unit*; 23(2) S106-S116.
- Bonson, K. (2006):** "[The Interactions between hallucinogens and antidepressants](#)".
- Boob, G., & Kreek, M.J. (2007):** "Stress, dysregulation of drug reward pathways, and the transition to drug dependence". *Am J Psychiatry*, 164 (8), 1149–59.
-

- Breslow, T.H. (2006):** Health measurement in the third era of health. American Journal of Public Health; 96, 17-19.
- Brook, J. S., Whiteman, M., Finch, S., & Cohen, P. (2000):** Longitudinally foretelling drug use in the late twenties: Adolescents personality and social-environmental antecedents. J. Genet Psychol.; 161(1), 37-51.
- Brown, N., & Jain, M. (2011):** United States Drug Enforcement Administration
- Brown, R.K., Leonard, T., & Saunders, L.A. (2009):** A two-item conjoint screen for alcohol and other drug problems. Journal of the American Board of Family Practice; 14(2), 95-10.
- Buetell, N. (2006):** Life satisfaction, a sloan work and family Encyclopedia entry. Sloan Work and Family Research Network. Available at: <http://wfnetwork.bc.edu/encyclopedia>. Retrieved May 10, 2007.
- Bulter, A.J. (2009):** The 4 stages of addiction. EzineArticles in the Self-Improvement. Available at: <http://www.therecoverycoach.co.uk/>
http://ezinearticles.com/?expert=Alan_J_Butler.
- Caley, L.M., Shipkey, N., Winkelman, T., Dunlap, C., & Rivera S. (2006):** Evidence-based review of nursing intervention to prevent secondary disabilities in fetal alcohol spectrum disorder. Pediatric Nursing; 32(2), 155-162.
-

- Carter, G.T. & Mirken, B. (2006):** Medical marijuana: Politics trumps science at the FDA. *Medscape General Medicine*; 8(2), 1-4. Available at: www.medscape.com/viewarticle/531038_print
- Challier, B., Chau, N., Predine, R., Choquet, M., & Legras, B. (2000):** Associations of family environment and individual factors with tobacco, alcohol, and illicit drug use in adolescents. *Eur. J. Epidemiol.* Jan; 16(1), 33-42.
- Change, S. (2011):** Daily dose on health item per day. HON code standard for trustworthy health information: Verify here. Find us on Facebook Follow us on Twitter.
- Compton, W.M., Thomas, Y.F., Conway, K.F., & Colliver, J.D. (2005):** Developments in the epidemiology of drug use disorders. *American Journal of Psychiatry*; 162(8), 1494-1502.
- Compton, W.M., Cottler, L.B., & Jacobs, J.L. (2009):** The role of psychiatric disorders in predicting drug dependence treatment outcomes. *American Journal of Psychiatry*; 160(5), 890-895.
- Connors, D.M., Donovan, C.C., DiClemente, W.D., (2011):** Substance abuse treatment and the stages of change: selecting and planning interventions.
- Cooper, C.C. (2007):** "[Toxicity, sedatives](http://emedicine.medscape.com/article/818430-overview)". USA: E. medicine. Available at: <http://emedicine.medscape.com/article/818430-overview>. Retrieved 18 December 2008.
-

- Dawson, D.A., Grant, B.F., & Stinson, F.S. (2004):** Another look at heavy episodic drinking and alcohol use disorders among college students and non college youth. *Journal of Studies on Alcohol*; 65(4),477-488.
- De Leon, G. (1994):** Therapeutic communities. In: Galanter, M., and Kleber, H.D., *Textbook of Substance Abuse Treatment*. Washington. DC: American Psychiatric, pp. 391–414.
- Demerdash, A., Fathi, A., Ibrahim, A.R., El-Tohamy, S., & Omran, S. (1992):** Substance non-medical use among secondary school students in Assiout City. Egypt. *J. Psychiat.*; 15: 155-162.
- Diener, E., Emmons, P.A., Larsden, R.J., & Griffin, S. (1985):** "The satisfaction with life scale". *Journal of Personality Assessment*; 45:71–75.
- Donaher, P.A., & Welsh, C. (2006):** Managing opioid addiction with buprenorphine. *American Family Physician*; 73(9), 1573-1578, 1580, 1509-1511.
- Drabble, L., Midanik, L.T., & Trocki, K. (2005):** Reports of alcohol consumption and alcohol-related problems among homosexual, bisexual, and heterosexual respondents. *Journal of Studies on Alcohol*; 66(1), 111-120.
- Duncan, S.C., Duncan, T.E., Biglan, A., & Ary, D.V. (1998):** Contribution of the social context to the development of adolescent substance use: A multivariate latent growth modeling approach. *Drug and Alcohol Dependence*; 50, 57-71.
-

- Dunn, D. (2005):** Substance abuse among nurses-intercession and intervention. *AORN Journal*; 82(5), 777-782,785-799.
- El-Mahahlawi, N., & El-Dawla, A.S. (1992):** Familial risk factors in substance use disorders. *Egypt. J. Psych.*, 10 Jan., 15, 12
- El-Rakhawy, Y. (1996):** Meaning and significance of addiction. United Arab Emarate Second Psychiatric Conference. (1990 & then up dated-1996, Unpublished document).
- El-Shafhy, K.M., Abdel Rahman, S., & Reyad, M. (1997):** Mood changes in addicts. M. Sc. Thesis, Cairo University.
- Espeland, K.E. (2009):** Inhalant abuse. *Lippincott's primary care practice*, 4,336
- Evans, S.E., Blank, M., Sams, C., Weaver, M. F., & Essenberg, T. (2006):** Transdermal nicotine-induced tobacco abstinence symptoms suppression: Nicotine dose and smokers' gender. *Experimental and Clinical Psychopharmacology*; 14(2), 121-135.
- Fahmy, M. (1989):** Heroin abuse: A study of its psychodemographic and clinical aspect among Egyptian inpatient. Unpublished M.D. Thesis. Ain Shams University.
- Fiellin, D.A., & O'Connor, P.G. (2002):** Office-based treatment of opioid-dependent patients. *New England Journal of Medicine*; 347(11), 817–823.
-

- Finnell, D.S., & Osborne, F.H. (2006):** Stages of change for psychotropic medication adherence and substance cessation. *Archives of Psychiatric Nursing*; 20(4), 166-174.
- Fontain, K.L. (2009):** Mental health nursing,(6th ed.). Pears on education. Inc., Upper Sadle River,pp. 379-391.
- Frishman, W.H. (2007):** "Smoking cessation pharmacotherapy—nicotine and non-nicotine preparations". *Prev Cardiol*; 10 (2 Suppl 1), 10–22.
- Fuller, C.M., Vlahov, D., Ompad, D.C., Shah, N., Arria, A., & Strathdee, S.A. (2002):** High-risk behaviors associated with transition from illicit non-injection drug use among adolescent and young adult drug users: A case-control study. *Drug and Alcohol Dependence*. 2002;66:189–198. [[PubMed: 11906806](#)]
- Gahlinger, P.M. (2009):** Club drug: MDMA, gamma hydroxybutyrate (GHB), Rohypnol, and Ketamine. *American Family Physician*; 69,1.
- Gerard, J., Connors, D.M., & Carlo, C.D. (2011):** Substance abuse treatment and the stages of change: Selecting and planning interventions.
- Glasser, I. (2009):** Bringing SA treatment to the homeless. *DATA: Brown University Digest of Addiction Theory and Application*; 22(8), 8.
-

- Grant, B.F., Dawson D.A., Stinson, F.S., Chou, S.P., Dufour, M.C., & Pickering, R.P.(2009):** The 12-month prevalence and trends in DSM-IV alcohol abuse and dependence: United States. *Drug and Alcohol Dependence*; 74(3), 223-234.
- Grant, B.F., Dawson, D.A., & Stinson, F.S. (2006):** The 12-month prevalence and trends in DSM-IV alcohol abuse and dependence . *Alcohol Research and Health*; 29(2), 131-142.
- Grunbaum, J., & Wellwe, N. (2000):** Cultural, social and interpersonal factors associated with substance use among alternative high school students. *Addict. Behavior*, Feb; 25(1), 145-510.
- Halter, S. (2000):** Psychosocial adjustment of adult children of alcoholics: A review of the recent empirical literature. *Clin. Psychol Rev.-Apr.*; 20(3), 311-37.
- Hanna, A.W. (1997):** Psych. comorbidity and the severity of psychoactive substance dependence. Master degree thesis, Cairo University.
- Harrison, L., & Gardiner, E. (1999):** Do the rich really die young? Alcohol-related mortality and social class in Great Britain, 1988–94. *Addiction*; 94, 1871–1880.
- Hogan, M.J. (2000):** Diagnosis and treatment of teen drug use. *Med. Clinics of North America*; July; 84, 4.
- Holmes, T.H., & Rahe, R.H. (1967):** The social readjustment rating scale. *J Psychosom Res* 11:213-218, 1967.
-

- Howland, R.H. (2007):** Limitations of evidence in the practice of evidence in the practice of evidence-based medicine. *J Psychosoc Nurs*; 45, 13. http://www.ibogaine.desk.nl/p234_s.pdf. Retrieved on 16,06.
- Hyman, S.E. (2005):** Addiction: A disease of learning and memory. *American Journal of Psychiatry*; 162(8), 1414-1422.
- Isbister, G.K., Calver, L.A., Page, C.B., Stokes, B., Bryant, J.L., & Downes, M.A. (October, 2010):** "Randomized controlled trial of intramuscular droperidol versus midazolam for violence and acute behavioral disturbance: the DORM study". *Ann Emerg Med*; 56 (4): 392–401.e1.
- Jackson, K.M., Sher, K.J., & Park, A. (2005):** Drinking among college students. Consumption and consequences. In M. Galanter (Ed.), *Recent developments in alcoholism: Alcohol problems in adolescents and young adults*. New York, NY: Springer. Vol.17, pp.85-117.
- Jaffe, J.H. (2011):** Drug addiction and drug abuse. In: L.S. Goodman & A. Gilman (Eds.) *The pharmacological basis of therapeutics* (5th ed.). New York: MacMillan, pp. 284–324.
- Johnson, J., & Michelle, L. (1999):** Children of substance abusers. *Pediatrics.* , May 103, 5.
- Jordan, J.B. (2006):** "Acupuncture treatment for opiate addiction: A systematic review". *J Subst Abuse Treat*, 30 (4), 309–14.
-

- Kalivas, P.W., & Volkow, N.D. (2005):** "The neural basis of addiction: A pathology of motivation and choice". *Am J Psychiatry*; 162 (8): 1403–13.
- Karenina, A. (2009):** Stages of addiction and recovery. Blocking a hunger-regulating hormone in the brain may help cocaine addicts from. Available at: <http://www.addiction-treatment-centers.com/login>.
- Kendler, K.S., Aggen, S.H., & Tambs, K. (2006):** Illicit psychoactive substance use, abuse and dependence in a population-based sample of Norwegian twins. *Psychological Medicine*; 36(7), 955-962.
- Ker, K., Edwards, P.J., Felix, L.M., Blackhall, K., & Roberts, I. (2010):** "Caffeine for the prevention of injuries and errors in shift workers". *Cochrane Database of Systematic Reviews*; 5.
- Kern, M.F. (2008):** Stages of Change. Model. *AddictionInfo.org*. News and Views on Substance Abuse. Available at: <mhtml:file://f:\Stages of Change Model.mht>
- Kesler, R.C., Berglund, P., & Demler, O. (2005):** Lifetime prevalence and age-of-onset distribution of DSM-IV disorders in the national comorbidity survey replica. *Archives of General psychiatry*, 62(6), 593-602.
- Kim, S.J., Lyoo, I.K., Hwang, J., Chung, A., Hoon Sung, Y., & Kim, J. (2006):** Prefrontal grey matter changes in short-term and long-treatment methamphetamine abusers. *International Journal of Neuropsychopharmacology*; 9(2), 221-228.
-

- Kneisl, C.R., & Trigoboff, E. (2009):** Contemporary psychiatric mental health nursing, (2nd ed.) Upper Saddle River. Inc. 352-357.
- Kovács, K.A., Steinmann, M., Magistretti, P.J., Halfon, O., & Cardinaux, J.R. (September, 2006):** "C/EBPbeta couples dopamine signalling to substance P precursor gene expression in striatal neurones". *Journal of Neurochemistry*; 98 (5): 1390–9.
- Langner, T. S., & Michael, S. T. (1963):** Life stress and mental health. London: Collier-Macmillan. Last updated: 07/30/2010
- Laudet, A. (2007):** What does recovery mean to you? Lessons from the recovery experience for research and practice. *Journal of Substance Abuse Treatment*; 33,243-256.
- Laudet, A., Morgan, K., & White,W. (2006):** The role of social supports, spirituality, religiousness, life meaning and affiliation with 12-step fellowships in quality of life satisfaction among individuals in recovery from alcohol and drug use. *Alcoholism Treatment Quarterly*; 24, 33-37.
- Leeman, J., Jackson, B., S.M. (2005):** Prevalence of mental disorders and utilization of mental health services in two American Indian reservation population. *American Journal of Psychiatry*; 162(9), 1723-1732.
- Leeman, J., Jackson, B., Sandelowski C. (2006):**An evaluation of how well research reports facilitate the use of findings in practice. *Image J Nurs School*; 38, 171.
- Lotaief, F. (2001):** Personal communication.
-

- Lüscher, C., & Ungless, M.A. (November, 2006):** "The mechanistic classification of addictive drugs". PLoS Med.; 3 (11), 437. Available at: <http://www.plosmedicine.org/article/info:doi/10.1371/journal.pmed.0030437>. doi:10.1371/journal.pmed.0030437. PMC 1635740. PMID 17105338.
- Mar, D. (2009):** The four Stages of drug addiction. Find treatment and healing. Available at: mhtml:file:///F:/\ The four stages of drug addiction informative treatment articles.mht.
- Marcus, J. (2011):** United states drug enforcement administration. Available at: <http://articles.org/drug-treatment-beyond-the-medicines> 17, 3, 2011.
- Marzuk, P.M., Tardiff, K., Leon, A.C. (1997):** Poverty and fatal accidental drug overdoses of cocaine and opiates in New York City: An ecological study. American Journal of Drug and Alcohol Abuse; 23, 221–228.
- Masuda, M., & Holmes, T.H. (1978):** Life events: Perceptions and frequencies. Psychosomatic Medicine May 1, 1978. 40, 3 236-261. Available at: www.psychosomaticmedicine.org
- Mayank, J. (2011): Addiction.** Available at: <http://articles.org/drug-treatment-beyond-the-medicines> . 17, 3, 2011
- Mayank, J. (2011):** United states drug enforcement administration. Available at: <http://articles.org/drug-treatment-beyond-the-medicines> 17, 3, 2011.
-

- McComish, J.F., Greenberg, R., & Ager, J. (2009):** Survival analysis of three treatment modalities in a residential substance abuse program for women and children. *Outcomes Management for Nursing Practice*; 4(2), 71.
- McLellan, A .T. (2010):** Addiction. Available at: <http://www.hbo.com/addiction/thefilm/bios/6412>
- Meyers, R.J., Smith, J.E., & Lash, D.N. (2005):** A program for engaging treatment-refusing substance abusers into treatment: CRAFT. *IJBCT*, 1(2), pp. 90 -100 BAO `
- Michael, B. F., & Tasman, A. (2009):** Clinical Guide to the Diagnosis and Treatment of Mental Disorders. John Wiley and Sons. p. 146. Available at: <http://books.google.com/books?id=jyXxmyysU7gC&pg=PA146>. Retrieved on 27 April 2010.
- Michael, B.F., Allen, F., Harold, A. P. (2004):** American Psychiatric Pub. p. 135–. DSM-IV-TR guidebook. Available at: http://books.google.com/books?id=hU_L1KUsNfIC&pg=PA135. Retrieved on 27 April 2010.
- Minkoff, K. (2009):** Dual diagnoses. In: Lieberman (Eds.), *Psychiatry* (2nd ed.) West Sussex, England: Wiley 2, 2333-2341.
- Morgan, M.J. (2009):** Ecstasy (MDMA): A review of possible persistent effects. *Psychopharmacology* (Berlin); 152(3), 230-241.
- Nelson, D.L. (February, 2004):** "5-HT₅ receptors". *Current drug targets. CNS and Neurological Disorders*; 3 (1): 53–8.
-

- Nossier, E., El-Akabawy; Shaalan, & Kamel, (1994):** Psychiatric social Dynamic study on sample of Drug Dependent in Arabian therapeutic center, thesis for Doctoral Degree, Al Azhar University.
- Nurco, D., & Lerner, M. (1996):** Vulnerability to narcotic addiction: Family structure and functioning. *Journal of Drug issues*; 26(4), 1007-1025.
- Nutt, A.L., King, M.L., Saulsbury, R.E., & Blakemore, Y.C. (2007):** Development of a rational scale to assess the harm of drugs of potential misuse. *Lancet*; 369, 1047-1053.
- O'Connor, P.G. & Fiellin, D.A. (2000):** Pharmacologic treatment of heroin-dependent patients. *Annals of Internal Medicine*;133(1):40–54.
- O'Donohue, W., & Ferguson, K.E. (2006):** "Evidence-based practice in psychology and behavior analysis" (accessed 24,03,2008). *The Behavior Analyst Today* (Joseph D. Cautilli) 7 (3): 335–350. Available at: <http://www.baojournal.com>.
- Okasha, A. (1985):** Young people and the struggle against drug abuse in the Arab World. *Bull on Narcotics*; 37-67.
- Okasha, A., Kamel, M., Lotaief, F., Bishry, Z., Sadek, A., & Khalil, A. (1982):** Drug abuse among Egyptian University Students: A comparison between succeders and failures. *Egypt J. of Psych.*; 5, 59:70.
-

- Okasha, A., Lotaief, F., Ashour, A., Bishry, Z., & Sadek, A. (1981):** The social readjustment rating questionnaire. A study of Egyptians. *Egypt. J. of Psych.*; 4(2), 273-283.
- Okasha, A., Saad, A., & Abd El Nasser, M. (1997):** The incidence of relapse among sample of Egypt. Subs. Abusers. *Current Psych.*; July 4,1.
- Pettinati, H.M., Rabinowitz, A.R. (2006):** "Choosing the right medication for the treatment of alcoholism". *Curr Psychiatry Rep*; 8 (5): 383–8.
- Peyrot, I., Garsaud, A.M., Saint-Cyr, I., Quitman, O., Sanchez, B., & Quist, D. (2007):** "Cannabis arteritis: A new case report and a review of literature". *Journal of the European Academy of Dermatology and Venereology*; 21 (3), 388–91.
- Prochaska, J.O., Di Clemente, C.C., & Norcross, J.C. (1992):** In search of how people change: Applications to addictive disorders. *American Psychologist*; 47(9),1102–1114.
- Prochaska, J.O., Di Clemente, C.C., & Norcross, J.C. (2011):** In search of how people change: Applications to addictive disorders. *American Psychologist*; 47(9), 1102–1114.
- Purvis, G., & MacInnis, D.M.(2009):** Implementation of the community reinforcement approach (CRA) in a long-standing addictions outpatient clinic. *Journal of Behavior Analysis of Sports, Health, Fitness and Behavioral Medicine*; 2(1), 33-44.
-

Rehm, J., & Room, R. (2005): The global burden of disease attributable to alcohol, tobacco and illicit drugs. (Section 2.2). Preventing harmful substance use: The evidence base for policy and practice. T. Stockwell. (Eds) West Sussex, England: John Wiley and Sons Ltd.

Retrieved on 2007: from the Sloan Work and Family Research Network
<http://wfnetwork.bc.edu/encyclopedia> Available at:

Robert, E.H., Stuart C.Y., & Glen O.G. (2008): American Psychiatric Pub. p.393. The American Psychiatric Publishing textbook of psychiatry.. Available at:
<http://books.google.com/?id=tvCFFkOyKHoC&pg=PA393>.
Retrieved on 24 April 2010.

Ronald, F., Kaplan, D.W., & Martin, M. (2007): Care of adolescent parents and their children. Pediatrics, Feb. 107, 2.

Rowan-Szal, G.A., Chatham, L.R., Joe, G.W., & Simpson, D.D.(2000): Services provided during methadone treatment: A gender comparison. Journal of Substance Abuse Treatment. 19(1):7–14.

Salymaker, E. (2009): Adolescent substance abuse knowledge base: "The 12 Steps: Building the Evidence Base". Adolescent Substance Abuse Articles, Spirituality an Important Tool in Recovery.

Segal, R.K. (2005): Intoxication: The universal drive for mind-altering substances. Rochester: Park Street Press.

- Sher, K.J. & Erpler A.J. (2004):** Alcoholic denial. In: B.D.Beirman and J.Nair (Eds.). Self-awareness deficits in psychiatric patients. New York: W.W.Norton & Company. Pp.184-212.
- Sinha, R., Drummond, D.C., & Orford, J. (2009):** How does stress increase risk of drug abuse and relapse? Psychopharmacology? (Berlin),158(4), 343-359.
- Siu, E.C., & Tyndale, R.F, (2007):** "Non-nicotinic therapies for smoking cessation". Annu. Rev. Pharmacol. Toxicol; **47**; 541–64. [doi:10.1146/annurev.pharmtox.47.120505.105354](https://doi.org/10.1146/annurev.pharmtox.47.120505.105354). [PMID 17209799](https://pubmed.ncbi.nlm.nih.gov/17209799/).
- Stein, M., Schonberg, K., & Ellen, H. (2001):** The discovery of marijuana use by a parent of an early adolescent. Pediatric, April,107, 2.
- Stockwell, T., Gruenewald,J., & Loxley,T. (2005):** Recommendations for new direction in the prevention of risky substance use and related harms (ed. Vol. Section 7.5). Preventing harmful substance use: The evidence base for policy and practice (Eds.) England: John Wiley and Sons Ltd.
- Sturat, G.W.(2009):** Principles and practice of psychiatric nursing, (9th ed.): Mosby, Inc., Elsevier, pp. 63-66.
- Substance Abuse and Mental Health Service Administration (SAMHSA). (2011):** National survey on drug use and health: Summary of national Findings, 2010. Rockville, MD: U.S. Department oh Health and Human Services, Center for Behavioral Health Statistics and Quality, 1 Choke Cherry |Road, Room, Sep.7-1044. Available at: <http://store.samhsa.gov/hom>.
-

- Swan, N. (1995):** Early childhood behavior and temperament predict later substance abuse. NIDA notes, Feb. 10,1.
- Taber, J.I. (2009):** Stages of addiction and recovery. Blocking a hunger-regulating hormone in the brain may help cocaine addicts. Available at: http://www.addiction-treatment-centers.com/login_form.
- Tal Ben-Shaha, R. (2011):** More meaningful and happier life, work, and play Happiness, life satisfaction, fulfillment and meaning in life.
- Timmerman, S., & Mauck, A. (2009):** The Promises and pitfalls of evidence-based medicine. Health Affairs; 24-18.
- Tolstoy, L. (2009):** Stages of addiction and recovery. Blocking a hunger-regulating hormone in the brain may help cocaine addicts. Available at: http://www.addiction-treatment-centers.com/login_form
- Uetell, N. (2006):** Life satisfaction, a sloan work and family encyclopedia entry.
- Urschel, H.C., Hanselka, L.L., Gromov, I., White, L., & Baron, M. (2007):** "Open-label study of a proprietary treatment program targeting type A gamma-aminobutyric acid receptor dysregulation in methamphetamine dependence". Mayo Clin. Proc; 82 (10): 1170–8.
- Varcarolis E.M. and Halter M.J. (2009):** Essentials of Psychiatric Mental health nursing,(1st ed.). Washington, Inc.Saunders. Elsevier pp. 329-335.
-

- Verkhatsky, A. (2005):** "Physiology and pathophysiology of the calcium store in the endoplasmic reticulum of neurons". *Physiological Reviews*; 85, 381–3. doi:[10.1152/physrev.00004.2004](https://doi.org/10.1152/physrev.00004.2004)
- Volkow, N.D. (2007):** Steroid abuse is a high-risk route to the finish line. Available at: www.drugabuse.gov/NIDA_notes/NNvol121N1/DirRepVo121N1.html
- Waldron, H.B. & Turner, C.W. (2011):** Evidence-based psychosocial treatments for adolescent substance abuse. *Journal of Clinical Child & Adolescent Psychology*; 37, 238-261.
- Washton, A.M. (1988):** Preventing relapse to cocaine. *Journal of Clinical Psychiatry*; 49(Suppl.),34–38.
- Webb, J.M., Carlton, E.F. & Geehan, D.M. (2009):** Delirium in the intensive care unit: Are we helping the patient? *Critical Care Nursing Quarterly*; 22(4), 47-60.
- Williams, J.S. (2004):** The neurobehavioral legacy of prenatal tobacco exposure. Available at: www.nida.nih.gov/NIDA_notes/NNvol18N6/Legacy.html.
- World Health Organization (WHO)(2010):**"Revision of the International Classification of Disease (ICD)" Mental and behavioural disorders (ICD–10). Geneva: WHO. Available at: <http://www.who.int/classification/icd/ICDRevision/en/>
-

World Health Organization (WHO)(2011): Family of International Classification and Related Health Problems. (ICD–10). Geneva:WHO. Available at:

<http://www.who.int/classification/icd/ICDRevision/en/>

Retrieved on <http://en.wikipedia.org/wiki/ICD>

Wright, S. (2011): Will super-smart computers make our lives better? Watson impressive on Jeopardy. More meaningful and happier life, work, and play Meaning and Happiness.com

Zweben, J.E. (1991): Counseling issues in methadone maintenance treatment. Journal of Psychoactive Drugs; 23(2),177–190.
