

## REFERENCES

- **AL Sarakbi W ,Worku D ,Escobar PF and Mokbel K (2006):** Breast papillomas :current management with a focus on a new diagnostic and therapeutic modality.Int Semin Surg Oncol ; 3:1.
- **AmatoL, Berti S, Chiarini C and Fabbri P (2005):** Atopic dermatitis exclusively localized on nipples and areolas. Pediatr Dermatol; 22: 64–66.
- **Anderson BO, Braun S and Carlson RW (2006):** Overview of breast health guide-lines for countries with limited resources. Breast Journal;12 (1): 42-50.
- **Anderson S and Redmond CK (2001):** comparing total mastectomy with lumpectomy with or without irradiation in the treatment of breast cancer.,New England Journal of Medicine 31: 213-222.
- **Andersson, I, Ikeda DM, Zackrisson S (2008):** Breast tomosynthesis and digital mammography: a comparison of breast cancer visibility & BI-RADS classification in a population of cancer with subtle mammographic finding., Eur Radiol ; 18:2817.
- **Apantaku L.(2007):** Breast-conserving surgery for breast cancer. Am. Fam. Physician; 66 (22) :2271-78
- **Argey O, Hughes K and Roche C (2004):** Managing a patient with breast mass. Manual of breast diseases, 2nd Ed., edited by Jatoi I, Lippincott Williams & Wilkins, 6 :135-148.
- **Arnold G, Neiheisel M (1997):** A comprehensive approach to evaluating nipple discharge. Nurse Pract. 22(7): 96–111.

- **Azzopardi JG. (2006):** Problems in Breast Pathology. Ed: John G. Azzopardi, with contributions by V. Eusebi & J. De Gaetano. Philadelphia, WB Saunders; 72-87.
- **Bannister L. (2005):** Anatomy of the Breast. Gray's Anatomy. Livingstone; 1143-1210.
- **Baskin B, Hadar O, and Tashman S (2005) :** Sonographic diagnosis of breast cancer. In: Breast cancer, 2<sup>nd</sup> Ed., edited by Roses D., Elsevier Churchill Livingstone, 1(16): 247-269.
- **Baum M, Buzar A, Cuzick J. (2006):** Anastrozole alone or in combination with tamoxifen versus tamoxifen alone for adjuvant treatment of postmenopausal women with early-stage breast cancer: results of the ATAC (Arimidex, Tamoxifen Alone or in combination). Trial efficacy and safety update analysis ; (98): 1802-10.
- **Baxter NN, Vining BA, Durham SB.(2008):** Trends in the treatment of ductal carcinoma in situ of the breast. J Nat Cancer Inst.: 96(6): 443-448.
- **Bland K and Beenen SW and Copeland EM III.(2005):** The Breast, In Schwartz's Principles of Surgery Text Book, 8<sup>th</sup> Ed, Bruner/McGraw-Hill, Anderson DK, Billiar TR, Dunn DL, Hunter JG and Pollock RE (Eds); 2 (16): 453-499.

- **Bland K. (2007):** Anatomy of the breast. In: Mastery of surgery, 5<sup>th</sup> Ed., edited by Fisher J and Bland K , Lippincott-Williams and Wilkins; 1 (41): 482-491.
- **Bland KI and Copeland EM (2007):** Indications and techniques for biopsy. In: "The breast; comprehensive management of benign and malignant disorders ", 3<sup>rd</sup> edition, edited by Bland KI and Copeland EM, W.B-Saunders Company; 2 (42): 885-898.
- **Bland KI and Romrell LJ. (2006):** Congenital and acquired disturbances of breast development and growth. In: Bland KI, Copeland EM III. The Breast: Comprehensive Management of Benign and Malignant Disorders. St. Louis, Saunders; 199–220.
- **Bland KI, Souba WW, and Copeland EM.(2004):** Surgery for benign and malignant diseases of the breast: Indications and techniques. : "Atlas of surgical oncology", 3rd edition, edited by bland KI, Karakousis CP, and Copeland EM, W.B-Saunders Company; 1, ( 8), 181-230.
- **Blech H, Friebe K and Krause W (2004):** Inflammation of Montgomery glands. Acta Derm Venereol; 293–94.
- **Boyd NF, Guo H, Martin LJ (2007):** Mammographic density and the risk and detection of breast cancer. N Eng J Med ; 227: 356.

- **Browning J, Bigrigg A and Taylor I (1986):** Symptomatic and incidental mammary duct ectasia. J R Soc Med; 79:715- 6.
- **Buhimschi CS (2004) :** Endocrinology of lactation. Obstet Gynecol Clin North Am; 31: 928- 963.
- **Cabioglu N, Hunt KK and Singletary SE (2003):** Surgical decision-making and factors determining a diagnosis of breast carcinoma in women presenting with nipple discharge.Am Coll Surg; 196(3): 354–64.
- **Cady B and Chung M (2009):** Surgical management of early breast cancer. In: "The breast; comprehensive management of benign and malignant disorders ", 3<sup>rd</sup> edition, edited by Bland KI and Copeland EM, W.B-Saunders Company;1 (54): 1113-1127.
- **Cataliotti L, De Wolf C. and Holland R (2009):** Guidelines on the standards for the training of specialised health Professionals dealing with breast cancer.Eur J Cancer ; 43: 660–675.
- **Chaudary M, Millis R and Davies G (1982):** Nipple discharge: the diagnostic value of testing for occult blood. Ann Surg; 196: 651.
- **Chitty v (1990):**Nipple discharge. In:Benign Breast Disease(eds):Richard and Blackwell. Baltimore Urban and Schuarzenburg; 85-87.
- **Cohen MS.(2007):** Breast surgery. In: ' The Washington manual of surgery", 3rd edition, edited by Doherty GM, Lowey JK, Mason JE, et al., Lippincott-William and Wilkins; 33 : 532-550.

- **Coll D (2008)** :Breast tumor imaging. In : Imaging in oncology, edited by Blake M and Kalra M, Springer-Verlage, New York. 20: 515-546.
- **Daly CP, Bailey JE, Klein KA and Helvie MA (2008)**: "Complicated breast cysts on sonography: is aspiration necessary to exclude malignancy?" Acad Radiol; 15 (5): 610–7.
- **Dillon M, Mohd Nazri S and Nasir S (2006)** : The role of major duct excision and microdochectomy in the detection of breast carcinoma. BMC Cancer. 6: 164.
- **Dixon J M, McDonald C,Elton RA and Miller W R. (1999)**: Risk of breast cancer in women with palpable breast cysts:a prospective study.Lancet ; 353: 1742-5.
- **Dixon JM and Bundred N (2004)**: Management of disorders of the ductal system and infections. In: Harris J, Lippman M, Morrow M, Osborne C, eds. Diseases of the breast. 3rd ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 47–56.
- **Dixon JM, Mansel RE. (1994)**: ABC of breast diseases: symptoms assessment and guidelines for referral. BMJ; 309: 722-726.
- **Donegan W L. (2002)**: Common benign condtions of the breast.In Donegan W L,Sparatt JS ,eds.Caccer of the breast ,Fifith Edition.St.LouisMo:Saunders; 67-110.

- **Drew PJ, Monson JRT and Winstanley J (2001):** Breast disease, Clinical Surgery text book, Edited by Henry MM and Thompson JN; 27: 397-42.
- **Duffy M (2006) :** Serum tumor markers in breast cancer: Are they of clinical value? Clin Chem; 52: 345-51.
- **Eileen B, Ring MD, William H and Goadson III MB (1991):** Discharge and secretions of the nipple. In: The breast comprehensive management of benign and malignant diseases. W.B. Saunders Company. PP: 61.
- **Elattar Inas (2005) :** Breast cancer magnitude of the problem Egyptian society of surgical Oncology Conference Taba Sini .i:16.
- **El-Bolkainy M, Nough M, El-Bolkainy T (2005):** Breast cancer.: Topographic pathology of cancer, 3<sup>rd</sup> Ed., The National Cancer Institute, Cairo University, ; 10: 81-88.
- **Ellis H and Skandalakis JE (2000):** Surgical Embryology and Anatomy of the Breast and its Related Anatomy Structures; New England Journal Medi 11:73-78.
- **Ellis I, Schnitt S and Sasco A (2003) :** Tumors of the breast. In : Pathology and genetics of tumors of the breast and female genital organs, edited by Tavassoli F and Devilee P, The WHO classification of tumors, International Agency for Research on Cancer (IARC), Lyon, 1, 9-112.
- **Estourgie SH, Nieweg OE and Olmos RA, (2004):** Lymphatic drainage patterns from the breast. Ann Sur, 239: 232-237.

- **Eusebi V, Foschini MP, Betts CM, Gherardi G, Millis RR and Bussolati G (1993):** Microglandular adenosis, apocrine adenosis, and tubular carcinoma of the breast. An immunohistochemical comparison. *Am J Surg Pathol*; 17: 99-109.
- **Feig BW, Barry DH and Fuhrman GM (2004):** Invasive Breast Cancer, In the M.D. Anderson Surgical Oncology, 3<sup>rd</sup> Ed; 2: 14-40.
- **Fischer U, Zachariae O, Baum F (2005):** The influence of preoperative MRI of the breasts on recurrence rate in patients with breast cancer. *Eur. Radio*; 14(10): 1725–31.
- **Fisher B, Anderson S and Tan-Chiu E (2005):** Tamoxifen and chemotherapy for axillary node-negative, estrogen receptor-negative breast cancer: Findings from the National Surgical Adjuvant Breast and Bowel Project , *Journal Clinical Oncology*; 19: 931-942.
- **Forrest APM, Carter DC and Macleod IB. (2007) ;** The breast, In *Principles and Practice of surgery* text book, 3rd Ed, Churchill Livingstone ; Section 6, (18): 210-231.
- **Gaffan J, Dacre J and Jones A. (2006):** Educating undergraduate medical students about oncology: A literature review. *J Clin Oncol*; 24(12):1932-9.
- **Geyer FC, Kushner YB, Lambros MB, Natrajan R, Mackay A and Tamber N (2009):** Microglandular adenosis or microglandular adenoma? A molecular

- genetic analysis of a case associated with atypia and invasive carcinoma. *Histopathology*; 55: 732-43.
- **Gibson GR, Lasnikoski A, Ryoo J. (2005):** Comparison of ink-directed and traditional whole cavity and re-excision of breast lumpectomy specimen with positive margin. *Ann. Surg. Oncol*; 8: 693-704.
  - **Gill HK, Ioffe OB, Berg WA. (2003):** When is a diagnosis of sclerosing adenosis acceptable at core biopsy? *Radiology* ; 228:50–57.
  - **Gizienski TA, Harvey JA and Sobel AH. (2002):** Breast cyst recurrence after postaspiration injection of air. *Breast J*; 8(1): 34-7.
  - **Going J J, Andresen N and Battersby S (2001):** Proliferative and Secretory Activity in Human Breast, *American Journal Of Human Physiology*; 130: 193-195.
  - **GoldhirschA, Glick JH and Gelber RD(2007):** Meeting highlights: international expert consensus on the primary therapy of early breast cancer. *Ann Oncol* ; 16:1569.
  - **GoyalA, Mansel RE, Young HL and Douglas-Jones A(2006):** Metastatic cutaneous Crohn's disease of the nipple: report of a case. *Dis Colon Rectum*; 49: 132–134.
  - **Gray (2005):**SIR HENERY GRAY,text book of human anatomy,43edition,structures and anatomy of female breast,1447-1452.

- **Gray RJ, Salud C, Nguyen K.( 2006):** Randomized Prospective Evaluation of a Novel Technique for Biopsy or Lumpectomy of Non-palpable Breast Lesions: Radioactive Seed Versus Wire Localization. *Annals of Surgical Oncology*; 8: 711-715.
- **Gulay H, Bora S, Kilicturgay S, Hamaloglu E and Goskel HA (1994):** Management of nipple discharge. *J Am Coll Surg*; 178: 471–4.
- **Guray M and Sahin AA. (2006):** Benign breast diseases:Classification,diagnosis and management. *OncologistMay*; 11(5): 435-49.
- **Haagensen CD (1986):** Diseases of the breast. 3<sup>rd</sup>ed. Eds: Haagensen CD. W.B. Saunders Co., Philadelphia. 48-53.
- **Haffty BG, Wilson LD, Smith R, Fischer D, Beinfeld M, Ward B and McKhann C (1995):** Subareolar breast cancer: long-term results with conservative surgery and radiation therapy. *Int J Radiat Oncol Biol Phys.*; 33(1): 537-622.
- **HanifinJM and Rajka G (1980):** Diagnostic features of atopic dermatitis. *Acta Derm Venereol*; 92(1): 44–47.
- **Harris M. (2005):** Clinical assessment of breast cancer and benign breast disease, 2<sup>nd</sup>Ed., edited by Roses D, Elsevier Churchill Livingstone; 1(19): 309-318.
- **Howard BA and Gusterson BA (2005):** Human breast development. *J Mammary Gland Biol Neoplasia*; 5(2):119–137.

- **Hussain AN, Policarpio C and Vincent MT (2006):** Evaluating nipple discharge. *Obstet Gynecol Surv*; 61 (4): 278-283.
- **Iatrakis G (2006):** Benign diseases of the breast. In: *Book of Gynecology*. Iatrakis G (Ed.). Desmos Publications, Athens, Greece, 707–714.
- **Ibarra JA. Papillary lesions of the breast. Breast J. (2006):** Intraductal papilloma with bloody discharge from Montgomery's areolar tubercle examined by ductoscopy from the areola. *Breast Cancer*; 13(1): 104–6.
- **Iester A, Debbia C and Franzone G. (1995):** Mammary duct ectasia in children. *Minerva Pediatr*; 47:412-417.
- **Irwig L, Houssami N, van Vliet C (2004):** New technologies in screening for breast cancer: a systemic review of their accuracy. *Br. J. Cancer*; 90: 2118-2122.
- **IslamQT, Karimedдини MK, Spencer RP, Kurtzman SH and Vento JA (2000):** Positive Tc-99m MIBI breast study related to a psoriatic lesion. *Clin Nucl Med*; 25: 374.
- **James BA, Cranor ML, Rosen PP (1993):** Carcinoma of the breast arising in microglandular adenosis. *Am J Clin Pathol*;100: 507-13.
- **Jardines L(1996) :** Management of nipple discharge. *Am Surg*; 62: 119.

- **Jatoi Ismail, Manfred Kaufmann, Jean Y. Petit (2007):** Atlas Of Breast Surgery 2<sup>nd</sup> edition sprineger Library of Congress ; 1(5): 50-65.
- **Johnson D, Shah P, Collins P and Wigley C (2008):** Breast In: Gray's Anatomy. 39<sup>th</sup> Ed., edited by Standring S, Ellis H and Healy JC, Elsevier Churchill Livingstone; 5: 969-976.
- **Keller-Wood M, (1998):** Breast physiology: Normal and abnormal development and function, in Bland KI, Copeland EM III (eds): The Breast: Comprehensive Management of Benign and Malignant Diseases. Philadelphia: WB Saunders: 40.
- **Kempson RL and Rouse RV (2006):** Mammary Duct Ectasia – Surgical Pathology Criteria – Stanford University School of Medicine. Stanford CA; 4305-4342.
- **King T, Carter K, Bolton J and Fuhrman G. (2000):** A simple approach to nipple discharge. Am Surg; 66:960.
- **Koenig C, Dadmanesh F, Bratthauer GL, Tavassoli FA (2000):** Carcinoma arising in microglandular adenosis: an immunohistochemical analysis of 20 intraepithelial and invasive neoplasms. Int J Surg Pathol; 8: 303-15.
- **Kooistra BW, Wauters C, van de Ven S and Strobbe L (2009) :** The diagnostic value of nipple discharge cytology in 618 consecutive patients. Eur J Surg Oncol 35(6): 573–577.

- **Kooistra BW, Wauters C, van de Ven S, Strobbe L (2009):** The diagnostic value of nipple discharge cytology in 618 consecutive patients. *Eur J Surg Oncol*; 35(6): 573–577.
- **Kopans D (2007):** Breast anatomy and basic histology, physiology, and pathology. In: Kopans D, *Breast imaging*. 3rd ed. Philadelphia, Pa: Lippincott Williams & Wilkins, 7–43.
- **Kozlov KK, Vysokogorskii VE, Filippov AA, Mamontov VV, Sborshchikova VA and Shaliapin VG (2001):** Express method of determining blood in the abdominal cavity in closed abdominal injuries. *Vesten Khir Im II Grek*; 160(3): 81.
- **Krontiras H and Bland K (2007) :** Diagnostic approach to breast abnormalities. In : *Mastery of surgery*, 5<sup>TH</sup> Ed., volume 1, edited by Fisher J and Bland K, Lippincott Williams and wilkins,42; 492-502.
- **Krontrias H, De Los Santes JF, Bland KL. (2008):** Breast conservation therapy in invasive breast cancer. In: "The Breast; comprehensive management of benign and malignant disorders", 3<sup>rd</sup> edition, edited by Bland K. and Copeland EM, W.B-Saunders company; 2 (42) 885-898.
- **Kuerer HM, Newman LA.(2007):** Lymphatic mapping and sentinel lymph node biopsy for breast cancer: developments and resolving controversies. *J Clin Oncol* ; 23: 1698.

- **Kumar R, Bozkurt MF, Zhuang H. (2007):** Sentinel Lymph Node Biopsy in the management of breast cancer. *Indian J. cancer*; 40(2): 60-66.
- **Lafreniere R (1990):** Bloody nipple discharge during pregnancy and/or lactation: a rationale for conservative treatment. *J Surg Oncol*; 43: 228–30.
- **Lang JE and Kuerer HM (2007):** Breast ductal secretions: clinical features, potential uses, and possible applications. *Cancer Control* ; 14(4): 350–359.
- **Lanitis S, Filippakis G and Thomas J. (2008):** Microdochectomy for single-duct pathologic nipple discharge and normal or benign imaging and cytology. *Breast*; 17(3):309-13.
- **Lau S, Kuchenmeister I and Stachs A (2005):** Pathologic nipple discharge: surgery is imperative in postmenopausal women. *Ann Surg Oncol*; 12(7): 246–51.
- **Leach SD, Solorzano CC, Ahearne PM and Feig BW. (2006):** Invasive Breast Cancer, In the *M.D. Anderson Surgical Oncology*, Edited by Feig BW, Barry DH and Fuhrman GM, 3<sup>rd</sup> Ed; 2: 14-40.
- **Lee CH. (2004):** Problem solving MRI of the breast. *Radiol. Clin. North Am*; 42: 19-34.
- **Lee KH, Cho S, Xia Y and Gunning ST (2009):** What is your diagnosis? Paget disease of the nipple. *Cutis.*; 83(5): 253-4.

- **Leonard GD and Swain SM. (2008)** :Ductal carcinoma in situ, complexities and challenges. J. Natl. Cancer Inst; 96: 906-920.
- **Leslie L and Montgomery (2000):** Breast diseases.1<sup>st</sup> edition.Texas,U.S.A ;Landes bioscience; Assessment & investigations of common breast symptoms; 2: 14-29.
- **Letterman J (2003):** Atlas of breast reconstruction.2<sup>nd</sup> edition, New York, ; 42-49.
- **Lind S,Barbara L. and Wiley W (2005):** Introduction to breast procedures; analysis and results after 12 years of follow-up in a randomized clinical trial comparing total mastectomy with lumpectomy with or without irradiation in the treatment of breast cancer. N Engl J Med; 333: 1456.
- **Lisa k and Jacobs (2007):** Screening for breast cancer. Current Surgical Therapy, ninth edition 2: 647.
- **Lonnerdal B. (2003):** Nutritional and physiologic significance of human milk proteins. Am J Clin Nutr; 77:153-75.
- **Maddox PR, Harrison BJ, Mansel RE and Hughes LE (2005):** Non cyclical Mastalgia: an improved classification and treatment. Br J Surg; 76: 901-4.
- **Mah PM and Webster J. (2002):** Hyperprolactinemia: etiology, diagnosis, and management. Semin Reprod Med; 20:365-374.

- **Malley FP and Bane AL. (2004):**The spectrum of apocrine lesion of the breast. *Adv Anat Path*; 11 : 1-9.
- **Manfred Kaufman, Ismail Jatoui and Jean Y. Petit (2006):** Atlas of breast surgery. Berlin: Springer, Germany; 133.
- **Markopoulos C , Mantas D , and Kowskos E (2006)** :surgical management of nipple discharge .*Eur J Gynaecol Oncol*; 27(3): 275-278.
- **Matsubayashi RN, Adachi A, Yasumori K, Muranaka T, Ikejiri K and Yahara T (2006) :** Adenoma of the nipple: correlation of magnetic resonance imaging findings with histologic features. *J Comput Assist Tomogr*; 30: 148–50.
- **McDivitt RW, Stewart FW, Berg JW (1968):** Tumors of the breast. In: Armed Forces Institute of Pathology (U.S.), Universities Associated for Research and Education in Pathology. Atlas of Tumor Pathology, Second Series, Fascicle Washington, D.C.: Armed Forces Institute of Pathology; 91.
- **Melmed S and Kleinberg D (2008):** Anterior pituitary. In: Kronenberg HM, Melmed S , Polonsky KS, Larsen PR, eds. Williams textbook of endocrinology. 11th ed. Philadelphia: Saunders Elsevier; 185–261.
- **Meric F, Robinson EK and Hunt KK (2004):** Noninvasive Breast Cancer, In the O.D. Anderson Surgical Oncology, Edited by Feig BW, Barry DH and Fuhrman GM, 3<sup>rd</sup> Eds.; 1: 1-13.

- **Mladenovic J and Borojevic N. (2008)** :Post-operative radiotherapy in early breast cancer. Archive of Oncology; 13(1): 20-1.
- **Mladenovic J, Dozic M, Borojevic N. (2006):** Post-operative radiotherapy after conservative surgery for early breast cancer: 5-years results. Arch Oncol; 12(1): 29-33.
- **Mokbel K. (2005):** Contemporary treatment of ductal carcinoma in situ of the breast. Med Sci Monitt; 11(3): 86-93.
- **Moore KL and Agur A (2007):** Thorax. In: Essential Clinical Anatomy. 3<sup>rd</sup> Ed., Edited by Moore KL, Agur A, Lippincott Williams and Wilkins, 1, 49-114.
- **Morange I, Barlier A, and Pellegrini I(1994):** Prolactinomas resistant to bromocriptine: Longterm efficacy of quinagolide and outcome of pregnancy. Eur J Endocrinol N Engl J Med 135:413.
- **Morrow M and Khan S (2006):** Breast disease. In:Greenfield' surgery: scientific principles and practice, edited by Mulholland MW, Lippincott Williams andWilkins.; 76: 1251-89.
- **Morrow M, Bassett LW. (2007):** Standard for breast conserving therapy in the management of invasive breast carcinoma. In: " CA Cancer J Clin; 52: 277-300.
- **Mulligan AM, O'Malley FP. (2007):**Papillary lesions of the breast: a review. Adv Anat Pathol ; 14:108–119

- **Nani M T, Bernabei P and Nocentini C (1993):** Mammary duct ectasia. Nosologic assessment, features and echographic incidence. *Radiol Med*; 85:748-752.
- **Newman HF, Klein M, Northrup JD (1983):** Nipple discharge: frequency and pathogenesis In an ambulatory population. *NY St J Med*. 928: 83.
- **Newman LA and Kurer HM (2005).** Advances in breast conserving therapy. *J Clin Oncol*; 23(8): 1685-1697.
- **Nicholson T, Harvey A and Cohen A (2009):** Nipple-Areolar complex: Normal Anatomy and Malignant Processes. *Radiographics*; 29: 509-523.
- **Omar Sherif, Jacques Rouse and Hussein Khaled (2010):** Breast cancer. 5<sup>th</sup> edition. Omar S.O.(associate editor). Cairo University Press-Egypt ; 1-274.
- **Page DL and Anderson TJ (2008):** Benign Breast Lesions, in: *Diagnostic Histopathology of the Breast*. Eds: Page DL and Anderson TJ. Churchill Livingstone (Edinburgh, New York); 362.
- **Paik S, Shak S, Tang G (2006):** A multigene assay to predict recurrence of tamoxifen-treated, node-negative breast cancer. *N Engl J Med* ; 351:2817.
- **Park S and Suh YL (2009):** Useful immunohistochemical markers for distinguishing Paget cells from Toker cells. *Pathology*; 41(7): 640-4.
- **Pass H. (2001):** Benign and malignant disease of the breast. In: *Surgery; Basic Science and Clinical*

- Evidence, 1<sup>st</sup> Ed., ed. By Norton J, Bollinger R, Chang A, et al., Springer-Verlage, New York; Inc; 78 :1699-1733.
- **Passaro ME, Brougham TA and Sebek BA (1994):** Lactiferous fistula. J Am Coll Surg; 178:29-32.
  - **Peters F, Diemer P, Mecks O and Behnken L (2003):** Severity of mastalgia in relation to milk duct dilatation. Obstet Gynecol; 101 (1): 54–60.
  - **Peterson L, Graversen HP and Andersen JA (1993):** The duct ectasia syndrome, An overlooked disease entity. Ugesker Iaeger; 155: 1540-1545.
  - **Peto J ,Easton DF ,Matthew FE and Ford D (1996):** Cancer mortality in relatives of women with breast cancer. Int J cancer ; 65 : 275-282.
  - **Popper HH, Gallagher JV, Ralph G, Lenard PD and Tavassoli FA. (1996):** Breast carcinoma arising in microglandular adenosis: a tumor expressing S-100 immunoreactivity. Report of five cases. Breast J; 2: 154-9.
  - **Port E and Morris E (2005) :** Advanced technology and diagnostic strategy for breast cancer. In : Breast cancer, 2<sup>nd</sup> Ed., edited by Roses D, Elsevier Churchill Livingstone;1(18): 292-308.
  - **Rahal RM, de Freitas-Junior R and Paulinelli RR (2005):** Risk factors for duct ectasia. Breast J; 11:262–5.

- **Reynolds HE and Cramer HM (1994):** Cholestrol granuloma of the breast; a mimic of carcinoma. *Radiology*; 191: 249-250.
- **Richard LD, Yogi W and Adam WM. (2005):** *Anatomy for students Har. Uni.* 2 (1): 77.
- **Richards T, Hunt A, Courtney S, Umeh H (2007):** Nipple discharge: a sign of breast cancer. *Ann R Coll Surg Engl* 89(2): 124–126.
- **Roberta H. and Baron (2007):** Surgical management of breast cancer, *Seminars in Oncology Nursing*; 23 (1): 10-19.
- **Romerell L and Bland K. (2006):** Anatomy of the breast, axilla, chest wall and related metastatic sites. In: *The breast; comprehensive management of benign and malignant disorders, 3<sup>rd</sup> Ed.,* edited by Bland K and Copeland E, W.B-Saunders ; 1 (2): 21-42.
- **Rosen PP (2009):** *Rosen's Breast Pathology.* 3rd ed. Philadelphia: Wolters Kluwer/ Lippincott Williams & Wilkins; 175-86.
- **Rosen PP and Caicco JA (1986):** Florid papillomatosis of the nipple. A study of 51 patients, including nine with mammary carcinoma. *Am JSurg Pathol*; 10: 87–101.
- **Rosenbloom AL. (1998):** Breast physiology: Normal and abnormal development and function in Bland KI, Copeland EM III (eds): *The Breast: Comprehensive Management of Benign Malignant Diseases.* Philadelphia: WB Saunders. P. 38.

- **Russo J and Russo IH. (2004):** Development of the human breast. *Maturitas*; 49(1): 2–15.
- **Sainsbury R. (2004):** The breast. In: *Bailey and Love's short practice of surgery*, 24<sup>th</sup> edition, edited by Russel R, Williams N and Bulstrode C; 55: 824-846.
- **Salarieh A and Sneige N (2007):** Breast carcinoma arising in microglandular adenosis: a review of the literature. *Arch Pathol Lab Med*; 131: 1397-9
- **Santen RJ and Mansel R (2005):** Benign Breast disorders. *N Engl J Med*; 353(3): 275–85.
- **Sarakbi W, Salhab M and Mokbel K (2006):** Does mammary ductoscopy have a role in clinical practice?. *International Seminars in Surgical Oncology*; 3-16.
- **Sato T, Muto I, Hasegawa M, Aono T, Okada T and Tamura T (2007):** A rare case of invasive ductal carcinoma with hyperprolactinemia. *Breast Cancer*;14: 302–6.
- **Schelfhout VR, Coene ED, Delaey B, Thys S, Page DL and De Potter CR (2000):** Pathogenesis of Paget's disease: epidermal heregulin-alpha, motility factor, and the HER receptor family. *J Natl Cancer Inst.*; 92(8): 332-7.
- **Schlechte JA, Sherman B, Martin R (1983):** Bone density in amenorrheic women with and without hyperprolactinemia. *J Clin Endocrinol Metab* 56:1120.
- **Schwartz GF and Terribile D. (2007)**The treatment of DCIS of the breast. In: *Obstetric and Gynecology Clinics*, WB Saudners; 29 (2): 127-29.

- **Seetharam S and Fentiman IS (2009):** Paget's disease of the nipple. *Womens Health Lond Engl*; 5(4): 397-402.
- **Shah S and Greatrex K (2005) :** Current Role of Magnetic Resonance Imaging in Breast Imaging: A Primer for the Primary Care Physician. *J Am Board Fam Med*; 18 (6) :478-490.
- **Shimauchi A, Nemoto K, Ogawa Y. (2008):** Long term follow up of breast conservation therapy for breast carcinoma. *Radiat. Med. Cent*; 23(7): 485-490.
- **Shin SJ, Simpson PT, Da Silva L, Jayanthan J, Reid L, Lakhani SR, (2009):** Molecular evidence for progression of microglandular adenosis (MGA) to invasive carcinoma. *Am J Surg Pathol*; 33: 496-504.
- **Shousha S, Backhouse CM, Dawson PM, Alagband Zadeh J and Burn I. (1988):** Mammary duct ectasia and pituitary adenomas. *Am J Surg Pathol*; 12: 130–3.
- **Singh I. (2002):** Pectoral region, axilla and breast. In: *Essentials of anatomy*, 1<sup>st</sup> Ed., Jaypee Brothers Medical Publishers LTD, New Delhi ; 3 : 18-26.
- **Singh V, Saunders C and Wylie L (2008) :** New Diagnostic Techniques for Breast Cancer Detection. *Future Oncol*, 4 (4): 501-503. Sinnatamby C. (2006): Axilla. In: *Last's Anatomy; regional and applied*. 11th Ed., edited by Sinnatamby C, Elsevier Health Sciences, 2 (4), 53-58.

- **Sinnatamby C. (2006):** Axilla. In: Last's Anatomy; regional and applied. 11th Ed., edited by Sinnatamby C, Elsevier Health Sciences, 2 (4) 53-58.
- **Skandalakis J, Colborn G and Weidman T. (2006):** Anatomy of the breast. In: Skandalakis' Surgical Anatomy. 4<sup>th</sup> Ed., Springer-Verlag Inc., New York; 3 :157-188.
- **Skandalakis JE, Colborn GL, Skandalakis PN, Weidman TA and Skandalakis LJ. (2004):** Breast. In: Skandalakis JE (ed). Skandalakis' Surgical Anatomy: The Embryologic and Anatomic Basis of Modern Surgery. Athens, Paschalidis Medical Publications; 155–188.
- **Skandalakis JE. (2009):** Embryology and Anatomy of the Breast. In: Shiffman MA. Breast Augmentation. Principles and Practice. Springer-Verlag, Berlin, Heidelberg; 3-24.
- **Sneige N (2007):** Image-guided biopsies of the breast: technical considerations, diagnostic challenges, and postbiopsy clinical management. In : Breast Cancer, 2<sup>nd</sup> Ed., edited by Hunt K, Robb G, Strom E, et al., Springer Science Business Media, LLC; 6:164-96.
- **Snell R. (2004):** The upper limb. In: Clinical anatomy, 7<sup>th</sup> Ed., edited by Sun B, Lippincott-Williams and Wilkins; 9 : 455-590.
- **Solorzano CC, Ahearne PM and Leach SD (2004):** Invasive Breast Cancer, In the M.D. Anderson Surgical

- Oncology, Edited by Feig BW, Barry DH and Fuhrman GM, 3<sup>rd</sup> eds; 2: 14-40.
- **SwanMC, Gwilym SE, Hollowood K, Venning V and Cassell O (2004):** Treatment of nevoid hyperkeratosis of the nipple and areola by shave excision. *Ann Plast Surg*; 53: 510–512.
  - **Sweeny DJ and Wylie EJ (2008):** Mammographic appearance of mammary duct ectasia that mimic carcinoma in a screening programme. *Australian Radiology*; 39(1): 18-23.
  - **Takao S, Sakamoto G, Kasumi F and Akiyama F (1999):** Adenoma of the nipple — clinical and pathological features in six cases (in Japanese with English abstract). *Nyugan no Rinsho (Jpn J Breast Cancer)*; 14: 259–64.
  - **Tavassoli FA (1992):** Pathology of the breast. Norwalk: Appleton and Lange; 93–97.
  - **Taylor KE, Ormsby HM, Havercroft JM and Rodger A (2001):** An unusually extensive case of Paget's disease of the nipple; 10(5): 442-6.
  - **Thomas WG, Williamson RN, Davies JD and Webb AJ. (2005):** The clinical syndrome of mammary duct ectasia. *Br J Surg*; 69: 423 -425.
  - **Toker C(2008):** Glandular Paget's disease of the nipple. *Histopathology*; 52(6): 767.
  - **Vaidyanathan L, Barnard K and Elnicki DM(2002):** Benign breast disease: when to treat, when to reassure, when to refer. *Cleve Clin J Med* ; 69: 425–32.

- **Van de Perre P. (2003):** Transfer of antibody via mother's milk. *Vaccine*; 21:33-74.
- **Vargas H, Vargas M and Eldrageely K. (2006):** Outcomes of clinical and surgical assessment of women with pathological nipple discharge. *Am Surg*; 72:124.
- **Vargas HI ,Romero L and Chlebowski RT (2002)** :Management of bloody nipple discharge .*Curr Treat Options Oncol*; 3(2): 157-61.
- **Venkatesan A, Chu P, Kerlikowske K (2009):** Positive predictive value of specific mammographic findings according to reader and patient variables. *Radiology* 3; 250: 648.
- **Veronesi U, Volterrani F, Luini A. (2006);** Quadrantectomy versus lumpectomy for small size breast cancer. *Eur J Cancer*; 26: 671-3.
- **Vlastosa G and Verkooijen H (2007) :** Minimally Invasive Approaches for Diagnosis and Treatment of Early-Stage Breast Cancer.*The Oncologist*, 12:1–10.
- **VogelVG, CostantinoJP, WickerhamDL(2007):**  
Effects of tamoxifen vs. raloxifene on the risk of developing invasive breast cancer and other disease outcomes: the NSABP Study of Tamoxifen and Raloxifene (STAR) P-2 Trial. *JAMA* ; 295: 27.
- **Webster J, Piscitelli G and Polli A(1994):** for the Cabergoline Study Group: A comparison of cabergoline and bromocriptine in the treatment of