

References

1. **Abel RM, Robinson M, Gibbons P, et al, (2004):** Cleft sternum: case report and literature review, *Pediatr Pulmonol*; 37:375-7.
2. **Acastello E, Majluf R, Garrido P, et al, (2003):** Sternal cleft: a surgical opportunity, *J Pediatr Surg*; 38:178-83.
3. **Adams AB, Simonson DA and Dries DJ, (2003):** Ventilator-induced lung injury. *Respir Care Clin North Am* 2003; 9(3):343-62.
4. **Al-Shanafey S, Giacomantonio M and Henteleff H, (2002):** Congenital diaphragmatic hernia: experience without extracorporeal membrane oxygenation, *Pediatr Surg Int*; 18:28- 31.
5. **Arca MJ, Barnhart DC, Lelli JL, et al, (2003):** Early experience with minimally invasive repair of congenital diaphragmatic hernia: results and lessons learned, *J Pediatr Surg*; 38:1563-8.
6. **Arena F, Baldari S, Centorrino A, et al, (2005):** Mid- and long-term effects on pulmonary perfusion, anatomy and diaphragmatic motility in survivors of congenital diaphragmatic hernia, *Pediatr Surg Int*; 21:954-9.
7. **Arensman RM and Bambini DA, (2000):** Congenital diaphragmatic hernia and eventration, in Ashcraft KW, editor, *Pediatric surgery*, 3rd ed, Philadelphia W.B, Saunders, Pp: 300- 17.
8. **Azarow K, Messineo A, Pearl R, et al, (1997):** Congenital diaphragmatic hernia a tale of two cities: the Toronto experience, *J Pediatr Surg*; 32:395 – 400.

9. **Baglaj M.** Late-Presenting congenital diaphragmatic hernia in children: a clinical spectrum *surg Int* 2004"20:658-69.
10. **Bagolan P, Casaccia G, Nahom A, et al, (2002):** Severe congenital diaphragmatic hernia (CDH): a critical analysis of eight years' experience, *Eur J Pediatr Surg*; 12:95 – 100.
11. **Barbara L. Robinson and David M. Shahian(2008):** Transthoracic Repair of an Unsuspected Left Foramen of Morgagni Hernia. *Ann Thorac Surg* 2008, 86:1693-1695.
12. **Beiler HA, Sergi C, Wagner G, et al, (2002):** Left-sided congenital diaphragmatic hernia associated with intrathoracic ectopic liver lobule, *Eur J Cardiothorac Surg*; 21(3):558 – 60.
13. **Bennett CC, Johnson A, Field DJ, et al(2001):** UK collaborative randomized trial of neonatal extracorporeal membrane oxygenation: Follow-up to age 4 years. *Lancet* 357:1094-1096, 2001
14. **Berrocal T, Madrid C, Novo S, et al, (2004):** Congenital anomalies of the tracheobronchial tree, lung, and mediastinum:embryology, radiology, and pathology, *Radiographics*; 24:e17.
15. **Bohn D, (2002):** Congenital diaphragmatic hernia, *Am J Respir Crit Care Med*; 166:911 – 5.
16. **Brian K.P. Goh, Melissa C.C. Teo, Siew-Peng Chn and Khee-Chee Soo(2007):** Right-sided Bochdalek's hernia in an adult. *The American Journal of Surgery* 2007: 194, 390–391.
17. **Bysiek A, Zajac A, Budzynska J, et al, (2005):** Evolution of diaphragmatic hernia management in the years 1991-2002, *Eur J Pediatr Surg*; 15:17- 21.

- 18.**Chilton HW, Chang JH, Jones Jr MD, et al(1978):** Right-sided congenital diaphragmatic herniae presenting as pleural effusions in the newborn:dangers and pitfalls. Arch Dis Child 1978"53:600-3.
- 19.**CHD study Group (2005):** Late presenting CHD in journal of Pediatric surgery :2005,40:1839-1843.
- 20.**Chiu PP, Sauer C, Mihailovic A, et al(2006):** The price of success in the managment of congenital diaphragmatic hernia: is improved survival accompanied by an increase in long-term morbidity? J Pediatr Surg 2006"41:888-92.
- 21.**Cho SD, Krishnaswami S, Mckee JC et al. (2009)** Analysis of 29 consecutive thoracoscopic repairs of congenital diaphragmatic hernia in neonates compared to historical controls. Journal of Pediatric Surgery 44: 80–6.
- 22.**Christine L., Lau& Bryan F., Meyers(2007):** The Diaphragm: Mastery of Cardiothoracic Surgery. (L.R. Kaiser, I.L. Kron, T.L. Spray, eds)2nd ed. Philadelphia: Lippincott Williams & Wilkins.,229-243.
- 23.**Coakley FV, Glenn OA, Qayyum A, et al, (2004):** Fetal MRI: a developing technique for the developing patient, AJRAm J Roentgenol; 182:243–52.
24. **Coran,A. (2007):** Diaphragmatic hernia and eventraion : nelson textbook of pediatrics 18th ed 2007:101 ,9-11.
- 25.**Cortes RA, Keller RL, Townsend T, et al, (2005):** Survival of severe congenital diaphragmatic hernia has morbid consequences, J Pediatr Surg; 40:36-46.

26. **Crankson SJ, Jadaan SA, Namshan MA, et al, (2006):** The immediate and long-term outcomes of newborns with congenital diaphragmatic hernia, *Pediatr Surg In*; 22:335-40.
27. **Daryl A. S. (2007):** Genetics of congenital diaphragmatic hernia, *Seminars in Pediatric Surgery Elsevier* 2007: 16, 88-93.
28. **Davis PJ, Firmin RK, Manktelow B, et al, (2004):** Long-term outcome following extracorporeal membrane oxygenation for congenital diaphragmatic hernia: the UK experience, *J Pediatr*; 144:309-15.
29. **Deprest J, Gratacos E and Nicolaides KH, (2004):** Fetoscopic tracheal occlusion (FETO) for severe congenital diaphragmatic hernia: evolution of a technique and preliminary results, *Ultrasound Obstet Gynecol*; 24:121-6.
30. **Desfrere L, Jarreau PH, Dommergues M, et al, (2000):** Impact of delayed repair and elective high-frequency oscillatory ventilation on survival of antenatally diagnosed congenital diaphragmatic hernia: first application of these strategies in the more severe subgroup of antenatally diagnosed newborns, *Intensive Care Med*; 26:934- 41.
31. **Dillon E, Renwick M and Wright C, (2000):** Congenital diaphragmatic herniation: antenatal detection and outcome, *Br J Radiol*; 73:360–5.
32. **Dillon PW, Cilley RE, Mauger D, et al, (2004):** The relationship of pulmonary artery pressure and survival in congenital diaphragmatic hernia, *J Pediatr Surg*; 39:307-12.

- 33.**Downard CD, Jaksic T, Garza JJ, et al, (2003):** Analysis of an improved survival rate for congenital diaphragmatic hernia, J Pediatr Surg; 38:729- 32.
- 34.**Doyle NM and Lally KP, (2004):** The CDH study group and advances in the clinical care of the patient with congenital diaphragmatic hernia, Semin Perinatol; 28:174- 84.
- 35.**Ehrlich P.F. and Coran,A.(2007):** diaphragmatic hernia, Nelson Textbook of Pediatrics, 18th ed: 2007, 101: 9-11.
- 36.**Elhalaby EA and Sikeena MH(2002).** Delayed presentation of congenital diaphragmatic hernia. pediatr Surg Int 2002"18:480-5.
- 37.**Enad JG, (2002):** Partial absence of pericardium in an endurance athlete, J Sports Med Phys Fitness; 42:89- 91.
- 38.**Fasching G, Huber A, Uray E, et al, (2000):** Gastroesophageal reflux and diaphragmatic motility after repair of congenital diaphragmatic hernia, Eur J Pediatr Surg; 10:360- 4.
- 39.**Fauza D. O., Allmendinger,N., Jay, M. Wilson.(2005):** Congenital Diaphragmatic hernia, Sabiston and Spincer, Surgery of the chest, 7th ed. vol.1: 2005, 32: 517-545.
- 40.**Fehrenbach H, (2001):** Alveolar epithelial type II cell: defender of the alveolus revisited, Respir Res; 2:33-46.
- 41.**Finer NN and Barrington KJ(2000):** Nitric oxide for respiratory failure in infants born at or near term. Cochrane Database Syst Rev. (2):CD000399, 2000
- 42.**Folkesson HG and Matthay MA, (2006):**Alveolar epithelial ion and fluid transport: recent progress, Am J Respir Cell Mol Biol; 35:10-19.

- 43.**Frates NC, Kumar AJ, Benson CB and Ward VL, (2004):** Fetal anomalies: comparison of MR imaging and US for diagnosis, *Radiology*; 232:398–404.
- 44.**Fuchs JR, Kaviani A, Oh JT, et al, (2004):** Diaphragmatic reconstruction with autologous tendon engineered from mesenchymal amniocytes, *J Pediatr Surg* ; 39:834-838
- 45.**Fuke S, Kanzaki T, Mu J.(2003):** Antenatal prediction of pulmonary hypoplasia by acceleration time/ejection time ratio of fetal pulmonary arteries by Doppler blood flow velocimetry. *Am J Obstet Gynecol.* 2003, 188 (1): 228-33.
- 46.**Garne E, Haeusler M and Barisic I(2002):** Congenital diaphragmatic hernia: evaluation of the prenatal diagnosis in 20 European regions. *Ultrasound Obstet Gynecol.*2002, 19: 329- 333.
- 47.**Gomes FC, Reinberg O, Becmeur F et al. (2009):** Neonatal minimally invasive surgery for congenital diaphragmatic hernias: a multicenter study using thoracoscopy or laparoscopy. *Surgical Endoscopy* 23: 1650–9.
- 48.**Gourlay DM, Cassidy LD, Sato TT et al. (2009):** Beyond feasibility: a comparison of newborns undergoing thoracoscopic and open repair of congenital diaphragmatic hernias. *Journal of Ped. Surgery* 44: 1702–7.
- 49.**Gorincour G, Bouvenot J, Mourot MG, et al, (2005):** Prenatal prognosis of congenital diaphragmatic hernia using magnetic resonance imaging measurement of fetal lung volume, *Ultrasound Obstet Gynecol*; 26:738 – 44.
- 50.**Graham G and Devine PC, (2005):** Antenatal diagnosis of congenital diaphragmatic hernia, *Semin Perinatol*; 29:69 – 76.

51. **Grethel EJ, Cortes RA, Wagner AJ, et al, (2006):** Prosthetic patches for congenital diaphragmatic hernia repair: Surgisis vs Gore-Tex, J Pediatr Surgery; 41:29 – 33.
52. **Hekmatnia.A ,MD. (2008):** Congenital Diaphragmatic Hernia: eMedicine.com, Specialties , Radiology, Pediatric, updated jul 16,2008.
53. **Harrison MR, Keller RL, Hawgood SB, et al, (2003):** A randomized trial of fetal endoscopic tracheal occlusion for severe fetal congenital diaphragmatic hernia, N Engl J Med; 349:1916-24.
54. **Hedrick HL, Crombleholme TM, Flake AW, et al, (2004):** Right congenital diaphragmatic hernia: prenatal assessment and outcome, J Pediatr Surg; 39:319- 23.
55. **Heling KS, Tennstedt C, Chaoui R, et al, (2001):** Reliability of prenatal sonographic lung biometry in the diagnosis of pulmonary hypoplasia, Prenat Diagn; 21:649- 57.
56. **Heling KS, Wauer RR, Hammer H, et al, (2005):** Reliability of the lung-to-head ratio in predicting outcome and neonatal ventilation parameters in fetuses with congenital diaphragmatic hernia. Ultrasound Obstet Gynecol; 25:112- 8.
57. **Hirschl RB, Fox W, Glick PL, et al(2003):** A prospective, randomized pilot trial of perfluorocarbon-induced lung growth in newborns with congenital diaphragmatic hernia. J Pediatr Surg 38:283-289, 2003
58. **Holder A. M.,M. Klassens, D. Tibboel, A. de Klein, B. Lee, and D. A. Scott(2007):** Genetic Factors in Congenital Diaphragmatic Hernia The American Journal of Human Genetics: 2007, Vol. 80: 825-847.

- 59.**Holt PD, Arkovitz MS, Berdon WE, et al, (2004):** Newborns with diaphragmatic hernia: initial chest radiography does not have a role in predicting clinical outcome, *Pediatr Radiol*; 34(6):462- 4.
- 60.**Huang GT, Zhang X and Park NH, (2000):** Increased ICAM-1 expression in transformed human oral epithelial cells: molecular mechanism and functional role in peripheral blood mononuclear cell adhesion and lymphokine-activated killer cell cytotoxicity, *Int J Oncol*; 17: 479-86.
- 61.**Ijsselstijn H, Zimmerman L, Bunt JE, et al(1998):** Prospective evaluation of surfactant composition in bronchoalveolar lavage fluid of infants with congenital diaphragmatic hernia and of age-matched controls. *Crit Care Med* 26:573-580, 1998
- 62.**Irish MS, Holm BA, Glick PL.(1996):** Congenital diaphragmatic hernia. A historical review. *Clinic perinatal* 1996, 23:625-53.
- 63.**Jaillard S, Pierrat V, Dubois A, et al, (2003):** Outcome at 2 years of infants with congenital diaphragmatic hernia: a population-based study, *Ann Thorac Surg*; 75:250-6.
- 64.**Javid PJ, Jaksic T, Skarsgard ED, et al, (2004):** Survival rate in congenital diaphragmatic hernia: the experience of the Canadian Neonatal Network, *J Pediatr Surg*; 39:657- 60.
- 65.**Kamata S, Usui N, Kamiyama M, et al, (2005):** Long-term follow-up of patients with high-risk congenital diaphragmatic hernia, *J Pediatr Surg*; 40:1833-8.
- 66.**Kamiyama M, Kawahara H, Okuyama H, et al, (2002):** Gastroesophageal reflux after repair of congenital diaphragmatic hernia, *J Pediatr Surg*; 37:1681-4.7

67. **Karadeniz, Sirin,G., Enver,A., Fahri,O. and Aysenur Celayir(2009):** Bilateral diaphragmatic defect and associated multiple anomalies J Chin Med Assoc. Elsevier: 2009, 72(3): 163-165.
68. **Khoshbin E, Westrope C, Pooboni S, et al, (2005):** Performance of polymethylpentene oxygenators for neonatal extracorporeal membrane oxygenation,a comparison with silicone membrane oxygenators; 20(3):129-34.
69. **Kim AC, Bryner BS, Akay B et al. (2009):** Thoracoscopic repair of congenital diaphragmatic hernia in neonates: lessons learned. Journal of Laparoendoscopic and Advanced Surgical Techniques Part: 575–80.
70. **Knight CG, Gidell KM, Lanning D, et al, (2005):** Laparoscopic Morgagni hernia repair in children using robotic instruments, J Laparoendosc Adv Surg Tech A; 15(5):482-6.
71. **Koivusalo A, Pakarinen M, Vanamo K, et al, (2005):** Health-related quality of life in adults after repair of congenital diaphragmatic defects, J Pediatr Surg; 40:1376-81.
72. **Kyzer S, Sirota L and Chaimoff C, (2004):** Abdominal wall closure with a silastic patch after repair of congenital diaphragmatic hernia, Arch Surg; 139:296-8.
73. **Lally KP, Bagolan P, Hosie S, et al, (2006):** Corticosteroids for fetuses with congenital diaphragmatic hernia: can we show benefit?, J Pediatr Surg; 41:668-74.
74. **Lally KP, Paranka MS, Roden J, et al(1992):** Congenital diaphragmatic hernia: Stabilization and repair on ECMO. Ann Surg 216:569-573, 1992.

- 75.**Lansdale N, Alam S, Losty PD et al. (2010):** Neonatal endosurgical congenital diaphragmatic hernia repair: a systematic review and meta-analysis. *Annals of Surgery* 252: 000–000.
- 76.**Laudy JA, Van Gucht M, Van Dooren MF, et al, (2003):** Congenital diaphragmatic hernia: an evaluation of the prognostic value of the lung-to-head ratio and other prenatal parameters, *Prenat Diagn*; 23:634 – 9.
- 77.**Lee SL, Poulos ND and Greenholz SK, (2002):** Staged reconstruction of large congenital diaphragmatic defects with synthetic patch followed by reverse latissimus dorsi muscle, *J Pediatr Surgery*; 37:367 – 70.
- 78.**Levine D., Barnewolt CE. and Mehta TS.(2003):** Fetal thoracic abnormalities: MR imaging. *Radiology*. 2003, 228(2): 379-88.
- 79.**Lewis DA, Boweman R and Hirschl RB(1997):** Prenatal ultrasound frequently fails to diagnose congenital diaphragmatic hernia. *J Pediatr Surg*. 1997, 32: 352- 356.
- 80.**Liem NT, Dung LA. (2006):** Thoracoscopic repair for congenital diaphragmatic hernia: lessons from 45 cases. *Journal of Pediatric Surgery* 41: 1713–5.
- 81.**Loff S, Wirth H, Jester I and et al, (2005):** Implantation of a cone-shaped double-fixed patch increases abdominal space and prevents recurrence of large defects in congenital diaphragmatic hernia, *J Pediatr Surg*; 40:1701-5.
- 82.**Loong TP and Kocher HM, (2005):** Clinical presentation and operative repair of hernia of Morgagni, *Postgrad Med J*; 81:41–4.

- 83.**Lotze A, Knight GR, Anderson KD, et al.(1994):** Surfactant (beractant) therapy for infants with congenital diaphragmatic hernia on ecmo: evidence of persistent surfactant deficiency. *J Pediatr Surg* 1994"29:407-12.
- 84.**MacDonald, Mhairi G., Seshia, Mary M. K., Mullett, Martha D(2005).:** Surgical care of conditions presenting in the newborn, thoracic lesions causing respiratory distress, diaphragmatic hernia. *Avery's Neonatology*, 6th Edition 2005: 44, 1105-1108.
- 85.**Maden M, (2004):** Retinoids in lung development and regeneration, *Curr Top Dev Biol*; 61:153-89.
- 86.**Masi R, Capolupo I, Casaccia G, et al, (2006):** Sensorineural hearing loss is frequent and progressive in infants with high risk congenital diaphragmatic hernia not treated with extracorporeal membrane oxygenation, Program and abstracts of the 53rd Annual Congress of the British Association of Paediatric Surgeons. Stockholm, Sweden, (abstr 072).
- 87.**Massimiliano ,P., Salvatore de Franco, Edoardo D. V., Guglielmo ,F., Valerio A., Tommaso,R. and Giorgio,S.(2005):** Septum transversum diaphragmatic hernia in an adult. *J Thorac Cardiovasc Surg* 2005: 129, 444-445.
- 88.**Masumoto K, Nagata K, Uesugi T, et al, (2007):** Risk factors for sensorineural hearing loss in survivors with severe congenital diaphragmatic hernia, *Eur J Pediatr*; 166:607-12.
- 89.**Matthew T. Harting and Kevin P. Lally(2007):** Surgical management of neonates with congenital diaphragmatic hernia, *Seminars in Pediatric Surgery*, Elsevier, 2007. 16, 109-114.

90. **McHoney M, Giacomello L, Nah SA et al. (2010):** Thoracoscopic repair of congenital diaphragmatic hernia: intraoperative ventilation and recurrence. *Journal of Pediatric Surgery* 45: 355–9.
91. **Mei-Zahav M, Solomon M, Trachsel D, et al. (2003):** Bochdalek diaphragmatic hernia: not by only a neonatal disease. *Arch Dis Child* 2003"88:532-5.
92. **Minneci PC, Deans KJ, Kim P and Mathisen DJ, (2004):** Foramen of Morgagni hernia: changes in diagnosis and treatment, *Ann Thorac Surg*; 77:1956–9.
93. **Morris, Peter J, Wood, William C(2007):** The diaphragm, *Oxford Textbook of Surg*, 2nd Edition Elsevier: 2007, 41: 2510-2516.
94. **Moss RL, Chen CM and Harrison MR, (2001):** Prosthetic patch durability in congenital diaphragmatic hernia: a long-term follow-up study, *J Pediatr Surg*; 36:152-4.
95. **Munoz JJ, Mansul AJ, Malpas TJ, et al, (2003):** Intrathoracic gastric volvulus mimicking pyloric stenosis, *J Paediatr Child Health*; 39:149-51.
96. **Muratore CS, Kharasch V, Lund DP, et al, (2001):** Pulmonary morbidity in 100 survivors of congenital diaphragmatic hernia monitored in a multidisciplinary clinic, *J Pediatr Surg*; 36:133-40.
97. **Muratore CS, Utter S, Jaksic T, et al, (2001):** Nutritional morbidity in survivors of congenital diaphragmatic hernia, *J Pediatr Surg*; 36:1171- 6.
98. **Newman BM, Afshani E, Karp MP, et al. (1986)** Presentation of congenital diaphragmatic hernia past the neonatal period. *Arch surg* 1986"121:813-6.

99. **Newman K.D, MD (2009):** congenital diaphragmatic hernia: Schwartz's Principles of Surgery (F. Charles Brunicaardi, MD, FACS , Dana K. Andersen,), Ninth Edition; 39:2728-2732.
100. **Numanogula A, Steiner Z, Millar A, et al.(1997):** Delayed presentation of congenital diaphragmatic hernia. S Afr J Surg 1997"35:74-6.
101. **Osebold WR, Soper RT.(1976):** Congenital posterolateral diaphragmatic hernia past infancy. Am J Surg 1976"131:748-54.
102. **Okuyama H, Kubota A, Kawahara H, et al, (2006):** Correlation between lung scintigraphy and long-term outcome in survivors of congenital diaphragmatic hernia, Pedi Pulmonol; 41:882-6.
103. **Peek E, Westrope C, Pooboni S, et al, (2002):** neonatal extracorporeal membrane oxygenation in infants with congenital diaphragmatic hernia ,Pediatr Surg Int; 18:28- 31.
104. **Ricard JD, Dreyfuss D and Saumon G, (2003):** Ventilator-induced lung injury, Eur Respir J Suppl; 42:2s-9s.
105. **Robertson CMT, Tyebkhan JM, Peliowski A, et al, (2006):** Ototoxic drugs and sensorineural hearing loss following severe neonatal respiratory failure, Acta Paediatr; 95:214-23.
106. **Robinson and Dominic A., Fitzgerald. (2007):** Congenital diaphragmatic hernia. Pediatric Respiratory Reviews. 8: 323–335.
107. **Ross Russell RI, Greenough A, Chan V, et al.(2000):** Diaphragmatic hypoplasia in association with hypoplastic lungs. Pediatric pulmonol 2000"13:181-3.

108. **Rottier R and Tibboel D, (2005):** Fetal lung and diaphragm development in congenital diaphragmatic hernia, *Semin Perinatol*; 29:86-93.
109. **Rowe DH and Stolar CJ, (2003):** Recurrent diaphragmatic hernia. *Semin Pediatr Surg*; 12:107-9.
110. **Rozmariek AJ, Qureshi FG, Cassidy L, et al, (2004):** Factors influencing survival in newborns with congenital diaphragmatic hernia: the relative role of timing of surgery, *J Pediatr Surg*; 39:821-4.
111. **Sadler TW.(2006):** Formation of the Diaphragm. Longman's Medical embryology 10th ed. Baltimore: Williams & Wilkins 2006, 11:153-254.
112. **Sakari H, Tamura H, Hosokawa Y, et al(1987):** Effect of surgical repair on respiratory mechanics in congenital diaphragmatic hernia. *J Pediatr* 111:432-438, 1987
113. **Salman AB, (2002):** Left-sided congenital diaphragmatic hernia associated with intrathoracic ectopic liver lobule, *Eur J Cardiothorac Surg*; 21(3):558 – 60.
114. **Schmidt A, Jesch N, Glüer S, et al, (2005):** Surgical repair of combined gastroschisis and sternal cleft, *J Pediatr Surg*; 40:E21-3.
115. **Schwartz,D.S. and Johnson,J.M.,(2009):** Congenital Diaphragmatic Hernia: eMedicine.com, Specialties , Thoracic Surgery, Congenital, updated jul 7,2009.
116. **Shah AV and Shah AA, (2002):** Laparoscopic approach to surgical management of congenital diaphragmatic hernia in newborn, *J Pediatr Surg*; 37:548-50.

117. **Shalaby R, Gabr K, Al-Saied G et al. (2008):** Thoracoscopic repair of diaphragmatic hernia in neonates and children: a new simplified technique. *Pediatric Surgery International* 24: 543–7.
118. **Sharma S and Gomal SC, (2004):** Gastric volvulus with perforation in association with congenital diaphragmatic hernia, *Indian J Pediatr*; 71:948-9.
119. **Shields TW.(2005):** Embryology and anatomy of the diaphragm in Glenn’s *Thoracic and Cardiovascular Surgery* vol.1 2005, 48 735-772.
120. **Sato Y, Ishikawa S, Onizuka M, et al(1996):** Thoracoscopic repair of diaphragmatic hernia. *Thorac Cardiovasc Surg* 1996;44:54-5.
121. **Skandalakis JE, Gray SW, Ricketts RR.(2009):** The diaphragm embryology for the surgeons (3rd ed). Williams & Wikins, London , 15:491-495.
122. **Schnitzer JJ, Kikiros CS, Short BL.(1995):** Experience with abdominal wall closure for patients with congenital diaphragmatic hernia repaired on ECMO. *J Pediatr Surg*, 1995. 30:19-22.
123. **Sinnatamby ,C S. (2006).:** Last’s anatomy regional and applied, Churchill livingstone Elsevier eleventh Ed.: 2006 (4): 186-195.
124. **Spitz L, et al.(1995):** Combined anterior abdominal wall, sternal, diaphragmatic, pericardial and intracardiac defects: a report of five cases and their management. *J Pediatr Surg* 10:491, 1995.
125. **Skari H, Bjornland K, Frenckner B, et al, (2004):** Congenital diaphragmatic hernia: a survey of practice in Scandinavia, *Pediatr Surg Int*; 20:309-13.

126. **Stege G, Fenton A and Jaffray B, (2003):** the true mortality of congenital diaphragmatic hernia, *Pediatrics*; 112:532-5.
127. **Stienhorn,R H.(2009):** Congenital Diaphragmatic Hernia ,emedicine.medscape.com, updated jul 7,2009 .
128. **Steven MJ, Fyfe A, Raine P, et al, (2007):** Esophageal adenocarcinoma: a long term complication of congenital diaphragmatic hernia, *J Pediatr Surg*; 42:E1-E3.
129. **Stolar C.J.H. and Dillon P.W.(1998):** Congenital diaphragmatic hernia and eventration. *Pediatric surgery*. (O'Neill JA, Rowe MI, Grosfeld JL, et al, eds.). CV Mosby, St Louis. 1998, 819-820.
130. **Tsao,K.J., MD & Kevin p.L.,MD. (2009):**Congenital diaphragmatic hernia and eventration:*Ashcraft Pediatric surgery*, (George W. Holcomb III, MD, MBA, J. Patrick Murphy, MD) 5th ed,Philadelphia PA 19103-2899, Saunders,Pp: 304- 321.
131. **Trachsel D, Selvadurai H, Adatia I, et al, (2006):** Resting and exercise cardiorespiratory function in survivors of congenital diaphragmatic hernia, *Pediatr Pulmonol*; 41:522-9.
132. **Trachsel D, Selvadurai H, Bohn D, et al, (2005):** Long-term pulmonary morbidity in survivors of congenital diaphragmatic hernia, *Pediatr Pulmonol*; 39:433-9.
133. **Van der Zee DC and Bax NM.(1995):** Laparoscopic repair of congenital diaphragmatic hernia in a 6-month-old child. *Surg Endosc* 1995; 9:1001-3.

134. **Van Meurs K, Hintz S and Sheehan A, (2005):** ECMO Extracorporeal Cardiopulmonary Support in Critical Care, Extracorporeal Life Support Organization; 273-95.
135. **Wales PW, Diamond IR, Dutta S, et al, (2002):** Fundoplication and gastrostomy versus image-guided gastrojejunal tube for enteral feeding in neurologically impaired children with gastroesophageal reflux, *J Pediatr Surg*; 37:407- 12.
136. **Walker GM, Kasem KF, O'Toole SJ, et al(2003):** Early perfluorodecalin lung distension in infants with congenital diaphragmatic hernia. *J Pediatr Surg* 38:17-20, 2003
137. **West and John B.(2001):** Normal Physiology, Acute Respiratory Failure In: Anthony,Robert. *Pulmonary Physiology and Pathophysiology* Baltimore, MD: Lippincott Williams & Wilkins 2001, 2-3; 129.
138. **Wilcox D, Glick P, Karamanoukian H, et al(1997):** Partial liquid ventilation and nitric oxide in congenital diaphragmatic hernia. *J Pediatr Surg* 32:1211-1215, 1997.
139. **Williams MC, (2003):** Alveolar type I cells: molecular phenotype and development, *Annu Rev Physiol* ; 65:669-95.
140. **Williams G, Coakley FV, Qayyum A, et al, (2004):** Fetal relative lung volume: quantification by using prenatal MR imaging lung volumetry, *Radiology*; 233:457–62.
141. **William W. Shely, Robert D. Loitz , Arthurth. Fox, and Winfield J. Wells.(1994):** Intraparicardial diaphragmatic hernia, Atrial septal defect, and severe episodic cyanosis. *Ann thorac surg.*: 1994, 57: 1651-1653.

142. **Wiseman NE, MacPherson RI.(1977):** "Acquired" congenital diaphragmatic hernia. J Pediatr surg 1977"12:657-65.
143. **Wu Y, Vogel AM, Sailhamer EA, et al, (2003):** Primary insertion of a silastic spring-loaded silo for gastroschisis, Am Surg; 69:1083-6.
144. **Yang EY, Allmendinger N, Johnson SM, et al, (2005):** Neonatal thoracoscopic repair of congenital diaphragmatic hernia: selection criteria for successful
145. **Yoshihiro.K, (2007):** Prenatal intervention for congenital diaphragmatic hernia, Seminars in Pediatric Surgery 2007: 16, 101-108.
146. **Zile MH, (2001):** Function of vitamin A in vertebrate embryonic development,J Nutr; 131:705-8.