
References

- Abdool Z, Shek K, Dietz H, (2009):** The effect of levator avulsion on hiatal dimensions and function. *Am J Obstet Gynecol* 201: 89.e1–89.e5.
- Alkhatib AA, Craig R, Tuteja AK, Emerson LL, (2010):** Progression of solitary rectal ulcer syndrome over a 2-year period. *Gastrointest Endosc* 72(4): 853-4.
- Altomare D, Ratto C, Ganio E, et al., (2008):** Sacral nerve stimulation in fecal incontinence: results 5 years after implant. In: ASCRS, Boston, Pp 129.
- Amaechi I, Papagrigoriadis S, Hizbullah S, Ryan SM, (2010):** Solitary rectal ulcer syndrome mimicking rectal neoplasm on MRI. *Br J Radiol* 83(995): e221-4.
- Arroyo A, Argenté GFX, Domingo GM, Basany EE, De la Portilla F, Vicente PF, Calpena R, (2008):** Prospective multicentre clinical trial of stapled transanal rectal resection for obstructive defaecation syndrome. *Br J Surg* 95: 1521-1527.
- Bampton PA, Dinning PG, Kennedy ML, Lubowski DZ, Cook IJ, (2001):** Prolonged multi-point recording of colonic manometry in the unprepared human colon: providing insight into potentially relevant pressure wave parameters. *Am J Gastroenterol* 96: 1838-1846.
- Barber MD, Bremer RE, Thor KB, Dolber PC, Kuehl TJ, Coates KW, (2002):** Innervation of the female levator ani muscles. *Am J Obstet Gynecol* 187: 64-71.

-
- Beco J and Mouchel J, (2007):** Perineology or pelviperineology: the same goal but different approaches. *Pelviperineology* 26: 139.
- Beco JL, (2008):** Interest of retro-anal levator plate myorrhaphy in selected cases of descending perineum syndrome with positive anti-sagging test. *BMC Surg* 8: 13.
- Berman L, et al., (2005):** Management of Disorders of the Posterior Pelvic Floor. *Yale J Biol Med* 78: 209-218.
- Bersma FRJ, Stella MT, Cuesta MA, (2008):** Rectal prolapse, rectal intussusception, rectocele, solitary rectal ulcer syndrome, and enterocele. *Gastroenterol Clin N Am* 37(3): 645-68.
- Blanco F, Frasson M, Flor-Lorente B, Minguez M, Esclapez P, Granero GE, (2011):** Solitary rectal ulcer: ultrasonographic and magnetic resonance imaging patterns mimicking rectal cancer. *Eur J Gastroenterol Hepatol* 23(12): 1262-6.
- Boccasanta P, Venturi M, Calabro G, Maciocco M, Roviato GC, (2008):** Stapled transanal rectal resection in solitary rectal ulcer associated with prolapse of the rectum: a prospective study. *Dis Colon Rectum* 51: 348-354.
- Brouwer RG and Duthie G, (2008):** Sacral nerve stimulation is effective treatment for fecal incontinence in the presence of a sphincter defect or previous sphincter repair. In: *ASCRS, Boston*, Pp 129.
- Candy B, Jones L, Goodman ML, et al., (2011):** Laxatives or methylnaltrexone for the management of constipation in palliative care patients. *Cochrane Database Syst Rev* 1: CD003448.

-
- Canessa Ce, Badia F, Fierro S, Fiol V, Hayek G,(2001):**
Anatomic study of the lymph nodes of the mesorectum. Dis Colon Rectum;44:1333-1336.
- Carlstedt A, Nordgren S, Fasth S, Appelgren L, Hulten L, (1988):** Sympathetic nervous influence on the internal anal sphincter and rectum in man. Int J Colorectal Dis 3: 90-95.
- Carriero A, Picchio M, Martellucci J, Talento P, Palimento S, Spaziani E, (2010):** Laparoscopic correction of enterocele associated to stapled transanal rectal resection for obstructed defecation syndrome. Int J Colorectal Dis 25: 381-7.
- Chan MK and Tjandra JJ, (2008):** Sacral nerve stimulation for fecal incontinence: external anal sphincter defect vs. intact anal sphincter. Dis Colon Rectum 51(7): 1015-25.
- Chang SC, Shen MH, Lee HHC, (2011):** Initial Experience with Stapled Transanal Rectal Resection under Laparoscopic Surveillance for Rectocele and Rectal Internal Intussusception. J Soc Colon Rectal Surg (Taiwan) 22: 50-56.
- Chen L, Hsu Y, Miller AJA, DeLancey JO, (2006):** Measurement of the pubic portion of the levator ani muscle in women with unilateral defects in 3-D models from MR images. Int J Gynaecol Obstet 92: 234-241.
- Collet CS, Koning E, Dacher JN, (2008):** Radiologic evaluation of pelvic floor disorders. Gastroenterol Clin N Am 37(viii): 553-567.
- Collet CS, Savoye G, Koning E, Leroi AM, Dacher JN, (2010):** Gender influence on defecographic abnormalities

-
- in patients with posterior pelvic floor disorders. *World J Gastroenterol* 16(4): 462-466.
- Cunha GH, Fechine FV, Santos LK, et al., (2011):** Efficacy of the tincture of jalapa in the treatment of functional constipation: a double-blind, randomized, placebo-controlled study. *Contemp Clin Trials* 32(2): 153-159.
- Da Fonseca LM, Souza Fde L, Arantes V, da Silva RG, (2010):** Giant refractory solitary rectal ulcer syndrome treated with topical sucralfate. *Int J Colorectal Dis* 25(8): 1025-6.
- DeLancey JO, (2005):** The hidden epidemic of pelvic floor dysfunction: achievable goals for improved prevention and treatment. *Am J Obstet Gynecol* 192: 1488-1495.
- Delancey JOL, Morgan DM, Fenner DE, Kearney R, Guire K et al., (2010):** Comparison of levator ani muscle defects and functions. *Int Urogynecol J* 21: 1137-1142
- Di Visconte MS, et al., (2006):** Cost-revenue analysis in the surgical treatment of the obstructed defecation syndrome. *Chir Italiana* 58(6): 743-752.
- Dietz HP, (2008):** The etiology of prolapse. *Int Urogynecol J* 19: 1323-1329.
- Dietz HP and Shek C, (2008):** Levator avulsion and grading of pelvic floor muscle strength. *Int Urogynecol J* 19: 633-636.
- Dietz HP and Simpson J, (2008):** Levator trauma is associated with pelvic organ prolapse. *Br J Obstet Gynecol* 115: 979-984.
- Dietz HP, Shek C, De Leon J, Steensma AB, (2008):** Ballooning of the levator hiatus. *Ultrasound Obstet Gynecol* 31(6): 676-680.
-

-
- Dindo D, Weishaupt D, Lehmann K, Hetzer FH, Clavien PA, Hahnloser D, (2008):** Clinical and morphological correlation after stapled transanal rectal resection for obstructed defecation syndrome. *Dis Colon Rectum* 51:1768-1774.
- Dinning PG, Bampton PA, Andre J, Kennedy ML, Lubowski DZ, King DW, Cook IJ, (2004):** Abnormal predefecatory colonic motor patterns define constipation in obstructed defecation. *Gastroenterol* 127: 49-56.
- Dodi G, Pietroletti R, Milito G, Binda G, Pescatori M, (2003):** Bleeding, incontinence, pain and constipation after STARR transanal double stapling rectotomy for obstructed defecation, *Tech Coloproctol* 7:148-153.
- Dudding TC, Pares D, Vaizey CJ, et al., (2008):** Predictive factors for successful sacral nerve stimulation in the treatment of faecal incontinence: a 10-year cohort analysis. *Colorectal Dis* 10(3): 249-56.
- Duthie HL, (1975):** Dynamics of the rectum and anus. *Clin Gastroenterol* 4: 467-477.
- Dvorkin LS, Hetzer F, Scott SM, Williams NS, Gedroyc W, Lunniss BJ, (2004):** Open-magnet MR defaecography compared with evacuation proctography in the diagnosis and management of patients with rectal intussusception. In: "Colorectal Disease"; 6:45-53.
- Edden Y, Shih SS, Wexner SD, (2009):** Solitary rectal ulcer syndrome and stercoral ulcers. *Gastroenterol Clin N Am* 38(3): 541-5.

-
- El-Khayat HA, El-Hodhod MA, Abd El-Basset FZ, Tomoum HY, El-Safory HA, Hamdy AM, (2006):** Rectal bleeding in Egyptian children. *Ann Trop Pediatr* 26(4): 337-44.
- Faccioli N, Comai A, Mainardi P, Perandini S, Moore F, Mucelli RP, (2010):** Defecography: a practical approach. *Diagn Interv Radiol* 16: 209-216.
- Fisher DF and Fry WI, (1987):** Collateral mesenteric circulation. *Surg Gynecol Obstet* 164: 487-492.
- Fleming V and Wade WE, (2010):** A review of laxative therapies for treatment of chronic constipation in older adults. *Am J Geriatr Pharmacother* 8(6): 514-550.
- Frascio M, Stabilini C, Ricci B, Marino P, Fornaro R, De Salvo L, Mandolfino F, Lazzara F, Gianetta E, (2008):** Stapled transanal rectal resection for outlet obstruction syndrome: results and follow-up. *World J Surg* 32: 1110-1115.
- Frenckner B, (1975):** Function of the anal sphincters in spinal man. *Gut* 16: 638.
- Gabriel WB, (2005):** The principles and practice of rectal surgery. *Lewis:London* 13:119-124
- Gagliardi G, Pescatori M, Altomare DF, the Italian Society of Colorectal Surgery (SICCR), et al., (2008):** Results, outcome predictors, and complications after stapled transanal rectal resection for obstructed defecation. *Dis Colon Rectum* 51(2): 186-95; discussion 195.
- Ganeshan A, Anderson EM, Upponi S, et al., (2008):** Imaging of obstructed defecation. *Clin Radiol* 63: 18-26.

-
- Genovese F and Leanza V, (2006):** laparoscopic Application of Mesh In the treatment of pelvic floor disorders. *Urogynecol Intl J* 20(3): 5-11.
- Gladman MA, Dvorkin LS, Lunniss PJ, Williams NS, Scott SM, (2005):** Rectal hyposensitivity: A disorder of the rectal wall or the afferent pathway?: An assessment using the barostat. *Am J Gastroenterol* 100: 106-114.
- Gordon PH and Nivatvongs S, (2007):** Surgical Anatomy. In: "Gordon PH, Nivatvongs S, Principles and Practice of Surgery of the Colon, Rectum and Anus", 3rd edition, Informa Healthcare Inc, New York, USA, Chapt 1, Pp 1-28.
- Gosselink MJ and Schouten WR, (2002):** The perineo-rectal reflex. *Dis Colon rectum* 45: 370-376.
- Grey BR, Sheldon RR, Telford KJ, et al., (2007):** Anterior anal sphincter repair can be of long-term benefit: a 12-year case cohort from a single surgeon. *B M C Surg* 7(1): 1-6.
- Gruden E, Ragot E, Arienzo R, Revaux A, Magri M, Grossin M, Leroy C, Msika S, Kianmanesh R, (2010):** Massive rectal bleeding distant from a blunt car trauma. *Gastroenterol Clin Biol* 34(8-9): 499-501.
- Hagger R, Kumar D, Benson M, Grundy A, (2002):** Periodic colonic motor activity identified by 24-h pancolonic ambulatory manometry in humans. *Neurogastroenterol Motil* 14: 271-278.
- Harris MA, Ferrara A, Gallagher J, DeJesus S, Williamson P, Larach S, (2009):** Stapled transanal rectal resection vs. transvaginal rectocele repair for treatment of obstructive defecation syndrome. *Dis Colon Rectum* 52(4): 592-597.

-
- Heald RI, Meran BJ, (1998):** Embriology and anatomy of the rectum. *Semin Surg Oncol*:15:66-71
- Hervé S, Savoye G, Behbahani A, Leroi AM, Denis P, Ducrottû P, (2004):** Results of 24-h manometric recording of colonic motor activity with endoluminal installtion of bisacodyl in patients with severe chronic slow transit constipation. *Neurogastroenterol Motil* 16: 397-402.
- Hetzer FH, Hahnloser D, Clavien PA, et al., (2007):** Quality of life and morbidity after permanent sacral nerve stimulation for fecal incontinence. *Arch Surg* 142(1): 8-13.
- Hirabayashi T, Matsufuji H, Yokoyama J, Hagane K, Hoshino K, Morikawa Y, Kitajima M, (2003):** Colorectal motility induction by sacral nerve electrostimulation in a canine model: implications for colonic pacing. *Dis Colon Rect* 46: 809-817.
- Hsu Y, Summers A, Hussain HK, Guire KE, DeLancey JO, (2006):** Levator plate angle in women with pelvic organ prolapse compared to women with normal support using dynamic MR imaging. *Am J Obstet Gynecol* 194: 1427-1433.
- Huang CC, Wang IF, Chiu HH, (2011):** Lower gastrointestinal bleeding caused by stercoral ulcer. *C M A J* 183(2): E134.
- Isbert C, Jayne D, Germer CT, Boenicke L, (2010):** Severe mesorectal bleeding after stapled transanal rectal resection (STARR-operation) using the 'Contour Transtar Curved Cutter Stapler'. *Colorectal Dis* 12(5): 494.
- Isbert C, Reibetanz J, Jayne DG, Kim M, Germer CT, Boenicke L, (2010):** Comparative study of contour transtar and STARR procedure for the treatment of obstructed

-
- defecation syndrome (ODS): feasibility, morbidity and early functional results. *Colorectal Dis* 12(9): 901-8.
- Jayne DG, Schwandner O, Stuto A, (2009):** Stapled transanal rectal resection for obstructed defecation syndrome: one year results of the European STARR Registry. *Dis Colon Rectum* 52: 1205-14.
- Jarrett ME, Dudding TC, Nicholls RJ, et al., (2008):** Sacral nerve stimulation for fecal incontinence related to obstetric anal sphincter damage. *Dis Colon Rectum* 51(5): 531-7.
- Kamm MA and Lennard JE, (2005):** Rectal mucosal electrosensory testing in idiopathic constipation. *Dis Colon Rectum* 33: 419-423.
- Kamm MA, van der Sijp JR, Jones LJE, (1992):** Colorectal and anal motility during defecation. *Lancet* 339: 820.
- Karaus M and Sarna SK, (1987):** Giant migrating contractions during defecation in the dog colon. *Gastroenterol* 92: 925-933.
- Koh CE, Young CJ, Young JM, Solomon MJ, (2008):** Systematic review of randomized controlled trials of the effectiveness of biofeedback for pelvic floor dysfunction. *Br J Surg* 95: 1079-1087.
- Krogh K, Olsen N, Christensen P, Madsen JL, Laurberg S, (2003):** Colorectal transport in normal defecation. *Colorectal Dis* 5:185-192.
- Lang RA, Buhmann S, Lautenschlager C, Müller MH, Lienemann A, Jauch KW, Kreis ME, (2010):** Stapled transanal rectal resection for symptomatic intussusception: morphological and functional outcome. *Surg Endosc* 24(8): 1969-1975.
-

-
- Lawrence J, Lukacz ES, Nager CW, Hsu JWY, Luber KM, (2008):** Prevalence and co-occurrence of pelvic floor disorders in community-dwelling women. *Obstet Gynecol* 111: 678-685.
- Lee SJ, (2007):** Evaluation and Treatment of Pelvic Floor Disorders. *J Kor Soc Coloproctol* 23: 206-220.
- Lehur PA, Stuto A, Fantoli M, the ODS II Study Group, et al., (2008):** Outcomes of stapled transanal rectal resection vs. biofeedback for the treatment of outlet obstruction associated with rectal intussusception and rectocele: a multicenter, randomized, controlled trial. *Dis Colon Rectum* 51(11): 1611-18.
- Lei L, Song Y, Chen R, (2007):** Biomechanical properties of prolapsed vaginal tissue in pre- and postmenopausal women. *Int Urogynecol J* 18: 603-607.
- Lenisa L, Schwandner O, Stuto A, Jayne D, Pigot F, Tuech JJ, Scherer R, Nugent K, Corbisier F, Espin-Basany E, Hetzer FH, (2009):** STARR with Contour Transtar: prospective multicentre European study. *Colorectal Dis* 11: 821-827.
- Leung L, Riutta T, Kotecha J, Rosser W, (2011):** Chronic constipation: an evidencebased review. *J Am Board Fam Med* 24(4): 436-451.
- Levi AC, Borghi F, Garavoglia M, (1991):** Development of the anal canal muscles. *Dis Colon Rectum* 34: 262-266.
- Librach SL, Bouvette M, De Angelis C, et al., (2010):** Canadian Consensus Development Group for Constipation in Patients with Advanced Progressive Illness. Consensus recommendations for the management of constipation in

-
- patients with advanced, progressive illness. *J Pain Symptom Manage* 40(5): 761-773.
- Likongo Y, Lennard JE, Schang JC, (2005):** Hindgut dysgenesis as a cause of constipation with delayed colonic transit. *Dig Dis Sci* 31: 993-1003.
- Lindsey I, Warren BF, Mortensen NJ, (2005):** Denonvilliers' fascia lies anterior to the fascia propria and rectal dissection plane in total mesorectal excision. *Dis Colon Rectum* 48: 37-42.
- Lubowski DZ, Meagher AP, Smart RC, Batleo SP, (1995):** Scintigraphic assesment of colonic function during defecation. *Int J Colorect Dis* 10: 91-93.
- Madoff RD, Orrom WJ, Rothenberger DA, (2006):** Rectal compliance study . *Int. J . Colorec. Dis.* 5: 37-40
- Majida M, Braekken IH, Umek W, Bo K, Saltyte BJ, Ellstrom EM, (2009):** Interobserver repeatability of three- and four dimensional transperineal ultrasound assessment of pelvic floor muscle anatomy and function. *Ultrasound Obstet Gynecol* 33(5): 567-573.
- Maslekar S, Gardiner AB, Duthie GS, (2007):** Anterior anal sphincter repair for fecal incontinence: good long-term results are possible. *Am Col Surg* 204: 40-6.
- Matzel KE, Schmidt RA, Tonaglo EA, (1990):** Neuroanatomy of the striated muscular anal continence mechanism. Implications for the use of neuron-stimulation. *Dis Colon Rectum* 33: 666-673.

-
- Melenhorst J, Koch SM, van Gemert WG, et al., (2008):** The artificial bowel sphincter for faecal incontinence: a single centre study. *Int J Colorectal Dis* 23(1): 107-11.
- Mercadante S, Ferrera P, Casuccio A, (2011):** Effectiveness and tolerability of amidotrizoate for the treatment of constipation resistant to laxatives in advanced cancer patients. *J Pain Symptom Manage* 41(2): 421-425.
- Meurette G and Lehur PA, (2009):** Commentary: STARR and Transtar procedures. *Colorectal Dis* 11: 828-830.
- Michelsen HB, Christensen P, Krogh K, et al., (2008):** Sacral nerve stimulation for fecal incontinence alters colorectal transport. *Br J Surg* 95: 779-84.
- Michot F, Tuech JJ, Lefebure B, et al., (2007):** A new implantation procedure of artificial sphincter for anal incontinence: the transvaginal approach. *Dis Colon Rectum* 50(9): 1401-4.
- Milligan ETC and Morgan CN, (1934):** Surgical anatomy of the anal canal: with special reference to anorectal fistulae. *Lancet* 2: 1150-1156.
- Morandi C, Martellucci J, Talento J, Carriero A, (2010):** Role of enterocele in the obstructed defecation syndrome (ODS): a newradiological point of view. *Colorectal Dis* 12: 810-6.
- Mouchel T and Mouchel F, (2008):** Basic anatomic features in perineology. *Pelviperiniology* 27(4):
- Mourtzinos A and Raz S, (2006):** Repair of vaginal vault prolapse and pelvic floor relaxation using polypropylene mesh. *Curr Opin Obstet Gynecol* 18: 555-559

-
- Nagar AB, (2007):** Isolated colonic ulcers: diagnosis and management. *Curr Gastroenterol Rep* 9(5): 422-8.
- Naldini G, (2011):** Serious unconventional complications of surgery with stapler for haemorrhoidal prolapse and obstructed defaecation because of rectocoele and rectal intussusception. *Colorectal Dis* 13: 323-327.
- Naldini G, Cerullo G, Menconi C, Martellucci J, Orlandi S, Romano N, Rossi M, (2011):** Resected specimen evaluation, anorectal manometry, endoanal ultrasonography and clinical follow-up after STARR procedures. *World J Gastroenterol* 17(19): 2411-2416.
- Nano M, Dalcorsio HM, Lanfranco G, Ferromato N, Hemung JP.(2000):** Contribution to the surgical anatomy of the ligaments of the rectum.*Dis Colon Rectum*;43:1592-1598.
- Nygaard I, Barber MD, Burgio KL, et al., (2008):** Prevalence of symptomatic pelvic floor disorders in US women. *J A M A* 300: 1311-1316.
- Oettle GJ, Roe AM, Bartolo DC, (2005):** What is the best way of measuring perineal descent? A comparison of radiographic and clinical methods. *Br J Surg* 72: 999-1001.
- Oh C and Kark AE, (1972):** Anatomy of the external sphincter. *Br J Surg* 59: 717-723.
- Ommer A, Rolfs TM, Walz MK, (2010):** Long-term results of stapled transanal rectal resection (STARR) for obstructive defecation syndrome. *Int J Colorectal Dis* 25: 1287–1292
- Patel M, Schimpf MO, O’Sullivan DM, LaSala CA, (2010):** The use of senna with docusate for postoperative constipation after pelvic reconstructive surgery: a

-
- randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 202(5): 479.
- Percy JP, Swash M, Neill ME, Parks AG, (1981):** Electrophysiological study of motor nerve supply of pelvic floor. *Lancet* 1: 16-17.
- Perniola G, Shek C, Chong CC, Chew S, Cartmill J, Dietz HP, (2008):** Defecation proctography and translabial ultrasound in the investigation of defecatory disorders. *Ultrasound Obstet Gynecol* 31: 567-571.
- Pescatori M and Gagliardi G, (2008):** Postoperative complications after procedure for prolapsed hemorrhoids (PPH) and stapled transanal rectal resection (STARR) procedures. *Tech Coloproctol* 12: 7-19.
- Pescatori M and Zbar AP, (2009):** Reinterventions after complicated or failed STARR procedure. *Int J Colorectal Dis* 24: 87-95.
- Pinto RA and Sands DR, (2009):** Surgery and Sacral Nerve Stimulation for Constipation and Fecal Incontinence. *Gastrointest Endoscopy Clin N Am* 19: 83-116.
- Pitkin J, (2009):** Advances in managing pelvic floor disorders. *F1000 Medicine Reports* 1: 87.
- Preston DM and Lennard JE, (2005):** Anismus in chronic constipation. *Dig Dis Sci* 30: 413-418.
- Privitera A, Smyrk TC, Dozois EJ, (2010):** Three-quadrant mucosal excision for solitary rectal ulcer syndrome. *Tech Coloproctol* 14(2): 187-8.
- Ram E, Alper D, Atar E, Tsitman I, Dreznik Z, (2010):** Stapled Transanal Rectal Resection: A New Surgical

Treatment for Obstructed Defecation Syndrome. IMAJ 12: 74-77.

Rao SS, Valestin J, Brown CK, et al., (2010): Long-term efficacy of biofeedback therapy for dyssynergic defecation: randomized controlled trial. Am J Gastroenterol 105(4): 890-896.

Reboa G, Gipponi M, Logorio M, Marino P, Lantieri F, (2009): The impact of stapled transanal rectal resection on anorectal function in patients with obstructed defecation syndrome. Dis Colon Rectum 52: 1598-1604.

Regadas MSM, Regadas FS, Rodrigues LV, et al., (2008): A novel three-dimensional dynamic anorectal ultrasonography technique (echodefecography) to assess obstructed defecation, a comparison with defecography. Surg Endosc 22: 974-979.

Reibetanz J, Boenicke, Kim M, Germer CT, Isbert C, (2011): Enterocoele is not a contraindication to stapled transanal surgery for outlet obstruction: an analysis of 170 patients. Colorect Dis 13: e131-e136.

Renzi A, Talento P, Giardiello C, Angelone G, Izzo D, Di Sarno G, (2008): Stapled trans-anal rectal resection (STARR) by a new dedicated device for the surgical treatment of obstructed defaecation syndrome caused by rectal intussusception and rectocoele: early results of a multicenter prospective study. Int J Colorectal Dis 23: 999-1005.

Rizk D and Fahim M, (2008): Ageing of the female pelvic floor: towards treatment ‘a la carte’ of the ‘geripause’. Int Urogynecol J 19: 455-458.

-
- Robichaud LH, Thomas K, Morgan J, Nelson RL, (2010):** Lactulose versus polyethylene glycol for chronic constipation. Cochrane Database Syst Rev 7: CD007570.
- Rosato GO, (1998):** Rectocele and perineal hernias. In: Beck DE, Wexner SD, editors. Fundamentals in anorectal surgery. London: WB Saunders; p.99-114.
- Rosen A, (2010):** Obstructed Defecation Syndrome: Diagnosis and Therapeutic Options, with Special Focus on the STARR Procedure. IMAJ 12: 104-106.
- Sato K and Sato T, (1991):** The vascular and neuronal composition of the lateral ligament of the rectum and the rectosacral fascia. Surg Radiol Anat 13: 17-22.
- Schouten WR and Gordon PH, (2007):** Physiology. In: "Gordon PH, Nivatvongs S, Principles and Practice of surgery of the colon, rectum and anus", 3rd edition, Informa Healthcare Inc, New York, USA, Chapt 2, Pp 29-64.
- Schwandner O and Fürst A, (2010):** German STARR Registry Study Group. Assessing the safety, effectiveness, and quality of life after the STARR procedure for obstructed defecation: results of the German STARR registry. Langenbecks Arch Surg 395(5): 505-513.
- Schwandner O, Stuto A, Jayne D, Lenisa L, Pigot F, Tuech JJ, Scherer R, Nugent K, Corbisier F, Basany EE, Hetzer FH, (2008):** Decision-making algorithm for the STARR procedure in obstructed defecation syndrome: position statement of the group of STARR Pioneers. Surg Innov 15: 105-109.
- Schwandner T, Roblick MH, Hecker A, Brom A, Kierer W, Padberg W, Hirschburger M, (2009):** Transvaginal rectal
-

repair: a new treatment option for symptomatic rectocele?
Int J Colorectal Dis 24: 1429-1434.

Shafik A, (1975): A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. The external anal sphincter: a triple-loop system. Invest Urol 12: 412-419.

Shafik A, (1979): A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. VIII. Levator hiatus and tunnel: anatomy and function. Dis Colon Rectum 22: 539-549.

Shafik A, Ahmed I, El-Sibai O, (2003): Effect of perineal compression on rectal tone: A study of the mechanism of action. Dis Colon rectum 46: 1366-1370.

Simón MA, Bueno AM, Durán M, (2011): Biofeedback treatment in chronically constipated patients with dyssynergic defecation. Revista Latinoamericana de Psicología 43(1): 105-111.

Singh K, Jakab M, Reid WM, Berger LA, Hoyte L, (2003): Threedimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse. Am J Obstet Gynecol 188: 910-915.

Sinha CK, Grewal A, Ward HC, (2008): Antegrade continence enema (ACE): current practice. Pediatr Surg Int 24(6): 685-8.

Slim K, Mezoughi S, Savary LMV, et al., (2008): Repair of rectocele using the Stapled TransAnal Rectal Resection (STARR) technique: medium-term results from a multicenter French study. J Chir (Paris) 2008; 145(1): 27-31.

-
- Somani SK, Ghosh A, Avasthi G, Goyal R, Gupta P, (2010):** Healing of solitary rectal ulcers with multiple sessions of argon plasma coagulation. *Dig Endosc* 22(2): 107-11.
- Sood SK, Garner JP, Amin SN, (2008):** Spontaneous resolution of solitary rectal ulcer syndrome during pregnancy: report of a case. *Dis Colon Rectum* 51(7): 1149-52.
- Suresh N, Ganesh R, Sathiyasekaran M, (2010):** Solitary rectal ulcer syndrome: a case series. *Indian Pediatr* 47(12): 1059-61.
- Swatton A, (2009):** Solitary rectal ulcer syndrome: physiology and treatment options. *Br J Nurs* 18(21): 1312-5.
- Tack J, (2011):** Current and future therapies for chronic constipation. *Best Pract Res Clin Gastroenterol* 25(1): 151-158.
- Taghavi SA, Shabani S, Mehramiri A, et al., (2010):** Colchicine is effective for short-term treatment of slow transit constipation: a double-blind placebocontrolled clinical trial. *Int J Colorectal Dis* 25(3): 389-394.
- Thyer I, Shek C, Dietz HP, (2008):** Clinical validation of a new imaging method for assessing pelvic floor biomechanics. *Ultrasound Obstet Gynecol* 31: 201-205.
- Titu LV, Riyad K, Carter H, Dixon AR, (2009):** Stapled transanal rectal resection for obstructed defecation: a cautionary tale. *Dis Colon Rectum* 52: 1716-1722.
- Tjandra JJ, Chan MK, Yeh CH, et al., (2008):** Sacral nerve stimulation is more effective than optimal medical therapy for severe fecal incontinence: a randomized controlled study. *Dis Colon Rectum* 51: 494-502.

-
- Toglia MR, (2009):** Pathophysiology of Anal Incontinence, Constipation, and Defecatory Dysfunction. *Obstet Gynecol Clin N Am* 36: 659-671.
- Toper B, Acland R, Kolodko V, Galandiuk S, (2003):** Mesorectal lymph nodes: their location and distribution within the mesorectum. *Dis Colon Rectum* 46: 779-785.
- Van der Hagen SJ, van Gemert WG, Baeten CG, (2007):** PTQ Implants in the treatment of faecal soiling. *Br J Surg* 94(2): 222-3.
- Vitton V, Gigout J, Grimaud JC, et al., (2008):** Sacral nerve stimulation can improve continence in patients with Crohn's disease with internal and external anal sphincter disruption. *Dis Colon Rectum* 51(6): 924-7.
- Wadhawan H, Shorthouse AJ, Brown SR, (2010):** Surgery for obstructed defaecation: does the use of the Contour device (Trans-STARR) improve results? *Colorectal Dis* 12(9): 885-890
- Wald ,A., Bharucha, A.E., Enck, P., Rao, S.S., (2006):** Functional anorectal disorders. In D.A.Drossman, Rome III. The functional gastrointestinal disorders (3rd ed.), pp.639-685.
- Weber AM, et al., (2001):** The Standardization of Terminology for Researchers in Female Pelvic Floor Disorders. *Intl Urogynecol J* 12: 178-186.
- Wolff K, Marti L, Beutner U, Steffen T, Lange J, Hetzer FH, (2010):** Functional outcome and quality of life after stapled transanal rectal resection for obstructed defecation syndrome. *Dis Colon Rectum* 53(6): 881-888.