
References

A

Aalfs A, Oktarina D, Diercks G, Jonkman M and Pas H (2010) :

Staphylococcal scalded skin syndrome: loss of desmoglein 1 in patient skin. *Eur J Dermatol*; 20(4):451-6.

Abramovits W, Goldstein A , and Stevenson L (2003):

Changing paradigms in dermatology: Topical immunomodulators within a permutational paradigm for the treatment of atopic dermatitis and eczematous dermatitis . *Clin Dermat*; 21(5), 383-391.

Akdis C , Akdis M, Bieber T, Bindslev-Jensen C, Boguniewicz M et al. (2006):

Diagnosis and treatment of atopic dermatitis in children and Adults .*The J Allergy Clin Immunol* ; 61: 969–987.

Akdis M, Blaser K and Akdis C (2005):

T regulatory cells in allergy: novel concepts in the pathogenesis, prevention and treatment of allergic diseases. *J Allergy Clin Immunol*; 116: 961–968.

Akhavan A and Rudikoff D (2003):

The treatment of atopic dermatitis with systemic immunosuppressive agents. *Clin Dermat* ; 21:225-40.

Al-saimary I , Bakr S and Al-Hamdi K (2005):

Staphylococcus Aureus As A Causative Agent Of Atopic Dermatitis/ Eczema Syndrome (ADES) And Its Therapeutic Implications. The Internet Journal of Dermatology ; Volume 3 Number 2. DOI: 10.5580/9db.

Arbeit R , Maki D, Tally F , Capanaro E and Eisenstein B (2004):

The safety and efficacy of daptomycin for the treatment of complicated skin and skin-structure infections . Clin Infect Dis ; 38:1673-81.

Arikawa J, Ishibashi M, Kawashima M, Takagi Y, Ichikawa Y et al. (2002):

Decreased Levels of Sphingosine , a Natural Antimicrobial Agent, May Be Associated With Vulnerability of the Stratum Corneum From Patients With Atopic Dermatitis to Colonization by Staphylococcus aureus . J Invest Dermatol ; 119(2):433–439.

B

Baker B (2006) :

The role of microorganisms in atopic dermatitis . Clin Exp Immunol; 144: 1–9.

Bannerman T (2003):

Staphylococci , Micrococcus and other catalase positive cocci that grow aerobically In : Murray P, Baron E, Jorgensen J et al. eds. 8th edn. Manual of Clinical Microbiology. Washington: American Society for Microbiology Press ; 384–404.

Baird D , Collee J, Fraser A, Marmion B and Simmons A (eds). (1996):

staphylococcus cluster forming gram positive cocci in : Mackie Mc Cartney .Practical Medical Microbiology. Churchill living stone P:245-274.

Bardana E (2004):

Immunoglobulin E (IgE) and non IgE-mediated reactions in the pathogenesis of atopic eczema / dermatitis syndrome . Allergy; 59(S78), 25-29.

Bartlett A and Hulten K (2010):

Staphylococcus aureus pathogenesis: secretion systems, adhesins and invasins. *Pediatr Infect Dis J* ; 29(9):860-1.

Bat-Chen F and Ran D (2011):

Anti-staphylococcal treatment in dermatitis . *Can Fam Physician* ; 57(6): 669–671.

Bath-Hextall F, Birnie A, Ravenscroft J and Williams H (2010):

Interventions to reduce Staphylococcus aureus in the management of atopic eczema: an updated Cochrane review. *Br J Dermatol* ; 163(1):12-26.

Beltrani V and Boguniewicz M (2003):

Atopic dermatitis . *Dermatol Online J*; 9(2): 1.

Bieber T (2008):

Atopic dermatitis . *N Engl J Med*; 358:1483-94.

Bieber T (2010):

Atopic dermatitis . *Ann Dermatol.* ; 22(2):125-137.

Bieber T and Novak N (2009):

Pathogenesis of atopic dermatitis: new developments. *Curr Allergy Asthma Rep* ;9(4):291-4.

Boguniewicz M and Leung D (2006):

Atopic dermatitis . *J Allergy Clin Immunol* ; 117: S475–S480.

Boguniewicz M, Schmid-Grendelmeier P and Leung D(2006):

Atopic dermatitis . *J Allergy Clin Immunol*; 118:40-3.

Breuer K, Haussler S, Kapp A and Werfel T (2002):

Staphylococcus aureus: colonizing features and influence of an antibacterial treatment in adults with atopic dermatitis. *Br J Dermatol* ; 147:55–61 .

Brown S and Reynolds N (2006):

Atopic and non-atopic eczema . BMJ; 332: 584–8.

Bunikowski R, Mielke M , Skarabis H, Worm M, Anagnostopoulos I et al. (2000):

Evidence for a disease promoting effect of Staphylococcus aureus-derived exotoxins in atopic dermatitis . J Allergy Clin Immunol ; 105: 814–819.

Buys L (2007):

Treatment options for atopic dermatitis. Am Fam Physician ; 75: 523-528 .

C

Callard R and Harper J (2007):

The skin barrier, atopic dermatitis and allergy: a role for Langerhans cells?. Trends Immunol; 28(7):294-8.

Callen J, Chamlin S, Eichenfield L , Ellis C, Girardi M et al. (2007):

Systematic review of the safety of topical therapies for atopic dermatitis. Br J Dermatol ; 156:203-21.

Cardona I , Cho S and Leung D (2006)a:

Role of bacterial superantigens in atopic dermatitis: implications for future therapeutic strategies. Am J Clin Dermatol ; 7(5): 273-9.

Cardona I , Goleva E, Ou L and Leung D (2006)b:

Staphylococcal enterotoxin B inhibits regulatory T cells by inducing glucocorticoid- induced TNF receptor-related protein ligand on monocytes. J Allergy Clin Immunol; 117: 688–695.

Catherine L, Arnold B , Sara E , Robert S ,Scott K et al. (2011):

Clinical Practice Guidelines by the Infectious Diseases Society of America for the Treatment of Methicillin-Resistant *Staphylococcus Aureus* Infections in Adults and Children . Clin Infect Dis.1;52(3):e18-55.

Chambers H (2001):

The changing epidemiology of *Staphylococcus aureus* . Emerg . Infect. Dis ; 7: 178-182.

Cheer S and Plosker G (2001):

Tacrolimus ointment: a review of its therapeutic potential as a topical therapy in atopic dermatitis. Am J Clin Dermatol ; 2(6):389-406.

Chiara P, JoLinda S , Simone P, Valentina B , Alessandra D et al. (2011):

Molecular and Immunological Characterization of *Staphylococcus aureus* in Pediatric Atopic Dermatitis: Implications for Prophylaxis Clinical Management. Clin and Develo Immunol; Article ID 718708, 7 pages doi:10.1155/2011/718708.

Cho S , Strickland I, Boguniewicz M and Leung D (2001):

Fibronectin and fibrinogen contribute to the enhanced binding of *Staphylococcus aureus* to atopic skin. J Allergy Clin Immunol;108 (2) : 269-274.

Cookson B (1997):

Staphylococcus aureus. In: Emmerson M, Kibbler C, Hawkey P eds. Principles of Clinical Bacteriology. Oxford: John Wiley ; 109–30.

Cribier B, Prevost G, Couppie P, Finck-Barbancon V, Grosshans E et al. (1992):

Staphylococcus aureus leukocidin : a new virulence factor in cutaneous infections? An epidemiological and experimental study . Dermatol ; 185:175-180.

D

Darsow U, Laifaoui J, Kerschenlohr K, Wollenberg A, Przybilla B et al. (2004) :

The prevalence of positive reactions in the atopy patch test with aeroallergens and food allergens in subjects with atopic eczema: a European multicentre study. Allergy; 59:1318–25.

David M and Sarah E (2005):

Management of Staphylococcus aureus Infections . Am Fam Physician ; 15;72(12):2474-2481.

Derek F, David E ,Peter M , Donald M , Geoffrey L et al. (2005) :

Guidelines for the laboratory diagnosis and susceptibility testing of methicillin-resistant Staphylococcus aureus . J Antimicrob Chemother; 56(6):1000-18.

Donald Y(1999):

Pathogenesis of atopic dermatitis. J Allergy Clin Immunol ;104(3) :S99-S108.

Donald Y (2008):

The role of Staphylococcus aureus in atopic eczema . Acta Derm Venereol; Suppl 216: 21–27.

E

Elena O, Hikmate A , Rosario L and Antonio G (2010):

Multiple Roles of Staphylococcus aureus Enterotoxins: Pathogenicity, Superantigenic Activity and Correlation to Antibiotic Resistance. Toxins ; 2, 2117-2131.

Elias P and Schmuth M (2009):

Abnormal Skin Barrier in the Etiopathogenesis of Atopic Dermatitis . Curr Opin Allergy Clin Immunol; 9(5):437–446.

Elias P and Steinhoff M (2008):

Pathogenic Mechanisms in Atopic Dermatitis . J Invest Dermatol ; 128(5):1067–1070.

Emerson R , Charman C and Williams H (2000):

The Nottingham Eczema Severity Score: preliminary refinement of the Rajka and Langeland grading. Br J Dermatol ; 142(2):288-97.

Eichenfield L, Hanifin J, Luger T and Pride H (2003):

Consensus conference on Pediatric atopic dermatitis . J Am Acad Dermatol ; 49: 1088-95.

F

Franklin D (1998):

Staphylococcus aureus Infections . N Engl J Med ; 339:520-532.

Foster T and McDevitt D (1994) :

Surface-associated proteins of Staphylococcus aureus : their possible roles in virulence. FEMS Microbiol Lett ; 118:199-205.

Freney J , Brun Y , Bes M , Meugnier H, Grimont F et al. (1988) :
Staphylococcus lugdunensis sp. nov. and *Staphylococcus schleiferi* sp. nov, two species from human clinical specimens. *International Journal of Systematic Bacteriology* ; 38, 168–72.

G

Giampaolo R , Federica B , Arianna D , Annalisa P and Andrea P (2012):

Atopic dermatitis in adolescence . *Dermatology Reports*; volume 4:
 doi:10.4081/dr. e1.

Gilani S, Gonzalez M, Hussain I, Finlay A and Patel G (2005):

Staphylococcus aureus re-colonization in atopic dermatitis: beyond the skin. *Clin Exp Dermatol* ; 30(1):10-3.

Goldstein B and Goldstein A (2010):

General principles of dermatologic therapy and topical corticosteroid use . Up to Date; Available from: <http://www.uptodate.com2>.

Gomes P, Malavige G , Fernando N , Mahendra M, Kamaladasa S et al. (2010):

Characteristics of *Staphylococcus aureus* colonization in patients with atopic dermatitis in Sri Lanka . *Clin Exp Dermatol*; 36(2): 195–200.

Gong J , Lin L , Lin T, Hao F, Zeng F et al. (2006):

Skin colonization by *Staphylococcus aureus* in patients with eczema and atopic dermatitis and relevant combined topical therapy: a double-blind multicentre randomized controlled trial. *Br J Dermatol* ; 155(4):680-7.

Greenhawt M (2010):

The role of food allergy in atopic dermatitis . Allergy Asthma Proc ; 31(5):392-397.

Gutgesell C, Heise S, Seubert S, Seubert A, Domhof S et al. (2001):

Double-blind placebo-controlled house dust mite control measures in adult patients with atopic dermatitis. Br J Dermatol ; 145:70-4.

Guzik T , Bzowska M , Kasprowicz A , Czerniawska-Mysik G , Wójcik K et al. (2005):

Persistent skin colonization with Staphylococcus aureus in atopic dermatitis: relationship to clinical and immunological parameters. Clin Exp Allergy ; 35(4):448-55.

H

Hanifin J and Rajka G (1980):

Diagnostic features of atopic dermatitis. Acta Derm Venereol ; 92 Suppl. : 44-7.

Hanifin J, Cooper K, Ho V, Kang S, Krafchik B et al. (2004):

Guidelines for care of Atopic Dermatitis . J Am Acad Dermatol ; 50:391-404.-7.

Harris T, Grossman D, Kappler J , Marrack P, Rich R et al. (1993):

Lack of complete correlation between T-cell-stimulatory activities of staphylococcal enterotoxins . Infect Immun ; 61:3175-3183.

Hata T, Kotol P, Jackson M, Nguyen M, Paik A et al. (2008):

Administration of Oral Vitamin D Induces Cathelicidin Production in Atopic Individuals. J Allergy Clin Immunol ; 122(4):829–831.

Haslund P, Bangsgaard N, Jarlov J , Skov R and Agner T(2009):

Staphylococcus aureus and hand eczema severity. Br J Dermatol; 161: 772–7.

Hee-Jung C , Hong-Seon J , Heungsup S , Mi-Na K and Soo-Jong H (2008):

Epidemiological Characteristics of Methicillin-Resistant Staphylococcus aureus Isolates from Children with Eczematous Atopic Dermatitis Lesions. J Clin Microbiol ; 46(3): 991–995.

Henderson J, Northstone K, Lee S, Liao H, Zhao Y et al. (2008):

The Burden of Disease Associated With Filaggrin Mutations: Population-Based, Longitudinal Birth Cohort Study. J Allergy Clin Immunol ; 121(4):872–877 e9.

Hesham A , Nahed I, Atef E, Roshdy W and Rabee A (2012):

Skin colonization by superantigen-producing Staphylococcus aureus in Egyptian patients with atopic dermatitis and its relation to disease severity and serum interleukin-4 level . International Journal of Infectious Diseases; 16 : e29–e33.

Hoare C, Li Wan Po A and Williams H (2000):

Systematic review of treatments of atopic eczema . Health Technol Assess ; 4:1-191.

Hoeger P (2004):

Antimicrobial susceptibility of skin-colonizing S. aureus strains in children with atopic dermatitis. Pediatr Allergy Immunol;15:474-7.

Hoffjan S and Epplen J (2005):

The genetics of atopic dermatitis: recent findings and future options. J Mol Med; 83:682–92.

Howell M (2007):

The role of human beta defensins and cathelicidins in atopic dermatitis .
Curr Opin Allergy Clin Immuno ; 7(5):413-417.

Howell M, Wollenberg A, Gallo R, Flaig M, Streib J et al. (2006):

Cathelicidin deficiency predisposes to eczema herpeticum . J Allergy Clin
Immunol ; 117:836–41.

Huang J, Abrams M, Tloutan B, Rademaker A and Paller A (2009):

Treatment of Staphylococcus aureus colonization in atopic dermatitis
decreases disease severity. Pediatrics ;123(5):e808-14.

Hywel C (2005):

Atopic dermatitis . N Engl J Med ; 352: 2314-24.

I

Illi S, Von Mutius E, Lau S, Nickel R , Grüber C et al. (2004):

The natural course of atopic dermatitis from birth to age 7 years and the
association with asthma. J Allergy Clin Immunol ; 113(5):925-31.

Irvine A (2007):

Fleshing out filaggrin phenotypes . J Invest Dermatol.; 127(3):504-7.

J

Jennifer D and Lawrence S (2006):

A comprehensive management guide for atopic dermatitis . Dermatolo
Nursing ; 18(6):531-542.

**Jensen J , Fölster-Holst R, Baranowsky A, Winoto-Morbach S,
Schunck M, et al. (2004):**

Impaired Sphingomyelinase Activity and Epidermal Differentiation in atopic dermatitis . J Invest Dermatol ; 122(6):1423–1431.

Jonathan M (2010):

From atopic dermatitis to asthma: the atopic march. Ann Allergy Asthma Immunol ; 105:99 –106.

K

Kaplan S (2005):

Implications of methicillin-resistant Staphylococcus aureus as a community-acquired pathogen in pediatric patients . Infect Dis Clin North Am ; 19:747-57.

Kapp A, Allen B and Reitamo S (2003):

Atopic dermatitis management with tacrolimus ointment . J Dermatol Treat ; 14(1):5-16.

Kenneth T (2012):

Staphylococcus aureus and Staphylococcal Disease Edited from www.textbook of bacteriology . net.

Kessler C, Nussbaum E and Tuazon C (1991):

Disseminated intravascular coagulation associated with Staphylococcus aureus septicemia is mediated by peptidoglycan-induced platelet aggregation . J Infect Dis; 164:101-107.

Kim B, Leung D, Streib J, Boguniewicz M, Hamid Q et al. (2007):

Macrophage inflammatory protein 3alpha deficiency in atopic dermatitis skin and role in innate immune response to vaccinia virus . J Allergy Clin Immunol.;119:457-63.

Kisich K, Carspecken C, Fieve S, Boguniewicz M and Leung D

(2008):

Defective killing of *Staphylococcus aureus* in atopic dermatitis is associated with reduced mobilization of human beta-defensin-3. *J Allergy Clin Immunol*; 122(1):62-68.

Kuusela P, Hilden P, Savolainen K, Vuento M, Lyytikäinen O

et al. (1994):

Rapid detection of methicillin-resistant *Staphylococcus aureus* strains not identified by slide agglutination tests. *J Clin Microbiol*; 32: 143–47.

L

Langa Y and Van E (2011):

Atopic dermatitis :tacrolimus vs. topical corticosteroid use .*S Afr Fam Pract* ; Vol 53 No 4 :340-346.

Lee J (1996):

The prospects for developing a vaccine against *Staphylococcus aureus* .
Trends Microbiol ; 4:162-166.

Leung D (2000):

Atopic dermatitis: new insights and opportunities for therapeutic intervention. *J Allergy Clin Immunol*;105: 860–876.

Leung D (2003):

Infection in atopic dermatitis . *Curr Opin Pediatr* ; 15:399-404.

Leung D and Bieber T (2003):

Atopic dermatitis . *The Lancet* ; 361, 151-160.84.

Leung D, Nicklas R , Li J , Bernstein I , Blessing-Moore J et al. (2004):

Disease management of atopic dermatitis: An updated practice parameter. *Annals of Allergy Asthma and Immunology* ; 93(3 Suppl. 2) , S1-S21.

Leung A , Schiltz A , Hall C and Liu A (2008):

Severe atopic dermatitis is associated with a high burden of environmental *Staphylococcus aureus*. *Clin Exp Allergy*; 38: 789–93.

Leung T , Au T , Fung A , Ho K , Pei A et al. (2009):

Review and recommendations on clinical management of childhood atopic eczema . *Hong Kong J Dermatol Venereol*; **17**, 136-143.

Lewis J and Jorgensen J (2005):

Inducible clindamycin resistance in staphylococci: should clinicians and microbiologists be concerned?. *Clin Infect Dis* ; 40:280-5.

Llewelyn M and Cohen J (2002):

Superantigens microbial agents that corrupt immunity . *Lancet Infect Dis*; 2: 156–62.

Liu C and Chambers H (2003):

Staphylococcus aureus with heterogeneous resistance to vancomycin: epidemiology, clinical significance, and critical assessment of diagnostic methods. *Antimicrob Agents Chemother*; 47:3040-5.

M

Marrack P and Kappler J(1990):

The staphylococcal enterotoxins and their relatives . *Science* ; 248:705-711.

Mcgirt L and Beck L (2006):

Innate immune defects in atopic dermatitis . J Allergy Clin Immunol; 118: 202–208.

N

Nakagawa H (2006):

Comparison of the efficacy and safety of 0.1% tacrolimus ointment with topical corticosteroids in adult patients with atopic dermatitis . Clin Drug Invest; 26(5):235-246.

Niebuhr M and Werfel T (2010):

Innate immunity, allergy and atopic dermatitis . Curr Opin Allergy Clin Immunol ; 10(5):463-468.

Nomura, I, Goleva E, Howell M, Hamid Q , Ong P et al. (2003):

Cytokine milieu of atopic dermatitis, as compared to psoriasis, skin prevents induction of innate immune response genes. J Immunol; 171:3262 9.

Novak N and Bieber T (2003):

Allergic and non allergic forms of atopic diseases . J Allergy Clin Immunol ; 112(2):252-62.

Novak N, Kraft S and Bieber T (2001):

IgE receptors . Curr Opin Immunol ; 13:721–6.

Novak N, Kruse S, Potreck J, Mainntz L, Jenneck C et al. (2006):

Single nucleotide polymorphisms of the IL18 gene are associated with atopic eczema. J Allergy Clin Immunol; 118:1319.

Novick R (1990):

The staphylococcus as a molecular genetic system. In: Novick R ed. Molecular biology of the staphylococci. New York: VCH;1-37.

O

Odhiambo J , Williams H , Clayton T , Robertson C and Asher M (2009):

ISAAC Phase Three Study Group Global variations in prevalence of eczema symptoms in children from ISAAC Phase Three . J Allergy Clin Immunol ;124:1251-8.e23.

Ong P and Leung D (2006):

Immune dysregulation in atopic dermatitis . Curr Allergy Asthma Rep ; 6(5)384-389.

O'Regan G , Sandilands A, McLean W and Irvine A (2008):

Filaggrin in Atopic Dermatitis . J Allergy Clin Immunol ;122(4):689 - 693.

P

Palmer L and Cardon L (2005):

Shaking the tree: mapping complex disease genes with linkage disequilibrium . Lancet; 366:1223-34.

Pascual J And Fleischer A (2004) :

Tacrolimus ointment (Protopic) for atopic dermatitis. Skin Therapy Lett; 9(9):1-5.

Patti J , Allen B , McGavin M and Hook M(1994):

MSCRAMM-mediated adherence of microorganisms to host tissues . Annu Rev Microbiol;48:585-617.

Pezesk P , Miri S , Ghasemi R , Farid R and Ghenaat J (2007):

Skin Colonization With Staphylococcus Aureus In Patients With Atopic Dermatitis .The Internet J Dermatol; Volume 5 Number 1.

<http://www.ispub.com:80/journal/the-internet-journal-of-dermatology/volume-5-number-1>.

Proksch E, Folster-Holst R and Jensen J (2006):

Skin Barrier Function, Epidermal Proliferation and Differentiation in Eczema . J Dermatol Sci ;43(3):159–169.

R

Rawlings A and Harding C (2004):

Moisturization and Skin Barrier Function . Dermatol Ther ;17(1) : 43–48.

Roll A, Cozzio A, Fischer B and Schmid-Grenedelmeier P (2004):

Microbial colonization and atopic dermatitis . Allergy Clin Immunol ;4(5): 373-378.

S

Saeideh F , Zahra R , Zahra K and Batool G (2008):

Bacterial colonization and antibiotic resistance in children with atopic dermatitis .Dermatology Online Journal; 14 (7): 21.

Sandilands A, Terron-Kwiatkowski A , Hull P ,O'Regan G , Clayton T et al. (2007):

Comprehensive analysis of the gene encoding filaggrin uncovers prevalent and rare mutations in ichthyosis vulgaris and atopic eczema. Nat Genet ; 39(5):650-4.

Sampson H (2004):

Update on food allergy. *J Allergy Clin Immunol* ; 113:805–19.

Sarah E , Anthony Y and Marius R (2011):

Prevalence of staphylococcus aureus and antibiotic resistance in children with atopic dermatitis . *Australas J Dermatol*; 52, 27–31.

Schaberg D and Zervos M (1986):

Intergeneric and interspecies gene exchange in gram-positive cocci . *Antimicrob Agents Chemother* ; 30:817-822.

Schauber J, Oda Y, Buchau A , Yun Q , Steinmeyer A et al. (2008) :

Histone acetylation in keratinocytes enables control of the expression of cathelicidin and CD14 by 1,25-Dihydroxyvitamin D(3). *J Invest Dermatol*; 128(4):816–824.

Scheynius A , Johansson C, Buentke E , Zagari A and Linder M (2002):

Atopic eczema/ dermatitis syndrome and Malassezia . *Int Arch Allergy Immunol*; 127:161–9.

Sehra S, Barbé-Tuana F , Holbreich M, Mousdicas N, Kaplan M et al. (2008):

Clinical correlations of recent developments in the pathogenesis of atopic dermatitis . *An Bras Dermatol* ; 83(1):57-73.

Sharon J , Jeremiah M and Elise M (2011) :

Atopic Dermatitis — A historical review .supplement to skin and aging ; 3-10.

Skov L, Olsen J , Giorno R, Schlievert P , Baadsgaard O et al.

(2000):

Application of Staphylococcal enterotoxin B on normal and atopic skin induces up-regulation of T cells by a superantigen-mediated mechanism. *J Allergy Clin Immunol*; 105: 820–826.

Sonja A and Stefan B (2012) :

Modern Aspects of Phototherapy for Atopic Dermatitis . *J Allergy ;* Article ID 121797, 8 pages. doi:10.1155/2012/121797.

Spergel J and Paller A (2003):

Atopic dermatitis and the atopic march . *J Allergy Clin Immunol*; 112: S118-27.

Stephen H and Peter M (2006):

Staphylococcus aureus. in: Sharon ed. Principles and Practice of Clinical Bacteriology Second Edition. Copyright © 2006 John Wiley and Sons ; Ltd.74-98.

T

Thomas T (2008):

Mechanisms of disease: Atopic dermatitis. *N Engl J Med*; 358:1483-94.

Tuchscherr L, Heitmann V, Hussain M, Viemann D, Roth J et al.

(2010):

Staphylococcus aureus small-colony variants are adapted phenotypes for intracellular persistence. *J Infect Dis* ;202(7):1031-40.

Turner J and Schwartz R(2006):

Atopic dermatitis. A clinical challenge . *Acta Dermatoven APA*; 15(2): 59-68.

V

Valenta R, Seiberler S, Natter S, Mahler V , Mossabeb R et al.

(2000):

Autoallergy – a pathogenetic factor in atopic dermatitis. J Allergy Clin Immunol;105:432–7.

Vandenesch F, Naimi T, Enright M , Lina G, Nimmo G et al.(2003):

Community-acquired methicillin-resistant Staphylococcus aureus carrying Panton-Valentine leukocidin genes: worldwide emergence. Emerg Infect Dis; 9, 978–984.

Verhagen J, Akdis M, Traidl-Hoffmann C, Schmid- Grendelmeier

P, Hijnen D et al.(2006):

Absence of T regulatory cell expression and function in atopic dermatitis skin . J Allergy Clin Immunol ; 117: 176–183.

Verkaik N, Dauwalder O, Antri K, Boubekri I, de Vogel C et al.

(2010):

Immunogenicity of toxins during Staphylococcus aureus infection . Clin Infect Dis;50(1):61-8.

W

Walev I, Reske K, Palmer M, Valeva A and Bhakdi S (1995) :

Potassium-inhibited processing of IL-1 β in human monocytes . EMBO J ; 14:1607-1614.

Wayne, PA (2009):

Clinical and Laboratory Standards Institutes(CLSI). Performance Standards for Antimicrobial Susceptibility Testing. 19th Informational Supplement, CLSI M100–S19.

Wichelhaus T, Kern S, Schafer V , Brade V and Hunfeld K (1999):

Evaluation of modern agglutination tests for identification of methicillin-susceptible and methicillin-resistant *Staphylococcus aureus*.
Eur J Clin Microbiol Infect Dis; 18: 756–8.

Williams H (2000):

What is atopic dermatitis and how should it be defined in epidemiological studies? In: Williams HC , ed. Atopic dermatitis: the epidemiology, causes, and prevention of atopic eczema. Cambridge: United Kingdom Cambridge University Press, 3-24.

Williams H (2005):

Atopic dermatitis . The New England Journal of Medicine; 352, 2314-2324.

Williams H , Burney P , Pembroke A and Hay R (1994):

The U.K. working party's diagnostic criteria for atopic dermatitis . III. Independent hospital validation. Br J Dermatol; 131: 406–16.

Williams H , Stewart A, von E, Cookson W, Anderson H (2008):

International Study of Asthma and Allergies in Childhood (ISAAC) Phase One and Three Study Groups . Is eczema really on the increase worldwide?. J Allergy Clin Immunol ; 121:947-54.e15.

Wilkinson B (1997):

Biology. In: Crossley KB, Archer GL, eds. The staphylococci in human disease. New York: Churchill Livingstone, 1-38.

Wolkewitz M, Rothenbacher D, Löw M, Stegmaier C, Ziegler H et al. (2007):

prevalence of self-reported atopic diseases in a population-based sample of elderly subjects: results of the ESTHER study. Br J Dermatol ; 156:693-7.

Wunderink R , Rello J, Cammarata S , Croos-Dabrera R and Kollef M (2003):

Linezolid vs vancomycin: analysis of two double-blind studies of patients with methicillin resistant *Staphylococcus aureus* nosocomial pneumonia. *Chest* ;124:1789-97.

Y

Yeung , HHL Chan, WC Chow and PL Ho (2010):

Carriage of antibiotic-resistant *Staphylococcus aureus* in atopic dermatitis children attending paediatric out patient clinics Hong Kong J. Dermatol Venereol ; 18, 125-131.