

References

- **Akram Khan, Kannan Ramar, Supriya Maddirala et al;(2009).** Uvulopalatopharyngoplasty in the Management of Obstructive Sleep Apnea: The Mayo Clinic Experience Copyright © 2009 by Mayo Foundation for Medical Education and Research Print ISSN: 0025-6196Online ISSN: 1942-5546.
- **Ali NJ, Davies RJ, Fleetham JA, Stradling JR;(1992).** The acute effects of continuous positive airway pressure and oxygen administration on blood pressure during obstructive sleep apnea. *Chest*;101(6):1526-32.
- **Almeida FR, Lowe AA, Sung JO, Tsuiki S, Otsuka R; (2006).** Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. Cephalometric analysis. *Am J Orthod Dentofacial Orthop*. Feb;129(2):195-204.
- **American Academy of Otolaryngology-Head & Neck surgery (2010).** Clinical indicators of uvulopalatopharyngoplasty.
- **American Academy of Sleep Medicine;(2005).** The international classification of sleep disorders: diagnostic and coding manual 2nd ed. American Academy of Sleep Medicine. West Chester, IL.
- **Arzt M., Wensel R., Montalvan S., Schichtl T., Schroll S., Budweiser S., Blumberg F. C., Riegger G. A. J., Pfeifer M;(2008).** Effects of Dynamic Bi-level Positive Airway Pressure Support on Central Sleep Apnea in Men With Heart Failure. *Chest* 134: 61-66.
- **Bälfors EM, Franklin KA; (1994).** Impairment of cerebral perfusion during obstructive sleep apneas. *Am J Respir Crit Care Med*;150(6 Pt 1):1587-91.
- **Bahummam AS, Tate R, Manfreda J et al.;(1999).** Upper airway resistance syndrome: effect of nasal dilation, sleep stage, and sleep position. *Sleep*; 22:592-598.

- **Battagel JM, Johal A and Kotecha BT; (2005).** Sleep nasendoscopy as a predictor of treatment success in snorers using mandibular advancement splints. *J Laryngo Otol*, 119; 106-112.
- **Bayram NA, Ciftci B, Güven SF, Bayram H, Diker E; (2007).** Relationship between the severity of obstructive sleep apnea and hypertension. *Anadolu Kardiyol Derg.* (4):378 -82.
- **Becker H, Brandenburg U, Peter JH, Von Wichert P; (1995).** Reversal of sinus arrest and atrioventricular conduction block in patients with sleep apnea during nasal continuous positive airway pressure. *Am J Respir Crit Care Med* ;151(1):215-8.
- **Berkovitz BKB, Holland G R. Moxham BJ; (2002).** Oral anatomy, histology and embryology, 3rd edn. London : Mosby. Scott-Brown's Otorhinolaryngology: Head and Neck Surgery 7 Ed, VOL 2.
- **Bican A, Kahraman A, Bora I et al, (2010).** What is the efficacy of nasal surgery in patients with obstructive sleep apnea syndrome? *J Craniofac Surg.* 21(6):1801-1806.
- **Boccio CM, Chinski A; (2001).** Obstructive sleep apnea syndrome in children In: *Manual of Pediatric Otorhinolaryngology, IAPO/IFOS - Liz Gráfica Editora*; p.37.
- **Bradley TD, Brown IG, Grosdsman RF, Zamal N, Martinez D, Philopson EA, and Hoffstein V.,(1986).** Pharyngeal size in snorers. Nonsnorers and patients with obstructive sleep apnea. *N Engl J Med*: 315: 1327-31.
- **Brooks LJ, Castile RG, Class GM, Griscom NT, Wohl MEB and Fredberg JJ.,(1984).** Reproducibility and accuracy of airway area by acoustic reflection. *J. Appl Physiol environ Exercise Physiol* 57 (3): 777-87.
- **Brooks LJ, Strohl KP;(1992).**Size and mechanical properties of the pharynx in healthy men and women. *Am Rev Resp Dis* 148:1394–7.

- **Brown IG, Zamel N, Hoffstein V;(1986).**Pharyngeal cross sectional area in normal men and women. J Appl Physiol;61:890-5.
- **Burger CD, Stanson AW, Sheedy PF, Daniels BK and Shepard JW ;(1992).** Fast computed tomography evaluation of age related changes in upper airway structure and function in normal men. Am Rev Respir Dis, 145;846-852.
- **Campana L, Eckert DJ, Patel SR, Malhotra A; (2010).** Pathophysiology & genetics of obstructive sleep apnea. Indian J Med Res; 131:176-87.
- **Chung S, Yoon IY, Lee CH, Kim JW; (2009).** Effects of age on the clinical features of men with obstructive sleep apnea syndrome. Respiration;78(1):239.
- **Ciesielski V, Innes A, Mamutil J; (2003).** Genetic programming for landmark detection in cephalometric radiology images. Int J Knowl Base Intel Eng Syst.; 7:164–171.
- **Clark D 3rd, Ahmed MI, Calhoun DA; (2012).** Resistant hypertension and aldosterone: an update. Can J Cardiol.;28(3):318-25.
- **Coleman J, Rathfoot C; (1999).** Oropharyngeal surgery in the management of upper airway obstruction during sleep: otolaryngology clinic of north American; 32(2):243-262.
- **Croft CB and Pringle M;(1991).** Sleep nasendoscopy: a technique of assessment in snoring and obstructive sleep apnea. Clin Otolaryngol Allied Sci, 16 (5); 504-509.
- **Dae Gun Jung, Hae Young Cho, Ronald R Grunstein, and Brendon Yee;(2004).** Predictive Value of Kushida Index and Acoustic Pharyngometry for the Evaluation of Upper Airway in Subjects With or Without Obstructive Sleep Apnea. J Korean Med Sci; 19(5): 662–667.
- **Dernaika T., Tawk M., Nazir S., Younis W., Kinasewitz G. T;(2007).** The Significance and Outcome of Continuous Positive Airway Pressure-Related Central Sleep Apnea During Split-Night Sleep Studies. Chest 132: 81-87.

- **D 'Urzo AD, Lawson KP, Vassal KP et al;(1987).** Airway area by acoustic response measurements and computerized tomography. *Am Rev Respir Dis*;135:392-5.
- **Ferguson KA, Fleetham JA; (1995).** Sleep-related breathing disorders. 4. Consequences of sleep disordered breathing. *Thorax* ;50(9):998-1004.
- **Fredberg JJ, Brooks LJ, Castile RG, Class GM, Griscom NT, Wohl MEB and (1984).** Reproducibility and accuracy of airway area by acoustic reflection. *J. Appl Physiol environ Exercise Physiol* 57 (3): 777-87.
- **E. Benson Hood Laboratories, Inc; (1996).** Eccovision acoustic pharyngometry system: operator manual; p. 3-1.
- **Erdamar B, Soughlu Y, Cuhadaroglu C, et al.,(2001).** Evaluation of clinical parameters in patients with obstructive sleep apnea and possible correlation with the severity of the disease. *Eur Arch Otorhinolaryngol Nov*; 258(9): 492-5.
- **Findley LJ, Unverzagt ME, Suratt PM; (1988).** Automobile accidents involving patients with obstructive sleep apnea. *Am Rev Respir Dis* ;138(2):337-40.
- **Fletcher EC, DeBehnke RD, Lovoi MS, Gorin AB; (1985).** Undiagnosed sleep apnea in patients with essential hypertension. *Ann Intern Med* ;103:190-195.
- **Floras, J S ;(2009).** Should sleep apnea be a specific target of therapy in chronic heart failure?.*Heart* 95: 1041-1046.
- **Fogel RB, Malhotra A and White DP;(2004).** Sleep-2: Pathophysiology of obstructive sleep apnea/hypopnoea syndrome. *Thorax*, 59(2); 159-163.
- **Franklin, K. A., (2007).** Sleep apnea screening in heart failure? Not until benefit is proven!.*Eur Respir J* 29: 1073-1074.
- **Fredberg JJ, Wohl MEB, Glass GM, Dorkin HL;(1980).** Airway area by acoustic reflections measured at the mouth. *J Appl Physiol.*;48:749–758. [PubMed]

- **Friedman M, Ibrahim H, Lee Bass; (2002).** Clinical staging for sleep-disordered breathing. *Otolaryngol Head Neck Surg* ;127:13-21.
- **Friedman M, Ibrahim H ,Lowenthal S ,Ramakrishnan V ,JosephN; (2004).** Uvulopalatoplasty (UP2) a modified technique for selected patients.*Laryngoscope*.114(3):441-9.
- **Friedman M, Schalch P, Lin HC, Kakodkar KA, Joseph NJ, Mazloom N. (2008).** Palatal implants for the treatment of snoring and obstructive sleep apnea/hypopnea syndrome. *Otolaryngol Head Neck Surg*. Feb 2008;138(2):209-16.
- **Fujita S., Conway W. and Zorick F;(1981).** Surgical correction of anatomic abnormalities in OSAS: Uvulopalatopharyngoplasty. *Otolaryngol Head Neck Surg*, 89; 923-930.
- **Gelardi M, Alessandro Maselli del Giudice, Francesco Cariti, Michele Cassano, Aline Castelante Farras, Maria Luisa Fiorella , Pasquale Cassano;(2007).** Acoustic pharyngometry: clinical and instrumental correlations in sleep disorders.
- **George P. Katsantonis, MD, FACS, (2009).**Success rate of UPPP. Department of Otolaryngology Head and Neck Surgery St. Louis University School of Medicine St. Louis, Missouri USA.
- **Gold, AR, Dipalo, F, Gold, MS, et al;(2004).** Inspiratory airflow dynamics during sleep in women with fibromyalgia. *Sleep*;27,459-466.
- **Goldberg NA and Schwab JR;(1998).** Upper airway assessment: Radiographic and other imaging techniques. *Otolaryngol Clin N Am*,31(6);919-929.
- **Grotz W, Büchner N, Wessendrof T, Teschler H, Grote L, Becker HF, Rump LC; (2006).** sleep apnea-treatment improves hypertension. *Med Klin (Munich)*. (11):880-5.

- **Grunstein RR, Hedner J, Grote L; (2001).**Treatment options for sleep apnoea. *Drugs*.61: 237-51.
- **Hargens TA, Nickols-Richardson SM, Gregg JM, Zedalis D, Herbert WG; (2006).** Hypertension research in sleep apnea .*J Clin Hypertens (Greenwich)*: (12) : 873-8.
- **Hedner JA, Wilcox I, Laks L, Grunstein RR, Sullivan CE; (1992).** A specific and potent pressor effect of hypoxia in patients with sleep apnea. *Am Rev Respir Dis* ;146(5 Pt 1):1240-5.
- **He J, Kryger MH, Zorick FJ, Conway W, Roth T; (1988).** Mortality and apnea index in obstructive sleep apnea. Experience in 385 male patients. *Chest* ;94(1):9-14.
- **Hoffstein V, Mateika J; (1992).** Evening-to-morning blood pressure variations in snoring patients with and without obstructive sleep apnea. *Chest* ;101(2):379-84.
- **Hoffstein V, Mateika S; (1994).** Cardiac arrhythmias, snoring, and sleep apnea. *Chest*; 106(2):466-71.
- **Houser SM and others;(2002).** Acoustic rhinometry finding in patients with mild sleep apnea, *Otolaryngol Head Neck Surg* 126:475.
- **Huang J, Itai N, Hoshiba T, Fukunaga, T, Yamanouchi K, Toga H, Takahashi K, and Ohya N;(2000).** A new nasal acoustic reflection technique to estimate pharyngeal cross-sectional area during sleep. *J Appl Physiol* 88: 1457-66. Indikation und Applikation der BIPA-Therapie.
- **Ikeda K, Oshima T, Shimomura A, Takasaka T;(1998).** Surgical criteria for obstructive sleep apnea syndrome based on localization of upper airway collapse during sleep: a preliminary study. *Tohoku J Exp Med*; 185: 1-8.
- **Isono S, shimada , A, Tanaka A, et al., (2003).** Effects of uvulopalatopharyngoplasty on collapsibility of the retropalatal airway in patients with obstructive sleep apnea. *Laryngoscope*; 113:362-7.

- **Jackson, A.C, Butler, J.P., Mullet, F.J., Hoppin, F.G. and Dawson, S.V;(1977).** Airway geometry by analysis of acoustic pulse response measurements. *J.Appl. Physiol.*43:523-536.
- **Jennum P, Borgesen SE; (1989).** Intracranial pressure and obstructive sleep apnea. *Chest*; 95(2):279-83.
- **Jung D J, Hae Young Cho, Ronald R Grunstein; (2004).** Predictive value of kushida index and acoustic pharyngometry665-666.
- **Kamal I; (2001).** Normal standard curve for acoustic pharyngometry. *Otolaryngol Head Neck Surg*;124(3):323-30.
- **Kamal I; (2002).** Lung volume dependence of pharyngeal cross sectional area by acoustic pharyngometry. *Otolaryngol Head Neck Surg*;126:164-71.
- **Kamal I; (2004).** acoustic pharyngometry patterns of snoring and obstructive sleep apnea patients. *Otolaryngol Head Neck Surg*.130 (1):58-66.
- **Kang Q, Zhou X, Xu M, Zheng G, Shi J, Ma W; (2007).** Application of midline partial glossectomy for OSAHS *Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. Mar;21(6):241-3.
- **Katsantonis GP;(1987).** Nasopharyngeal complications following uvulopalatoplasty, *Laryngoscope* 97:309.
- **Keane WF; (2000).** Proteinuria: its clinical importance and role in progressive renal disease. *Am J Kidney Dis*;35:S97-S105.
- **Koopmann CF and Moran WB., (1998).** Upper airway assessment and physical examination. *Otolaryngol CL N Am*: 31: 919-30.
- **Krakow B, Melendrez D, Lee SA, et al;(2004).**Refractory insomnia and sleep-disordered breathing: a pilot study. *Sleep Breath*;8,15-29.
- **Krespi YP; (1994).** Laser assisted uvulopalatoplasty for the treatment of snoring *Otolaryngology head and neck surgery*; 5(4) : 228-33.
- **Krieger J, Meslier N, Lebrun T, Levy P, Phillip-Joet F, Saily JC; (1997).** Accidents in obstructive sleep apnea patients treated with nasal continuous

- positive airway pressure: a prospective study. The Working Group ANTADIR, Paris and CRESGE, Lille, France. Association Nationale de Treatment a Domicile des Insuffisants Respiratoires. *Chest* ;112(6):1561-6.
- **Lavie P;(2007).** Mortality in sleep apnea syndrome: a review of the evidence. *ERR* 16: 203-210.
 - **Leger D; (1995).** The cost of sleepiness. *Sleep*;18(4):281-4.
 - **Leiter JC;(1996).** Upper airway shape: is it important in the pathogenesis of obstructive sleep apnea? *Am J Respir Crit Care Med*, 153(3);894-898.
 - **Leung RS, Bradley TD; (2001).** Sleep apnea and cardiovascular disease. *Am J Respir Crit Care Med* ;164(12):2147-65.
 - **Liao Y, Huang C and Chuang M;(2003).** The utility of cephalometry with the muller maneuver in evaluating the upper airway and its surrounding structures in Chinese patient with sleep-disordered breathing. *Laryngoscope*,113(4);614-619.
 - **Lieberman DE and McCarthy RC;(1999).**The ontogeny of cranial base angulations in humans and chimpanzees and its implications for reconstructing pharyngeal dimension. *J Human Evolution*,36(5);487-517.
 - **Lim DJ ,Kang SH, Kim BH, Kim HG; (2007).** Treatment of primary snoring using radiofrequency-assisted uvulopalatoplasty *Eur Arch Otorhinolaryngol*. Jul;264(7):761-7.
 - **Lim J, Lasserson TJ, Fleetham J, Wright J; (2006).** Oral appliances for obstructive sleep apnoea. *Cochrane Database Syst Rev*. Jan 25; CD004435.
 - **Lindberg E, Janson C, Svardsudd K, Gislason T, Hetta J, Boman G; (1998).** Increased mortality among sleepy snorers: a prospective population based study. *Thorax* ;53(8):631-7.

- **Malhotra A, Pillar G, Fogel R, Beauregard J, Edwards J, White DP;(2001).** Upper-airway collapsibility: measurements and sleep effects. *Chest*.;120:156–161.
- **Mallampati SR, Gatt SP, Gugino LD, et al., (1985).** A clinical sign to predict difficult tracheal intubations: a prospective study. *Can Anaesth Soc J*: 32: 429-34.
- **Marcus CL, Fernandes Do Prado LB, Lutz J, Katz ES, Black CA, Galster P and Carson KA;(2004).** Developmental changes in upper airway dynamics. *J Appl Physiol*, 97(1);98-108.
- **Marshall I, Maran NJ, Martin S, Jan MA, Rimmington JE, Best JJ, Drummond GB, Douglas NJ;(1993).** Acoustic reflectometry for airway measurements in man: implementation and validation. *Physiol Meas*.;14:157–169. [PubMed]
- **Masa JF, Rubio M, Findley LJ; (2000).** Habitually sleepy drivers have a high frequency of automobile crashes associated with respiratory disorders during sleep. *Am J Respir Crit Care Med* ;162(4 Pt 1):1407-12.
- **Mc Mains KC and Terris DJ;(2003).** Evidence-based medicine in sleep apnea surgery. *Otolaryngol Clin N Am*, 36(3);539-561.
- **Merrell MJ, Arabi Y, Zahn B and Badr MS;(1998).** Progressive retropalatal narrowing preceding obstructive apnea. *Am J Respir Crit Med*, 158 (6); 1974-1981.
- **Millman RP, Redline S, Carlisle CC, Assaf AR, Levinson PD; (1991).** Daytime hypertension in obstructive sleep apnea.Prevalence and contributing risk factors. *Chest* ;99:861-866.
- **Mohsenin V;(2001).** Gender differences in the expression of sleep disordered breathing: role of the upper airway dimensions. *Chest*;120:1442-7.

- **Netzer N, Eliasson AH, Netzer C and Kristo DA;(2001).** Overnight pulse Oximetry for sleep disordered breathing in adults: a review. *Chest*, 120 (2); 625-633.
- **Nieto FJ, Young TB, Lind BK, Shahar E, Samet JM, Redline S; (2000).** Association of sleep-disordered breathing, sleep apnea, and hypertension in a large community-based study. *Sleep Heart Health Study. Jama* ;283(14):1829-36.
- **Nigel Beasley; (2008).** Anatomy of the pharynx and oesophagus. *Scott-Brown's Otorhinolaryngology: Head and Neck Surgery 7 Ed, VOL 2.*
- **Ng DK, Hui HN, Chan CH, Kwok KL, Chow PY, Cheung JM, Leung SY, (2006).** Obstructive sleep apnea in children with Down syndrome. *Singapore Med J*; 47(9):774-9.
- **Noda A, Okada T, Hayashi H, Yasuma F, Yokota M; (1993).** 24-hour ambulatory blood pressure variability in obstructive sleep apnea syndrome. *Chest* ;103:1343-1347.
- **Nordgard S, Stene BK, Skjostad KW; (2006).** Soft palate implants for the treatment of mild to moderate obstructive sleep apnea. *Otolaryngol Head Neck Surg.* Apr ;134(4):565-70.
- **Oksenberg A, Silverberg DS, (1998).** The effect of body posture on sleep-related breathing disorders: facts and therapeutic implications. *Sleep Med Rev.*2(3):139-62.
- **Oldenburg O., Lamp B., Faber L., Teschler H., Horstkotte D., Topfer, V;(2007).** Sleep-disordered breathing in patients with symptomatic heart failure A contemporary study of prevalence in and characteristics of 700 patients. *Eur J Heart Fail* 9: 251-257.
- **Oldenburg, O., Lamp, B., Freudenberg, G., Horstkotte, D; (2008).** Screening for sleep-disordered breathing is recommended in patients with chronic heart failure. *Eur Respir J* 30: 1023-1023.

- **Osnes T , Rollheim J , Hartmann E, (2002).** Effect of UPPP with respect to site of pharyngeal obstruction in sleep apnea: follow-up at 18 months by overnight recording of airway pressure and flow . Clin Otolaryngol Allied Sci ; 27 : 38 – 43.
- **Ozsancak A., D'Ambrosio C., Hill N. S;(2008).**Nocturnal Noninvasive Ventilation. Chest 133: 1275-1286.
- **Padma A, Ramakrishnan N, Narayanan V, (2007).** Management of obstructive sleep apnea: A dental perspective. Indian J Dent Res; 18(4):201-9.
- **Pagel JF; (2007).** Med ;20:392–398. Obstructive sleep apnea (OSA) in primary care: evidence-based practice. J Am Board Fam.
- **Partinen M, Guilleminault C; (1990).** Daytime sleepiness and vascular morbidity at seven-year follow-up in obstructive sleep apnea patients. Chest ;97(1):27-32.
- **Peppard PE, Young T, Palta M, Skatrud J; (2000).** Prospective study of the association between sleep-disordered breathing and hypertension. N Engl J Med ;342(19):1378-84.
- **Piccirillo JF, Gates GA, white DL., Schectman KB., (1998).** Obstructive sleep apnea treatment outcomes pilot study. Otolaryngol Head Neck Surg; 118: 833-44.
- **Planes C, Leory M, Fayet G, Aegerter P, Foucher A, Raffestin B; (2002).** Exacerbation of sleep-apnea related nocturnal blood-pressure fluctuations in hypertensive subjects. Eur Respir J ;20:151-157.
- **Rajani Chelliah, Giuseppe A. Sagnella, Nirmala D. Markandu, Graham A. MacGregor; (2002).** Urinary Protein and Essential Hypertension in Black and in White People.Hypertension;39:1064-1070.
- **Rapoport DM, Garay SM, Epstein H, Goldring RM., (1986).** Hypercapnea in the obstructive sleep apnea syndrome. Chest; 89: 627-635.
- **Remmers JE, deGroot WJ, Sauerland EK, el al;(1978).** Pathogenesis of Upper airway occlusion during sleep. J Appl Physiol; 44: 931-8.

- **Riha RL, Brander P, Vannelle M and Douglas NJ;(2005).** A cephalometric comparison of patients with the sleep apnea/hypoapnea syndrome and their siblings. *Sleep*, 28 (3); 315-320.
- **Riley R, Powell N., (1990).** Maxillofacial surgery and obstructive sleep apnea syndrome. *Otolaryngol Clin North Am* ; 23: 809.
- **Riovin J, Hoffstein V, Kalbfleisch J.,(1984).** Upper airway morphology in patients with idiopathic obstructive sleep apnea. *Am Rev Respir. Dis*: 129: 335-60.
- **Rodenstein DO; (2000).** Sleep apnea syndrome: the health economics point of view. *Monaldi Arch Chest Dis* ;55(5):404-10.
- **Romanow JH, Catalano PJ. Initial U.S. pilot study; (2006).** Palatal implants for the treatment of snoring. *Otolaryngol Head Neck Surg.* Apr ;134(4):551-7.
- **Rosa TT, Palatini P; (2000).** Clinical value of microalbuminuria in hypertension. *J Hypertens*;18:645-654.
- **Rubinstein, 1, McClean PA, Boucher R, Zamel N, Fredberg JJ, and Hoffstein V; (1987).** Effect of mouthpiece. Nose clips. And head position on airway area measured by acoustic reflections. *J Appl Physiol* 63: 1469-074.
- **Ryan CF;(2005).** Sleep-9:An approach to treatment of obstructive sleep apnea/hypoapnea syndrome including upper airway surgery. *Thorax*, 60 (7); 595-604.
- **Sanders MH.,(1987).** Non surgical management of snoring and obstructive sleep apnea. In Fairbanks DF, Fujita S, Ikematsu T and Simmons FB: Snoring and obstructive sleep apnea, Raven Press; New York 79-100.
- **Sasanabe R, Watanabe Y, Shiomi T, (2012).** A sleep disordered breathing as the lifestyle-related diseases. *Nihon Rinsho*;70(7): 1211-5.
- **Schlosshan D and Elliot MW;(2004).** Sleep-3: Clinical presentation and diagnosis of the obstructive sleep apnea/hypopnoea syndrome. *Thorax*, 59; 347-352.

- **Schrier RW, Baxter JD, Dzau VJ; (2000).** Mosby;45:351–389 eds. Advances in internal medicine. St. Louis, MO.
- **Schwab RJ;(1998).** Upper airway imaging. Clin Chest Med, 19 (1); 33-54.
- **Sean M. Caples, DO; Apoor S. Gami, MD; and Virend K. Somers, MD, PhD, (2005).** Obstructive Sleep Apnea. *Ann Intern Med*; 142(3):187-197.
- **Seppälä T, Partinen M, Penttilä A, Aspholm R, Tiainen E, Kaukianen A; (1991).** Sudden death and sleeping history among Finnish men. *J Intern Med* ;229(1):23-8.
- **Shahar, E, Whitney, CW, Redline S, et al;(2001).**Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. *Am J Respir Crit Care Med*;163,19-25.
- **Shepard JW; (1984).** Evaluation of the upper airway by computerized tomography in patients undergoing uvulopalatopharyngoplasty for obstructive sleep apnea. Paper presented at the meeting of the American College of Chest Physicians, Dallas.
- **Sher A, Schechtman K, Piccirillo J; (1996).** The efficacy of surgical modifications of the upper airway in adults with obstructive sleep apnea syndrome. *Sleep* 19:156.
- **Sherif Gaber, Ragai Gemaie, Khaled Harhash, Ehab Abu-zeid, Ahmed Morsi, and Akram Hanna., (2004).** Assessment of the pharynx by acoustic pharyngometry in normal subjects and obstructive sleep apnea patients. *Medical journal of Cairo University*: 72: No 1.
- **Simpson L, Mukherjee S, Cooper MN, Ward KL, Lee JD, Fedson AC, Potter J, Hillman DR, Eastwood P, Palmer LJ, Kirkness J, (2010).** Sex differences in the association of regional fat distribution with the severity of obstructive sleep apnea. *Sleep*;33(4):467-74.
- **Smirne S, Palazzi S, Zucconi M, Chierchia S, Ferini-Strambi L; (1993).** Habitual snoring as a risk factor for acute vascular disease. *Eur Respir J* ;6(9):1357-61.

- **Spriggs DA, French JM, Murdy JM, Curless RH, Bates D, James OF; (1992).** Snoring increases the risk of stroke and adversely affects prognosis. *Q J Med*;83(303):555-62.
- **Steward DL, Huntley TC, Woodson BT, Surdulescu V; (2008).** Palate implants for obstructive sleep apnea: multi-institution, randomized, placebo-controlled study. *Otolaryngol Head Neck Surg.* Oct;139(4):506-10.
- **Sullivan CE, Berthon Jones M, Issa FG, and Eves L, (1981).** Reversal of obstructive sleep apnea by continuous positive airway applied through the nares. *Lancet* 1: 862.
- **Suto Y, Matsuo T, Kato T, et al; (1993).** Evaluation of the pharyngeal airway In patients with sleep apnea: value of ultrafast MR imaging. *AIR Am J Roentgenol*; 160: 311-4.
- **Suzuki M, Saigusa H, Chiba S, Yagi T, Shibasaki K, Hayashi M, Suzuki M, Moriyama K and Kodera K; (2005).** Discrepancy in polysomnography scoring for a patient with obstructive sleep apnea/hypopnea syndrome. *Tohoku J Exp Med*, 206 (4); 353-360.
- **Terris DJ, Kunda LD, Gonella MC., (2002).** Minimally invasive tongue base surgery for obstructive sleep apnea. *J Laryngol Otol.* ; 116: 716-721.
- **Thawley SE; (1985).** Surgical treatment of obstructive sleep apnea, *Med Clin North Am* 69:1337.
- **Troell RJ and Terris DJ; (2005).** Sleep apnea and sleep-disordered breathing. *Otolaryngology Head and Neck Surgery*, edited by Cumming CW, Flint PW, Harker LA, Haughey BH, Richardson MA, Robbins KT, Schuller DE and Thomas JR, Mosby (pub.), 4th edition, vol. 4, ch. 75;1701-1716.
- **Tucker woodson, Sam R, Hyun J., (2005).** Transpalatal advancement pharyngoplasty outcomes compared with uvulopalatopharyngoplasty. *Otolaryngol head Neck Surg.* ; 133, 211-7.
- **Ugeskr Laeger; (2009).** hypertension and obstructive sleep apnea. *171(25):2091-4.*