

References

- Ahmed G , Duffy JM , Farquhar C , et al. (2008):** Barrier agents for adhesion prevention after gynecological surgery. Cochrane data base systemic review.2:1-40
- Al-Sunaidi M and Tulandi T (2006):** Adhesion-related bowel obstruction after hysterectomy for benign conditions. American journal of Obstetrics & Gynecology;108:1162-1166.
- American Roentgen Ray Society (2004):** Sonography of the abnormal fallopian tube. American Journal of Roentgenology. 183 : 737-742.
- Beck DE, Cohen Z, Fleshman JW, et al. (2003):** Prospective, randomized, multicenter, controlled study of the safety of Seprafilm adhesion barrier in abdominopelvic surgery of the intestine. Diseases of the colon & rectum . 46:1310–1319.
- Becker JM, Dayton MT, Fazio VW, et al. (1996):** Prevention of postoperative abdominal adhesions by a sodium hyaluronate-based bioresorbable membrane: a prospective, randomized, double-blind multicenter study. Journal of American College of Surgeons;183:297–306.
- Berek JS (2007):** Berek and Novak’s Gynecology. 14th ed. Section 2, page 118. Philadelphia, PA: Lippincott Williams & Wilkins.
- Bergholt T, Stenderup JK, Vedsted-Jacobsen A , et al. (2003):** Intra operative surgical complication during caesarean section: an

observational study of the incidence and risk factors. *Acta Obstetricia et Gynecologica Scandinavica*; 82:251-256.

Berridge DL and Winter TC (2004): Saline infusion sonohysterography. Technique, indications, and image findings. *Journal of Ultrasound Medicine*; 23: 97-112.

Bhattacharya S, Pourter M, Harriid K, et al. (2006): Absence of conception after caesarean. section voluntary or involuntary? *British Journal of Obstetrics and Gynaecology*; 113: 268-275.

Bider D, Blankstein J, Tur KI (1998): Fertility in anovulatory patients after primary caesarean section. *Journal of Reproductive Medicine* 43:869-871

Binda MM, Molinas CR, Bastidas A, et al. (2007): Efficacy of barriers and hypoxia inducible factor inhibitors to prevent CO₍₂₎ pneumoperitoneum enhanced adhesions in a laparoscopic mouse model. *Journal of Minimally Invasive Gynecology*;14:591-599.

Bonilla-Musoles F, Simon C, Serra V, et al. (1992): An assessment of hysterosalpingosonography as a diagnostic tool for uterine cavity defects and tubal patency. *Journal of Clinical Ultrasound*; 20,3: 175- 181.

Bonnamy L, Marett H, Perrotin F, et al. (2002): Sonohysterography: prospective survey of results and complications in 81 patients. *European Journal of Obstetrics & Gynecology and Reproductive Biology*; 102:42-47.

- Brill Al, Nezhat F, Nezhat CH, et al. (1995):** The incidence of adhesions after prior laparotomy: A laparoscopic appraisal. *Obstetrics & Gynecology*; 85:269-272.
- Bristow RE, Santillan A, Diaz-Montes TP, et al. (2007):** Prevention of adhesion formation after radical hysterectomy using a sodium hyaluronate- carboxy methyl cellulose barrier: a cost-effectiveness analysis. *Gynecologic Oncology* ;104:739–746.
- Brown CB, Luciano AA, Martin D, et al. (2007):** Adept (icodextrin 4% solution) reduces adhesions after laparoscopic surgery for adhesiolysis: double blind, randomized, controlled study. *Fertility & Sterility*;88:141-326
- Cahill RA, Wang JH, Soohkai S, et al. (2006):** Mast cells facilitate local vascular endothelial growth factor release as an early event in the pathogenesis of postoperative adhesions. *Surgery*; 140: 108–112
- Cates W and Wasserheit JN (1991):** Genital chlamydial infections: Epidemiology and reproductive sequelae. *American Journal of Obstetrics and Gynecology*. 164, 1771–1781.
- Center for Disease Control and Prevention (2005):** Caesarean sections rise, so do premature births. *Hindustan times*. New delhi.
- Chegini N, Kotseos K, Zhao Y, et al.(2001):** Expression of matrix metalloproteinase and tissue inhibitor of matrix metalloproteinase in serosal tissue of intraperitoneal organs and adhesions. *Fertility & Sterility* ;76: 1212–1219

- Chelo E, Branconi F, Tantini C et al. (1981):** Dynamic echohysteroscopy: New diagnostic technique in the study of female infertility. *Acta Europaea Fertilitatis* . 12: 167-171.
- Cheong YC and Li TC (2005):** Evidence-based management of tubal disease and infertility. *Current Obstetrics & Gynaecology*; 15(5):306-13.
- Clinton M and Rebecca GK (1992):** Clinical epidemiology and biostatistics, published by Williams & Wilkins, Maryland: 3rd edition
- Collins JA, Burrows EA, Wilan AR (1995):** The prognosis for live birth among untreated infertile couples. *Fertility & Sterility* ; 66(1):22-28.
- Cramer DW, Schiff I, Schoenbaum SC et al . (1985):** Tubal infertility and the intrauterine device. *New England Journal of Medicine* 312.941-947.
- Daling JR, Weiss NS, Metch BJ et al. (1985):** Primary tubal infertility in relation to the use of an intrauterine device. *New England Journal of Medicine* 312. 937-941.
- David R , Loraine D, Marsha M et al . (2001):** Association of perforation of the appendix with female tubal infertility . *American Journal of Epidemiology* :153 (6): 566-571

- De Cherney AH, diZerega GS (1997):** Clinical problem of intraperitoneal postsurgical adhesion formation following general surgery and the use of adhesion prevention barriers. *Surgical clinics of North America*; 77: 671–688.
- De Ciccio C, D'hoore A, Koninck (2008):** Extensive abdominal lavage after bowel perforation during deep endometriosis excision. *British Journal of Obstetrics and Gynaecology*; 64 : 217 – 221.
- Dessole S, Farina M, Rubattu G, et al. (2003) :**Side effects and complications of sonohysterosalpingography. *Fertility & Sterility*; 80:620–624
- Diamond MP (1996):** Reduction of adhesions after uterine myomectomy by Seprafilm membrane: Blinded, prospective, randomized, multicenter clinical study. *Fertility & Sterility*;66:904–910.
- DiZerega GS (1997):** Biochemical events in peritoneal tissue repair. *European Journal of Surgery Supplement*; 577:10 –16
- DiZerega GS and Campeau JD (2001):** Peritoneal repair and postsurgical adhesion formation. *Journal of Human Reproduction update*;7: 547 -555.
- Drollette CM and Badawy SZA (1992):** Pathophysiology of pelvic adhesions: Modern trends in preventing infertility. *Journal of Reproductive Medicine*;37:107–122..
- Fazio VW, Cohen Z, Fleshman JW, et al. (2006):** Reduction in adhesive small-bowel obstruction by Seprafilm adhesion barrier after intestinal resection. *Diseases of the colon & Rectum*;49:1–11.

- Fenwick J, Gamble J and Hauck Y (2006):** Reframing birth: A consequence of caesarean section. *Journal of Advanced Nursing*.56, 131-132.
- Flessner MF (2005):** The transport barrier in intraperitoneal therapy. *American Journal of Physiology- Renal Physiology*; 288:433–442
- Forestier D, Slim K, Joubert-Zakeyh J, et al. (2002):** Do bipolar scissors increase postoperative adhesions? An experimental double-blind randomized trial. *Ann Chir Gynaecol* ; 127: 680–684
- Foster NM, McGory ML, Zingmond DS, et al. (2006):** Small bowel obstruction: A population-based appraisal. *Journal of American College of Surgeons* ;203:170-176.
- Fushiki H, Ikoma T, Kobayashi H,et al. (2005):** Efficacy of Seprafilm as an adhesion prevention barrier in caesarean sections. *Obstetrics and Gynecology Treatment*;91:557-561.
- Gago LA, Saed G, Elhammady E, et al. (2006):** Effect of oxidized regenerate cellulose (Interceed) on the expression of tissue plasminogen activator and plasminogen activator inhibitor-1 in human peritoneal fibroblasts and mesothelial cells . *Fertility & Sterility*;86:1223-1227.
- González-Quintero VH and Cruz-Pachano F (2009):** Preventing adhesions in obstetric and gynecologic surgical procedures. *Reviews in obstetrics& gyneacology* ;2 (1) :38-45

- Gomel V, Urman B, Gurgan T(1996):** Pathophysiology of adhesion formation and strategies for prevention. *Journal of Reproductive Medicine*;41:35- 41.
- Habiba M, Kaminski M, Da Fre M, et al (2006).** Caesarean section on request: comparison of obstetricians' attitudes in eight European countries. *British journal of Obstetric and Gynecology* ;113:647-656.
- Habibaj J, Kosova H, Bilali S. (2012):** Comparison between transvaginal sonography after diagnostic hysteroscopy and laparoscopic chromopertubation for the assessment of tubal patency in infertile women. *Journal of Clinical Ultrasound* : 40 (2):68–73
- Hackethal A, Sick C, Brueggmann D (2010):** Awareness and perception of intra-abdominal adhesions and related consequences: Survey of gynaecologists in German hospitals. *European Journal of Obstetrics and Gynecology. Reproductive. Biology* ;150(2): 180-189.
- Hajishafiha M, Zobairi T, Zanjani VR, et al. (2009):** Diagnostic value of sonohysterography in the determination of fallopian tube patency as an initial step of routine infertility assessment. *Journal of Ultrasound Medicine* 28:1671–1677
- Hamel KJ(2007):** Incidence of adhesions at repeat cesarean delivery. *American Journal of Obstetrics and Gynecology* ;196:31-32.
- Hamilton J, Latache E, Gillott C, et al. (2003):** Intrauterine insemination results are not affected if hysterosalpingo contrast

sonography is used as the sole test of tubal patency. *Fertility & Sterility* 80:165–171.

Hammoud A, Gago LA, Diamond MP(2004): Adhesions in patients with chronic pelvic pain: A role for adhesiolysis? *Fertility & Sterility* ;82:1483–1491.

Harper MA, Byington RP, Espeland MA, et al. (2003): Pregnancy related death and health care services. *American Journal of Obstetrics and Gynecology*; 102:273-278.

Hawkins H, Koonin IM, Palmer SK, et al. (1997): Anesthesia-related deaths during obstetric delivery in the United States 1979-1990. *Anesthesiology*;86:277-284.

Hayman R (2004): *Obstetrics and Gynecology, An evidence –based text for Medical Royal College of Obstetricians and Gynaecologists.* Arnold London, caesarean section, Chapt 31: P. 382-390

Hector C (2010): The latest techniques for preventing adhesions in caesarean delivery. *Obstetrics and Gynecology news* (April).

Hellebrekers BW, Trimbo-Kemper TC, Trimbo JB, et al. (2000): Use of fibrinolytic agents in the prevention of post-operative adhesion formation. *Fertility & Sterility*; 74: 203–212.

Hemminki E (1996): Impact of caesarean section on future pregnancy - a review of cohort studies. *Paediatric and perinatal epidemiology*; 10: 366-379.

- Herrick SE and Mutsaers SE (2007):** The potential of mesothelial cells in tissue engineering and regenerative medicine applications. *International Journal of Artificial Organs*;30:527- 540.
- Hofmeyr JG, Novikova N. Mathai M, et al. (2009):** Techniques for caesarean section. *American journal of Obstetrics and Gynecology*;201:431-444.
- Homburg R (2006):** Pregnancy complications in Polycystic ovarian syndrome. Best practice and research, *Clinical Endocrinology and Metabolism* 20. 281-292.
- Homhurg R, Armar NA, Eshel A et al. (1988):** Influence of serum luteinising hormone concentrations on ovulation, conception and early pregnancy loss in polycystic ovary syndrome. *British Medical Journal* 297, 1024-1026.
- Hoshino A, Kawamura YI, Yasuhara M, et al (2007):** Inhibition of chemokine1-chemokine receptor8 interaction prevents aggregation of macrophages and development of peritoneal adhesions. *The Journal of Immunology*; 178: 5296–5304.
- Hosie K, Gilbert JA, Kerr D, et al. (2001) :** Fluid dynamics in man of an intraperitoneal drug delivery solution: 4% icodextrin. *Drug Delivery*;8:9–12.
- Howard FM (2003):** Chronic pelvic pain. *Obstetrics and Gynecology* ;101:594-608.
- Hubacher D, Lara-Ricalde R, Taylor DJ, el al. (2001):** Use of copper intrauterine devices and the risk of tubal infertility among

nulligravid women. *New England Journal of Medicine*; 345: 561-567.

Inki P, Palo P, Anttila L (1998): Vaginal sonosalpingography in the evaluation of tubal patency. *Acta Obstetrica et Gynecologica Scandinavica* 77 (10): 978-82.

Jeffrey L (2004): Once a pregnancy, always a caesarean? Rational and feasibility of a randomized controlled trial. *American Journal of Obstetrics and Gynecology*; 109: 314-318.

Johnson NP, Hadden WE, Chamley LW (2005): Fertility enhancement by hysterosalpingo-graphy with oil-soluble contrast media: *American Journal of Roentgenology*; 185:1654-1657.

Jolly J, Walker J. Bhabra K (1999): Subsequent obstetric performance related to primary mode of delivery. *British Journal of Obstetrics and Gynaecology* 106: 227-232.

Jurdi R and Khawaja M (2004): Caesarean section in the Arab region: across national study. *Health Policy and Planning*; 19:101-110.

Kaylen M and Silverberg (2008): Pelvic adhesions prevention through adjunctive therapies. *Journal of Family Practice*: 8,. 08(1).

Khawaja M, Kabakian-Khasholian T, Jurdi R (2004): Determinants of caesarean section in Egypt: Evidence from the demographic and health survey. *Health Policy*; 69 (3); 273-281.

Killick SR (1999): Hysterosalpingo-contrast sonography as a screening test for tubal patency in infertile women. *Journal of Royal Society of Medicine*; 92:628-31.

- Kilsztjan S, Carmo MS, Machando LC, et al. (2007):** Caesarean sections and maternal mortality in Sao Paulo. *European Journal of Obstetrics and Gynecology. Reproductive Biology*; 132 (1): 64-69.
- Kim AH, McKay H, Keltz MD, et al. (1998):** Sonohysterographic screening before in vitro fertilization. *Fertility & Sterility*; 69:841–844.
- Kim TH, Kim JS, Lee HH, et al. (2006):** Prevention of vesicouterine adhesion after caesarean with Interceed. Presented at: Korean society of feral medicine. 10th annual congress of Perinatal society of Australia & New Zealand; April 3-6.
- Koninckx PR (1993):** CA₁₂₅ in the management of endometriosis. *European Journal of Obstetrics and Gynecology. Reproductive Biology*; 49:109-113.
- Koninckx PR, Kennedy SH, Barlow DH (1999):** Pathogenesis of endometriosis: the role of peritoneal fluid. *Gynecologic and Obstetric Investigation*; 47 (1) :23-33.
- Kore S, Hegde A, Nair S, et al. (2000):** Sonography for assessment of tubal potency. *Journal of obstetrics and gynecology India*; 50 (2); 63-66.
- Kupesic S, Kurjak A and Bjelos D (2004):** Sonohysterography and sonohysterosalpingography: text atlas of normal and abnormal findings. *Donald school textbook of ultrasound in obstetrics & gynecology*, Parthenon Publishing.

- Kupesic S and Plavsic BM (2007):** 2D and 3D hysterosalpingo-contrast sonography in the assessment of uterine cavity and tubal patency. *European Journal of Obstetrics and Gynecology. Reproductive Biology*;133: 64–69.
- Lall SS, Debdatta G, Debdas S, et al. (2007):** Comparative evaluation of sonosalpingography , hysterosalpingography, and laparoscopy for determination of tubal patency. *Journal of Obstetrics and Gynecology India*. 57,.2 : 158-161
- Lauder C , Giuseppe G, Strickland A, et al. (2010):** Abdominal adhesion prevention: still a sticky subject?. *Digestive Surgery*;27:347-358.
- Lau S and Tulandi T (2000):** Myomectomy and adhesion formation. In: diZerega GS, DeCherney AH, Diamond MP, et al, eds. *Peritoneal surgery*. 1st ed. New York, NY: Springer-Verlag. 289-290.
- Liakakos T, Thomakos N, Fine PM, et al. (2001):** Peritoneal adhesions: etiology, pathophysiology, and clinical significance. *Digestive Surgery*. 18: 260-273.
- Lower AM, Hawthorn RJ, Ellis H, et al. (2000):** The impact of adhesions on hospital readmissions over ten years after 8,849 open gynaecological operations: an assessment from the surgical and clinical adhesions research study. *British Journal of Obstetrics and Gynaecology*; 107: 855–862.
- Luijendijk RW, Lange DC, Wauters CA, et al. (1996):** Foreign material in postoperative adhesions. *Annals of Surgery*;223:242–248.

- Lyell DJ, Caughey AB, Hu E, et al. (2005):** Peritoneal closure at primary cesarean delivery and adhesions. *Obstetrics and Gynecology*; 106:275-280. 102–112.
- Mackenzie IZ, Cooke I and Annan B. (2003):** Indications for caesarean section in a consultant unit over the decades. *Journal of Obstetric and Gynecology*;23:233-238.
- Malinak LR and Young AE (1997):** Peritoneal closure: when and why?.*Contemporary Obstetric and Gynecology*;42: 102-112.
- Martin JA, Hamilton BE, Sutton PD, et al.(2007):** Births final data for 2005. *National vital statistics reports*, 56.6.Hyattsville (MD) : National Center for Health Statistics.
- Menzies D, Pascual MH, Walz MK, et al. (2006):** Use of icodextrin 4% solution in the prevention of adhesion formation following general surgery: from the multicentre ARIEL Registry. *Annals of The Royal College of Surgeons of England*;88:375-382.
- Mette C , Tollanes H and Kari KM (2007):** Reduced fertility after caesarean delivery, a maternal choice. *American College of Obstetrics and Gynecology* 110: 12560-63.
- Metwally M, Watson A, Lilford R, et al.(2006):** Fluid and pharmacological agents for adhesion prevention after gynaecological surgery. *Cochrane. database. systemic review*; 19.CD001298.

Minkin, M.J and Wright, C.V, (2003) . Effect of adhesions on fallopian tube. The yale women's guide to women's reproductive health. Yale university press. page 156. ISBN: 0-300-09820-0.

Morales K , Gordon M and Bates GW (2005): Post caesarean adhesions may compromise infant well-being. Presented at: American College of Obstetricians and Gynecologists Armed forces district meeting: Seattle. Washington. Abstract 18.

Morales KJ, Gordon MC, Bates GW Jr (2007): Postcaesarean delivery adhesions associated with delayed delivery of infant. American Journal of Obstetrics & Gynecology;196:461-466.

Mueller BA, Daling JR, Moore DE et al .(1986): Appendectomy and the risk of tubal infertility. National England Journal of Medicine 11;315(24):1506-1508.

Mukherjee SN(2006): Rising caesarean section rate. Journal of Obstetric and Gynecology of India;56:298-300.

Munro Kerr's (2007): Operative obstetrics: Eleventh edition, caesarean section, vaginal birth after caesarean section, Chapter 11, 12., Page 151:173.

Murphy DJ, Stirrat GM, Heron J (2002): The relationship between caesarean section and subfertility in a population-based sample of 14541 pregnancies. Human Reproduction; 17: 1914-1917.

Mutsaers SE and Wilkosz S. (2007): Structure and function of mesothelial cells. Cancer Treatment Reviews;134:1-19.

Mutsaers SE. (2002): Mesothelial cells: their structure, function and role in serosal repair. *Respirology*;7:171-191.

Mynbaev OA, Molinas CR, Adamyan LV, et al. (2002): Pathogenesis of CO₂ pneumoperitoneum induced metabolic hypoxemia in a rabbit model. *The Journal of American Association of Gynecologic laparoscopists*;9:306-314.

Mynbaev OA, Molinas CR, Adamyan LV, et al.(2002): Reduction of CO₍₂₎ pneumoperitoneum induced metabolic hypoxaemia by the addition of small amounts of O₂ to the CO₂ in a rabbit ventilated model. A preliminary study. *Human Reproduction*;17:1623-1629.

Myomectomy Adhesion Multicenter Study Group (1999): An expanded polytetrafluoroethylene barrier (Gore-Tex Surgical Membrane) reduces post-myomectomy adhesion formation. *Fertility & Sterility* ;63:491– 493.

Nisenblat V, Barak S, Griness OB, et al. (2006): Maternal complications associated with multiple caesarean deliveries. *Obstetric and Gynecology* ;108:21-26.

Novak(2002): Reproductive endocrinology; 4th edition, section V, p. 1001-1004

Obradovic MM, Stojimirovic BB, Trpinac DP, et al. (2000): Ultrastructural changes of peritoneal lining cells in uremia. *Advances in peritoneal dialysis*;16:26-30.

Oguntoyinbo AE, Amok AOD, Komolafe OF(2001): Sonographic assessment of fallopian tube patency in the investigation of female

infertility in Ilorin, Nigeria. African journal of reproductive health, 5, 1: 100-105.

Ong SY, Wu J, Mochhala SM, et al. (2008): Development of a chitosan-based wound dressing with improved hemostatic and antimicrobial properties. Biomaterials; 29:4323–4332.

Oral E and Elter K (2007): The impact of caesarean birth on subsequent fertility. Current opinion in Obstetrics and Gynecology 19: 238-243.

Parker MC, Wilson MS, Menzies D, et al. (2005): The standing committee on agricultural research-3(SCAR 3) study: 5 year adhesion-related readmission risk following lower abdominal surgical procedures. Colorectal Disease; 7: 551–558.

Patil M (2009): Assessing tubal damage . Journal of Human Reproductive Sciences; 2(1): 2–11.

Peskin EG and Reine GM (2002): What is the correct caesarean section rate and how do we get there? Obstetrical and gynecological survey; 37:189-190.

Porter M, Bhattacharya S, van Teijlingen E (2006): Unfulfilled expectations: how circumstances impinge on women's reproductive choices. Social Science and Medicine 62: 1757-1767.

Rahman MS, Gasem T, Al Suleiman SA, et al. (2009): Bladder injuries during caesarean section in a university hospital: A 25-year review. Arab gynecology and obstetric;279:349-352.

- Randolph JR, Ying YK, Maier DB, et al. (1986):** Comparison of real-time ultrasonography, hysterosalpingography and laparoscopy/hysteroscopy in the evaluation of uterine abnormalities and tubal patency. *Fertility and Sterility* 46: 828-832.
- Regan L, Owen EJ, Jacobs HS (1990):** Hypersecretion of luteinizing hormone, infertility, and miscarriage. *Lancet* 336,1141-1144.
- Richman TS, Viscomi GN, Decherney A, et al. (1984):** Fallopian tubal patency assessed by ultrasound following fluid injection. *Radiology* 152: 507-511.
- Roberts RN, Quinn AJ, Thompson W, et al. (1993) :** Association of Chlamydia trachomatis with tubal infertility. *Irish Journal of Medicine Sciences* .162(1):24-26
- Royal Collage of Obstetrician and Gynecologists (2004):** Female infertility. Evidence-based text for Medical Royal College of Obstetricians and Gynaecologists Ch 52. p. 566-571.
- Saed GM, Jiang Z, Fletcher NM, et al.(2007):** Modulation of the BCL2/ BAX ratio by interferon gamma and hypoxia in human peritoneal and adhesion fibroblasts. *Fertility& Sterility*;63:491–493.
- Sagle M, Bishop K, Ridley N , et al. (I988):** Recurrent early miscarriage and polycystic ovaries. *British Medical Journal* 297. 1027-I028.
- Saraswat L, Maureen P, Sohinee B, et al. (2008):** Caesarean section and tubal infertility: is there an association? . *Reproductive Biomedicine online*: 17 (2): 259-264

- Savage W (2000):** The caesarean section epidemic. *Journal of Obstetrics and Gynecology*; 20:223-225.
- Schindler AE (2004):** Gonadotropin releasing hormone agonists for prevention of postoperative adhesions: an overview. *Gynecological endocrinology*;19:51-55.
- Sheth SS and Kurush P. (2009):** Story of caesarean section. *Journal of Obsteric and Gynecology of India*. 59,5 :413-423
- Smith SGC, Wood AM, Pell JP (2006):** First caesarean birth and subsequent fertility. *Fertility & Sterility*. 85: 90-105.
- Snick HK, Snick TS, Evers JL, et al . (1997):** The spontaneous pregnancy prognosis in untreated subfertile couples: The walcheren primary care study. *Human Reproduction* ; 12(7):1582-8.
- Speroff L(2005):** Clinical gynecology and infertility. 7th ed. Philadelphia, PA: Lippincott Williams & Wilkins. 932-958
- Steven R, Lindheim, Sprague C et al., (2006) :** Hysterosalpingography and sonohysterography: Lessons in technique . *American Journal of Roentgenology* 186 (1) :24-29
- Sulaiman H, Gabella G, Davis MC, et al. (2001);** Presence and distribution of sensory nerve fibers in human peritoneal adhesions. *Annals of Surgery*; 234:256-261.
- Sur S, Mackenzie IZ(2005):** Does discussion of possible scar influence preferred mode of delivery after caesarean section ? *Journal of Obstetric and Gynecology*;25:338-341.

- Taffel SM, Placek PJ and Liss T (1987):** Trends in the United States caesarean section rate and reasons for the 1980-1985 rise. American Journal of Public Health;77;955-959.
- Taylor RD (2002):** Mycoplasma genitalium an update. International Journal of Sexually Transmitted Diseases & Acquired Immunodeficiency Syndrome; 13:145.
- The Practice committee of the American society for reproductive medicine (2006):** Control and prevention of peritoneal adhesions in gynecologic surgery. Fertility & Sterility;86(5):1-5.
- Theodore A and Baramki (2007):** Hysterosalpingography. Up to date online 15.1.
- Thomas J and Parenajothy S (2001):** Royal College of Obstetricians and Gynecologists clinical effectiveness support unit. The national sentinel caesarean section audit report. London. Royal College of Obstetricians and Gynecologists Press.
- Thomson F, Shanbhag S, Templeton A, et al. (2005):** Obstetric outcome in women with sub fertility. British Journal of Obstetrics and Gynaecology 112: 632-637.
- Tita AT, Rouse DJ, Blackwell S, et al. (2009):** Emerging concepts in antibiotic prophylaxis for caesarean delivery: Systematic review. Obstetric and Gynecology;113:675-682.
- Tulandi T (2001):** Introduction–prevention of adhesion formation: the journey continues . Human Reproduction Update 7:545–546.

- Tulandi T , Agdi M and Zarei A (2009):** Adhesion development and morbidity after repeat cesarean delivery. American Journal of Obstetric and Gynecology; 201:56-60.
- Tulandi T and Al-Sunaidi M(2007):** Averting adhesions: Surgical techniques and tools. OBG Manage:86-92.
- Van Ham M , Van Dongen P and Mulder J (1997):** Maternal consequences of caesarean section: A retrospective study of intraoperative and postoperative maternal complications of cesarean section during a 10 year period. European Journal of Obstetrics and Gynecology. Reproductive Biology;74:16.
- Ventura SJ, Martin JA, Curtin SC, et al. (2000):** Births final data for 1998. National vital statistics reports: 48, 3.
- Verma SK, Lev-Toaff AS, Baltarowich OH, et al. (2009):** Adenomyosis: sonohysterography with MRI correlation. American Journal of Roentgenol.192:1112–1116.
- Volpi E, Piermatteo M, Zuccaro G, et al. (1996):** The role of transvaginal sonosalpingography in the evaluation of tubal patency. Minerva Gynecological 48: 1-3.
- Vrijland WW, Jeekel J, van Geldorp HJ, et al. (2003):** Abdominal adhesions: intestinal obstruction, pain, and infertility. Surgical endoscope; 14:1017–1022.
- Weaver FA, Lew W, Granke K, et al. (2008):** Comparison of recombinant thrombin to bovine thrombin as a hemostatic ancillary in patients undergoing peripheral arterial bypass and

arterio venous graft procedures . Journal of vasculare surgery ; 47:1266-1273.

Weiseenfeld IC, Hillher, Krohn MA, et al.(2002): Lower genital infection and endometritis, in sight into subclinical pelvic inflammatory disease . Obstetrics and Gynecology; 1000:456.

Westrom L (1995): Effect of pelvic inflammatory disease on fertility, Venereology. 219-222.

Westrom L. Joesoef R. Reynolds G et al . (1992): Pelvic inflammatory disease and fertility. Cohon study of 1.844 women with laparoscopically veritied disease and 657 control women with normal laparoscopic results . Sexually Transmitted Diseases; 19,185-192.

Wiseman DM, Trout JR, Franklin RR, et al. (1999): Meta analysis of the safety and efficacy of an adhesion barrier (Interceed TC7) in laparotomy. Journal of Reproductive Medicine;44:325-331.

Wiseman DM, Trout JR and Diamond MP (1998): The rates of adhesion development and the effects of crystalloid solutions on adhesion development in pelvic surgery. Fertility &Sterility;70:702–711.

Wolf ME, Daling JR and Voigt LF (1990): Prior caesarean delivery in women with secondary tubal infertility. American Journal of Public Health 80.1382-1383.

Yacoub K (2003): ABC of subfertility: tubal subfertility. British Medical Journal: 327 (7415): 610-631.

Zelop C, Heffner LJ (2004): The downside of caesarean delivery: short and long term complications . Clinical Obstetrics and Gynecology ;47:386-393.

Zeyneloglu HB, Senturk LM, Seli E, et al . (1998): The role of monocyte chemotactic protein-1 in intraperitoneal adhesion formation. Human Reproduction; 13: 1194–1199.

Zvanca M , Vladareanu R , Andrei C (2007) : Infertility investigation through saline infusion sonohysterosalpingography . Mædica ; Journal of Clinical Medicine, 2 (1) :10-16 .