

References

- Abdel Aziz , H. ; Akl, O. A. and Ibrahim, H.K. (2009):* Impact of a Health education intervention program about breast cancer among Women in a Semi-urban Area in Alexandria. Egypt J Egypt Public Health Assoc Vol. 84 No. 1 & 2.
- Abdel-Fattah, M.; Bassilli,A. ; El Shazly, M. and Tognoni, G. O. (2000):* Breast self-examination practice and its impact on breast cancer diagnosis in Alexandria, Egypt. East Mediterr Hlth J, 6, 34-40.
- Absetz, P.; Aro, A.R. and Sutton, S.R. (2003):* "Experience with breast cancer, pre-screening perceived susceptibility and the psychological impact of screening". Psychooncology 12 (4): 305–18.
- Abu Shaikha,S.S. and Salama, R.E. (2009):*Knowledge and Attitude towards Breast Cancer and Breast Self Examination among Women Attending Primary Health Care Centres in Doha. Middle East Journal of Family Medicine Volume 9, Issue 6
- Agboola, A.O.J.; Agboola, D.A.M. and Oritogun, K.S.B.(2009):* Knowledge, attitude and practice of breast self examination in female health workers in Olabisi Onabanjo University Teaching Hospital, Sagamu, Nigeria. *Int Med J*, 8, 5-10.
- Agency for Healthcare Research and Quality (United States Preventive Services Task Force).(2005):* "Genetic Risk Assessment and BRCA Mutation Testing for Breast and Ovarian Cancer Susceptibility: Recommendation Statement".

- Akel, A. ; Mohammed, R. and Mohammed, I. (2006):* Knowledge And practice of Jordanian women towards breast cancer and Breast self-examination.JRMS,18(2):80-86.
- Al-Dubai, S.A. ; Ganasegeran, K.; Alabsi, A.M.; Abdul Manaf, M.R.; Ijaz, S. and Kassim, S.I. (2012):* Exploration of barriers to breast-self Examination among urban women in Shah Alam, Malaysia: Across sectional Study. Asian Pacific J Cancer Prev, 13,1627-1632.
- Alharbi, N.A.; Alshammari, M.S.; Almutairi, B.M.; Makhoul, G. and El-Shazly, M.K. (2012):* Knowledge, awareness, and practices Concerning breast cancer among Kuwaiti female school teachers, Alexandria Journal of Medicine 48, 75–82.
- Alkhasawneh, M.I. (2007):* Knowledge and practice of breast cancer screening among Jordanian nurses. Oncology Nursing Forum; 34(6): 1211-7.
- Allen, N.E.; Beral, V.; Casabonne, D. (2009):* Moderate alcohol intake And cancer incidence in women. J Natl Cancer Inst. mar 4;101(5):296-305.
- Al-Naggar, R.A.; Al-Naggar, D.H.; Bobryshev, Y.V. and Chen, R.; Assabr, A. (2011):* Practice and barriers toward breast self-examination among young Malaysian women. APJCP(Asian Pacific journal of cancer prevention), 12, 1173-8.
- Alsaif, AA. (2004):* Breast self-examination among Saudi female nursing students in Saudi Arabia. Saudi Med J, 25, 1574- 1578.

American Cancer Society. (2005): Breast cancer facts & figures. (2005–2006) .Atlanta, GA. [http// www.cancer.org](http://www.cancer.org).

American Cancer Society. (2009): Cancer facts & figures (2009).Atlanta, GA[http//www.cancer.org](http://www.cancer.org)

American cancer society.(2012): Breast cancer - early detection.Atlanta, GA. [http:// www.cancer.org](http://www.cancer.org)

Amir, E .; Evans, D.G. ; Shenton, A. ; Laloo, F. ; Moran, A. ; Boggis, C. ; Wilson, M. and Howell, A. (2003) : Evaluation of breast cancer risk assessment packages in the family history evaluation and Screening programme. J Med Genet, 40:807-814.

Anderson, B.O.; Yip, C.H.; Ramsey, S.D.; Bengoa, R.; Braun, S. and Fitch, M. (2006) : Global Summit Health Care Systems and Public Policy Panel. Breast cancer in limited resource countries: health care systems and public policy. Breast J; 12 Suppl 1: 154-69.

Ashbeck, E.L.; Rosenberg, R.D., Stauber, P.M. and Key, C.R. (2007): Benign breast biopsy diagnosis and subsequent risk of breast cancer. Cancer Epidemiol Biomarkers Prev.;16(3):467-472

Baan, R. ; Straif, K. and Grosse, Y. (2007): Carcinogenicity of alcoholic beverages. Lancet Oncol. 8(4):292-293

Bala, D.V. and Gameti, H. (2011): An educational intervention study of breast self examination (BSE) in 250 women beneficiaries of urban health centers of west Zone of Ahmedabad.Healthline

Journal of Indian Association of Preventive And Social Medicine, Vol.2, issue 2, pag.40-49.

Bassey, R.B. ; Irurhe, N.K. ; Olawoyeye, M.A. ; Aderomoye, A.A. and Onajolu, A.T. (2010): Knowledge, attitude and practice of breast self examination among nursing students in LAGOS University Teaching Hospital. Academic Journal of Cancer Research, 3(2):11–15.

Baxter, N. (2001): Preventive health care, 2001 update : should women be routinely taught breast self examination to screen for breast cancer. *CMAJ* 164 (13): 1837–46.

Beral, V. ; Reeves, G. ; Bull, D. and Green, J. (2011): Breast cancer risk in relation to the interval between menopause and starting hormone therapy. *J Natl Cancer Inst.* 103(4):296-305.

Berg, W.A. ; Blume, J.D. and Cormack, J.B. (2008) : For the ACRIN 6666 .investigators combined screening with ultrasound and mammography versus mammography alone in women at elevated risk of breast cancer. *JAMA* . 299(18):2151–2163.

Berge, W.A.; Zhan, Z.; Lether, D.; Jong, R.A. Pisano, E.D. and Barr, R.G. (2012): Detection of breast cancer with addition of annual screening ultrasound or a single screening MRI to mammography in women with elevated breast cancer risk. *JAMA* 307 (13): 1394-404.

Berkow, R.; Fletcher A.J.(2003):Merck manual of diagnosis and therapy. (6th ed). Rathway,N.J.;Merck Research Laboratories.

- Bernstein, L. (2002):** Epidemiology of endocrine-related risk factors for breast cancer. *J mammary gland biol neoplasia* , 7:3-15.
- Berry, D.A.; Cronin, K.A. and Plevritis, S.K. (2005):** Effect of screening and adjuvant therapy on mortality from breast cancer. *N.Engl.J.med*;353:1784-1792.
- Bieber, E. (2006):** Clinical Gynecology,(first ed), Elsevier publishing,Philadilphia,Churchill Livingstone.
- Brem, R.F.; Rapelyea, J.A.; Zisman, G.; Mohtashemi, K.; Raub, J.;Teal, C.B.; Majewski, S. and Welch, B.L. (2005):** Occult breast cancer: Scintimammography with high-resolution breast-specific gamma camera in women at high risk for breast cancer .*Radiology* ;237: 274 – 280 .
- Buchholz T.A. (2009).** "Radiation therapy for early-stage breast cancer after breast-conserving surgery". *N. Engl. J. Med.* 360 (1): 63–70.
- Buttiglierio, C.; Monagheddu, C.; Petroni, P.; Saini, A.; Dogliotti, L.; Ciccone, G.;Berruti, A. (2011):** "Prognostic role of vitamin D status and efficacy of vitamin D supplementation in cancer patients: a systematic review". *The oncologist* 16 (9): 1215–27.
- Calle, E.E.; Feigelson H.S.; Hildebrand, J.S.; Teras, L.R.; Thun, M.J. and Rodriguez, C.(2009).** Postmenopausal hormone use and breast cancer associations differ by hormone regimen and histologic subtype. *Cancer.*; 115(5):936-945.
- Cancer Research, U.K. (2007):** Cancer Stats incidence – UK. cancer research UK.

- Carney, P.A.; Miglioretti, D.L. and Yankaskas, B.C. (2003):*** Individual and combined effects of age, breast density, and hormone replacement therapy use on the accuracy of screening mammography. *Ann Intern Med* 138 (3): 168-75.
- Cavalieri, E.; Chakravarti, D. and Guttenplan, J. (2006).*** "Catechol estrogen quinones as initiators of breast and other human cancers: implications for biomarkers of susceptibility and cancer prevention". *Biochimica et Biophysica Acta* 1766 (1): 63–78.
- Chioma, C. and Asuzu S.R.N.(2007):*** Knowledge, attitude and practice of self-breast examination among the female students of the University of Ibadan, Nigeria. *Pak J Social Sciences*; 4: 400-2.
- Chlebowski, R.T.; Anderson, G.L. and Gass M, (2010):*** Estrogen plus progestin and breast cancer incidence and mortality in postmenopausal women. *JAMA*.;304(15):1684-1692.
- Claus, E.B.; Risch, N. and Thompson, W.D. (1991):*** Genetic analysis of breast cancer in the cancer and steroid hormone study. *Am J Hum Genet*, 48:232-242.
- Collins, K.; Winslow,M. and Reed, M.W. (2010):*** The views of older women towards mammographic screening: a qualitative and quantitative study.*Br J Cancer*,102(10):1461-1468.
- Couch, F.J.; DeShano, M.L.; Blackwood, M.A.; Calzone, K.; Stopfer, J.; Campeau, L.; Ganguly, A.; Rebbeck, T. and Weber, B.L. (1997):*** BRCA1 mutations in women attending clinics that evaluate breast cancer risk. *N Engl J Med*, 336:1409-1415.

- Coughlin, S.S. and Ekwueme, D.U. (2009):*** Breast cancer as a global health concern. *Cancer Epidemiol*, 33, 315-8.
- Crouchley, K.; Wylie, E. and Khong, E. (2006):*** Hormone replacement therapy and mammographic screening outcomes in Western Australia. *J Med Screen* 13 (2): 93-7,.
- Cummings, S.R.; Tice, J.A. and Bauer, S. (2009):*** Prevention of breast cancer in postmenopausal women: approaches to estimating and reducing risk. *J Natl Cancer Inst.* Mar 18;101(6):384-398
- Cutler, W.B.; Burki, R.E.; Genovesse, E. and Zacher, M.G. (2009):*** "Breast cancer in postmenopausal women: what is the real risk?". *fertility and sterility* 92 (3): S16.
- Dandash, K.F.; Al-Mohaimeed,(2007):*** Knowledge, attitudes and practices surrounding breast cancer and screening in female teachers of Buraidah, Saudi Arabia. *Int J Health Sciences*; 1: 75-85.
- Demirkiran, F.; Balkaya, N.A. and Memis, S. (2007):*** How do nurses and teachers perform breast self-examination: are they reliable sources of information? *BMC Public Health*, 7, 96.
- Dey, S.; Soliman, A.S.; Hablas, A.; Seifeldein, I.A.; Ismail, K.; Ramadan, M.; El-Hamzawy, H.; Wilson, M.L.; Banerjee, M. and Boffetta, P.(1999-2006) :*** Urban-rural differences in breast cancer incidence in Egypt. *PMC,Breast*, 19(5):417-423.
- Dundar, P.E.; Ozmen, D.; Ozturk, B.; Haspolat, G.; Akyildiz, F.; Coban, S. and Cakiroglu, G. (2006):*** The knowledge and attitude

of breast-self examination and mammography in a group of women in a rural area in Western Turkey. BMC Cancer, 6:43.

Dunning, A.M.; Healey, C.S.; Pharoah, P.D.; Teare, M.D.; Ponder, B.A. and Easton, D.F. (1999): "A systematic review of genetic polymorphisms and breast cancer risk". cancer epidemiology, biomarkers & prevention 8 (10): 843–54.

Elattar, I.A.; Hassan, N.M.; Lamee, M.M. and Elbasmy, A.A.; Cancer profile at the National Cancer Institute, Egypt,(2002–2003). J Clin Oncol. 2005; 23(156): 9653-9. 6.

Elbadawy, A.A.; koura, S.K.; Mohammed, S.E. and Magdy, H.A. (2011) : Health education about breast self examination among female clerks in Zagazig faculty of medicine:an intervention study.Thesis.Zagazig faculty of medicine. Egypt.

EMedicine (2006): "Breast Cancer Evaluation". <http://www.emedicine.com/med/TOPIC3287..>

Ertem, G. and Kocer A (2009): Breast self-examination among nurses and midwives in Odemis health district in Turkey. Ind J Cancer, 46, 208-13.

Fahmy, S.I. and El-sherbini, A.F. (1983): Determining simple parameters for social classification for health researchers. Bulletin of the High Institute of public Health,,: 235: 1-14

Farahat, T.M.; Omar, A.A.; Magahed, M.A. and Elkot, M.M. (2010): Mastalgia : Causes and management in rural population. Thesis . Menofia faculty of Madicine, Menofia University. Egypt.

- Feig, S.A. and Ehrlich, S.M. (1990):*** Estimation of radiation risk from screening mammography: recent trends and comparison with expected benefits. *Radiology* 174 (3 Pt 1): 638-47.
- Ferlay, J.; Shin, H.R.; Bray, F.; Forman, D.; Mathers, C. and Parkin, D.M.(2008):*** Estimates of worldwide burden of cancer in 2008: GLOBOCAN (2008). *Int J Cancer* ,127(12): p. 2893-2917.
- Florescu, A.; Amir, E.; Bouganim, N. and Clemons, M. (2011).*** "Immune therapy for breast cancer in 2010—hype or hope?". *Current oncology* 18 (1): e9–e18.
- Franek, G.A.; Nowak-Kapusta, Z.E. and Cabaj, M. (2004):*** Breast cancer prophylaxis among nurses. *Wiad Lek*, 57, 82-84
- Freedman, L.S.; Edwards, B.K.; Ries, L.A.G. and Young, J.L.(2006):*** Cancer Incidence in four member countries (Cyprus, Egypt, Israel, and Jordan) of the Middle East Cancer Consortium (MECC) compared with US SEER. National Cancer Institute.
- Gail, M.H.; Costantino,J.P.; Pee,D.; Bondy,M.; Newman,L.; Selvan, M; Anderson,G.L.; Malone,K.E.; Marchbanks,P.A.; McCaskill-Stevens,W.; Norman,S.A.; Simon,S.A.; Spiratas,R.; Ursin,G; Bernstein,L. (2007) :*** projecting individualized absolute invasive breast cancer risk in African American women. *J Natl cancer inst*, 99:1782
- Gilani, S.I.; Khurram, M.; Mazhar, T.; Mir, S.T.; Ali, S. and Tariq, S.; Malik, A.Z.; Rawalpind. (2010):*** Knowledge, attitude and practice of a Pakistani female cohort towards breast cancer, Vol. 60, No. 3 .

- Gøtzsche, P.C. and Nielsen, M. (2011).** "Screening for breast cancer with mammography". Cochrane database Syst Rev (1): CD001877.
- Gozum, S. and Aydin, I. (2004) :** Validation evidence for Turkish adaptation of Champion's health belief model scales. *Cancer Nurs*, 27(6):491-498.
- Grunfeld, E.A.; Ramirez, A.J.; Hunter, MS. and Richard, M.A.(2002):** Women's knowledge and beliefs regarding breast cancer. *Br J Cancer*;86:1373-8.
- Gui, G.P.; Hogben, R.K. and Walsh, G. (2001):** The incidence of breast cancer from screening women according to predicted family history risk: Does annual clinical examination add to mammography? *Eur J Cancer* 37 (13): 1668-73,.
- Gupta, S.K.; Pal, D.K. and Garg, R. (2009):** Impact of a health education intervention program regarding breast self examination by women in a semi-urban area of madhya pradesh, India. *Asian Pac J Cancer Prev*, 10, 1113-7.
- Güth, U.; Huang, D.J. and Huber, M. (2008):** tumor size and detection in breast cancer : Self-examination and clinical breast examination are at their limit. *Cancer Detect Prev*.,32(3):224-232
- Habib, F.; Salman, S.H.; Safwat, M. and Shalaby, S.H. (2010):** Awareness and knowledge of breast cancer among university students in Al Madina Al Munawara region.
- Haji-Mahmoodi, M.; Montazeri, A.; Jarvandi, S.; Ebrahimi, M.; Haghighat, S. and Harirchi, I. (2002):** Breast self-examination:

knowledge, attitudes, and practices among female health care workers in Tehran, Iran. *Breast J*, 8(4):222-225. *Middle East Journal of Cancer*, 2010, 159-166.

Han, Y.; Williams, R.D. and Harris, R.A. (2000): Breast cancer screening 29. knowledge, attitudes, and practices among Korean American women. *oncology nursing forum*, 27:1585–1591.

Harmer, V. (2008): Breast cancer. part 1: Awareness and common benign diseases. *Br J Nurs.*, 17(15):950-955

Harris, R. and Kinsinger, L.S. (2002): "Routinely teaching breast self-examination is dead. What does this mean?". *J. Natl. Cancer Inst.* **94** (19): 1420–1.

Hartmann, L.C.; Sellers, T.A. and Frost, M.H. (2005): Benign breast disease and the risk of breast cancer. *N Engl J Med.*; 353(3):229-237

Haslam, S.Z. and Woodward, T.L. (2003): "Host micro environment in breast cancer development: epithelial-cell-stromal-cell interactions and steroid hormone action in normal and cancerous mammary gland.". *Breast Cancer Res.* 5 (4): 208–15.

Haydaroglu, A.; Dubova, S.; Ozsaran, Z.; Bolukbasi, Y.; Yilmaz, R. and Kapkan, M. (2005): (Breast cancer in Ege University; Evaluation of 3897 cases). *Turkish: Meme Sagligi Dergisi*; 1:6-11.

Hirschman, J.; Whitman, S. and Ansell, D. (2007): "The black:white disparity in breast cancer mortality: the example of Chicago". *Cancer Causes Control* 18 (3): 323–33.

- Holmes. (2010).** "Aspirin Intake and Survival After Breast Cancer".
Journal of Clinical Oncology, 28 (9): 1467–72.
- Hosny, G.; Elkaffas, S.M.(2002):** A prediction model for the incidence patterns of female breast cancers in Alexandria, Egypt. J Egypt public health assoc; 77(3-4): 329-45.
- Hovey, R.C.; Trott, J.F. and Vonderhaar, B.K. (2002):**Establishing a framework for the functional mammary gland: from endocrinology to morphology. j Mammary Gland Biol Neoplasia, 7:7-37.
- Hulka, B.S. and Moorman, P.G. (2001):** Breast cancer: hormones and other risk factors. Maturitas.;38(1):103-113; discussion 113-106
- Ibrahim, A. N. and Odusanya, O. O. (2009):** Knowledge of risk factors, beliefs and practices of female healthcare professionals towards breast cancer in a tertiary institution in Lagos, Nigeria. BMC Cancer 2009, 9, 76.
- Jaffary, A.; Mansuri, F. and Shamin, S. (2005):** Knowledge attitudes and practices regarding breast cancer screening in women of various social strata. J Surg Pak; 10: 44-7.
- Jahan, S., Al-Saigul, A.M. and Abdelgadir, M.H. (2006):** Breast cancer. Knowledge, attitudes and practices of breast self examination among women in Qassim region of Saudi Arabia. Saudi Med J.;27(11):1737–1741.
- Jaradeen, K.N. (2010):** Breast cancer risk-factors and breast self examination practice among Jordanian women. Bahrain Med Bull 32(1).

Jardé, T.; Perrier, S.; Vasson, MP.; Caldefie-Chézet, F. (2011): "Molecular mechanisms of leptin and adiponectin in breast cancer". Eur. J. cancer 47 (1): 33–43.

Jarvandi, S.; Montazeri, A. and Harirchi, I. (2002): Beliefs and behaviors of Iranian teachers toward early detection of breast cancer and breast self examination. public health, 116, 245-9.

Jemal, A.; Center, M.M.; Desantis, C. and Ward, E.M. (2010): Global patterns of cancer incidence and mortality rates and trends. Cancer Epidemiol Biomarkers Prev.;19:1893 1907.

Jemal, A.; Siegel, R. and Ward, E. (2008). "Cancer statistics, 2008". CA Cancer J Clin 58 (2): 71–96.

Karayurt, Ö.; Özmen, D. and Çetinkaya, A.C. (2008): Awareness of breast cancer risk factors and practice of breast self examination among high school students in Turkey. BMC Public Health, 8, 359.

Kayode, F.; Akande, T.; Osagbemi, G. and Knowledge. (2005): Attitude and practice of breast self examination among female secondary school teachers in Ilorin, Nigeria. Eur J Sci Res, , 10, 42-7.

Kelly, P.A.; Bachelot, A. and Kedzia, C. (2002):The role of prolactin and growth hormone in mammary development. Mol Cell Endocrinal, 197:127-158.

Key, J.; Hodgson, S. and Omar, R.Z. (2006): Meta-analysis of studies of alcohol and breast cancer with consideration of the methodological issues. Cancer Causes Control. 17(6):759-770.

Khatib and Oussama, M.N.(2005): Guidelines for the early detection and screening of breast cancer .WHO, EMRO,Geneva.

Khokher, S.; Qureshi, W. and Mahmood, S. (2011): Knowledge, attitude and preventive practices of women for breast cancer in the educational institutions of Lahore, Pakistan. APJCP, ,12, 2419-24.

Kiguli-Malwadde, E.; Mubuuke, A.G.; Businge, F.; Kawooya, G.M.;Nakatudde, R.B.K.R. and Muyinda, Z. (2010): Current knowledge, attitudes and practices of women on breast cancer and mammography at Mulago Hospital; Pan Afr. Med. J., 5: 9

Kriege, M.; Brekelmans, C.T. and Boetes, C.; (2004): Efficacy of MRI and mammography for breast-cancer screening in women with a familial or genetic predisposition. N Engl J Med 351 (5): 427-37.

Lacroix, M. (2006): "Significance, detection and markers of disseminated breast cancer cells". Endocrine-related cancer 13 (4): 1033.

Leconte, I.; Feger, C. and Galant, C. (2003): Mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density. Am. J. Roentgenol.;180:1675–1679.

Lichenfeld,J.L.(2012): Lower your cancer risk and take a walk. American cancer society , <http://www.kevinmd.com/blog>.

Lord, S.J.; Lei, W. and Craft, P. (2007) : A systematic review of the effectiveness of magnetic resonance imaging (MRI) as an addition to mammography and ultrasound in screening young

women at high risk of breast cancer. Eur J Cancer 43 (13): 1905-17.

Luo, J.; Margolis, K.L. and Wactawski-Wende, J. (2011) : Association of active and passive smoking with risk of breast cancer among postmenopausal women: a prospective cohort study. BMJ.;342:d1016.

Macea, J.R. and Fregnani, J.H. (2006): Anatomy of the thoracic wall, axilla and breast. Int. J. Morphol., 24(4):691-704.

Martin, A. and Weber, B. (2000): genetic and hormonal risk factors in breast cancer. J Natl Cancer Inst.,92:1126-1135.

Massarut, S. Baldassare, G.; Belletti, B.; Reccaello, S.; D'Andrea, S.; Ezio, C.; Perin, T.; Roncadin, M. and Vaidaya, J.S. (2006):"Intraoperative radiotherapy impairs breast cancer cell motility induced by surgical wound fluid". J Clin Oncol 24 (18S): 10611.

Maxwell, A.E.; Bastani, R. and Warda, U.S. (2000): Demographic predictors of cancer screening among Filipino and Korean immigrants in the United States. Am J Prev Med, 18, 62-68.

Maxwell, C.J.; Bancej, C.M. and Snider, J. (2001). Predictors of mammography use among Canadian women aged 50–69: findings from the 1996/97 National Population Health Survey. CMAJ, 164, 329-334

McMenamin, M.; Barry, H.; Lennon, AM.; Purcell, H.; Baum, M.; Keegan, D.; McDermott, E.; O'Donoghue, D.; Daly, L. and Mulcahy, H. (2004): A survey of breast cancer awareness and

knowledge in a western population: lots of light but little illumination. Eur J Cancer. 2005;41:393–397

Milaat, W.A. (2000): Knowledge of secondary-school female students on breast cancer and breast self-examination in Jeddah, Saudi Arabia. East Mediterr Health J; 6: 338-343.

Montazeri, A.; Vahdaninia, M.; Harirchi, I.; Harirchi, A.M.; Sajadian, A. and Khaleghi, F.; (2008) : Breast cancer in Iran: need for greater women awareness of warning signs and effective screening methods. Asia Pac Fam Med;7(6): 1-7.

Moody-Ayers, S.Y.; Wells, C.K. and Feinstein, A.R. (2000): Benign tumors and early detection in mammography-screened patients of a natural cohort with breast cancer. Arch Intern Med 160 (8): 1109-15.

Moss, S.; Cuckle, H.; Evans, A.; Johns, L. and Waller, M . (2006): Effect of mammographic screening from age 40 years on breast cancer mortality at 10 years ' follow-up: a randomised controlled trial . *Lancet* ; 368 (9552) : 2053 – 2060

National Cancer Institute (2004). "Metastatic Cancer: questions and answers".National Cancer Institute,USA.

National Cancer Institute, Egypt. (2002–2003):National comprehensive cancer network. NCCN clinical practice.J. Clin Oncol, 23(156)

National Center for Chronic Disease Prevention and Health Promotion.(2011): Division of cancer Prevention and control, cdcinfo@cdc.gov

- Naylor,A. (2009) :** Development and implementation of sanitation survey using a knowledge, attitudes, practices (KAP) model.University of South Florida.
- O'Connor, M.; Rhodes, D. and Hruska, C. (2009):** (Molecular breast imaging). Expert review of anticancer therapy,9 (8): 1073–80.
- Odusanya, O.O. and Tayo, O.O. (2001):** Breast Cancer knowledge, attitudes and practice among nurses in Lagos, Nigeria.Acta Oncol, 40(7):844-848.
- Oestreicher, N.; Lehman.; C.D. and Seger, D.J. (2005):** The incremental contribution of clinical breast examination to invasive cancer detection in a mammography screening program. AJR Am J Roentgenol 184 (2): 428-32.
- Okobia, M.N.; Bunker, C.H.; Okonofua, F.E.. and Osime, U. (2006):**Knowledge, attitude and practice of Nigerian women towards breast cancer: A cross-sectional study. World J Surg Oncol;4:11-5.
- Okolie. (2012):** Breast self examination among female undergraduates in Enugu, Southeast, Nigeria .International Journal of Nursing and Midwifery ,Vol. 4(1), pp. 1-7.
- Olson and Stuart,J. (2002):** Bathsheba's Breast: Women, Cancer and History. Baltimore: The Johns Hopkins University Press. p. 198.
- Oluwatosin, O.A. (2012):** Primary health care nurses' knowledge practice and client teaching of early detection measures of breast cancer in Ibadan. BMC Nursing, 11:22.

- Oztuc, N.; Engin, V.S.; Kisigolo, A.N. and Yelmazir, G. (2000):*** Effects of education on knowledge and attitude of breast self examination among 25+ years old women. Eastern Journal of Medicine; 5(1):13-17.
- Parkin, D.M.; Whelan, S.L.; Ferlay, J.; Teppo, L. and Thomas, D.B. (2002):*** Cancer incidence in five continents, Vol. VIII, IARC Sc. Publins No.155, Lyon.
- Parmigiani, G.; Berry, D.A. and Aquilar, O. (1998):*** Determining carrier probabilities for breast cancer susceptibility genes BRCA1 and BRCA2. Am J Hum Genet, 62:145-148.
- Parsa, P. and Kandiah, M. (2005):*** Breast cancer knowledge, perception and breast self-examination practices among Iranian women. Int Med J, 4, 17-24.
- Parsa, P.; Kandiah, M. and Parsa, N. (2011):***Factors associated with breast self-examination among Malaysian women teachers ,Eastern Mediterranean Health Journal EMHJ , Vol. 17 No. 6 .
- Petro-Nustus, W. (2009):*** Factors Associated with Breast Self-Examination among Jordanian Women. Online Journal Public health Nursing , (4): 263-71. www3. Interscience, willey. Com. Nursing.
- Physician Insurers Association of America. (1995):*** Breast cancer study. Washington, DC: Physician insurers association of America.
- Pisano, E.D.; Gatsonis, C. and Hendrick, E. (2005):*** Diagnostic performance of digital versus film mammography for breast-cancer screening. N Engl J Med 353 (17): 1773-83.

- Press,D.J and Pharoah,P. (2010):*** Risk factors for breast cancer: areanalysis of two case control studies from 1926 and 1931. Epidemiology , 21(4): 566-638.
- Ramsay, D.T.; Kent, J.C.; Hartmann,R.A. and Hartmann, P.E. (2005):*** Anatomy of the lactating human breast redefined with ultrasound imaging.J.Anat. 206 (6):525.
- Rasu, R.S.; Rianon, N.J. and Shahidullah, S.M. (2011):*** Effect of educational level on knowledge and use of breast cancer screening practices in Bangladeshi women. Health Care Women Int, 32, 177-89.
- Ravichandran, K.; Al-Hamdan, N.A. and Mohamed, G. (2011):*** Knowledge, attitude, and behavior among Saudis toward cancer preventive practice. J Family Community Med, 18, 135-42.
- Romond, E.H.; Perez, E.A. and Bryant, J. (2005) :*** Trastuzumab plus adjuvant chemotherapy for operable HER2+ breast cancer. N Engl J Med.; 353:1673–1684.
- Rosmawati, N.H. (2010):*** Knowledge Attitude and Practice of Breast Self-examination Among Women in a Suburban Area in Terengganu, Malaysia.APJCP;11,1503-1508.
- Sadler, G.R.; Ko, C.M.; Cohn, J.A.; White, M.; Weldon, R.N. and Wu, P. (2007) :*** Breast cancer knowledge, attitudes, and screening behaviors among African American women: the Black cosmetologists promoting health program. BMC Public Health; 7: 57.

- Sadler, G.R.; Takahashi, M.; Ko, C. M.M.A. and Nguyen, T. (2003) :***
Japanese American women: behaviors and attitudes toward breast cancer education and screening. *Health Care for Women International*; 24:18–26.
- Sait, W.A.; Al-Amoudi, S. M.; Tawtai, D. A. and Abduljabbar, H. S. (2009) :*** The knowledge of breast cancer among young Saudi females. *Saudi Med J*; vol. 31(11): 1242-1244.
- Salaudeen, A.G.; Akande, T.M. and Musa, O.I. (2009) :*** Knowledge and attitudes to breast cancer and breast self examination among female undergraduates in a state in Nigeria. *European Journal of Social Sciences*; 7(3):157-165
- Saslow, D.; Hannan, J. and Osuch, J. (2004):*** "Clinical breast examination: practical recommendations for optimizing performance and reporting". *CA Cancer J Clin* **54** (6): 327–44.
- Secginli, S. and Nahcivan, N.O. (2006) :*** Factors associated with breast cancer screening behaviours in a sample of Turkish women: a questionnaire survey. *International Journal of Nursing Studies*, 43:161–171.
- Seif, N.Y. and Aziz, M.A. (2000)*** Effect of breast self examination training program on knowledge, attitude and practice of a group of working women. *Journal of the Egyptian Nat*, 12(2): 105-115
- Shannon, K.M.; Lubratovich, M.L.; Finkelstein, D.M.; Smith, B.L.; Powell, S.N. and Seiden, M.V. (2002):*** Model-based predictions of BRCA1/2 mutation status in breast carcinoma patients treated at an academic medical center. *Cancer*, 94:305-31.

Sistrom, C.L. and Garvan, C.W. (2004): Proportions ,odds, and risk. Radiology, 230 (1):12-19.

Smith, R.A.; Saslow, D. and Sawyer, K.A. (2003) : American Cancer Society guidelines for breast cancer screening: update 2003. CA Cancer J Clin;53(3):141-69.

Sreedharan, J.; Muttappallymyalil, J.; Venkatramana,M. and Thomas, M.(2010) : Breast self-examination: Knowledge and practice among nurses in United Arab Emirates. Asian Pacific Journal of Cancer Prevention;11(3): 651- 4.

Stewart, B.W.; and Kleihues, P. (2003) : world cancer report. IARCPress. Lyon. France.

Stoddard, F.R.; Brooks, A.D.; Eskin, B.A. and Johannes, G.J. (2008) : "Iodine alters gene expression in the MCF7 breast cancer cell line: evidence for an anti-estrogen effect of iodine". International Journal of Medical Sciences. 5 (4): 189–96.

Tagorda,J. (2011):Lectures and slides of diseases of the breast. from Schwartz's Principles of Surgery .

Taillefer, R. (1999) : The role of 99mTc sestamibi and other conventional radiopharmaceuticals in breast cancer diagnosis. Semin. Nucl. Med;29:16–40.

Tamimi, R.M.; Byrne, C.; Colditz, G.A. and Hankinson, S.E. (2007) : Endogenous hormone levels, mammographic density, and subsequent risk of breast cancer in postmenopausal women. J Natl Cancer Inst.1;99(15):1178-1187.

- Tavafian, S.S; Hasani, L.; Aghamolaei, T.; Zara, S. and Gregory, D. (2009):** Prediction of breast self examination in a sample of Iranian women : An application of the health belief model. *BMC womens health*,9:37-37
- UK National Screening Committee.(2009) :** Criteria for appraising the viability, effectiveness and appropriateness of a screening programme. UK Screening portal.
- Ursin, G.; Lillie, E.O. and Lee, E. (2009):**The relative importance of genetics and environment on mammographic density. *Cancer Epidemiol Biomarkers Prev*;18(1):102-112
- Vainshtein, J. (2008):** "Disparities in breast cancer incidence across racial/ethnic strata and socioeconomic status: a systematic review". *Journal of the National Medical Association*.100 (7): 833–9
- Venturi, S. (2001) :** "Is there a role for iodine in breast diseases?". *The Breast* 10 (5): 379–382.
- Vorbach, C.; Capecchi, M.R. and Penninger, J.M. (2006):** Evolution of the mammary gland from the innate immune system. *Bioessays*, 28:606-622.
- Vurur, S.; Kaya, F. and Ünüvar, R. (2005):** The evaluation of knowledge and behaviours of nurses and midwives on breast self-examination. Presented at 4th international reproductive health and family planning congress, 20–23.

WHO (2008): Advocacy, communication and social mobilization for TB control: a guide to developing knowledge, attitude and practice surveys. WHO, Switzerland.

Wishart, G.C.; Campisi, M. and Boswell, M. (2010): The accuracy of digital infrared imaging for breast cancer detection in women undergoing breast biopsy. Eur J Surg Oncol 36 (6): 535-40.

World Cancer Report. (2008): International Agency for Research on Cancer. Lyon, France.

World Health Organization. (2009): Non communicable diseases. "WHO Disease and injury country estimates". WHO. Geneva.

Xue, F.; Willett, W.C.; Rosner, B.A.; Hankinson, S.E. and Michels, K.B. (2011) : "Cigarette smoking and the incidence of breast cancer". Arch. Intern. Med. 171 (2): 125–33.

Yarbrough, S.S. and Braden, C.J.: (2001) : Utility of health belief model as a guide for explaining or predicting breast cancer screening behaviours. J Adv Nurs, 33(5):677-688.

Youngkin, E. Q. and Davis, M. S. (2004): Women's health: A primary care clinical guide, Pearson prentice hall, 3rd Ed. p:351 -359.

Yucel, A.; Deüürmencü, B.; Acar, M.; Ellüdokuz, H.L. and Albayrak, R. (2005) : Knowledge about breast cancer and mammography in breast cancer screening among women awaiting mammography. Turk J Med Sci; 35: 35-42.

Yusuf, A.; Khan, J.S.; Bhopal, F.G.; Iqbal, M.; Minhas, S. and Mahmood, N. (2001) : Level of awareness about breast cancer among females presenting to a general hospital in Pakistan. J Coll Physicians Surg Pak; 11: 131-5.