

References

- Akata D., Kerimoglu U., Hazirolan T., Karcaaltincaba M., Köse F., Özmen M. and Akhan O. Efficacy of transvaginal contrast-enhanced MRI in the early staging of cervical carcinoma. *Eur Radiol*15: 1727–1733. **(2005)**
- Alcázar JL, Castillo G, Jurado M and Lopez- Garcia G. Intratumoral blood flow in cervical cancer as assessed by Transvaginal Color Doppler Ultrasonography: Correlation with tumor characteristics. *Int J Gynecol Cancer*; 13:510-514. **(2003)**
- Amalinei C., Balan R., Stolnicu S., Radulescu D., Boeru C. and Cotutiu C. Adenosquamous cervical carcinoma morphological characteristics. *Rev Med Chir Soc Med Nat Iasi*; 109(2):343-6. **(2005)**
- American Cancer Society .Cervical cancer: What are the key statistics about cervical cancer? Revised August 4, **(2006)**.
- Baay MF., Verhoeven V., Avonts D., Vermorken JB. Risk factors for cervical cancer development: what do women think? *Sex Health*; 1(3):145-9. **(2004)**
- Barakat RR, Hricak H .What do we expect from imaging ?. *Radiol Cline North Am.* ;40(3) :521-6,vii. May **(2002)**
- Benedet JL, Odicino F,Mai sonn eu ve P,et al .Carcinoma of the cervix uteri. *J Epidemiol Biostat.*;6(1):7-43. **(2001)**
-

- Bipat S, Glas AS, van der Velden J, et al :Computed tomography and magnetic resonance imaging in staging of uterine cervical carcinoma : A systemic review . Gynecol Oncol;91:59-66. **(2003)**
- Chargui R., Damak T., Khomsi F., Ben Hassouna J., Chaieb W., Hechiche M., Gamoudi A., Boussen H., Benna F. and Rahal K . Prognostic factors and clinicopathologic characteristics of invasive adenocarcinoma of the uterine cervix. Am J Obstet Gynecol; 194(1):43-8. **(2006)**
- Charles-Edwards M., Messiou C., Morgan V., De Silva S., McWhinney N., Katesmark M., Attygalle A.. and DeSuza N. Diffusion-weighted imaging in cervical cancer with an endovaginal technique: potential value for improving tumor detection in stage Ia and Ib1 Disease. Radiology; 249(2):541-550. **(2008)**
- Crofton M and Jeremy P R Jenkins,:** Gynecological imaging. In: Text book of radiology & imaging (8th edition), edited by: Sutton D. and associates. Volume II:1069-1100. Churchill- livingstone, London. **(2010).**
- Dong Hyun Yang ,Jeong Kon Kim and Kyoung Won Kim et al:MRI of small cell carcinoma of uterine cervix with pathological correlation . AJR 128:1255-1258. **(2004)**
- Engin G.Cervical cancer: MR imaging findings before,during, and after radiation therapy. Eur Radiol 16: 313–324. **(2006)**
- Faysal A Saksouk & Al-Kadhi Yusuf A,: <http://www.emedicine.com/radio.htm>.Endometrium, Carcinoma, e-Medicine Specialties, Radiology, Obstetrics/gynecology. **(2009)**
-

- Feng SY, Zhang YN, Liu JG. Risk factors and prognosis of node-positive cervical carcinoma. [Article in Chinese translated to English] Ai Zheng; 24(10):1261-6. **(2005)**
- Ferlay F, Bray F and Pisanni P et al,; Cancer incidence, Mortality and prevalence world wide. IARC cancer Base No. 5, version 2.0. Lyon: IARC press. **(2004)**
- Fleischer AC,; Transvaginal sonography of endometrial disorders: an overview. Radiographics; 18:923-930. **(1998)**
- Funt Stacey A and Hann Lucy E,; Detection and characterization of adnexal masses, Radio Clin N Am 40, 2002, 591-608. **(2002)**
- Gonzalez-Cejudo C, Martinez-Maestre MA, Peregrin-Alvarez I, Daza-Manzano C. Primary lymphoma of the cervix: Unusual location for a common disease. Eur J Obstet Gynecol Reprod Biol;125(2):268-9. **(2006)**
- Gray H and Lewis W.H,; The anatomical basis of medicine and surgery.** 40th Edition. Churchill-Livingstone .The U.K version, (102-103) 1321-38. **(2008)**
- Gray H. Splanchnology.The uterus in Gray's Anatomy.20th edition, Churchill,Livingstone, P 1572-80. **(2001)**
- Gudleviciene Z., Didziapetriene J., Suziedelis K., Lapkauskaitė L. Investigation of human papillomavirus, its types and variants. [Article in Lithuanian translated to English].Medicina (Kaunas); 41(11):910-15.**(2005)**
-

- Hadjiev J., Cselik Z., Bogner P., Kovács Á., Lakosi F., Kotek G. and Repa I. Application of MRI for improved local control in complex radiotherapy of cervical cancer. Arch Oncol; 14(3-4):95-100. **(2006)**
- Hamm B., Krestin G and Nicolas Vet al. MRT and CT of the female pelvis in Gourtsoyamis N. and Rosp. **(1999)**.
- Hamm B., Kubik-Huch R. and Feldmann C. MRI and CT of the female pelvis in Gourtsoyiannis N. and Ros P. Radiologic-Pathologic Correlations from Head to Toe. Springer-Verlag Berlin. P542-548. **(2005)**
- Hoad CL., Raine-Fenning NJ., Fulford JK., Campbell BK., Johnson IR. and Gowland PA. Uterine tissue development in healthy women during the normal menstrual cycle and investigations with magnetic resonance imaging. Am J Obstet Gynecol; 192(2):648-54. **(2005)**
- Hricak H, Min Chen and Coakley FV et al, (2005):** Complex Adnexal Masses: Detection and Characterization with MR Imaging-Multivariate Analysis. Radiology.
- Hricak H, Powell CB, Yu KK, et al .Invasive cervical carcinoma : role of MR imaging in pretreatment work-up—cost minimization and diagnostic efficacy analysis . Radiology.;198(2):403-9. Feb **(1996)**
- Huang WC, Yang JM, Yang YC, Yang SH. Ultrasonographic characteristics and cystoscopic correlates of bladder wall invasion by endophytic cervical cancer. Ultrasound Obstet Gynecol; 27(6):680-6. **(2006)**
- Iida T., Yasuda M., Kajiwarra H., Minematsu T., Osamura RY., Itoh J., Inomo A., Hirasawa T., Muramatsu T. and Murakami M. Case of
-

uterine cervical carcinosarcoma. J Obstet Gynaecol Res; 31(5):404-8. **.(2005)**

Imaoka I, Wada A and Matsuo M et al,: MR Imaging of Disorders Associated with Female Infertility: Use in Diagnosis, Treatment, and Management. Radiographics; 23:1401-142. **(2003)**

Jena A., Oberoi R., Rawal S., Das SK. and Pandey KK. Parametrial invasion in carcinoma of cervix: role of MRI measured tumor volume. The British Journal of Radiology, 78:1075–1077. **(2005)**

Jeong YY, Kang HK and Chung TW et al : Uterine cervical carcinoma after tferapy : CT and MR imaging findings. Radiographics; 23 (4):969-81. **(2003)**

Juan Luis Alc zar*,; Transvaginal color Doppler in the assessment of cervical carcinoma. Cancer therapy Vol 3, 139-146. **(2005)**

Kaur H., Silverman PM., Iyer RB., Verschraegen CF., Eifel PJ. and Charnsangavej C. Diagnosis, Staging, and Surveillance of Cervical Carcinoma. Am. J. Roentgenol; 180:1621-1631. **(2003)**

Kennedy AM, Gilfeather MR and Woodward PJ,: MRI of the female pelvis. Semin Ultrasound CT MR; 20(4): 214-230. **(1999)**

Kido A, Togashi K and Koyama T et al,: Diffusely enlarged uterus: Evaluation with MR imaging. Radiographics;23:1423-1439. **(2003)**

Kim H., Kim W., Lee M., Song E. and Loh J. Tumor volume and uterine body invasion assessed by MRI for prediction of outcome in cervical carcinoma treated with concurrent chemotherapy and radiotherapy. Jpn J Clin Oncol; 37(11)858–866. **(2007)**

- Kinkel K. Pitfalls in staging uterine neoplasm with imaging: a review. *Abdom Imaging*; 31(2):164-73. **(2006)**
- Kinkel K., Ariche M. and Tardivon AA. Differentiation between recurrent tumor and benign conditions after treatment of gynecologic pelvic carcinoma: value of dynamic contrast-enhanced subtraction MR imaging. *Radiology*; 204:55–63. **(1997)**
- Klkü Kerimoğlu, Deniz Akata and Tuncay Hazirolan et al,: Evaluation of radiotherapy response of cervical carcinoma with gray scale and color Doppler ultrasonography: resistive index correlation with magnetic resonance findings. *Interv Radiol* 12: 155-160. **(2006)**
- Klünér C. and Hamm B. Normal Image Findings of the Uterus in Baert A, Knauth M, Sartor K. *MRI and CT of the Female Pelvis*. Springer-Verlag Berlin; P129-172. **(2007)**
- Kosari F., Daneshbod Y., Parwaresch R., Krams M. and Wacker HH. Lymphomas of the female genital tract: a study of 186 cases and review of the literature. *Am J Surg Pathol*; 29(11):1512-20. **(2005)**
- Koyama T., Tamai K. and Togashi K. Staging of carcinoma of the uterine cervix and endometrium. *Eur Radiol* 17: 2009–2019. **(2007)**
- Levaillant J M,: Value of 3D-4D sonography in fetal and gynecological ultrasound examination: principles and indications *J Radiol*,87:1969-92. **(2006)**
- Manfredi R, Gui B and Maresca G et al,: Endometrial cancer: magnetic resonance imaging. *Abdom Imaging*; 30(5):626-36. **(2005)**
- Mario,: <http://www.obgyn.net> Ultrasound Image Gallery, Gynecology Images. **(2007)**
-

- Mierzwa T, Grabiec M, Walentowicz M. Estimated results of prophylactic physical examinations detecting cervical cancer in Center of Oncology in Bydgoszcz in years 2001-2003. [Article in Polish translated to English] *Ginekol Pol*, 76(9):693-8. **(2005)**
- Odwin CS, Fleischer AC and Kepple DM,: Probe covers and disinfectants for transvaginal transducers. *J Diagn Med Sonograph* 6:130. **(1999)**
- Ogunmodede F and Yale SH, Krawisz B et al., Human papilloma virus infections in primary care .*Clin Med Res*;;epubahead of print. Dec17,**(2007)**
- Okamoto Y, Tanaka OY and Nishida M et al: MR imaging of the uterine cervix imaging pathological correlation *Radiographics*;;23:425. **(2003)**
- Olatunji AO. and Sule-Odu AO. Cancer of the cervix. *Niger Postgrad Med J*; 12(4):308-11. **(2005)**
- Ozsarlak O., and M. De Schepper A.et al: The correlation of preoperative CT, MR imaging and clinical staging with histopathology findings in primary cervical carcinoma. *Eur Radiol* 13:2338–2345. **(2003)**
- Pakkal MV, Rudralingam V and Kelly BE et al: MR staging in carcinoma of endometrium and carcinoma of the cervix .*Ulster Med J*;;73(1):20-4. **(2004)**
- Pannu H. and Corl F.,et al.: CT Evaluation of Cervical Cancer: Spectrum of Disease. *RadioGraphics*; 21:1155–116. **(2001)**
- Pannu HK. and Bluemke DA.et al.: MR imaging of mediastinal lymph nodes: Evaluation using a superparamagnetic contrast agent. *J Magn Reson Imaging* ;12:899-904.**(2000)**
-

Paramasivam S, Proietto A and Puvaneswary M,: Pelvic anatomy and MRI. Best Pract Res Clin Obstet Gynaecol; 20(1):3-22. **(2006)**

Pavelka JC., Bryant DA. and Vaccarello L.:Adenocarcinoma of the uterine cervix with choriocarcinomatous metastasis. Gynecol Oncol, 101(2):346-8. **(2006)**

Pete I,Godeny Mand Toth I et al:Prediction of cervical infiltration in stage II endometrial cancer by different preoperative evaluation techniques (US,CTandMRI).Eur J Gynaecol Oncol ,24(6):517-22. **(2003)**

Pötter R., Haie-Meder C., Van Limbergen E., Barillot I., De Brabandere M. and Dimopoulos J. Recommendations from gynaecological (GYN) GEC ESTRO working group (II): Concepts and terms in 3D image-based treatment planning in cervix cancer brachytherapy-3D dose volume parameters and aspects of 3D image-based anatomy, radiation physics, radiobiology. Radiother Oncol; 78(1):67-77. **(2006)**

Pui M H,: Imaging diagnosis of congenital uterine malformation. Comput Med Imaging Graph. 28: 425-433. **(2004)**

Rockall AG., and Reznak RH.et al: Diagnostic performance of Nanoparticle-Enhanced Magnetic Resonance Imaging in the diagnosis of lymph node metastases in patients with endometrial and cervical cancer. J Clin Oncol 23:2813-2821. **(2005)**

Roy D.and Tongaonkar HB.et al: Transrectal ultrasound-guided biopsy of recurrent cervical carcinoma. British Journal of Radiology 8,902-906. **(2008)**

Rubin E. and Strayer D. et al: The female Reproductive System, in Rubin's Pathology: Clinicopathologic Foundation of Medicine, 4th edition, Philadelphia, Williams & Wilkins, P 928-64. **(2005)**

Russell M. and Anzai Y.: Ultrasmall superparamagnetic iron oxide enhanced MR imaging for lymph node metastases. Radiography; 13(1):e73-e84. **(2007)**

Ryan S, McNicolas M and Eustace S et al,: Anatomy for diagnostic imaging. 2nd Edition. Saunders. Ch 6: 236-242. **(2004)**

Sala E., Wakely S., Senior E. and Lomas D. MRI of malignant neoplasms of the uterine corpus and cervix. AJR 2007; 188:1577–1587. **(2007)**

Sandra L. and Hagens-Ansert,: Normal Anatomy and Physiology of the Female Pelvis. In Textbook of Diagnostic Ultrasonography, 4th edition, volume (2); 935-952. Mosby. **(2001)**

Schmidt D., Horn LC. and Kommoss F.: Neuroendocrine carcinomas of the cervix. [Article in German translated to English]. Pathologe; 26(4):262-5. **(2005)**

Sethi TK. and Oberoi R. et al : Magnetic resonance imaging in carcinoma cervix- Does it have a prognostic relevance. JCRT; 1: 103-107. **(2005)**

Shikha Mudgil,: Pelvic inflammatory disease/ Tubo ovarian abscess. **(2009)**

Shiraiwa M. and Joja I. et al. : Cervical carcinoma: efficacy of thin-section oblique axial T2-weighted images for evaluating parametrial invasion. Abdom Imaging; 24:514-519. **(1999)**

- Skandalakis JE. and Mirilas P.et al: The embryological and anatomic basis of modern surgery II. Female genital system in Surgical Anatomy: 2nd edition. Baltimore: Williams & Wilkins, P 1494-1524. **(2004)**
- Sozen I. and Hurwitz CA.et al.: Adenocarcinoma of the cervix metastatic from a colon primary and diagnosed from a routine pap smear in a 17-year-old woman: a case report. J Reprod Med; 50(10):793-5. **(2005)**
- T. GHI, S. Giunchi and M. Kuleva et al.; Three-dimensional transvaginal sonography in local staging of cervical carcinoma: description of a novel technique and preliminary results. Ultrasound Obstet Gynecol; 30: 778–782. **(2007)**
- Tempany CM, and Fielding JR,; Clinical Magnetic Resonance Imaging. Female pelvis. P 1432. **(1996)**
- Tiltman AJ. The pathology of cervical tumours. Best Pract Res Clin Obstet Gynaecol; 19(4):485-500. **(2005)**
- Tjalma WA.and Bogers JJ.et al.: Role of human papillomavirus in the carcinogenesis of squamous cell carcinoma and adenocarcinoma of thecervix. Best Pract Res Clin Obstet Gynaecol; 19(4):469-83. **(2005)**
- Tortora GJ and Grabowski SR,; Principles of anatomy and physiology. 9th edition. Reproductive system. P1000. **(2000)**
- Vincens E, Balleyguier C, and Morice P et al. Accuracy of Magnetic Resonance Imaging in Predicting residual disease in Patients treated for stage IB2/II cervical carcinoma with chemoradiation therapy.
-

Correlation of radiologic findings with surgicopathologic results. Cancer; 113(8):2158-2165. **(2008)**

Viswanathan A., Buttin B. and Kennedy A. Oncodiagnosis Panel 2006: Ovarian, Cervical, and Endometrial Cancer. RadioGraphics; 28(1):289–307. **(2008)**

Waggoner SE,; Cervical cancer. Lancet; 361:2217–25. **(2003)**

Wittekind C., Klimpfinger M. and Sobin LH.TNM-Atlas, Springer, Berlin Heidelberg New York. **(2005)**

Woelfer B, Salim R and Banerjee S et al,; Reproductive outcomes in women with congenital uterine anomalies detected by three-Dimensional ultrasound screening. Journals A-Z obstetrics and gynecology, 98(6) December. **(2001)**

World Health Organization (WHO) and Institut Catala d'Oncologia (ICO) information centre on HPV and cervical cancer (HPV information center). Human papilloma virus and related cancers in Egypt. Summery report **(2009)**.

Yasuda S.and Nishimura R. et al.: Poor prognosis of patients with stage Ib1 adenosquamous cell carcinoma of the uterine cervix with pelvic lymph node metastasis. Kobe J Med Sci; 52(1):9-15. **(2006)**

Zaspel U. and Hamm B :Cervical Cancer in Baert A, Knauth M, Sartor K. MRI and CT of the Female Pelvis. Springer-Verlag Berlin; P129-172. **(2007)**.
