

References

Bellantone R, Lombardi CP, Bossola M, Boscherini M, De Crea C, Alesina PF. (2002)

Video-assisted vs conventional thyroid lobectomy: a randomized trial.
Arch Surg ;137:301-4.

Benhidjeb T, Wilhelm T, Harlaar J, Kleinrensink GJ, Schneider TA, Stark M. (2009)

Natural orifice surgery on thyroid gland: totally transoral video-assisted thyroidectomy (TOVAT): report of first experimental results of a new surgical method.
Surg Endosc. 23(5):1119-20.

Berber E, Heiden K, Akyidiz H, Milas M, Mitchell J, Siperstein A. (2010)

Robotic transaxillary thyroidectomy: report of 2 cases and description of the technique.
Surg Laparosc Endosc Percutan Tech 20:e60–e63.

Bliss RD, Gauger PG, Delbridge LW. (2000)

Surgeon's approach to the thyroid gland: surgical anatomy and the importance of technique.
World J Surg.;24(8):891-7.

Casanova D. (2005)

Minimally invasive surgery of thyroids and parathyroids.
An Sist Sanit Navar 28(Suppl 3):103–108.

Cavicchi O, Caliceti U, Fernandez IJ, Macrì G, Di Lieto C, Marcantoni A. (2009)

The value of neurostimulation and intraoperative nerve monitoring of inferior laryngeal nerve in thyroid surgery.
Otolaryngol Head Neck Surg.;140(6):866-70.

Cernea CR, Ferraz AR, Nishio S. (1992)

Surgical anatomy of the external branch of the superior laryngeal nerve.
Head Neck 14:380–383.

Chantawibul S, Lokechcareonlarp S, Pokawatana C. (2003)

Total video endoscopic thyroidectomy by an axillary approach.
J Laparoendosc Adv Surg Tech A 13:295–299.

Choe JH, Kim SW, Chung KW, Park KS, Han W, Noh DY.(2007)

Endoscopic thyroidectomy using a new bilateral axillo-breast approach.
World J Surg ;31:601-6.

Chung YS, Choe JH, Kang KH, Kim SW, Chung KW, Park KS. (2007)

Endoscopic thyroidectomy for thyroid malignancies: comparison with conventional open thyroidectomy. World J Surg ;31:2302-6.

Cougard P, Osmak L, Esquis P. (2005)

Endoscopic thyroidectomy, a preliminary report including 40 patients.
Ann Chir 130:81–85

Cummings CW, Harker LA, Krause CJ, Richardson MA & Schuller DE. (1998)

Thyroid anatomy. In: Otolaryngology - Head and Neck Surgery. 3rd ed.ed. by ;
Cummings CW, Harker LA, Krause CJ, Richardson MA & Schuller DE.
St. Louis, Mo: Mosby;
Pp: 2445-49.

Dario P, Corrozza MC, Peitrabissa A. (1999)

Development and in vitro testing of a miniature robotic system for computer-assisted colonoscopy. Comput Aided Surg. ;4:1–14.

Donnellan KA, Pitman KT, Cannon CR, Replogle WH, Simmons JD. (2009)

Intraoperative laryngeal nerve monitoring during thyroidectomy.
Arch Otolaryngol Head Neck Surg.;135(12):1196-8.

Duncan TD, Rashid Q, Speights F. (2007)

Endoscopic transaxillary approach to the thyroid gland: our early experience.
Surg Endosc 21:2166–2171.

Eisele DW. (1996)

Intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve.
Laryngoscope.;106(4):443-9.

Fahad Al-Dhahri S, Al-Ghonaim YA, Sulieman Terkawi A.(2010)

Accuracy of post-thyroidectomy parathyroid hormone and corrected calcium levels as early predictors of clinical hypocalcemia.

J Otolaryngol Head Neck Surg.;39(4):342-8.

Friedman M, LoSavio P, Ibrahim H. (2002)

Superior laryngeal nerve identification and preservation during surgery.

Arch Otolaryngol Head Neck Surg 128(3):296-303.

Gagner M, Inabnet BW III, Biertho L. (2003)

Endoscopic thyroidectomy for solitary nodules.

Ann Chir 128:696–701

Gauger PG, Delbridge LW, Thompson NW, Crummer P, Reeve TS. (2001)

Incidence and importance of the tubercle of Zuckerkandl in thyroid surgery.

Eur J Surg.;167(4):249-54.

Giddings AE. (1998)

The history of thyroidectomy.

J R Soc Med.; 91 Suppl 33:3-6.

Gilmour JR. (1937)

The embryology of the parathyroid glands, the thymus and certain associated rudiments.

J Pathol 45:507.

Gourin CG, Tufano RP, Forastiere AA, Koch WM, Pawlik TM, Bristow RE. (2010)

Volume-based trends in thyroid surgery.

Arch Otolaryngol Head Neck Surg.;136(12):1191-8

Granda la Torre LA, Ortega Alvarez F. (2007)

Tiroidectomia endoscopica: nueva tecnica para el manejo del nodule benigno de la glandula tiroides. Hospital Nacional Huancayo Essalud.

Available at: es.geocities.com, pardal.net

Gravante G, Delogu D, Rizzello A, Filingeri V. (2007)

The Zuckerkandl tubercle.

Am J Surg.;193(4):484-5.

Grodski S, Cornford L, Sywak M, Sidhu S, Delbridge L. (2007)

Routine level VI lymph node dissection for papillary thyroid cancer: Surgical technique.

ANZ J Surg 77(4):203-208.

Henry JF, Audriffe J, Denizot A. (1988)

The non-recurrent inferior laryngeal nerve: Review of 33 cases including 2 on the left side.

Surgery 104:977–984.

Henry JF, Raffaelli M, Iacobone M, Volot F. (2001)

Video-assisted parathyroidectomy via the lateral approach vs conventional surgery in the treatment of sporadic primary hyperparathyroidism: results of a case-control study.

Surg Endosc ;15:1116-9.

Henry JF, Sebag F. (2006)

Lateral endoscopic approach for thyroid and parathyroid surgery.

Ann Chir 131:51–56

Hu T, Castellanos A, Tholey G. (2002)

Real-Time Haptic feedback Laparoscopic tool for use in Gastro-intestinal Surgery.

Fifth International Conference on Medical Image Computing and Computer

Assisted Intervention (MICCAI), Tokyo, Japan, September.

Hüscher CS, Chiodini S, Napolitano C, Recher A. (1997)

Endoscopic right thyroid lobectomy.

Surg Endosc ;11:877.

Ikeda Y, Takami H, Niimi M. (2002)

Endoscopic thyroidectomy and parathyroidectomy by the axillary approach. A preliminary report.

Surg Endosc 16:92–95

Ikeda Y, Takami H, Sasaki Y, Takayama J, Niimi M, Kan S.(2002)

Comparative study of thyroidectomies. Endoscopic surgery versus conventional open surgery.

Surg Endosc;16:1741-5.

Ikeda Y, Takami H, Sasaki Y. (2000)

Endoscopic neck surgery by the axillary approach.
J Am Coll Surg 191:336–340

Ikeda Y, Takami H, Sasaki Y. (2003)

Clinical benefits in endoscopic thyroidectomy by the axillary approach.
J Am Coll Surg 196:189–195

Inabnet WB III, Jacob BP, Gagner M. (2003)

Minimally invasive endoscopic thyroidectomy by a cervical approach.
Surg Endosc 17:1808–1811

Jancewicz S, Sidhu S, Jalaludin B, Campbell P. (2002)

Optimal position for a cervical collar incision: a prospective study.
ANZ J Surg.;72(1):15-7.

Jung EJ, Park ST, Ha WS, Choi SK, Hong SC, Lee YJ. (2007)

Endoscopic thyroidectomy using a gasless axillary approach.
J Laparoendosc Adv Surg Tech A;17:21-5.

Kang SW, Jeong JJ, Nam KH, Chang HS, Chung WY, Park CS. (2009)

Robot-assisted endoscopic thyroidectomy for thyroid malignancies using a gasless transaxillary approach.
J Am Coll Surg 209:e1–e7.

Kang SW, Jeong JJ, Yun JS, Sung TY, Lee SC, Lee YS, Nam KH, Chang HS, Chung WY, Park CS. (2009)

Robot-assisted endoscopic surgery for thyroid cancer: experience with the first 100 patients.
Surg Endosc 23:2399–2406.

Kaplan EL, Kadowaki MH, Schark C. (1990)

Routine exposure of the recurrent laryngeal nerve is important during thyroidectomy. In: Debates in Clinical Surgery, vol 1. ed. by; Simmons RL, Udekwu AO.
Chicago, Year Book.
Pp 191–206.

Kaplan EL, Sugimoto J, Yang H, Fredland A. (1983)

Postoperative hypoparathyroidism: Diagnosis and management. In: Surgery of the Thyroid and Parathyroid Glands. ed. by; Kaplan EL, Sugimoto J, Yang H, Fredland A.
New York, Churchill Livingstone.
Pp 262–274.

Kennedy C, Hu T, Desai JP. (2002)

A Novel Approach to Robotic Cardiac Surgery using Haptics and Vision.
Cardiovascular Engineering: An International Journal.

Kennedy C, Hu T, Desai JP. (2002)

Combining Haptic and Visual Servoing for Cardiothoracic Surgery. 2002 IEEE International Conference on Robotics and Automation, Volume: 2, 2002 Page(s): 2106–2111, Washington DC, May.

Kim JS, Kim KH, Ahn CH, Jeon HM, Kim EG, Jeon CS. (2001)

A clinical analysis of gasless endoscopic thyroidectomy.
Surg Laparosc Endosc Percutan Tech;11:268-72.

Kim VB, Chapman WH, Albrecht RJ. (2002)

Early experience with telemanipulative robot-assisted laparoscopic cholecystectomy using Da Vinci.
Surg Laparosc Endosc Percutan Tech. ;12:34–40.

Kitano H, Fujimura M, Kinoshita T. (2002)

Endoscopic thyroid resection using cutaneous elevation in lieu of insufflation.
Surg Endosc 16:88–91

Koh YW, Park JH, Kim JW, Lee SW, Choi EC. (2010)

Endoscopic hemithyroidectomy with prophylactic ipsilateral central neck dissection via an unilateral axillo-breast approach without gas insufflation for unilateral micropapillary thyroid carcinoma: preliminary report.
Surg Endosc ; 24:188-97.

Kowalski LP, Sanabria A, Vartanian JG, Lima RA, Toscano de Mendonca UB, Roberto Dos Santos C. (2012)

Total thyroidectomy with ultrasonic scalpel: A multicenter, randomized controlled trial.
Head Neck. ;113(3):413-8.

Kuy S, Roman SA, Desai R, Sosa JA. (2009)

Outcomes following thyroid and parathyroid surgery in pregnant women.
Arch Surg.;144(5):399-406; discussion 406.

Lai, SY; Mandel, SJ; Weber RS. (2010)

Management of Thyroid Neoplasms. In: *Otolaryngology: Head & Neck Surgery, 5th ed.* ed. by; Flint, P; Haughey, BH; Lund, VJ; Niparko, JK; Richardson, MA.
New York, John Wiley & Sons.
Ch. 124. Pp: 320-12

Laurie AJ, Lyon SG, Lasser EC. (1992)

Contrast material iodides: potential effects on radioactive iodine thyroid uptake.
J Nucl Med.;33(2):237-8.

Lennquist S, Cahlin C, Smeds S. (1987)

The superior laryngeal nerve in thyroid surgery.
Surgery 102:999.

Lewis CM, Chung WY, Holsinger FC. (2010)

Feasibility and surgical approach of transaxillary robotic thyroidectomy without CO2 insufflation.
Head Neck 32:121–126.

Moosman DA, DeWeese JS. (1968)

The external laryngeal nerve as related to thyroidectomy.
Surg Gynecol Obstet 127:1011.

Myers MD, Eugene N. (2008)

Thyroidectomy. In: *Operative Otolaryngology: Head and Neck Surgery.* 2nd ed. ed. by; Myers MD, Eugene N.
Philadelphia, saunders.
2nd. Ch. 65. Pp: 467-17

Naitoh T, Gagner M, Garcia-Ruiz A. (1998)

Endoscopic endocrine surgery in the neck. An initial report of endoscopic subtotal parathyroidectomy.
Surg Endosc 12:202–205.

Nomura K, Yamashita J, Ogawa M. (1994)

Endothelin-1 is involved in the transient hypoparathyroidism seen in patients undergoing thyroid surgery.

J Endocrinol.;143(2):343-51.

Ohgami M, Ishii S, Arisawa Y, Ohmori T, Noga K, Furukawa T. (2000)

Scarless endoscopic thyroidectomy: breast approach for better cosmesis.

Surg Laparosc Endosc Percutan Tech;10:1-4.

Owen RP, Chou KJ, Silver CE, Beilin Y, Tang JJ, Yanagisawa RT. (2010)

Thyroid and parathyroid surgery in pregnancy.

Eur Arch Otorhinolaryngol.;267(12):1825-35.

Pai SI, Tufano RP. (2010)

Reoperation for recurrent/persistent well-differentiated thyroid cancer.

Otolaryngol Clin North Am.;43(2):353-63, ix.

Palazzo FF, Sebag F, Henry JF. (2006)

Endocrine surgical technique: endoscopic thyroidectomy via the lateral approach.

Surg Endosc 20:339–342

Park YL, Han WK, Bae WG. (2003)

100 cases of endoscopic thyroidectomy: breast approach.

Surg Laparosc Endosc Percutan Tech 13:20–25

Pinchot S, Chen R, Sippel R. (2008)

Incisions and Exposure of the Neck for Thyroidectomy and Parathyroidectomy.

Operative Techniques in General Surgery. ;10:63-76.

Randolph GW, Shin JJ, Grillo HC, Mathisen D, Katlic MR, Kamani D. (2011)

The surgical management of goiter: Part II. Surgical treatment and results.

Laryngoscope.;121(1):68-76.

Richmon JD, Pattani KM, Benhidjeb T, Tufano RP. (2011)

Transoral robotic-assisted thyroidectomy: a preclinical feasibility study in 2 cadavers.

Head Neck. 33(3):330-3.

Ruggiero FP, Fedok FG. (2008)

Outcomes in reoperative thyroid cancer.
Otolaryngol Clin North Am.;41(6):1261-8, xii.

Sakuraba M, Miyamoto H, Oh S, Shiomi K, Sonobe S, Takahashi N. (2007)

Video-assisted thoracoscopic lobectomy vs. conventional lobectomy via open thoracotomy in patients with clinical stage IA non-small cell lung carcinoma.
Interact Cardiovasc Thorac Surg ;6:614-7.

Sasou S, Nakamura S, Kurihara H. (1998)

Suspensory ligament of Berry: its relationship to recurrent laryngeal nerve and anatomic examination of 24 autopsies.
Head Neck.;20(8):695-8.

Schurr MO, Buess GF, Neisius B. (2000)

Robotics and telemanipulation technologies for endoscopic surgery: a review of the ARTEMIS project.
Advanced robotic telemanipulator for minimally invasive surgery.
Surg Endosc. ;14:375–381.

Sebag F, Palazzo FF, Harding J. (2006)

Endoscopic lateral approach thyroid oboectomy: safe evolution from endoscopic parathyroidectomy. *World J Surg* 30:802–805

Shaha AR. (2008)

Revision thyroid surgery - technical considerations.
Otolaryngol Clin North Am.;41(6):1169-83, x

Shimazu K, Shiba E, Tamaki Y, Takiguchi S, Taniguchi E, Ohashi S. (2003)

Endoscopic thyroid surgery through the axillo-bilateral-breast approach.
Surg Laparosc Endosc Percutan Tech ;13: 196-201.

Shimazu K, Shiba E, Tamaki Y. (2003)

Endoscopic thyroid surgery through the axillo-bilateral-breast approach.
Surg Laparosc Endosc Percutan Tech 13:196–201

Shimizu K, Akira S, Jasmi AY, Kitamura Y, Kitagawa W, Akasu H.(1999)

Video-assisted neck surgery: endoscopic resection of thyroid tumors with a very minimal neck wound.
J Am Coll Surg; 188:697-703.

Shimizu K, Tanaka S. (2003) Asian perspective on endoscopic thyroidectomy - a review of 193 cases.

Asian J Surg 26:92–100

Stavrakis AI, Ituarte PH, Ko CY, Yeh MW. (2007)

Surgeon volume as a predictor of outcomes in inpatient and outpatient endocrine surgery.

Surgery.;142(6):887-99.

Takami H, Ikeda Y. (2003)

Total endoscopic thyroidectomy.

Asian J Surg 26:82–85.

Takami HE, Ikeda Y. (2006)

Minimally invasive thyroidectomy.

Curr Opin Oncol 18:43–47.

Taylor S. (1975)

Surgery of the thyroid gland. In: The Thyroid and its Diseases, 4th ed. ed. by; DeGroot LJ, Stanbury JB.

New York, John Wiley & Sons.

Pp 776–779.

Terris DJ, Khichi S, Anderson SK, Seybt MW. (2010)

Reoperative thyroidectomy for benign thyroid disease.

Head Neck.;32(3):285-9.

Terris DJ, Moister B, Seybt MW, Gourin CG, Chin E. (2007)

Outpatient thyroid surgery is safe and desirable.

Otolaryngol Head Neck Surg.;136(4):556-9.

Thompson NW, Demers M. (1990)

Exposure is not necessary to avoid the recurrent laryngeal nerve during thyroid operations. In: Debates in Clinical Surgery, vol 1. ed. by; Simmons RL, Udekwu AO.

Chicago, Year Book.

Pp 207–219.

Tschernko EM, Hofer S, Bieglmayer C, Wisser W, Haider W.(1996)

Early postoperative stress: video-assisted wedge resection/lobectomy vs. conventional axillary thoracotomy.

Chest; 109:1636-42.

Usui Y, Sasaki T, Kimura K. (2001)

Gasless endoscopic thyroid and parathyroid surgery using a new retractor.

Surg Today 31:939–941

Van der Molen AJ, Thomsen HS, Morcos SK. (2004)

Effect of iodinated contrast media on thyroid function in adults.

Eur Radiol.;14(5):902-7.

Watkinson JC. (2010)

Fifteen years' experience in thyroid surgery.

Ann R Coll Surg Engl.;92(7):541-7.

Wilhelm T, Harlaar J, Kerver A, Kleinrensink GJ, Benhidjeb T. (2010)

Transoral endoscopic thyroidectomy. Part 1: rationale and anatomical studies
Chirurg. 81(1):50-5.

Williams PL, Bannister LH. (1995)

Thyroid gland. In: *Gray's Anatomy*. 38th ed. ed. by ;

Williams PL, Bannister LH.

New York, NY: Churchill Livingstone

Pp: 1891-6.

Yamamoto M, Sasaki A, Asahi H. (2001)

Endoscopic subtotal thyroidectomy for patients with Graves' disease.

Surg Today 31:1–4.

Yamamoto M, Sasaki A, Asahi H. (2002)

Endoscopic versus conventional open thyroid lobectomy for benign thyroid nodules: a prospective study.

Surg Laparosc Endosc Percutan Tech 12:426–429.

Yamashita H, Watanabe S, Koike E, Ohshima A, Uchino S, Kuroki S. (2002)

Video-assisted thyroid lobectomy through a small wound in the submandibular area.

Am J Surg;183:286-9.

Yeh TS, Jan YY, Hsu BR, Chen KW, Chen MF. (2000)

Video-assisted endoscopic thyroidectomy.

Am J Surg ;180:82-5.

Yoon JH, Park CH, Chung WY. (2006)

Gasless endoscopic thyroidectomy via an axillary approach: experience of 30 cases.

Surg Laparosc Endosc Percutan Tech 16:226–231

Yun JS, Lee YS, Jung JJ, Nam KH, Chung WY, Chang HS. (2008)

The Zuckerkandl's tubercle: a useful anatomical landmark for detecting both the recurrent laryngeal nerve and the superior parathyroid during thyroid surgery.

Endocr J.;55(5):925-30.