

REFERENCES

A

- 1) **Abdel-Latif AM and Elbendary AS (2008):** Treatment of striae distensae with microdermabrasion: a clinical and molecular study. *JEWDS*; 5:24–30.
- 2) **Albert OB (2009):** Endocrinology of male reproduction. Chapter 3: Androgen physiology: receptors and metabolic disorders. *endotext.org*; P1.
- 3) **Alia M and John NP (2009):** Cushing's syndrome. *Med*; 3(8): 403–406.
- 4) **Ashcroft G and Mills S (2002):** Androgen receptor-mediated inhibition of cutaneous wound healing. *J Clin Invest*; 110: 615–624.
- 5) **Ashcroft GS, Mills SJ and Lei K (2003):** Estrogen modulates cutaneous wound healing by downregulating macrophage migration inhibitory factor. *Clin Invest*; 111: 1309–1318.
- 6) **Atwal GS, Manku LK, Griffiths CM and Polson DW (2006):** Striae gravidarum in primiparae. *Br J Dermatol*; 155: 965–969.
- 7) **Azzi L, El-Alfy M, Martel C and Labrie F (2005):** Gender differences in mouse skin morphology and specific effects of sex steroids and dehydroepiandrosterone. *J Invest Dermatol*; 124:7–22.

B

- 8) Bennette R, Gardiner P, Hooper N, Johnson N and Gobe G (2010): Molecular cell Biology of androgen receptor signalling. *Int J Biochem Cell Biol*; 42: 813-827.
- 9) Black MM, Shuster S and Bottoms E (1970): Osteoporosis, skin collagen and androgen. *Br Med J*; 4: 773-774.
- 10) Brinkhaus B, Lindner M and Schuppan D (2000): Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. *Phytomedicine*; 7: 48–427.
- 11) Brincat MP (2000): Hormone replacement therapy and the skin. *Maturitas*; 35: 17–107.
- 12) Buchanan K, Fletcher HM and Reid M (2010): Prevention of striae gravidarum with cocoa butter cream. *Int J Gynaecol Obstet*; 108 (1): 8-65.
- 13) Burrows NP and Lowell CR (2004): Disorders of connective tissue. In: Burns T, Breathnach S, Cox N, Griffith C, editors. *Rooks Text Book of Dermatology* 8th ed, Vol. 3. Blackwell science: pp 46–47.
- 14) Burton JL and Lovell CR (2009): Disorders of connective tissue. In: Champion RH, Wilkinson DS, Ebling FJG, et al, eds. *Textbook of Dermatology*. 6th ed. Blackwell Science Inc; 1998: pp 2008 –2009.

C

- 15) **Cambazard F and Michel JL (2006):** Striae. In: Harper J, Oranje A, Prose N. Textbook of Pediatric Dermatology. 2nd ed. Oxford: Blackwell;pp95-1689.
- 16) **Cato AC, Nestl A and Mink S (2002):** Rapid actions of steroid receptors in cellular signaling pathways. *Sci*; 2002 (138): 9.
- 17) **Chang AL, Agredano YZ and Kimball AB (2004):** Risk factors associated with striae gravidarum. *J Am Acad Dermatol*; 51 (6):881-885.
- 18) **Cho S, Park ES, Lee DH, Li K and Chung JH (2006):** Clinical features and risk factors for striae distensae in Korean adolescents. *J Eur Acad Dermatol Venereol*; 20(9):1108-1113.
- 19) **Cordeiro RC and Moraes AM (2008):** Ulceration of striae distensae in a patient with systemic lupus erythematosus. *J Eur Acad Dermatol Venereol*; 22:390–392.

D

- 20) **De Angelis F, Kolesnikova L, Renato F, and Liguori G (2011):** Fractional nonablative 1540-nm laser treatment of striae distensae in Fitzpatrick skin types II to IV: clinical and histological results. *Aesth Surg J*; 31(4): 411–419.

- 21) **De Bosscher K, VandenBerghe W and Haegeman G (2003):** Interplay between the glucocorticoid receptor and nuclear factor-kB activator protein-1: molecular mechanisms for gene repression. *Endocrinol Rev*; 24:488-522.
- 22) **Dilernia V, Bonci A, Cattania M and Bisighini G (2001):** Striae distensae in monozygotic twins. *Pediatr Dermatol*; 18: 2-261.

E

- 23) **Elsaie ML, Baumann LS and Elsaie LT (2009):** Striae distensae (stretch marks) and different modalities of therapy: an update. *Dermatol Surg*; 35 (4):563-573.
- 24) **Euvrard S, Kanitakis J, Cochat P, Cambazard F and Claudy A (2001):** Skin diseases in children with organ transplants. *J Am Acad Dermatol*; 44: 9-932.
- 25) **Evangelia C, Tomoshige Kand George P (2004):** Glucocorticoids and Their Actions: An Introduction. 1024:1-8; Doi: 10.1196/annals.1321.001.

F

- 26) **Filipe VB, Arthur VB and Antonio RB (2012):** Striae Distensae after Breast Augmentation. *Aesth Plast Surg*; www.springer.com/00266.

- 27) **Fimmel S, Saborowski A, Terouanne B, Sultan C and ZouboulisCh(2003):** Antisense-oligonucleotides inhibit androgen receptor expression and biological activity in epithelial skin cells. *J Invest Dermatol*; 121:1-4.
- 28) **Fritsch M, Orfanos C E and ZouboulisCh (2001):** Sebocytes are the key regulators of androgen homeostasis in human skin. *J Invest Dermatol*; 116: 793–800.

G

- 29) **Garcia HL (2002):** Dermatological complications of obesity. *American J Clinic Dermatol*; 3: 497–506.
- 30) **Gilliver SC, Ashworth JJ, Mills SJ, Hardman MJ and Ashcroft GS (2006):** Androgens modulate the inflammatory response during acute wound healing. *J Cell Sci*; 119: 722–732.
- 31) **Gilliver SC, Ashworth JJ and Ashcroft GS (2007):** The hormonal regulation of cutaneous wound healing. *ClinDermatol*; 25: 56–62.
- 32) **Gilmore SJ, Vaughan BL, Madzvamuse A and Maini PK (2012):** A mechanochemical model of striae distensae. *MathBiosci*; 240(2):7-141. doi: 10.1016/j.mbs.2012.06.007.
- 33) **Goldberg DJ, Marmur ES and Hussain M (2003):** 308 nm excimer laser treatment of mature hypopigmented striae. *Dermatol Surg*; 29: 9–596.

- 34) **Goldberg DJ, Marmur ES and Schmults C (2005):** Histologic and ultrastructural analysis of ultraviolet B laser and light source treatment of leukoderma in striae distensae. *Dermatol Surg*; 31: 7–385.
- 35) **Gregory AR, Ossama T and Michael CJ (2005):** Immunohistochemical Analysis of Steroid Hormone Receptors and Structural Proteins in Skin: Effects of Aging and Hormone Status. *MPH J Applied Research*; 5: (2).
- 36) **Gurcharan S and Lekshmi PK (2005):** striae distensae. *Indian J Dermatol Venereol Leprol*; 71: 2-370.

H

- 37) **Hebbar PB and Archer TK (2003):** Chromatin remodeling by nuclear receptors. *Chromosoma*; 111:495-504
- 38) **Hermans JF and Pierard GE (2006):** High resolution epiluminescence colorimetry of striae distensae. *JEADV*; 20: 282–287.
- 39) **Hibah O, Nelly R, Hala T and Anwar H N (2007):** Risk factors for the development of striae gravidarum. *Am J Obstet Gynecol*; 196:62.e1-62.e5.

I

- 40) **Irene Z, Harris P, Stylianos T, Niki K, Dimitri Set al., (2005):** The impact of chronic in vivo glucocorticoid excess on the functional characteristics of human skin fibroblasts obtained from patients with endogenous Cushing's syndrome. *Eur J Endocrinol*; 152: 895–902.

J

- 41) **James DW, Berger T and Elston D (2005):** Andrews' Diseases of the Skin: Clinical Dermatology. (10th ed). Saunders. Page 516. ISBN 0721629210 Burrows NP, Love CR. Disorders of connective tissue. In: Burns T, Breathnach S, Cox N and Griffiths C, editors. Rook's text book of Dermatology. Blackwell Science; pp46.1-46.7.

- 42) **Johnston G and Graham B (2003):** The skin and disorders of the alimentary tract and the hepato biliary system. In: Freedberg IM, Eisen AZ, Wolff K, Austen KF, Goldsmith LA, Katz SI, editors. Fitzpatrick's Dermatology in general medicine. 6th edn. New York: McGraw-Hill. pp7-16.

- 43) **Johnston GA and Graham B (2007):** The skin and disorders of the alimentary tract and the hepato biliary system. kidney and cardiopulmonary systems", In: B. A. Gilchrest, A. S. Paller, D. J. Leffell, K. Wolff, K. F. Austen, L. A. Goldsmith, S. I. Katz, eds. Fitzpatrick's, Dermatology in General Medicine, 7th edn, New York: McGraw-Hill; pp60-1445.

- 44) **Julie TM, Anthony HT, Kellie M, Farook AA, Calum CL et al., (2003):** The Distribution of Estrogen Receptor (b) Is Distinct to That of Estrogen Receptor (a) and the Androgen Receptor in Human Skin and the Pilosebaceous Unit. The Society for Investigative Dermatology; 8(1):100-103.

K

- 45) **Kanda N and Watanabe S (2003a):** 17beta-estradiol inhibits oxidative stress induced apoptosis in keratinocytes by promoting Bcl-2 expression. *J Invest Dermatol*; 121: 9–1500.
- 46) **Kanda N and Watanabe S(2003b):** 17beta-estradiol inhibits the production of interferon-induced protein of 10 kDa by human keratinocytes. *J Invest Dermatol*; 120: 19–411.
- 47) **Kao J S, Garg A and MaoQM (2001):** Testosterone perturbs epidermal permeability barrier homeostasis. *J Invest Dermatol*; 116: 443–451.
- 48) **Karimipour DJ, Kang S and Johnson TM(2005):** Microdermabrasion: a molecular analysis following a single treatment. *JAAD*; 52:215–23.
- 49) **Kendall WN, John BB, German G, Erin E ,Json N et al., (2007):** Structural plasticity in the oestrogen receptor ligand-binding domain. *EurMol Bio Org*; 8(7): 563–568.
- 50) **Kim BJ , Lee DH , Kim MN, Song KY, Cho WI et al., (2008):** Fractional photothermolysis for the treatment of striae distensae in Asian skin. *Am J ClinDermatol*; 9(1):33-37.

- 51) **Koehler KF, Helguero LA, Haldosen LA, Warner M and Gustafsson JA (2005):**Reflections on the discovery and significance of estrogen receptor β .*Endocrinol Rev*; 26: 465–478.
- 52) **Kousteni S, Bellido T, Plotkin LI, O'Brien CA, Bodenner DLet al., (2001):**Nongenotropic, sex-nonspecific signaling through the estrogen or androgen receptors: dissociation from transcriptional activity. *Cell*; 104:719-730.

L

- 53) **Labrie F (2004):** Adrenal androgens and intracrinology. *SeminReprod Med*; 22:299–309.
- 54) **Lawley TJ and Yancey KB (2003):** Skin changes and diseases in pregnancy.In: Freedberg IM, Eisen AZ, Wolff K, Austen KF, Goldsmith LA,Katz SI, editors.*Fitzpatrick's Dermatology in general medicine*. 6th edn.New York: McGraw-Hill;p 1362.
- 55) **Lisa MS, Pilar B, Víctor L, Ana S, and Paloma P (2010):**Glucocorticoid Receptor Regulates Overlapping and Differential Gene Subsets in Developing and Adult Skin.*MolEndocrinol*; 24(11):2166–2178.
- 56) **Liyod J (2001):** The use of microdermabrasion for acne: a pilot study. *DermatolSurg*; 27: 31–329.

M

- 57) **Mahhabir RC and Peterson BD (2001):** Two cases of striae distensae after submuscular augmentation mammoplasty. *Plast Reconstr Surg*; 108: 753–756.
- 58) **Mariella B, Priscilla C, Franca P and Paola P (2011):** Ultrasound and 3D skin imaging: methods to evaluate efficacy of striae distensa treatment. *Dermatol Resear Prac*; (2012): 1-10.
- 59) **McDaniel DH (2002):** Laser therapy of stretch marks. *Dermatol Clin*; 20: 67–76.
- 60) **Mills SJ, Ashworth JJ, Gilliver SC, Hardman MJ, and Ashcroft GS (2005):** The sex steroid precursor DHEA accelerates cutaneous wound healing via the estrogen receptors. *J Invest Dermatol*; 125: 1053–1062.
- 61) **Mitts T and Jimenez F (2005):** Skin biopsy analysis reveals predisposition to stretch mark formation. *Aesth Surg J*; 25: 593-600.
- 62) **Mohammed LE, Leslie S and Lotfy TE (2009):** Striae Distensae (Stretch Marks) and Different Modalities of Therapy: An Update. *Dermatol Surg*; 35: 563–573.

N

- 63) **Nadezda R, Mayumi K, Sang HJ, Miroslav Band Marjana TC (2000):** Novel Mechanism of Steroid Action in Skin through Glucocorticoid Receptor Monomers. *Mol. Cell. Biol*; 20 (12): 4328-4339.
- 64) **Neve Sand Kirtschig G (2006):** Elastotic striae associated with striae distensae after application of very potent topical corticosteroids. *Clin Exp Dermatol*; 31: 461–462.
- 65) **Nieman LK and Ilias I (2005):** Evaluation and treatment of Cushing's syndrome. *Am J Med*; 118, (12): 1340-1346.
- 66) **Novak M (2004):** Colored striae in adolescent children. *J Pediatric*; 145: 645.

O

- 67) **Okano Y, Abe Y, Masake H, Santhanam U, Ichihashi M, and Funasaka Y (2003):** Biological effects of glycolic acid on dermal matrix metabolism mediated by dermal fibroblasts and epidermal keratinocytes. *Exp Dermatol*; 12 (2): 57–63.
- 68) **Opas EE, Gentile MA, Rossert JA, De Crombrughe B, Rodan GA, and Schmidt A (2000):** Parathyroid hormone and prostaglandin E2

preferentially increase luciferase levels in bone of mice harboring a luciferase transgene controlled by elements of the pro-alpha (I) collagen promoter. *Bone*; 26:27-32.

P

- 69) **Payne AH and Hales DB (2004):** Overview of steroidogenic enzymes in the pathway from cholesterol to active steroid hormones. *Endocrinol Rev*; 25: 70–947.
- 70) **Pelletier G and Ren L (2004):** Localization of sex steroid receptors in human skin. *HistolHistopathol*; 19: 629-636.

R

- 71) **Raquel C, Karina G and Aparecida M (2010):** Expression of estrogen, androgen and glucocorticoid receptors in recent striae distensae. *Int J Dermatol*; 49: 30–32.
- 72) **Raychaudhuri SP, Navare T and Gross J (2003):** Clinical course of psoriasis during pregnancy. *Int J Dermatol*; 42: 20–518.
- 73) **Rhen Tand and Cidlowski JA (2004):** Steroid hormone action. In: Strauss JF III, Barbieri RL, eds. *Yen and Jaffe's reproductive endocrinol.* 5th ed. Philadelphia: Elsevier Saunders; pp74-155.

- 74) **RobinsonRM, CarpentierAS, Duffraisse M, and Laudet V (2001):** How many nuclear hormone receptors are there in the human genome? Trends Genet; 17: 554-556.
- 75) **Rotsztejn H, Juchniewicz B, Nadolski M, Wendorff J and Kamer B(2010):**The unusually large striae distensae all over the body.Adv Med Sci; 55(2):5-343.

S

- 76) **Sator PG, Schmidt JB, Sator MO, Huber JC and HonigsmannH(2001):**The influence of hormone replacement therapy on skin ageing: a pilot study. Maturitas; 39:43-55.
- 77) **Scheinfeld NS (2004):** Obesity and Dermatology. ClinCdermatol; 22 (4): 303-309.
- 78) **Schwingel AC, Shimura Y ,Nataka Y, Kazunori O and Tanaka K (2003):** Exercise and striae distensae in obese women. Med Sci Sport Exerc; 35(1): 33.
- 79) **Selma S, Hakan OR and Yasemin B (2007):** Striae Distensae: A Rare Complication Resulting from Overinflation of the Tissue Expander. AesthPlastSurg; 31:606–607.
- 80) **Shah DN, Recktenwall SM and Anseth KS (2008):** The effect of bioactive hydrogels on the secretion of extracellular matrix molecules by valvular interstitial cells. Biomaterials; 29: 72–2060.

- 81) **Shah MG and Maibach HI(2001):** Estrogen and skin: an overview. *Am J ClinDermatol*; 2: 50–143.
- 82) **Son ED, Lee JY and Lee S, Kim MS, Lee BG, et al.,(2005):** Topical application of 17 β -estradiol increases extracellular matrix protein synthesis by stimulating tgf-Beta signaling in aged human skin in vivo. *J Invest Dermatol*; 124(6): 61–1149.
- 83) **Stephen CG, Jason JA, Stuart JM, Matthew JH and Gillian SA (2006):** Androgens modulate the inflammatory response during acute wound healing. *J CellSci*; 119: 722-732.
- 84) **Stephen RD and Mitch D (2003):** Cancer. *Nature Rev*; 3, 821-831.
- 85) **Stephen TH and Riccardo P (2008):** Immunology. *Nature Rev*; 8, 218-230.
- 86) **Stefan N, Sari MA, Eckardt T, Michel T and Jane Thet al., (2001):** Mechanisms of Estrogen Action. *AmPhysiolSoci*; 81(4):1536-1554.
- 87) **Strudwick X, Powell BC and Cowin AJ(2006):** Role of sex hormones in acute and chronic wound healing. *PrimIntent*; 1:14.
- 88) **Strumia R, Varotti E, Manzato E and Gualandi M (2001):** Skin signs in anorexia nervosa. *Dermatol*; 203:314-7.
- 89) **Susan S and Julie T (2007):** Effect of estrogens on skin aging and the potential role of SERMs. *Clinical Interventions in Aging*; 2(3): 283–297.

T

- 90) **Thornton MJ, Taylor AH, Mulligan K, Al-Azzawi F, Lyon CC et al.,(2003):** Oestrogen receptor beta is the predominant estrogen receptor in human scalp skin. *J.Exp. Dermatol*; 12:181-190.
- 91) **Tsukahara K, Nakagawa H,Moriwaki S,Kakuo S,Ohuchi A et al., (2004):**Ovariectomy is sufficient to accelerate spontaneous skin ageing and to stimulate ultraviolet irradiation-induced photoageing of murine skin. *Br J Dermatol*; 151: 984–994.
- 92) **Turk R and John AC (2005):** Antiinflammatory Action of Glucocorticoids - New Mechanisms for Old Drugs. *EJ Med*;353:1711-1723.

U

- 93) **Ulrich RH, Thomas R, Robert AS and Michael JC (2006):** Adverse effects of topical glucocorticoids. *J Am AcadDermatol*,54, (1): 1-15.

V

- 94) **Varila E, Rantala I ,Oikarinen A , Risteli J, Reunala Tet al., (1995):** The effect of topical oestradiol on skin collagen of postmenopausal women.*Br J ObstetGynaecol*; 102 (12):9–985.
- 95) **VerdierSS, Yaar M,Cantatore J, Traish A and Gilchrest BA (2004):** Estradiol induces proliferation of keratinocytes via a receptor mediated mechanism. *Faseb J*; 18(11):1252-1254.

- 96) **Viennet C, Bride J, CohenLA and Humbert P (2001):** Mechanical behavior of fibroblasts included in collagen lattices. *J SocBiol*;195:30-427.

W

- 97) **Woo SJ (2012):** Could a Growth Spurt Cause Linear Focal Elastosis Like Striae Distensae? *Ann Dermatol*;24(1):81-83.

Y

- 98) **Young GI and Jewell D (2008):** Creams for preventing stretch marks in pregnancy. (Rev) *Cochane Library*; 1:1–7.

Z

- 99) **Zecchin KG, Pereira MC,Coletta RD andGraner E and Jorge J (2005):** Ovariectomy reduces the gelatinolytic activity and expression of matrix metalloproteinases and collagen in rat molar extraction wounds. *Calcif Tissue Int*; 76(2): 136–145.
- 100) **ZouboulisChand Degitz K (2004):** Androgen action on human skin – from basic research to clinical significance. *ExpDermatol*; 13 (4): 5–10.