


REFERENCES



1. **Akiyama, M.; Sawamura, D. and Shimizu, H. (2003):**
The clinical spectrum of nonbullous congenital ichthyosiform erythroderma and lamellar ichthyosis. *Clin. Exp. Dermatol.*; 28:235-40
2. **Aktan, S.; Ozmen, E. and Sanli, B. (2000):**
Anxiety, depression, and nature of acne vulgaris in adolescents. *International Journal of Dermatology*; 39:354
3. **Al'Abadie, M.; Kent, G. and Gawkrödger, D. (1994):**
The relationship between stress and the onset and exacerbation of psoriasis and other skin conditions. *Br. J. Dermatol.*; 130:199-203
4. **An, J.; Ma, J.; Xiao, S.; Xiao, S. and Yang, F. (2009):**
Quality of life in patients with lepromatous leprosy in China. *J. Eur. Acad. Dermatol. Venereol.*; 24:827-32
5. **Andreoli, E.; Mozzetta, A.; Angelo, C.; Paradisi, M. and Foglio Bonda, P. (2002):**
Epidermolysis bullosa. Psychological and psychosocial aspects. *Dermatology and Psychosomatics*; 3:77-81
6. **Augustin, M.; Gajur, A.; Reich, C.; Rustenbach, S. and Schaefer, I. (2008):**
Benefit evaluation in vitiligo treatment: Development and validation of a patient-defined outcome questionnaire. *Dermatology*; 217:101-6
7. **Aznar, A. and Castanon, D. (2005):**
Quality of life from the point of view of Latin American families: A participative research study. *J. Intellect. Disabil. Res.*; 49:784-8



8. **Bailey, D.; McWilliam, R.; Darkes, L.; Hebbeler, K.; Simeonsson, R. et al. (1998):**
Family outcomes in early intervention: A framework for program evaluation and efficacy research. *Exceptional Children*; 64(3):313-28
9. **Balkrishnan, R.; Housman, T.; Carroll, C.; Feldman, S. and Fleischer, A. (2003):**
Disease severity and associated family impact in childhood atopic dermatitis. *Arch. Dis. Child.*; 88:423-7
10. **Basra, M.; Edmunds, O.; Salek, M. and Finlay, A. (2008):**
Measurement of family impact of skin disease: Further validation of the family dermatology life quality index (FDLQI). *Journal of the European Academy of Dermatology and Venereology*; 22:813-21
11. **Basra, M. and Finlay, A. (2007):**
The family impact of skin diseases: The greater patient concept. *Br. J. Dermatol.*; 156:929-37
12. **Basra, M. and Shahrukh, M. (2009):**
Burden of skin diseases. *Expert Rev. Pharmacoecon Outcomes Res.*; 9:271-83
13. **Basra, M.; Sue-Ho, R. and Finlay, A. (2007):**
The family dermatology life quality index: Measuring the secondary impact of skin disease. *Br. J. Dermatol.*; 156:528-38
14. **Baubet, T.; Ranque, B.; Taïeb, O.; Bérezné, A.; Bricou, O. et al. (2011):**
Mood and anxiety disorders in systemic sclerosis patients. *La Presse Médicale*; 40:e111-e9
15. **Beattie, P. and Lewis-Jones, M. (2003):**
Parental knowledge of topical therapies in the treatment of childhood atopic dermatitis. *Clin. Exp. Dermatol.*; 28:549-53
16. **Beattie, P. and Lewis-Jones, M. (2006a):**


- A comparative study of impairment of quality of life in children with skin disease and children with other chronic childhood diseases. *Br. J. Dermatol.*; 155:145-51
17. **Beattie, P. and Lewis-Jones, M. (2006b):**
An audit of the impact of a consultation with a paediatric dermatology team on quality of life in infants with atopic eczema and their families: Further validation of the infants' dermatitis quality of life index and dermatitis family impact score. *British Journal of Dermatology*; 155:1249-55
18. **Belhadjali, H.; Amri, M.; Mecheri, A.; Doarika, A.; Khorchani, H. et al. (2007):**
Vitiligo and quality of life: A case-control study. *Ann. Dermatol. Venereol.*; 134:233-6
19. **Bhadauria, S.; Moser, D.; Clements, P.; Singh, R.; Lachenbruch, P. et al. (1995):**
Genital tract abnormalities and female sexual function impairment in systemic sclerosis. *Am. J. Obstet. Gynecol.*; 172:580-7
20. **Bharath, S.; Shamasundar, C.; Raghuram, R. and Subbakrishna, D. (2001):**
Correlates of psychiatric morbidity in patients with leprosy. *Indian J. Lepr.*; 73:217-28
21. **Bickers, D.; Lim, H.; Margolis, D.; Weinstock, M.; Goodman, C. et al. (2006):**
The burden of skin diseases: 2004 a joint project of the American academy of dermatology association and the society for investigative dermatology. *J. Am. Acad. Dermatol.*; 55:490-500
22. **Bickle, K.; Roark, T. and Hsu, S. (2002):**
Autoimmune bullous dermatoses: A review. *Am. Fam. Physician*; 65:1861-70
23. **Bock, O.; Schmid-Ott, G.; Malewski, P. and Mrowietz, U. (2006):**
Quality of life of patients with keloid and hypertrophic scarring. *Arch. Dermatol. Res.*; 297:433-8
24. **Borimnejad, L.; Parsa Yekta, Z.; Nikbakht-Nasrabadi, A. and Firooz, A. (2006):**
-

- Quality of life with vitiligo: Comparison of male and female muslim patients in Iran. *Gend. Med.*; 3:124-30
25. **Boyle, P.; Dore, J. F.; Autier, P. and Ringborg, U. (2004):**
Cancer of the skin: A forgotten problem in Europe. *Ann. Oncol.*; 15:5-6
26. **Brouwers, C.; Brakel, W. and Cornielje, H. (2011):**
Quality of life, perceived stigma, activity and participation of people with leprosy-related disabilities in South-East Nepal. *Disability, CBR & Inclusive Development* 22:16-34
27. **Brown, I.; Anand, S.; Fung, W.; Isaacs, B. and Baum, N. (2003):**
Family quality of life: Canadian results from an international study. *Journal of Developmental and Physical Disabilities*; 15:207-30
28. **Brown, I. and Brown, R. (2004):**
Family quality of life as an area of study. In: A. P. Turnbull; I. Brown and Turnbull, H. R. (eds). *Families and people with mental retardation and quality of life: International perspectives*. ed. Washington, American Association on Mental Retardation (AAMR); 3-10
29. **Brown, R. I. (2008):**
Reappraisal of challenges and supports where there is a child with a complex disability. *Inspire!*, MukiBaum Treatment Centres; 2:4-8
30. **Brzoza, Z.; Kasperska-Zajac, A.; Badura-Brzoza, K.; Matysiakiewicz, J.; Hese, R. et al. (2008):**
Decline in dehydroepiandrosterone sulfate observed in chronic urticaria is associated with psychological distress. *Psychosom. Med.*; 70:723-8
31. **Bullinger, M.; Anderson, R.; Cella, D. and Aaronson, N. (1993):**
Developing and evaluating cross-cultural instruments from minimum requirements to optimal models. *Quality of Life Research*; 2:451-9
32. **Burdon-Jones, D.; Thomas, P. and Baker, R. (2009):**
Quality of life issues in nonmetastatic skin cancer. *Br. J. Dermatol.*; 162:147-51



33. **Camfferman, D.; Kennedy, J.; Gold, M.; Martin, A. and Lushington, K. (2010):**
Eczema and sleep and its relationship to daytime functioning in children. *Sleep Med. Rev.*; 14:359-69
34. **Camfferman, D.; Kennedy, J.; Gold, M.; Martin, A.; Winwood, P. et al. (2011):**
Eczema, sleep, and behavior in children. *J. Clin. Sleep. Med.*; 6:581-8
35. **Campbell, M. (2003):**
Confidence intervals. In: Campbell, M. (ed.): *Statistics at square two: Understanding modern statistical applications in medicine*, 1st edition. London, BMJ Publishing Group Press, Ch. 1, p.6.
36. **Canam, C. and Acorn, S. (1999):**
Quality of life for family caregivers of people with chronic health problems. *Rehabil. Nurs.*; 24:192-6, 200
37. **Carroll, C.; Balkrishnan, R.; Feldman, S.; Fleischer, A. and Manuel, J. (2005):**
The burden of atopic dermatitis: Impact on the patient, family, and society. *Pediatr. Dermatol.*; 22:192-9
38. **Chamlin, S.; Cella, D.; Frieden, I.; Williams, M.; Mancini, A. et al. (2005a):**
Development of the childhood atopic dermatitis impact scale: Initial validation of a quality-of-life measure for young children with atopic dermatitis and their families. *J. Invest. Dermatol.*; 125:1106-11
39. **Chamlin, S.; Frieden, I.; Williams, M. and Chren, M. (2004):**
Effects of atopic dermatitis on young American children and their families. *Pediatrics*; 114:607-11
40. **Chamlin, S.; Mattson, C.; Frieden, I.; Williams, M.; Mancini, A. et al. (2005b):**
The price of pruritus: Sleep disturbance and cosleeping in atopic dermatitis. *Arch. Pediatr. Adolesc. Med.*; 159:745-50

41. **Chen, T.; Bertenthal, D.; Sahay, A.; Sen, S. and Chren, M. (2007):**
Predictors of skin-related quality of life after treatment of cutaneous basal cell carcinoma and squamous cell carcinoma. *Arch. Dermatol.*; 143:1386-92
42. **Chen, T.; Li, L. and Kochen, M. (2005):**
A systematic review: How to choose appropriate health-related quality of life (HRQOL) measures in routine general practice? *J. Zhejiang Univ. Sci. B.*; 6:936-40
43. **Chren, M.; Sahay, A.; Bertenthal, D.; Sen, S. and Landefeld, C. (2007):**
Quality-of-life outcomes of treatments for cutaneous basal cell carcinoma and squamous cell carcinoma. *J. Invest. Dermatol.*; 127:1351-7
44. **Church, M.; Weller, K.; Stock, P. and Maurer, M. (2011):**
Chronic spontaneous urticaria in children: Itching for insight. *Pediatr. Allergy Immunol.*; 22:1-8
45. **Cinar, F.; Unver, V.; Yilmaz, S.; Cinar, M.; Yilmaz, F. et al. (2011):**
Living with scleroderma: Patients' perspectives, a phenomenological study. *Rheumatology International*; 2:1-7
46. **Cronbach, L. (1951):**
Coefficient alpha and the internal structure of tests. *Psychometrika*; 16:297-334
47. **Cummins, R. (1996):**
The domains of life satisfaction: An attempt to order chaos. *Social Indicators Research*; 38:303-28
48. **Cummins, R. (1998):**
The second approximation to an international standard for life satisfaction. *Social Indicators Research*; 43:307-34



49. **Darsow, U.; Laifaoui, J.; Kerschenlohr, K.; Wollenberg, A.; Przybilla, B. et al. (2004):**
The prevalence of positive reactions in the atopy patch test with aeroallergens and food allergens in subjects with atopic eczema: A European multicenter study. *Allergy*; 59:1318-25
50. **DEBRA. (2012):**
The cost of epidermolysis bullosa. Accessed 27 January 2012, < <http://www.debra.org.uk/research.html> >.
51. **Dehkharghani, S.; Bible, J.; Chen, J.; Feldman, S. and Fleischer, AB. (2003):**
The economic burden of skin disease in the United States. *J. Am. Acad. Dermatol.*; 48:592-9
52. **DeLong, L.; Culler, S.; Saini, S.; Beck, L. and Chen, S. (2008):**
Annual direct and indirect health care costs of chronic idiopathic urticaria: A cost analysis of 50 nonimmunosuppressed patients. *Arch. Dermatol.*; 144:35-9
53. **DiGiovanna, J. and Robinson-Bostom, L. (2003):**
Ichthyosis: Etiology, diagnosis, and management. *Am. J. Clin. Dermatol.*; 4:81-95
54. **Donald, A. (2002):**
What is quality of life? What is series; 1(9), accessed 15 August 2011. <http://www.whatisseries.co.uk/whatis/View_article.asp?AID=1616>.
55. **Dreno, B. (2006):**
Assessing quality of life in patients with acne vulgaris: Implications for treatment. *Am. J. Clin. Dermatol.*; 7:99-106

E

56. **Eghlileb, A.; Basra, M. and Finlay, A. (2009):**
The psoriasis family index: Preliminary results of validation of a quality of life instrument for family members of patients with psoriasis. *Dermatology*; 219:63-70
57. **Eghlileb, A.; Davies, E. and Finlay, A. (2007):**
Psoriasis has a major secondary impact on the lives of family members and partners. *British Journal of Dermatology*; 156:1245-50
58. **EL.Tawil, M.; Sediki, N. and Hassan, H. (2009):**
Psychobiological aspects of patients with lichen planus. *Current Psychiatry*; 16:370-80
59. **Emerson, E.; Robertson, J.; Hatton, C.; Martin, K.; Walsh, P. et al. (2005):**
Costs and outcomes of community residential supports in England. In: Stancliffe, R. and Lakin, K. (eds). *Costs and outcomes of community services for people with intellectual disabilities*. ed. Baltimore, Paul H. Brookes Publishers Co.; 151-74

F

60. **Fabrigar, L.; Wegener, D.; MacCallum, R. and Strahan, E. (1999):**
Evaluating the use of exploratory factor analysis in psychological research. *Psychological Methods*; 4:272-99
61. **Felce, D. (1997):**
Defining and applying the concept of quality of life. *J. Intellect. Disabil. Res.*; 41 (Pt 2):126-35
62. **Ferdinand, R. and Smith, M. (2003):**

- 2003 Nebraska developmental disabilities provider profiles. The ARC of Nebraska, Lincoln.
63. **Ferrandiz, C.; Pujol, R.; Garcia-Patos, V.; Bordas, X. and Smandia, J. (2002):**
Psoriasis of early and late onset: A clinical and epidemiologic study from Spain. *J. Am. Acad. Dermatol.*; 46:867-73
64. **Ferrer, M. (2009):**
Epidemiology, healthcare, resources, use and clinical features of different types of urticaria. *Alergologica 2005. J. Investig. Allergol. Clin. Immunol.*; 19 Suppl 2:21-6
65. **Fine, J.; Johnson, L.; Weiner, M. and Suchindran, C. (2005):**
Impact of inherited epidermolysis bullosa on parental interpersonal relationships, marital status and family size. *Br. J. Dermatol.*; 152:1009-14
66. **Finlay, A. (1998):**
Skin disease disability: Measuring its magnitude. *Keio. J. Med.*; 47:131-4
67. **Finlay, A. (2004):**
Quality of life indices. *Indian J. Dermatol. Venereol. Leprol.*; 70:143-8
68. **Firooz, A.; Bouzari, N.; Fallah, N.; Ghazisaidi, B.; Firoozabadi, M. et al. (2004):**
What patients with vitiligo believe about their condition. *Int. J. Dermatol.*; 43:811-4
69. **Fivenson, D.; Arnold, R.; Kaniecki, D.; Cohen, J.; Frech, F. et al. (2002):**
The effect of atopic dermatitis on total burden of illness and quality of life on adults and children in a large managed care organization. *J. Manag. Care Pharm.*; 8:333-42
70. **Fortune, D.; Main, C.; O'Sullivan, T. and Griffiths, C. (1997):**
Quality of life in patients with psoriasis: The contribution of clinical variables and psoriasis-specific stress. *Br. J. Dermatol.*; 137:755-60
71. **Fried, R. and Wechsler, A. (2006):**
Psychological problems in the acne patient. *Dermatologic Therapy*; 19:237-40

G


72. **Gånemo, A. (2010):**
Quality of life in Swedish children with congenital ichthyosis. *Dermatology reports*; 2:18-20
73. **Gånemo, A.; Lindholm, C.; Lindberg, M.; Sjoden, P. and Vahlquist, A. (2003):**
Quality of life in adults with congenital ichthyosis. *J. Adv. Nurs.*; 44:412-9
74. **Gånemo, A.; Sjoden, P.; Johansson, E.; Vahlquist, A. and Lindberg, M. (2004):**
Health-related quality of life among patients with ichthyosis. *Eur. J. Dermatol.*; 14:61-6
75. **Gaspar, T.; Matos, M.; Pais, R.; Jose, L.; Leal, I. et al. (2009):**
Health related quality of life in children and adolescent and associated. *J. Co. Behav. Psychother.*; 9(1):33-48
76. **Gorsuch, R. (1983):**
Factor analysis. 2nd ed. New Jersey: Hillsdale; 1-448
77. **Gregory, A.; Van der Ende, J.; Willis, T. A. and Verhulst, F. (2008):**
Parent-reported sleep problems during development and self-reported anxiety/depression, attention problems, and aggressive behavior later in life. *Arch. Pediatr. Adolesc. Med.*; 162:330-5
78. **Grob, J. and Gaudy-Marqueste, C. (2006):**
Urticaria and quality of life. *Clin. Rev. Allergy Immunol.*; 30:47-51

H


79. **Haas, B. (1999):**
Clarification and integration of similar quality of life concepts. *Image*

- J. Nurs. Sch.; 31:215-20
80. **Hanifin, J. and Reed, M. (2007):**
A population-based survey of eczema prevalence in the United States. *Dermatitis*; 18:82-91
 81. **Hattie, J. (1985):**
Methodology review: Assessing unidimensionality of tests and items. *Applied Psychological Measurement*; 9:139-64
 82. **Henkel, V.; Moehrenschrager, M.; Hegerl, U.; Moeller, H.; Ring, J. et al. (2002):**
Screening for depression in adult acne vulgaris patients: Tools for the dermatologist. *J. Cosmet. Dermatol.*; 1:202-7
 83. **Herbert, C. (2001):**
People with leprosy (Hansen's disease) during the middle ages. *The Social Science Journal*; 38:315-21
 84. **Herd, R. (2009):**
Morbidity and cost in atopic dermatitis. In: Williams, H. (ed). *Atopic dermatitis*. ed., Cambridge University Press; 88-9.
Accessed 20 January 2012
<<http://ebooks.cambridge.org/chapter.jsf?bid=CBO9780511545771&cid=CBOA015>>
 85. **Hoffman, L.; Marquis, J.; Poston, D.; Summers, J. and Turnbull, A. (2006):**
Assessing family outcomes: Psychometric evaluation of the beach center family quality of life scale. *Journal of Marriage and Family*; 68:1069-83
 86. **Hon, K.; Leung, T.; Wong, K.; Chow, C.; Chuh, A. et al. (2008):**
Does age or gender influence quality of life in children with atopic dermatitis? *Clin. Exp. Dermatol.*; 33:705-9
 87. **Hong, J.; Koo, B. and Koo, J. (2008):**
The psychosocial and occupational impact of chronic skin disease. *Dermatol. Ther.*; 21:54-9
 88. **Horn, H. and Tidman, M. (2002):**
Quality of life in epidermolysis bullosa. *Clin. Exp. Dermatol.*; 27:707-

89. **Housman, T.; Feldman, S.; Williford, P.; Fleischer, AB.; Goldman, N. et al. (2003):**
Skin cancer is among the most costly of all cancers to treat for the Medicare population. *J. Am. Acad. Dermatol.*; 48:425-9
90. **Hudson, M.; Thombs, B.; Steele, R.; Panopalis, P.; Newton, E. et al. (2009):**
Quality of life in patients with systemic sclerosis compared to the general population and patients with other chronic conditions. *The Journal of Rheumatology*; 36:768-72
91. **Huggins, R.; Janusz, C. and Schwartz, R. (2006):**
Vitiligo: A sign of systemic disease. *Indian J. Dermatol. Venereol. Leprol.*; 72:68-71




92. **Isaacs, B.; Brown, I.; Brown, R.; Baum, N.; Myerscough, T. et al. (2007):**
The international family quality of life project: Goals and description of a survey tool. *Journal of Policy and Practice in Intellectual Disabilities*; 4:177-85



93. **Jalel, A.; Soumaya, G. and Hamdaoui, M. (2009):**
Dermatology life quality index scores in vitiligo: Reliability and validity of the Tunisian version. *Indian J. Dermatol.*; 54:330-3
94. **Jayaprakasam, A.; Darvay, A.; Osborne, G. and McGibbon, D. (2002):**
Comparison of assessments of severity and quality of life in cutaneous disease. *Clin. Exp. Dermatol.*; 27:306-8
95. **Jobanputra, R. and Bachmann, M. (2000):**


The effect of skin diseases on quality of life in patients from different social and ethnic groups in Cape Town, South Africa. *Int. J. Dermatol.*; 39:826-31

96. **Jones-Caballero, M.; Chren, M.; Soler, B.; Pedrosa, E. and Penas, P. (2007):**
Quality of life in mild to moderate acne: Relationship to clinical severity and factors influencing change with treatment. *J. Eur. Acad. Dermatol. Venereol.*; 21:219-26
97. **Jowett, S. and Ryan, T. (1985):**
Skin disease and handicap: An analysis of the impact of skin conditions. *Soc. Sci. Med.*; 20:425-9




98. **Kamalpour, L.; Gammon, B.; Chen, K.; Veledar, E.; Pavlis, M. et al. (2011):**
Resource utilization and quality of life associated with congenital ichthyoses. *Pediatr. Dermatol.*; 28:512-8
99. **Kamalpour, L.; Rice, Z.; Pavlis, M.; Veledar, E. and Chen, S. (2010):**
Reliable methods to evaluate the clinical severity of ichthyosis. *Pediatr. Dermatol.*; 27:148-53
100. **Kaplan, A. (2002):**
Clinical practice. Chronic urticaria and angioedema. *N. Engl. J. Med.*; 346:175-9
101. **Karadağ, A.; Akdeniz, N.; Bilgili, S.; Özkol, H.; Çalka, Ö. et al. (2012):**
Dermatology life quality index in various skin diseases among hospitalized patients. *J. Turk. Acad. Dermatol.*; 6:7
102. **Karon, S. and Bernard, S. (2002):**
Development of operational definitions of quality indicators for medicaid services to people with developmental disabilities. < http://www.chsra.wisc.edu/chsra/projects/reports/aamr_presentation.pdf >. Accessed 18 April 2011.

- 103. Katugampola, R. and Finlay, A. (2007):**
Impact of skin diseases on quality of life. *Eur. J. Dermatol.*; 17:102-6
- 104. Katz, M.; Irish, J.; Devins, G.; Rodin, G. and Gullane, P. (2003):**
Psychosocial adjustment in head and neck cancer: The impact of disfigurement, gender and social support. *Head Neck*; 25:103-12
- 105. Kaymak, Y.; Taner, E. and Taner, Y. (2009):**
Comparison of depression, anxiety and life quality in acne vulgaris patients who were treated with either isotretinoin or topical agents. *Int. J. Dermatol.*; 48:41-6
- 106. Kemp, A. (1999):**
Atopic eczema: Its social and financial costs. *J. Paediatr. Child Health*; 35:229-31
- 107. Khandapani, T. and Mishra, B. (2010):**
Health problems and nutritional status of selected leprosy victims of Burla Town, Orissa, India. *Current Research Journal of Social Sciences*; 2(6):350-7
- 108. Kimberlin, C. and Winterstein, A. (2008):**
Validity and reliability of measurement instruments used in research. *American Journal of Health-System Pharmacy*; 65:2276-84
- 109. Koray, M.; Dulger, O.; Ak, G.; Horasanli, S.; Ucok, A. et al. (2003):**
The evaluation of anxiety and salivary cortisol levels in patients with oral lichen planus. *Oral Dis.*; 9:298-301
- 110. Koster, M. E. and Bergsma, J. (1990):**
Problems and coping behaviour of facial cancer patients. *Soc. Sci. Med.*; 30:569-78
- 111. Krueger, G.; Feldman, S.; Camisa, C.; Duvic, M.; Elder, J. et al. (2000):**
Two considerations for patients with psoriasis and their clinicians: What defines mild, moderate, and severe psoriasis? What constitutes a clinically significant improvement when treating psoriasis? *J. Am. Acad. Dermatol.*; 43:281-5

- 112. Kuyper, M. and Wester, F. (1998):**
In the shadow: The impact of chronic illness on the patient's partner. Qual. Health Res.; 8:237-53
- 
- 113. Langley, R.; Krueger, G. and Griffiths, C. (2005):**
Psoriasis: Epidemiology, clinical features, and quality of life. Ann. Rheum. Dis.; 64 Suppl 2:ii18-23; discussion ii4-5
- 114. Lapidus, C. and Kerr, P. (2001):**
Social impact of atopic dermatitis. Med. Health R. I.; 84:294-5
- 115. Lawson, V.; Lewis-Jones, M.; Finlay, A.; Reid, P. and Owens, R. (1998):**
The family impact of childhood atopic dermatitis: The dermatitis family impact questionnaire. Br. J. Dermatol.; 138:107-13
- 116. Lewis-Jones, S. (2006):**
Quality of life and childhood atopic dermatitis: The misery of living with childhood eczema. Int. J. Clin. Pract.; 60:984-92
- 117. Lim, J. and Zebrack, B. (2004):**
Caring for family members with chronic physical illness: A critical review of caregiver literature. Health and quality of life outcomes; 2:50
- 118. Lim, Y.; Chan, Y.; Yosipovitch, G. and Greaves, M. (2008):**
Pruritus is a common and significant symptom of acne. J. Eur. Acad. Dermatol. Venereol.; 22:1332-6
- 119. Linthorst Homan, M.; Sprangers, M.; De Korte, J.; Bos, J. and van der Veen, J. (2008):**
Characteristics of patients with universal vitiligo and health-related quality of life. Arch. Dermatol.; 144:1062-4
- 120. Little, M. and Sayers, E. (2004):**
The skull beneath the skin: Cancer survival and awareness of death. Psychooncology; 13:190-8

121. **Llewellyn, C. and Warnakulasuriya, S. (2003):**
The impact of stomatological disease on oral health-related quality of life. *Eur. J. Oral Sci.*; 111:297-304
122. **Llewellyn, G.; National, H.; Medical Research, C.; University of Sydney. Faculty of Health and Sciences. (2003):**
Report of a study conducted with funding from the national health and medical research council, 2000–2002. In: *Invisible carers : Facing an uncertain future.* ed. Sydney, Faculty of Health Sciences, University of Sydney;
123. **Lockwood, D. (2002):**
Leprosy. *Clin. Evid.*; 8:709-20
124. **Lopez-Jornet, P. and Camacho-Alonso, F. (2010):**
Quality of life in patients with oral lichen planus. *J. Eval. Clin. Pract.*; 16:111-3
125. **Lynch, E. and Hanson, M. (2004):**
Developing cross-cultural competence: A guide for working with children and their families. 3rd ed. Baltimore, United States: Paul. H. Brookes Pub. Co.; 518




126. **Mactavish, J. and Schleien, S. (2004):**
Re-injecting spontaneity and balance in family life: Parents' perspectives on recreation in families that include children with developmental disability. *Journal of Intellectual Disability Research*; 48:123-41
127. **Mansur, A.; Kilic, Z. and Atalay, F. (2004):**
Psychological evaluation of patients with cutaneous lichen planus. *Dermatology and Psychosomatics*; 5:132-6
128. **Margari, F.; Lecce, P.; Santamato, W.; Ventura, P.; Sportelli, N. et al. (2010):**
Psychiatric symptoms and quality of life in patients affected by

- epidermolysis bullosa. *J. Clin. Psychol. Med. Settings*; 17:333-9
129. **Maroti, M.; Ulf, E. and Wijma, B. (2006):**
Quality of life before and 6 weeks after treatment in a dermatological outpatient treatment unit. *J. E. A. D. V.*; 20:1081-5
130. **Mattoo, S.; Handa, S.; Kaur, I.; Gupta, N. and Malhotra, R. (2002):**
Psychiatric morbidity in vitiligo: Prevalence and correlates in India. *J. Eur. Acad. Dermatol. Venereol.*; 16:573-8
131. **Maurer, M.; Ortonne, J. and Zuberbier, T. (2009):**
Chronic urticaria: A patient survey on quality-of-life, treatment usage and doctor-patient relation. *Allergy*; 64:581-8
132. **Mayes, M. (2005):**
The scleroderma book: A guide for patients and families. 2nd ed. USA: Oxford University Press; 224
133. **Mayrshofer, F.; Hertl, M.; Sinkgraven, R.; Sticherling, M.; Pfeiffer, C. et al. (2005):**
Significant decrease in quality of life in patients with pemphigus vulgaris. Results from the German Bullous Skin Disease (BSD) study group. *J. Dtsch. Dermatol. Ges.*; 3:431-5
134. **Mazereeuw-Hautier, J.; Dreyfus, I.; Barbarot, S.; Serrentino, L.; Bourdon-Lanoy, E. et al. (2012):**
Factors influencing quality of life in patients with inherited ichthyosis: A qualitative study in adults using focus groups. *British Journal of Dermatology*; 166:646-8
135. **McGoldrick, M.; Giordano, J. and Garcia-Preto, N. (2005):**
Ethnicity and family therapy. 3rd ed. New york: The Guilford Press; 796
136. **McKenna, S.; Whalley, D.; Dewar, A.; Erdman, R.; Kohlmann, T. et al. (2005):**
International development of the parents' index of quality of life in atopic dermatitis (PIQoL-AD). *Qual. Life. Res.*; 14:231-41
137. **Mercan, S.; Altunay, I.; Demir, B.; Akpınar, A. and Kayaoglu, S. (2008):**
Sexual dysfunctions in patients with neurodermatitis and psoriasis. *J.*


Sex Marital Ther.; 34:160-8

138. **Meyer, N.; Pruvost-Balland, C.; Bourdon-Lanoy, E.; Maubec, E. and Avri, M. (2007):**
Awareness, knowledge and attitudes towards sun protection among skin cancer-treated patients in France. *J. Eur. Acad. Dermatol. Venereol.*; 21:520-5
139. **Mignogna, M.; Lo Russo, L.; Fedele, S.; Ruoppo, E.; Califano, L. et al. (2002):**
Clinical behaviour of malignant transforming oral lichen planus. *Eur. J. Surg. Oncol.*; 28:838-43
140. **Mlynek, A.; Magerl, M.; Hanna, M.; Lhachimi, S.; Baiardini, I. et al. (2009):**
The German version of the chronic urticaria quality-of-life questionnaire: Factor analysis, validation, and initial clinical findings. *Allergy*; 64:927-36
141. **Mlynek, A.; Zalewska-Janowska, A.; Martus, P.; Staubach, P.; Zuberbier, T. et al. (2008):**
How to assess disease activity in patients with chronic urticaria? *Allergy*; 63:777-80
142. **Motley, R. and Finlay, A. (1989):**
How much disability is caused by acne? *Clin. Exp. Dermatol.*; 14:194-8
143. **Moyal-Barracco, M. and Edwards, L. (2004):**
Diagnosis and therapy of anogenital lichen planus. *Dermatol. Ther.*; 17:38-46




144. **National Psoriasis Foundation. (2010):**
Grounded by psoriatic arthritis. *Psoriasis advance*; 8:12-3
145. **Niemeier, V.; Kupfer, J. and Gieler, U. (2006):**
Acne vulgaris-psychosomatic aspects. *J. Dtsch. Dermatol. Ges.*; 4:1027-36

146. **Nunnally, J. and Bernstein, I. (1994):**
Psychometric theory. 3rd ed. USA: McGraw-Hill Humanities; 736
147. **Nusbaum, M.; Hamilton, C. and Lenahan, P. (2003):**
Chronic illness and sexual functioning. *Am. Fam. Physician*; 67:347-54




148. **Ohya, Y.; Williams, H.; Steptoe, A.; Saito, H.; Iikura, Y. et al. (2001):**
Psychosocial factors and adherence to treatment advice in childhood atopic dermatitis. *J. Invest. Dermatol.*; 117:852-7
149. **Oji, V. and Traupe, H. (2006):**
Ichthyoses: Differential diagnosis and molecular genetics. *Eur. J. Dermatol.*; 16:349-59
150. **Ongenaes, K.; Dierckxsens, L.; Brochez, L.; van Geel, N. and Naeyaert, J. (2005a):**
Effect of vitiligo on self-reported health-related quality of life. *Br. J. Dermatol.*; 152:1165-72
151. **Ongenaes, K.; Van Geel, N.; De Schepper, S. and Naeyaert, J. (2005b):**
Quality of life and stigmatization profile in a cohort of vitiligo patients and effect of the use of camouflage. *Dermatology*; 210:279-85
152. **Ozkan, M.; Oflaz, S. B.; Kocaman, N.; Ozseker, F.; Gelincik, A. et al. (2007):**
Psychiatric morbidity and quality of life in patients with chronic idiopathic urticaria. *Ann. Allergy Asthma Immunol.*; 99:29-33



153. **Paller, A.; McAlister, R.; Doyle, J. and Jackson, A. (2002):**
Perceptions of physicians and pediatric patients about atopic dermatitis, its impact, and its treatment. *Clin. Pediatr. (Phila)*; 41:323-32
154. **Park, J.; Hoffman, L.; Marquis, J.; Turnbull, A.; Poston, D. et al. (2003):**
Toward assessing family outcomes of service delivery: Validation of a family quality of life survey. *Journal of Intellectual Disability Research*; 47:367-84
155. **Parsad, D.; Dogra, S. and Kanwar, A. (2003a):**
Quality of life in patients with vitiligo. *Health Qual. Life Outcomes*; 1:58
156. **Parsad, D.; Pandhi, R.; Dogra, S.; Kanwar, A. and Kumar, B. (2003b):**
Dermatology life quality index score in vitiligo and its impact on the treatment outcome. *Br. J. Dermatol.*; 148:373-4
157. **Picardi, A.; Mazzotti, E. and Pasquini, P. (2006):**
Prevalence and correlates of suicidal ideation among patients with skin disease. *Journal of the American Academy of Dermatology*; 54:420-6
158. **Porter, J.; Beuf, A.; Lerner, A. and Nordlund, J. (1990):**
The effect of vitiligo on sexual relationships. *J. Am. Acad. Dermatol.*; 22:221-2
159. **Porter, W.; Dinneen, M.; Hawkins, D. and Bunker, C. (2001):**
Erosive penile lichen planus responding to circumcision. *J. Eur. Acad. Dermatol. Venereol.*; 15:266-8
160. **Poston, D.; Turnbull, A.; Park, J.; Mannan, H.; Marquis, J. et al. (2003):**
Family quality of life: A qualitative inquiry. *Mental Retardation* 41(3):313-28
161. **Powell, R.; Du Toit, G.; Siddique, N.; Leech, S.; Dixon, T. et al. (2007):**
BSACI guidelines for the management of chronic urticaria and angio-oedema. *Clin. Exp. Allergy*; 37:631-50

162. **Prado, G.; Prado, R.; Marciano, L.; Nardi, S.; Cordeiro, J. et al. (2011):**
WHO disability grade does not influence physical activity in Brazilian leprosy patients. *Lepr. Rev.*; 82:270-8
163. **Purvis, D.; Robinson, E.; Merry, S. and Watson, P. (2006):**
Acne, anxiety, depression and suicide in teenagers: A cross-sectional survey of New Zealand secondary school students. *J. Paediatr. Child Health*; 42:793-6



164. **Radtke, M.; Schafer, I.; Gajur, A.; Langenbruch, A. and Augustin, M. (2009):**
Willingness-to-pay and quality of life in patients with vitiligo. *Br. J. Dermatol.*; 161:134-9
165. **Rafferty, J. (2005):**
Curing the stigma of leprosy. *Lepr. Rev.*; 76:119-26
166. **Reckase, M. (1979):**
Unifactor latent trait models applied to multifactor tests: Results and implications. *Journal of Educational and Behavioral Statistics*; 4:207-30
167. **Rees, J.; O'Boyle, C. and MacDonagh, R. (2001):**
Quality of life: Impact of chronic illness on the partner. *J. R. Soc. Med.*; 94:563-6
168. **Reinhard, S.; Given, B.; Petlick, N. and Bemis., A. (2008):**
Supporting family caregivers in providing care. In: Hughes, R. (ed). *Patient safety and quality: An evidence-based handbook for nurses*. 1st ed. USA, AHRQ; 341-404
169. **Renwick, R.; Brown, I. and Raphael, D. (2000):**
Person-centered quality of life: Contributions from Canada to an international understanding. In: Keith, K. D. and Schalock, R. L. (eds). *Cross-cultural perspectives on quality of life*. ed. Washington,

DC, American Association on Mental Retardation; 5-23

- 170. Renzi, C.; Abeni, D.; Picardi, A.; Agostini, E.; Melchi, C. et al. (2001):**
Factors associated with patient satisfaction with care among dermatological outpatients. *Br. J. Dermatol.*; 145:617-23
- 171. Renzi, C.; Mastroeni, S.; Mannooranparampil, T.; Passarelli, F.; Caggiati, A. et al. (2008):**
Skin cancer knowledge and preventive behaviors among patients with a recent history of cutaneous squamous cell carcinoma. *Dermatology*; 217:74-80
- 172. Rhee, J.; Davis-Malesevich, M.; Logan, B.; Neuburg, M.; Burzynski, M. et al. (2008):**
Behavior modification and risk perception in patients with nonmelanoma skin cancer. *WMJ*; 107:62-8
- 173. Rhee, J.; Loberiza, F.; Matthews, B.; Neuburg, M.; Smith, T. et al. (2003):**
Quality of life assessment in nonmelanoma cervicofacial skin cancer. *Laryngoscope*; 113:215-20
- 174. Rhee, J.; Matthews, B.; Neuburg, M.; Logan, B.; Burzynski, M. et al. (2007):**
The skin cancer index: Clinical responsiveness and predictors of quality of life. *Laryngoscope*; 117:399-405
- 175. Rhee, J.; Matthews, B.; Neuburg, M.; Smith, T.; Burzynski, M. et al. (2004):**
Skin cancer and quality of life: Assessment with the dermatology life quality index. *Dermatol. Surg.*; 30:525-9
- 176. Ricci, G.; Bendandi, B.; Bellini, F.; Patrizi, A. and Masi, M. (2007):**
Atopic dermatitis: Quality of life of young Italian children and their families and correlation with severity score. *Pediatr. Allergy Immunol.*; 18:245-9
- 177. Richards, H.; Chong, S.; Mason, D. and Griffiths, C. (2002):**
The impact of psoriasis on healthy partners of patients with psoriasis. *Br. J. Dermatol.*; 147(62):40

- 178. Richards, H.; Fortune, D.; Chong, S.; Mason, D.; Sweeney, S. et al. (2003):**
Divergent beliefs about psoriasis are associated with increased psychological distress. *J. Investig. Dermatol.*; 123:49-56
- 179. Richards, H.; Fortune, D. and Griffiths, C. (2008):**
The greater patient concept. *Br. J. Dermatol.*; 158:176-8
- 180. Rillotta, F.; Kirby, N.; Shearer, J. and Kober, R. (2011):**
A comparison of two family quality of life measures: An Australian study. In: Michalos, A. C.; Diener, E.; Glatzer, W.; Moum, T.; Vogel, J., et al. (eds). *Enhancing the quality of life of people with intellectual disabilities*. 1st ed. Netherlands, Springer; 305-48
- 181. Riordain, R.; Meaney, S. and McCreary, C. (2011):**
Impact of chronic oral mucosal disease on daily life: Preliminary observations from a qualitative study. *Oral Dis.*; 17:265-9
- 182. Roach, K. (2006):**
Measurement of health outcomes: Reliability, validity and responsiveness. *Journal of Prosthetics and Orthotics*; 18:8-12
- 183. Romanos, M.; Gerlach, M.; Warnke, A. and Schmitt, J. (2009):**
Association of attention-deficit/hyperactivity disorder and atopic eczema modified by sleep disturbance in a large population-based sample. *J. Epidemiol. Community Health*; 64:269-73
- 184. Rugman, M. and Collinson, S. (2012):**
International culture. In: Rugman, M. and Collinson, S. (eds). *International business*. 6th ed. UK, Pearson; 132-63
-
- 185. Saad, S. and Behrendt, A. (1996):**
Scleroderma and sexuality. *The Journal of Sex Research*; 33:215-20
- 186. Salek, M.; Finlay, A.; Luscombe, D.; Allen, B.; Berth-Jones, J. et al. (1993):**

Cyclosporin greatly improves the quality of life of adults with severe atopic dermatitis. A randomized, double-blind, placebo-controlled trial. *Br. J. Dermatol.*; 129:422-30


- 187. Salzer, B. and Schallreuter, K. (1995):**
Investigation of the personality structure in patients with vitiligo and a possible association with impaired catecholamine metabolism. *Dermatology*; 190:109-15
- 188. Sampogna, F.; Raskovic, D.; Guerra, L.; Pedicelli, C.; Tabolli, S. et al. (2008):**
Identification of categories at risk for high quality of life impairment in patients with vitiligo. *Br. J. Dermatol.*; 159:351-9
- 189. Sampogna, F.; Tabolli, S.; Di Pietro, C.; Castiglia, D.; Zambruno, G. et al. (2012):**
The evaluation of family impact of recessive dystrophic epidermolysis bullosa using the Italian version of the Family Dermatology Life Quality Index. *Journal of the European Academy of Dermatology and Venereology*; 26:1-5
- 190. Samson, N.; Fink, B. and Matts, P. (2010):**
Visible skin condition and perception of human facial appearance. *International Journal of Cosmetic Science*; 32:167-84
- 191. Savin, J. (1993):**
The hidden face of dermatology. *Clin. Exp. Dermatol.*; 18:393-5
- 192. Schalock, R. (2004a):**
Moving from individual to family quality of life as a research topic. In: Turnbull, A. P.; Brown, I. and Turnbull, A. P. (eds). *Families and people with mental retardation and quality of life: International perspectives*. ed. Washington, DC: American Association on Mental Retardation (AAMR); 11-24
- 193. Schalock, R. (2004b):**
The concept of quality of life: What we know and do not know. *Journal of Intellectual Disability Research*; 48:203-16
- 194. Schalock, R.; Braddock, D. and Verdugo, M. (2002a):**
Handbook on quality of life for human service practitioners. 1st ed. Washington, DC: Amer. Assoc. on Intellectual & Developmental Di.; 1-429

195. **Schallock, R.; Brown, I.; Brown, R.; Cummins, R.; Felce, D. et al. (2002b):**
Conceptualization, measurement, and application of quality of life for persons with intellectual disabilities: Report of an international panel of experts. *Ment. Retard.*; 40:457-70
196. **Schallock, R. and Felce, D. (2004):**
Quality of life and subjective well-being: Conceptual and measurement issues. In: Emerson, E.; Thompson, T.; Parmenter, T. and Hatton, C. (eds). *International handbook on methods for research and evaluation in intellectual disabilities*. ed. New York., Wiley; 261-80
197. **Schmid-Ott, G. and Steen, T. (2011):**
Skin disorders and quality of life. In: Stone. J, and Blouin. M (eds): *International encyclopedia of rehabilitation*.
From <<http://cirrie.buffalo.edu/encyclopedia/en/article/152/>>.
Accessed 15 April 2011.
198. **Schmitt, J.; Romanos, M.; Schmitt, N.; Meurer, M. and Kirch, W. (2009):**
Atopic eczema and attention-deficit/hyperactivity disorder in a population-based sample of children and adolescents. *JAMA*; 301:724-6
199. **Sebaratnam, D.; McMillan, J.; Werth, V. and Murrell, D. (2012):**
Quality of life in patients with bullous dermatoses. *Clin. Dermatol.*; 30:103-7
200. **Sehgal, V. and Srivastava, G. (2007):**
Vitiligo: Compendium of clinico-epidemiological features. *Indian J. Dermatol. Venereol. Leprol.*; 73:149-56
201. **Shu, B.; Hsieh, H.; Hsieh, S. and Li, S. (2001):**
Toward an understanding of mothering: The care giving process of mothers with autistic children. *J. Nurs. Res.*; 9:203-13
202. **Shwayder, T. (2004):**
Disorders of keratinization: Diagnosis and management. *Am. J. Clin. Dermatol.*; 5:17-29
203. **Soderberg, S.; Strand, M.; Haapala, M. and Lundman, B.**

- (2003):
Living with a woman with fibromyalgia from the perspective of the husband. *J. Adv. Nurs.*; 42:143-50
204. **Staubach, P.; Eckhardt-Henn, A.; Dechene, M.; Vonend, A.; Metz, M. et al. (2006):**
Quality of life in patients with chronic urticaria is differentially impaired and determined by psychiatric comorbidity. *Br. J. Dermatol.*; 154:294-8
205. **Streiner, D. and Norman, G. (2003):**
Health measurement scales: A practical guide to their development and use. 3rd ed. USA: Oxford University Press; 296
206. **Styperek, A.; Rice, Z.; Kamalpour, L.; Pavlis, M.; Kuo, J. et al. (2010):**
Annual direct and indirect health costs of the congenital ichthyoses. *Pediatr. Dermatol.*; 27:325-36
207. **Su, J.; Kemp, A.; Varigos, G. and Nolan, T. (1997):**
Atopic eczema: Its impact on the family and financial cost. *Arch. Dis. Child*; 76:159-62
208. **Sugerman, P.; Savage, N.; Walsh, L.; Zhao, Z.; Zhou, X. et al. (2002):**
The pathogenesis of oral lichen planus. *Crit. Rev. Oral Biol. Med.*; 13:350-65
209. **Sulzberger, M. and Zaidens, S. (1948):**
Psychogenic factors in dermatologic disorders. *Med. Clin. North. Am.*; 32:669-85
Quoted from
Zip, C. (2007):
The impact of acne on quality of life. *Skin Therapy Letter*; 12(10),
accessed 10 March 8,
<<http://www.skintherapyletter.com//12.10/2.htm>>.
210. **Summers, J.; Poston, D.; Turnbull, A.; Marquis, J.; Hoffman, L. et al. (2005):**
Conceptualizing and measuring family quality of life. *J. Intellect. Disabil. Res.*; 49:777-83



211. **Tabolli, S.; Pagliarello, C.; Uras, C.; Pietro, C.; Zambruno, G. et al. (2010):**
Family burden in epidermolysis bullosa is high independent of disease type/subtype. *Acta Dermato-Venereologica*; 90:607-11
212. **Tabolli, S.; Sampogna, F.; Di Pietro, C.; Paradisi, A.; Uras, C. et al. (2009):**
Quality of life in patients with EB. *Br. J. Dermatol.*; 161:869-77
213. **Taylor, E.; Jones, P. and Burns, M. (1998):**
Quality of life. In: Morlof, I. (ed). *Chronic illness impact and interventions*. ed. Boston, Jones and Barlett Publishers; 207-26
214. **Trask, P.; Paterson, A.; Hayasaka, S.; Dunn, R.; Riba, M. et al. (2001):**
Psychosocial characteristics of individuals with non-stage IV melanoma. *J. Clin. Oncol.*; 19:2844-50
215. **Tsutsumi, A.; Izutsu, T.; Akramul Islam, M.; Amed, J.; Nakahara, S. et al. (2004):**
Depressive status of leprosy patients in Bangladesh: Association with self-perception of stigma. *Lepr. Rev.*; 75:57-66
216. **Tsutsumi, A.; Izutsu, T.; Islam, A.; Maksuda, A.; Kato, H. et al. (2007):**
The quality of life, mental health, and perceived stigma of leprosy patients in Bangladesh. *Soc. Sci. Med.*; 64:2443-53
217. **Turnbull, A.; Turnbull, R.; Poston, D.; Beegle, G.; Blue-Banning, M. et al. (2004):**
Enhancing quality of life of families of children and youth with disabilities in the United States. In: Turnbull, A.; Brown, I. and Turnbull, H. (eds). *Family quality of life: An international perspective*. ed. Washington, DC: American Association on Mental Retardation; 51-100



218. **Vahlquist, A.; Ganemo, A.; Pigg, M.; Virtanen, M. and Westermarck, P. (2003):**
The clinical spectrum of congenital ichthyosis in Sweden: A review of 127 cases. *Acta. Derm. Venereol. Suppl. (Stockh)*:34-47
219. **Van Brakel, W. (2003):**
Measuring leprosy stigma-a preliminary review of the leprosy literature. *Int. J. Lepr. Other Mycobact. Dis.*; 71:190-7
220. **Van Dorssen, I.; Boom, B. and Hengeveld, M. (1992):**
Experience of sexuality in patients with psoriasis and constitutional eczema. *Ned. Tijdschr. Geneesk.*; 136:2175-8
221. **Van Scheppingen, C.; Lettinga, A.; Duipmans, J.; Maathuis, C. G. and Jonkman, M. (2008):**
Main problems experienced by children with epidermolysis bullosa: A qualitative study with semi-structured interviews. *Acta. Derm. Venereol.*; 88:143-50
222. **Vardy, D.; Besser, A.; Amir, M.; Gesthalter, B.; Biton, A. et al. (2002):**
Experiences of stigmatization play a role in mediating the impact of disease severity on quality of life in psoriasis patients. *Br. J. Dermatol.*; 147:736-42
223. **Verboom, P.; Hakkaart-Van, L.; Sturkenboom, M.; De Zeeuw, R.; Menke, H. et al. (2002):**
The cost of atopic dermatitis in the Netherlands: An international comparison. *Br. J. Dermatol.*; 147:716-24
224. **Verdugo, M.; Schalock, R.; Keith, K. and Stancliffe, R. (2005):**
Quality of life and its measurement: Important principles and guidelines. *J. Intellect. Disabil. Res.*; 49:707-17



225. **Warschburger, P.; Buchholz, H. T. and Petermann, F. (2004):**
Psychological adjustment in parents of young children with atopic dermatitis: Which factors predict parental quality of life? *Br. J. Dermatol.*; 150:304-11
226. **Weiss, S.; Kimball, A.; Liewehr, D.; Blauvelt, A.; Turner, M. et al. (2002):**
Quantifying the harmful effect of psoriasis on health-related quality of life. *J. Am. Acad. Dermatol.*; 47:512-8
227. **Weldon, D. (2006):**
Quality of life in patients with urticaria. *Allergy Asthma Proc.*; 27:96-9
228. **WHO. (2006):**
Global strategy for further reducing the leprosy burden and sustaining leprosy control activities 2006-2010. Operational guidelines. *Leprosy Review*; 77:1-50
229. **WHO. (2009):**
Weekly epidemiological record. *Releve Epidemiologique Hebdomadaire*; 33(84):333-40
230. **Williams, B.; Sawyer, S. and Wahlstrom, C. (2011):**
Marriages, families & intimate relationships: A practical introduction. 2nd ed. Boston, MA: Prentice Hall; 704
231. **Williams, H. (2005):**
Clinical practice. Atopic dermatitis. *N. Engl. J. Med.*; 352:2314-24
232. **Wilson, D.; Goerzen, J. and Fritzler, M. (1993):**
Treatment of sexual dysfunction in a patient with systemic sclerosis. *J. Rheumatol.*; 20:1446-7