

References

Abdulla R (2004): Tetralogy of Fallot. In Essential Pediatric Cardiology. In: Koenig P, Hijazi d ZM, Zimmerman F, editors. New York: The Mc Graw-Hill companies, Inc; p. 193-8.

Adriaanse BM, Tromp CH, Simpson JM, van Mieghem T, Kist WJ, Kuik DJ, Oepkes D, van Vugt JM, Haak MC (2011): Inter-observer agreement in detailed prenatal diagnosis of congenital heart disease by telemedicine using four-dimensional ultrasound. Ultrasound Obstet Gynecol. May 24. 10.1002/uog.9059.

Ahmad OF and Hirose T. (2004) Severe retinopathy in a child with hypoplastic left heart syndrome. Am J Ophthalmol. Mar;137(3):566-7.

Akihito Uji (2012). "The Source of Moving Particles in Parafoveal Capillaries Detected by Adaptive Optics Scanning Laser Ophthalmoscopy". *Investigative Ophthalmology & Visual Science* 53 (1): 171-178.

Allan LD, Sharland GK, Milburn A, Lockhart SM, Groves AM, Anderson RH. (1994): Prospective diagnosis of 1.006 consecutive cases of congenital heart disease in the fetus. J Am Coll Cardiol; 23: 1452-8.

Allan LD and Huggon IC (2004): Counseling following a diagnosis of congenital heart disease. Prenat Diagn; 24: 1136-42.

Anand-Apte and J G Hollyfield, Cleveland Clinic, Cleveland, OH, USA (2010): Developmental Anatomy of the Retinal and Choroidal Vasculature. Elsevier Ltd. All rights reserved.

Anneke I. den Hollander, Ronald Roepman, Robert K. Koenekoop, Frans P.M. Cremers, Leber (2008): congenital amaurosis Genes, proteins and disease mechanisms. *Progress in Retinal and Eye Research*. July; 27(4):391-419.

Arafa MA, Zaher SR, El-Dowaty AA, Moneeb DE (2008): Quality of life among parents of children with heart disease. *Health Qual Life Outcomes*; 6:91.

Ardura Fernandez J, Gonzalez Herrera C, Aragon Garcia MP (2003): Hemodynamics and delayed growth in children after surgery for atrial septal defect. *AnPediatr. (Bare)*, 58: 302-308.

Azzopardi and Petkov (2011). Detection of retinal vascular bifurcations by trainable V4-like filters, in *Computer Analysis of Images and Patterns (CAIP)*, Seville, Lecture Notes in Computer Science, vol. 6854, (Springer-Verlag Berlin Heidelberg, pp.451-459.

Bassili A, Mokhtar SA, Dabous NI, Saher SR, Mokhtar MM and Zaki A (2000): Congenital heart disease among school children in Alexandria, Egypt: an overview on prevalence and relative frequencies. *J Trop Pediatr*; 6: 357–362.

Bernnan, P. and Young, I.D. (2001): Congenital heart malformations, aetiology and association, *Semin Neonatol.* 6 : 17 – 25.

Birkebaek NH, Hansen LK and Elle B (1997): Chest roentogram in evaluation of heart defects. *Pediatrics*, 103: 15.

Boldt T, Andersson S and Eronen M (2002): Outcome of structural heart disease diagnosed in utero. *Scand Cardiovasc J*; 36: 73-9.

Braden DS and Strong WF (2000): Cardiovascular responses to exercise testing children. *Am. J. Dis. Child*, 144: 1255.

Brickner ME, Hillis LD and Lange RA (2000): Congenital heart disease in adults: first of two parts. *N Engl J Med.*;342:256 –263.

Bruneau BG (2008): The developmental genetics of congenital heart disease. *Nature.*; 451(7181):943–8.

Chapman, N., Dell’omo, G., Sartini, M.,Witt, N., Hughes, A., Thom, S. and Pedrinelli, R. (2002): Peripheral vascular disease is associated with abnormal arteriolar diameter relationships at bifurcations in the human retina. *Clinical Science* vol. 103.

Chung T (2002): Assessment of cardiovascular anatomy in patients with congenital heart disease by magnetic resonance imaging. *Pediatric Cardiology.* 21: 18.

Clemente C, Barnes J and Shine Bourne E (2004): Feeding difficulties associated with congenital heart disease Child care health and development. 27: 47.

Collinet P, Chatelet-Cheront C and Houze de L'Aulnoit D (2004): Prenatal diagnosis of an aorto-pulmonary window by fetal echocardiography: Fetal diagn. 17: 302.

Crowe RJ, Kohner EM, Owen SJ, Robinson DM. (1996): The retinal vessels in congenital heart disease. *Med Biol*; 19: 95-99.

Dalili M, Meraji SM, Davari P, Aarabi Moghaddam MY, Bakhshandeh Abkenar H, Vahidi A and Shah mohammadi A (2011): Growth status of Iranian children with hemodynamically important congenital heart disease. *Acta Med Iran*; 49(2):103-8.

Danford DA, Gumbiner CH and Martin AB (1998): Effects of electro-cardiography on the accuracy of preliminary diagnosis of common congenital cardiac defects. *Pediatric. Cardiology*. 21: 334.

Diller GP, Dimopoulos K and Broberg CS, (2006): Presentation, survival prospects, and predictors of death in Eisenmenger syndrome: a combined retrospective and case-control study. *Eur Heart J.*; 27(14):1737–42.

Dimopoulos K, Giannakoulas G, Wort SJ and Gatzoulis MA.: (2008) Pulmonary arterial hypertension in adults with congenital heart disease: distinct differences from other causes of pulmonary arterial

hypertension and management implications. *Curr Opin Cardiol.*; 23(6):545–54.

Ejim EC, Ike SO and Anisiuba BC (2009): Ventricular septal defects at the University of Nigeria Teaching Hospital, Enugu: a review of echocardiogram records. *Trans R Soc Trop Med Hyg*; 103(2): 159–161.

Fakhro KA, Choi M, Ware SM, Belmont JW, Towbin JA, Lifton RP, Khokha MK and Brueckner M (2011): Rare copy number variations in congenital heart disease patients identify unique genes in left-right patterning. *Proc Natl Acad Sci USA*;108(7):2915-20.

Fredriksen PM, Jngjer E and Thaulow F (1998): Physical activity in children and adolescents with congenital heart disease. Aspects of measurements with an activity monitor. *Cardiology of the Young*. 10: 98.

Friedman WF and Child JS (2000): Congenital heart disease in infancy and childhood. Quoted from heart Disease, Textbook of Cardiovascular Medicine. Edited by Brawnwald, E. 3rd Part 4th edition. W.B. Saunders. Company. Page 887.

Fyfe DA and Parks WJ (2002): Noninvasive diagnostics in congenital heart disease: echocardiography and magnetic resonance imaging. *Crit Care Nurs Q* Nov. 25: 26.

Gedikbaşı A, Oztarhan K, Yıldırım G, Gül A and Ceylan Y (2011): Counseling and outcomes of antenatally diagnosed congenital heart anomalies in Turkey. *Anadolu Kardiyol Derg.*; 11(2):137-45.

Germanakis I and Sifakis S (2006): The impact of fetal echocardiography on the prevalence of liveborn congenital heart disease. *Pediatr Cardiol*; 27: 465-72.

Giamberti A and Frigiola A (2010): Surgical approach to adult with congenital heart disease. *Pediatr Med Chir.*; 32(6):302-4.

Goel N, Kumar V, Seth A, Ghosh B. (2010): Proliferative retinopathy in a child with congenital cyanotic heart disease. *J AAPOS*. Oct; 14(5):455-6.

Goldmuntz, F. (2001): The epidemiology and genetics of congenital heart disease. *Clin. Perinatology*; 28: 1-10.

Gomes AS, Lois JF and Williams RG (2005): Pulmonary arteries MR imaging in patients with congenital obstruction of the right ventricular outflow tract. *Radiology* Jan. 174: 51.

Gregory J, Emslie A and Wyllie J (2002): Examination for cardiac malformations at six weeks of age. *Archives of Diseases in Childhood*. 80: 46.

Gutierrez FR, Siegel MJ and Fallah JH (2005): Magnetic resonante imaging of cyanotic and noncyanotic congenital Heart disease. *Magn. Reson. Imaging Clin. N. Am.* May. 10: 209.

Harris GD (2000): Heart disease in children: primary care. Clinics in Office Practice. 27: 767.

Hijazi ZM and Waight DJ (2000): Pediatric interventional cardiology. Advances in Cardiac Surgery. 13: 143.

Hoffman JI and Kaplan S (2002): The incidence of congenital heart disease. J Am Coll Cardiol.; 39(12):1890–900.

Hoffman JI, Kaplan S and Liberthson RR (2004): Prevalence of congenital heart disease. Am Heart J.; 147:425– 439.

Hoffman J (2005): Essential Cardiology: Principles and Practice. Totowa, NJ: Humana Press. pp. 393.

Holmquist C, Larsson E and Stahlberg F (2001): Contrast angiography in infants and children. Acta. Radiological. 42: 50.

Hunfeld JA, Tempels A, Passchier J, Hazebroek FW and Tibboel D (1999): Parental burden and grief one year after the birth of a child with a congenital anomaly. J Pediatr Psychol; 24: 515-20.

Irena Tsui, Kamran Shamsa , Joseph K. Perloff , Eric Lee , Robert S. Wirthlin , and Steven D. Schwartz (2009): Retinal Vascular Patterns in Adults with Cyanotic Congenital Heart Disease Seminars in Ophthalmology, 24(6), 262–265.

Jenkins KJ, Correa A, Feinstein JA, Botto L, Britt AE, Daniels SR, Elixson M, Warnes CA and Webb CL (2007): Non inherited risk factors and congenital heart defects: current knowledge: a scientific

statement from the American Heart Association Council on Cardiovascular Disease in the Young. *Circulation*; 115: 2995–3014.

Jones KL (1997): Smith's recognizable patterns of human malformation (5th ed.). W.B. Saunders. pp. 316–317, 616–617.

Juttmann RE, Hess J and Looman CW (2000): Screening for congenital heart malformation in child health centers. *International Journal of Epidemiology*. 17: 989.

Kolb, H., Fernandez, E., and Nelson, R. (2003): Webvision: The neural organization of the vertebrate retina. Salt Lake City, Utah: John Moran Eye Center, University of Utah. Retrieved July 19, 2004.

Kröger RH, Biehlmaier O. (2009). Space saving advantage of an inverted retina. *Vision Res*. 49(18):2318-21.PMID 19591859.

Kuehl KS, Ferencz C, Loffredo CA (1994): Failure to diagnose congenital heart disease in infancy. *Pediatrics*. 103: 743.

Leblanc JG (2009): Creating a global climate for pediatric cardiac care. *World J pediatr*; 5:89-92.

Loomba RS, Leavitt JA and Cetta F. (2012): Headache and papilledema in an adult with cyanotic congenital heart disease: the importance of fundoscopic evaluation rather than phlebotomy. *Congenit Heart Dis*. May-Jun; 7(3):E14-7. doi: 10.1111/j.1747-0803.2011.00586.x. Epub 2011 Nov 9.

Mansour AM, Bitar FF, Traboulsi EI, Kassak KM, Obeid MY, Megarbane A and Salti HI. (2005): Ocular pathology in congenital heart disease. *Eye (Lond)*. Jan; 19(1):29-34.

McCrossan BA, Sands AJ, Kileen T, Cardwell CR and Casey FA (2011): Fetal diagnosis of congenital heart disease by telemedicine. *Arch Dis Child Fetal Neonatal Ed*. May 17. [Epub ahead of print]

Menahem S and Grimwade J (2003): Pregnancy termination following prenatal diagnosis of serious heart disease in the fetus. *Early Hum Dev*; 73: 71-8.

Menahem S and Grimwade J (2005): Pre-natal counseling-helping couples make decisions following the diagnosis of severe heart disease. *Early Hum Dev*; 81: 601-7.

Micheletti A, Negura D, Piazza L, Saracino A, Butera G, Arcidiacono C, Carminati M, Calaciura R, Chessa M (2010): Infective endocarditis in patients with congenital heart disease. *Pediatr Med Chir.*; 32(6):270-3.

Nishimura R and Tajik AJ (2001): Determination of left – sided pressure gradient by utilizing Doppler aortic and mitral regurgitant signals: validation by simultaneous dual catheter and Doppler Studies. *J. Am. Coll. Cardiol*. 11: 317.

Oh, Kean, (2006): "Pathogenetic Mechanisms of Retinal Detachment", in *Retina*, ed. Ryan, S.J., Elsevier Health Sciences, Philadelphia, PA, , p. 2013-2015

Omokhodion SI (2006): Management of patients with rheumatic fever and rheumatic heart disease in Nigeria - need for a national system of primary, secondary and tertiary prevention. *South Afr Med J*; 96: 237-9.

Ootaki Y, Yamaguchi M and Yoshimura N, (2003): Vascular endothelial growth factor in children with congenital heart disease. *Ann Thorac Surg.*; 75(5):1523–6.

Otto CM, Pearlman AS, Comess KA (2002): Determination of the stenotic aortic valve area in adults using Doppler echocardiography. *J. Am. Coll. Cardiol.* 7: 509.

Park DS, Fishman GI (2011): The cardiac conduction system. *Circulation*; 123(8):904-15.

Patton, N., Aslam, T., MacGillivray, T., Deary, I., Dhillon, B., Eikelboom, R., Yogesan, K. and Constable, I. (2006): Retinal image analysis: Concepts, applications and potential. *Progress in Retinal and Eye Research* vol. 25, pp. 99–127.

Pierpont ME, Basson CT, Benson DW Jr, Gelb BD, Giglia TM, Goldmuntz E, McGee G, Sable CA, Srivastava D, Webb CL; American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young (2007): Genetic basis for congenital heart defects: current knowledge: a scientific statement from the American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young:

endorsed by the American Academy of Pediatrics. *Circulation*; 115(23):3015-38.

Puig I, Hofmann M, Kuhie Strand T (1996): Chest X-ray of the neonate radiology. 40: 43.

Richard A (1999): Echocardiography In: "Moss and Adms heart disease in infants, children and adolescents", Emmanouilides G.C, Thomas A.R, Allen H.D, Gutgesell H.P. (eds), 5th ed., Williams & Willins. 241.

Richards AA and Garg V (2010): Genetics of congenital heart disease. *Curr Cardiol Rev.*; 6(2):91-7.

Rivera IR, Moises VA, De Paol AA (2004): (Echocardiographic assessment of the pulmonary venous flow. An indicator of increased pulmonary flow in congenital cardiac malformations. *Arq Bras Cadiol.* Jun. 78: 537.

Rodriguez N, Elliott D. (2001): Bilateral central retinal vein occlusion

in Eisenmenger syndrome. *Am J Ophthalmol*; 132(2):268–9.

Rosner B, Prineas RJ and Loggie MH (2001): Blood pressure nomograms for children and adolescents by height sex and age. *J. Pediatr.* 123: 871.

Sadoh WE and Akinsete AM (2006): Epidemiology of childhood heart failure in Benin City. *Nig J Cardiol*; 3:12-5.

Sadoh WE (2010): The natural history of ventricular septal defect in Nigerian children. South Afr J Child hlth;4:16-9.

Sadoh WE, Nwaneri DU and Owobu AC (2011): The cost of out-patient management of chronic heart failure in children with congenital heart disease. Niger J Clin Pract.; 14(1):65-9.

Saint-Geniez, M. and D'Amore, P. A. (2004): Development and pathology of the hyaloid, choroidal and retinal vasculature. International Journal of Developmental Biology 48: 1045–1058.

Saitta M (2010): Cyanosis in adult with congenital heart disease. Pediatr Med Chir.; 32(6):289-92.

Sani MU, Mukhtar-Yola M, Karaye KM (2007): Spectrum of congenital heart disease in a tropical environment: an echocardiography study. J Natl Med Assoc; 6: 666–669.

Satoda M, Zhao F, Diaz GA, Burn J, Goodship J, Davidson HR, Pierpont ME and Gelb BD (2000): Mutations in TFAP2B cause Char syndrome, a familial form of patent ductus arteriosus. Nat Genet.; 25:42– 46.

Schoen, Frederick J, Richard N, Mitchell (2010): "12. The Heart". In Kumar, Vinay; Abbas, Abul K.; Fausto, Nelson et al.. Robbins and Cotran Pathologic Basis of Disease (8th ed.). Saunders Elsevier. ISBN 9781416031215.

Sechtem V, Theissen P, Baer FM (2002): Magnetic resonance tomography in clinical cardiology. Zeitschrift fur Kardiologie. 89: 67.

Schulz HL, Goetz T, Kaschkoetoe J, Weber BH (2004). "The Retinome – Defining a reference transcriptome of the adult mammalian retina/retinal pigment epithelium". *BMC Genomics* 5 (1): 50. doi:10.1186/1471-2164-5-50. PMC 512282. PMID 15283859.

Shah PM (2000): Echocardiography in congestive or dilated cardiomyopathy J. Am. Soc. Echo. 1: 20.

Shanley TP, Wheeler DS, Wong HR (2007): Pediatric critical care medicine: basic science and clinical evidence. Berlin: Springer. pp. 666. ISBN 1-84628-463-5.

Sharland G (2005): Fetal cardiology, Seminars in Neonatology. 6.

Shepherd, Gordon (2004). *The Synaptic Organization of the Brain*. New York, NY: Oxford University Press. pp. 217–225. ISBN 978-0-19-515956-1.

Shim D, Liloyd TR and Crowley DC (2001): Neonatal cardiac catheterization A 10 years transition from diagnosis to therapy. *Pediatric Cardiology*. 20: 131.

Snider AR and Bengur AR (2000): Doppler echocardiography In: "Moss and Adams heart disease in infants, children and adolescents including the fetus and young adult", Emmanouilides, G.C., Thomas, A.R., Allen H.D., Gutgesell H.P. (eds.) 5th. Edition, Williams & Willkins. 270.

Srivastava D (2006): Making or breaking the heart: from lineage determination to morphogenesis. *Cell* 126 (6): 1037–1048.

Starnes SL, Duncan BW, Kneebone JM, Rosenthal GL, Jones TK and Grifka RG, (2000): Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic heart disease. *J Thorac Cardiovasc Surg*; 119:534-9.

Tantchou-Tchoumi JC, Butera G, Giamberti A, Ambassa JC and Sadeu JC (2011): Occurrence and pattern of congenital heart diseases in a rural area of sub-Saharan Africa. *Cardiovasc J Afr.*; 22(2):63-6.

Tavli V, Kayhan B, Okur FF (1998): Noninvasive diagnosis of congenital heart disease. *Turkish Journal of Pediatrics*, 43 (1): 91.

Tsui I, Shamsa K, Perloff JK, Lee E, Wirthlin RS, Schwartz SD (2009): Retinal vascular patterns in adults with cyanotic congenital heart disease. *Semin Ophthalmol*. Nov-Dec; 24(6):262-5.

Valdeavellano J. (1951): Ophthalmological aspects of inhabitants in Andes. *An Fac Med Lima.*; 34(4):548–69.

VanderVeen DK, Pasquale LR, Fulton AB. (1997): Central retinal vein occlusion in a young child with cyanotic heart disease. *Arch Ophthalmol*; 115:1077.

Ward C (2000): Clinical significance of the bicuspid aortic valve. *Heart.*; 83:81– 85.

Weiss RG (2001): Evolving cardiovascular applications for magnetic resonance imaging. *Cleveland Clinic Journal of Medicine*. 68: 238.

Wikipedia (2012): the free encyclopedia. Available at www.wikipedia.com

Williams RG, Pearson GD, Barst RJ, Child JS, del Nido P, Gersony WM, Kuehl KS, Landzberg MJ, Myerson M, Neish SR, Sahn DJ, Verstappen A, Warnes CA, Webb CL; National Heart, Lung, and Blood Institute Working Group on Research in Adult Congenital Heart Disease (2006): Report of the National Heart, Lung, and Blood Institute Working Group on research in adult congenital heart disease. *J Am Coll Cardiol.*; 47:701–707.

Williams IA, Shaw R, Kleinman CS, Gersony WM, Prakash A and Levasseur SM, (2008): Parental understanding of neonatal congenital heart disease. *Pediatr Cardiol*; 29: 1059-65.

Wren C, Richmond S and Donaldson L (2001): Presentation of congenital heart disease in infancy: implications for routine examinations. *Archives of Diseases in Childhood*. 80: 49.

Wu WC, Lai CC, Su WJ, Chen TL, Hwang YS and Lin KK (2005): Ischemic retinopathy and uveitis in a patient with tetralogy of Fallot. *Ophthalmology*; 112:1936-40.

Yagel S, Cohen SM, Achiron R (2001): Examination of the fetal heart by five short-axis views: a proposed screening method for

comprehensive cardiac evaluation. Ultrasound Obstet Gynecol; 17: 367-9.

Yates AR, Hoffman TM, Shepherd E, Boettner B and McBride KL (2011): Pediatric Sub-specialist Controversies in the Treatment of Congenital Heart Disease in Trisomy 13 or 18. J Genet Couns. May 18.