
References

- **Achauer BM:** Lasers in plastic surgery: current practice. *Plast Reconstr Surg J*, 1997;1443-1450.
- **Anderson RL, Beard C:** The levator aponeurosis attachments and their clinical significance. *Arch Ophthalmol*, 1977; 95: 1437.
- **Anderson RL, Gordy DD.** The tarsal strip procedure. *Arch.Ophthalmol*.1979;97:2192.
- **Anderson RL, Jordan DR, Thiese SM.** The medial tarsal strip. *Arch Ophthalmol* 1990;108:120–4. [PubMed]
- **Balikian R. V., Zimblar M. S.** Primary and Adjunctive Uses of Botulinum Toxin Type A in the Periorbital Region. *Facial Plast Surg J Clin North Am*. Nov. 2005;13(4):583-590.
- **Baylis HI, Goldberg RA, Kerivan KM, et al** Blepharoplasty and periorbital surgery. *Dermatol Clin* 15(4):635-47 (1997 Oct).updated 2008.
- **Baylis HI, Long SA, Groth JF.** Transconjunctival lower eye lid blepharoplasty: Technique and complications. *Ophthalmology* 1989; 96:1027–1032.
- **Baylis HI:** Blepharoplasty and periorbital surgery. *Dermatol Clin*, 1997; 15(4): 635-647.
- **Biesman BS, Bernstein E:** The CO₂ laser as a soft tissue incisional device. *Lasers Surg Med Suppl*, 1999; 11: 64.
- **Biesman BS, Bernstein E:** The CO₂laser as a soft tissue incisional device. *Lasers Surg Med Suppl*, 1999; 11: 64.
- **Biesman BS:** Blepharoplasty: laser or cold Steel? [www. Skin therapy letter.com/2003/8.7/2.html](http://www.skintherapyletter.com/2003/8.7/2.html)

-
-
- **Bllew SG, Lester TS:** Improvement of dermatochalasis and periorbital rhytides with a high-energy pulsed CO₂ laser. *Dermatol Surg J* , 2004: 483-487.
 - **Bosniak S, Cantisano-Zilkha M:** Minimally invasive techniques of oculo-facial rejuvenation. New York, Thieme, 2005: 30-40.
 - **Bosniak S, Castiano M:** Cosmetic blepharoplasty and facial rejuvenation. 2nd edition, New York, Lippincott-Raven Co, 1999.
 - **Bron AJ, Tripathi RC, Tripathi BJ:** Wolff's anatomy of the eye and orbit. 8th edition, London, Chapman & Hall Medical, 1997; ch.2: 30-84.
 - **Callahan MA.** Canthal fixation with a stainless steel screw:a report of ten patients. *Adv Ophthal Plast Reconstr Surg* 1988;7:33–40.
 - **Cardosa de Castro CC.** A critical analysis of current surgical concepts for lower lid blepharoplasty *Plast Reconstr Surg J* 2004;111:785.
 - **Carraway JH, Mellow CG.** The prevention and treatment of lower lid ectropion following blepharoplasty. *Plast Reconstr Surg J* . 1990;85:971–981
 - **Carter SR, Stewart JM, Khan J:** Infection after blepharoplasty with and without carbon dioxide laser resurfacing. *Ophthalmology*, 2003; 110 (7): 1430-1435.
 - **Castanares S:** Blepharoplasty for herniated intraocular fat. *Plast Reconstr Surg J* , 1951; 8: 46.
 - **Ciuci PM, Obagi S.** Rejuvenation of the periorbital complex with autologous fat transfer: current therapy. *J OralMaxillo FacSurg* 2008;66:1686–1693.

-
-
- **Codner MA, Wolfli JN, Anzarut A.** Primary transcutaneous lower blepharoplasty with routine lateral canthal support: acomprehensive 10-year review. *Plast Reconstr Surg J* 2008 ; 121:241-250.
 - **Coleman SR.** Long-term survival of fat transplants: controlled demonstrations. *Aesthetic Plast Surg* 1995;19:421-425.
 - **Collin JRO, Tyers AG:** Colour atlas of ophthalmic plastic surgery. London, Churchill Livingstone Co, 1990; ch.1: 2-20.
 - **De Castro CC:** A critical analysis of the current surgical concepts for lower blepharoplasty. *Plast Reconstr Surg J* 2004; 114(3): 785-793.
 - **DeFatta RJ, Williams EF III.** Evolution of midface rejuvenation. *Arch Facial Plast Surg J* 2009;11:6–12.
 - **Della Rocca R , Bedrossian E, Arthurs B:** , ophthalmic plastic surgery : Decision making and Technique New York McGraw-Hill, 2002.
 - **Doxanas MT, Anderson RL:** Clinical orbital anatomy. Baltimore, Williams & Wilkins Co, 1984; ch.3: 67-92.
 - **Dupuis C, Rees TD:** Historical notes on blepharoplasty. *Plast Reconstr Surg*, 1971; 47: 246.
 - **Edelstein C, Balch KC:** Blepharoplasty. In: Spaeth GL, (ed): *Ophthalmic surgery, principles and practices*. Philadelphia, WB Saunders Co, 2003; 471-484.
 - **Espinoza GM, Israel H, Holds JB.** Survey of oculoplastic surgeons regarding clinical use of tear production tests. *Ophthal Plast Reconstr Surg J*. May-Jun 2009;25(3):197-200. [Medline].

-
-
- **Fagien S.** Algorithm for canthoplasty: the lateral retinacular suspension: a simplified suture canthopexy. *Plast Reconstr Surg*. Jun 1999;103(7):2042-53; discussion 2054-8 updated 2007.
 - **Fante RG, Elnor VM.** A transcaruncular approach to MCT plication for lower eyelid laxity. *Ophthal Plast Reconstr Surg J* 2001;17:16–27.
 - **Francis IC, WalshWR, Son nabend DH, et al.** Stabilization of the posterior limb of the medial canthal tendon using biodegradable tag anchors:a cadaveric model. *Ophthal Plast Reconstr Surg* 2001;17:28–35.
 - **Frankel J.** Avoiding injury to the inferior oblique muscle during lower lid blepharoplasty. *Plast Reconstr Surg*.J Dec 2003;112(7):1958-9; author reply 1959.
 - **Freeman MS.** Transconjunctival sub-orbicularis oculi fat pad lift blepharoplasty: a new technique for the effacement of nasojugal deformity. *Arch Facial Plast Surg J* , 2000;2:16-21.
 - **Freeman MS:** Rejuvenation of the midface. *Facial Plast Surg J*, 2003; 19: 223-236.
 - **Gallo SA, Wesley RE:** Cosmetic eyelid surgery. *Ophthalmol Clinic North Am*, 2001; 13: 530.
 - **Garcia RE,** blepharoplasty with fat excision: a shift-resisting paradigm McCollough EG. *Transcutaneous lower eyelid Arch Facial Plast Surg J* 2006;8:374–380.
 - **Gentile RD:** Upper lid blepharoplasty. *Facial Plast Surg Clin N Am*, 2005; 13: 511-524.
 - **Glat PM, Jelks GW, Jelks EB, et al,** Evolution of the lateral canthoplasty: techniques and indications. *PlastReconstr Surg J* .1997;100:1396–1405.

-
-
- **Goldberg, RA, Relan, A, Hoenig. JH.** Relationship of the eye to the bony orbit. Free paper, American Society of Ophthalmic Plastic and Reconstructive Surgery Scientific Symposium, Chicago, IL, 1996.
 - **Guerra AB, Berger A, Black EB, et al.** The bare area of the upper conjunctiva: A closer look at the anatomy of transconjunctival upper blepharoplasty. *Plast Reconstr Surg J* . 2003;11;1717.
 - **Guerrissi JO, Jeandet F.** Scalping forehead flap for extranasal reconstruction : total reconstruction of lower lid. *J Cranio Fac Surg* 2002;13:706-8.
 - **Hamra ST.** The role of the septal reset in creating a youthful eyelid–cheek complex in fascial rejuvenation. *Plast Reconstr Surg J* 2004;113:2124-41[discussion:2142-2144].
 - **Henderson PS, Thomas JR:** Surgical anatomy and pathology of the eyelid and periorbital. *Facial Plast Surg Clin N Am*, 1995; 3(2):135-142.
 - **Hetter GP,** An examination of the phenol -croton oil peel, part IV: face peel results with different concentrations of phenol and croton oil. *plastic.Reconstruct.surg J*. 2000;105:1061
 - **Hidalgo DA.** An integrated approach to lower blepharoplasty. *Plast Reconstr Surg*. Jan 2011;127(1):386-95.
 - **Horando CP, Pastorek NJ:** Long-term results of blepharoplasty. *Arch Facial Plast Surg*, 2004; 6 (3): 150-155.
 - **Hruza GJ, Dover JS:** Laser skin resurfacing. *Arch Dermatol*, 1996; 132: 451-455.
 - **Jacobs S.** Prophylactic lateral canthopexy in lower blepharoplasty. *Arch Facial Plast Surg J* . 2003;5: 267.

-
-
- **Januszkiewicz JS, Nahai F.** Transconjunctival upper blepharoplasty. *Plast Reconstr Surg J* . 1999;103:1015–1018.
 - **Joshi AS, Jan Janine, Tanna N , et al** , Does suture material and technique really matter? Lessons learned from 800 consecutive blepharoplasties. *Laryngoscope*. 2007;117(6):981-984.
 - **Katzen LB:** The history of blepharoplasty. *Adv Ophthalmic Plast Reconstr Surg*, 1987; 7: 157-165.
 - **Kawamoto HK, Bradley JP.** The tear “TROUF” procedure Transconjunctival repositioning of orbital unipedicled fat. *Plast Reconstr Surg J* .2003;112:1903.
 - **Khan JA:** Laser blepharoplasty. In Chen WP, (ed): *Oculoplastic surgery: the essential*. New York, Thieme Co, 2001:179-195.
 - **Kim EM, Bucky LP. 1:** *Ann Plast Surg*. 2008 May;60(5):532-7.
 - **Kim JW, Kikkawa DO, Lemke BN:** Donor site complications of hard palatemucosal grafting. *Ophthalmic Plast Reconstr Surg J* 13:36-39, 1997.
 - **Krastinova-Lolov D , Seknadje P , Franchi G, et al** .Aesethetic blepharoplasty. *Ann Chir Plast Ethet* 2003;48:350-63.
 - **Kurban RS, Bhawan I:** Histologic changes in skin associated with aging. *J Dermatol Surg Oncol*, 1997; 16: 908-914.
 - **Lee AS, Thomas JR.** Lower lid blepharoplasty and canthal surgery. *Facial Plast Surg J Clin North Am*. Nov 2005;13(4):541-51, vi.
 - **Lee AS, Thomas JR:** Lower lid blepharoplasty and canthal surgery. *Facial Plast Surg J Clin North Am* 2005; 13: 541-551.
 - **Lessner AM, Fagien S, Mills DM:** Eyelid and facial resurfacing. In Levine M: *Oculoplastic surgery*. 3rd edition, Philadelphia, Butterworth& Heinemann, 2003; 88-92.

-
-
- **Liesegang TJ, Skuta GL, Cantor LB:** Basic and clinical science. American Academy of Ophthalmology, 2004; section 2: 22-32.
 - **Lipham WJ, Tawfik HA, Dutton JJ.** A histologic analysis and three-dimensional reconstruction of the muscle of Riolan. *Ophthalmol Plast Reconstr Surg J* . Mar 2002;18(2):93-8.
 - **Lupton JR, Alster TS:** Cutaneous laser resurfacing. *Plast Reconstr Surg J* 2002; 109:308-316.
 - **Maffi TR, Chang S, Friedland JA.** Traditional lower blepharoplasty: is additional support necessary? A 30 year review. *Plast Reconstr Surg J* . Mar 10 2011.
 - **Mathes SJ.** Plastic Surgery. Philadelphia,PA: Saunders, Elsevier 2006.
 - **McCord CD, Boswell CB, Hester TR.** Lateral canthal .anchoring. *Plast Reconstr Surg J* . 2003 Jul;112(1):222–237.
 - **Mercy P, Ghorpade A, Das M, et al .** Blepharochalasis. *Indian J Dermatol Venereol Leprol*. Mar-Apr 2009;75(2):197-9.
 - **Mittelman H, Apfelberg DB:** Carbon dioxide laser blepharoplasty? advantages and disadvantages. *Ann Plast Surg J*, 1997; 24(1): 1-6.
 - **Mommaerts MY, DeRiu G :**Prevention of lid retraction after lower lid blepharoplasties :an overview *J cranio maxilla facial Surg* 28:189-200, 2000.
 - **Mommaerts MY, Beirne JC, JacobsWI, et al :** Use of fibrin glue in lower blepharoplasties. *J Cranio maxilla fac Surg J*, 1996; 24: 78-82.
 - **Morax S, Touitou V.** Complications of blepharoplasty. *Orbit* 2006;25: 303-318.

-
-
- **Mowlavi A, Neumeister MW, Wilhelmi BJ.** Lower blepharoplasty using bony anatomical landmarks to identify and avoid injury to the inferior oblique muscle. *Plast Reconstr Surg J* 2002;110:1318–1322; discussion 1323–1324.

 - **Mullins JB, Holds JD, Branham GH:** Complications of the transconjunctival approach: a review of 400 cases. *Arch Otolaryngol Head Neck Surg J* , 1997; 123: pp 385-388.
 - **Munker R:** Laser blepharoplasty and periorbital laser skin resurfacing. *Facial Plast Surg J* , 2001; 17: 209-217.

 - **Muzaffar AR , Medelson BC, Adams WP.** Surgical anatomy of the ligamentous attachment of the lower lid and lateral canthus. *Plast Reconstr Surg J* , 2002; 110:873-84[discussion:897-911].

 - **Nahai F, Januskiewicz JS:** Transconjunctival upper blepharoplasty. *Plast Reconstr Surg J* , 1999; 103(3): 1015-1018.

 - **Nahai F.** Transconjunctival blepharoplasty. In Nahai F, ed *The Art of Aesthetic surgery*. St. Louis , Mo.: Quality Medical Publishing; 2005: 720-723.

 - **Nassif PS.** Lower blepharoplasty: transconjunctival fat repositioning. *Otolaryngol Clin North Am* 2007; 40:381-390.

 - **Nesi FA, Waltz KL, Vega JF:** Basic principles of ophthalmic plastic surgery. In: Nesi FA, Lisman RD, Levine MR, (eds): *Smith's ophthalmic and plastic reconstructive surgery*. St Louis: Mosby, Year Book, 1998: 81-98.

 - **Older , Jay Justin M.D.,**The value of radiosurgery in oculoplastic ophthalmic plastic reconstructive surgery *J,May 2002- Volume 18 - Issue 3 - pp 214-218*

-
-
- **Patel BC, Patipa M, Anderson RL, et al:** Management of post blepharoplasty lower eyelid retraction with hard palate grafts and lateral tarsal strip..Plast Reconstr Surg J, 99:1251-1260,1997.
 - **Patel CK:** Continuous wave laser action of CO₂. Phys Rev, 1964; 136:1187-1193.
 - **Pontius AT,Williams EF III.** The evolution of mid face rejuvenation: combining the midface-lift and fat transfer Arch Facial Plast Surg J .2006;8:300–305.
 - **Purewall BK, Bosniak S:** Theories of upper eyelid blepharoplasty, Ophthalmol Clin North Am, 2005; 18: 271-278.
 - **Rankin BS, Arden RL, Crumley RL.** Lower eye lid blepharoplasty In: Papel I, Frodel J, Holt G, et al, eds, Facial Plastic and Reconstructive Surgery.2nd ed. New YorkNY: Thieme Medical Publishers;2002:196–207.
 - **Reifler DM:** Upper eyelid blepharoplasty. In: Bosniak S, (ed): Principle and practices of ophthalmic plastics and reconstructive surgery. Philadelphia, WB Saunders Co, 1996; 596-616.
 - **Ritleng P.** Medial canthoplasty for treatment of severe lacrimal ectropion. Orbit 1989;8:49–56.
 - **Rizk SS, Matarasso A.** Lower eyelid blepharoplasty: analysis of indications and the treatment of one hundred patients. *Plastic Reconstr Surg J* . 2003;111:1299-1306.
 - **Rohrich RJ, Coberly DM, Fagien S, et al :** Current concepts in aesthetic upper blepharoplasty. Plast Reconstr Surg, 2004; 32-42.
 - **Rosenfield L.** Pinch blepharoplasty: A safe technique with superior results. Aesthet Surg J. 2007;27:199–203.
 - **Rosenfield LK.** The pinch blepharoplasty revisited. Plast Reconstr Surg J . 2005;115:1405–1412.

-
-
- **Sadove RC.** Transconjunctival septal suture repair for lower lid blepharoplasty. *Plast Reconstr Surg J* . 2007;120:521.)
 - **Shook BA, Hruza GJ.** Periorbital ablative and nonablative resurfacing. *Facial Plast Surg Clin North Am.* Nov 2005;13(4):571-82, vii.
 - **Shore JW, Rubin PAD, Bilyk JR.** Repair of telecanthus by anterior fixation of cantilevered miniplates. *Ophthalmology* 1992; 99:1133–8.
 - **Shorr N, Goldberg RA, Eshaghian B, et al .** Lateral canthoplasty. *Ophthal Plast Reconstr Surg J* .. 2003 Sep;19(5):345-352.
 - **Siegel RJ:** Essential anatomy for the contemporary upper lid blepharoplasty. *Clin Plast Surg J* , 1993; 20(2): 209-212.
 - **Silver B:** Photographing the blepharoplasty patient. In: Putterman AM, ed: *Cosmetic oculoplastic surgery*. Philadelphia, WB Saunders, 1993; ch.5: 52-64.
 - **Smullen SM, Mangat DS:** Cosmetic lower eyelid surgery: transcutaneous approach .transcutaneous approach. *Facial Plast Surg Clin North Am*, 1995;3(2): 167-174.
 - **Snell RS, Lemp MA:** Clinical anatomy of the eye. 2nd edition, London, Blackwell Science Co, 1998; ch.5: 90-131.
 - **Steinsapir KD, Shorr N.** Suborbital augmentation. In: Bosniak S (ed). *Ophthalmic Plastic and Reconstructive Surgery, Volume 1*. Philadelphia, PA: Saunders Co: 1996, pp 484-503.
 - **Stutman RL, Codner MA.** *Aesthet Surg J.* May 1;32(4):426-40.2012.
 - **Tardy ME, Brown R:** Principles of photography in facial plastic surgery. New York, Thieme Co, 1992: 14-45.

- **Tessier P.** The conjunctival approach to the orbital floor and maxilla in congenital malformation and trauma. *J Maxillo fac Surg.* 1973;1:1–3.
- **Tyers AG, Collin JRO:** Colour atlas of ophthalmic plastic surgery. London, Churchill Livingstone, 1990; ch.10: 161-182.
- **Walia S, Alster TS:** Prolonged clinical and histologic effects from CO₂ laser resurfacing. *Dermatol Surg*, 2001; 25: 926-930.
- **Wesley RE, Bond JB:** CO₂ laser in ophthalmic plastic and orbital Surgery. *Ophthalmic Surg*, 1985; 16(10): 631-634.
- **Wolfort FG, Kanter WR:** History of blepharoplasty. In Wolfort FG, (eds): *Aesthetic blepharoplasty*. Boston, Mass: Little Brown Co, 1995; 4-13.
- **Woodward JA, Dawn AG:** Update on lasers in oculoplastic surgery. In: Guthoff R, Katowitz JA: *Essential in ophthalmology: oculoplastics and orbital*. New York, Springer Co, 2006; ch.12: 144-162.
- **Zarem HA, Resnick JI.** Expanded applications of transconjunctival lower lid blepharoplasty. *Plast Reconstr Surg* 1991;88:215-220.
- **Zarem HA.** Transconjunctival upper blepharoplasty. *Plast Reconstr Surg J.* 1999;103:1019.