
References

- Albert D M, Jakobiec F A, Azar D T, Gragoudas E S, Power S M, and Robinson N L:** In “ Principles and practice of ophthalmology”. 2nd edition, by W.B. Saunders Company, USA. 2000; ch 267 pp. 3550.
- Amanat L A, Hilditch T E and Kwok C S:** Lacrimal scintigraphy. II- its role in the diagnosis of epiphora. *Br J Ophthalmol.* 1983; 67: 720.
- Angrist R C and Dortzbach R K:** Silicone intubation for partial and total nasolacrimal duct obstruction in adults. *Ophthalmic Plast Recons Surg.* 1985; 1: 51.
- Ariturk N, Oge I, Oge F, Erkan D, and Havuz E:** Silicon intubation for obstruction of the nasolacrimal duct in adults. *Acta ophthalmol.* 1999; 77: 481.
- Baratz K H, Bartly G B, Campbell R J, and Garrity J A:** An eye lash nidus for dacryoliths of the lacrimal excretory and secretory systems. *Am J Ophthalmol.* 1991; 111: 624.
- Bartley G B:** Acquired lacrimal drainage obstruction: an etiologic classification system, case reports and a review of the literature. Part I (review), *Ophthalmic Plast Recons Surg.* 1992; 8: 237.
- Bartley G B:** The pros and cons of laser dacryocystorhinostomy. *Am J Ophthalmol.* 1994; 117: 103.
- Becker B B:** Secondary dye testing of the lacrimal system. *Ophthalmic Surg.* 1993; 24: 91.
- Beigi B, Westlakem W, and Chang B:** Dacryocystorhinostomy in South-West England. *Eye.* 1998; 12: 358.
- Bell T A G:** An investigation into the efficacy of probing the nasolacrimal duct as a treatment for epiphora in adults. *Trans Ophthalmol Soc U.K.* 1986; 105: 494.
- Berlin A J, Rath R and Rich L:** Lacrimal system dacryoliths. *Ophthalmic Surg.* 1980; 11: 435.
- Bhupendra C K, Phillips B, McLeish W M, Flaharty P, and Anderson R L:** Transcanalicular neodymium YAG laser

- for revision of dacryocystorhinostomy. *Ophthalmology*. 1997; 104: 1191.
- Bradner W T:** Mitomycin-C: a clinical update. *Cancer Treatment Rev*. 2001; 27: 35.
- Bron A J, Tripathi R C, and Tripathi B J:** In “Wolf’s anatomy of the eye and orbit”. 8th edition, by Chapman & Hall Medical, U.K. 1997; ch 2.9 pp. 72.
- Bullock J D and Goldberg S H:** Lacrimal sac diverticuli [Sic]. *Arch Ophthalmol*. 1989; 107: 756.
- Burns J A, Penland W R, and Cahill R V:** The wrinkle sign tear duct obstruction. *Ophthalmic Surg*. 1984; 15: 930.
- Camara J G, Santiago M D, Rodriguez R E, Medalle R A, Young D A, and Atebara N H:** The micro-reflux test (A new test to evaluate nasolacrimal duct obstruction). *Ophthalmology*. 1999; 106: 2319.
- Camara J.G, Bengzon A U and Henson R D:** The safety and efficacy of Mitomycin-C in endonasal endoscopic laser-assisted dacryocystorhinostomy. *Ophthalmic plast Recons Surg*. 2000; 16: 114.
- Campbell W:** The radiology of the lacrimal systems. *Br J Radiol*. 1964; 37: 1.
- Cano-Parra J, Diaz-Llopis M, Maldonado M J, Vila E, and Menezo J L:** Prospective trial of intraoperative Mitomycin-C in the treatment of primary pterygium. *Br J Ophtalmol*. 1995; 69: 439.
- Cardillo J A, Alves M R, Ambrosio L E, Poterio M B, and Jose N K:** Single intra-operative application versus post-operative Mitomycin-C eye drops in pterygium surgery. *Ophthalmology*. 1995; 102: 1949.
- Chen W P:** In “Oculoplastic surgery, the essentials”. By Thiem, New York, USA. 2001; ch 18 pp. 263.
- Cheung J C, Wright M M, Murali S, and Pederson J E:** Intermediate-term outcome of variable dose Mitomycin-C filtering surgery. *Ophthalmology*. 1997; 104: 143.

- Clinch T E, Benedetto D A, Felberg N T, and Laibson P R:** Schirmer's test: A closer look. *Arch Ophthalmol*. 1983; 101: 1383.
- Conway C T:** Evaluation and management of functional nasolacrimal blockage: results of a survey of the American Society of Ophthalmic Plastic and Reconstructive Surgery. *Ophthalmic Plast Recons Surg*. 1994; 10: 185.
- Croll M N, Brady L W, Carmicheal P, and Wallner R J:** In "Nuclear ophthalmology". By John Wiley and Sons Inc., USA. 1976; ch 4 pp. 224.
- Daubert J, Nik N, and Chandeyssoun P A:** Tear flow analysis through the upper and lower systems. *Ophthalmic Plast Recons Surg*. 1990; 6: 193.
- Doane M G:** Blinking and the mechanics of lacrimal drainage system. *Ophthalmology*. 1981; 88: 846.
- Donnenfeld E D, Perry H D, Wallerstein A, Caronia R M, Kanellopoulos A J, Sforza P D, and D'aversa G:** Subconjunctival Mitomycin-C for the treatment of ocular cicatricial pemphigoid. *Ophthalmology*. 1999; 106: 72.
- Dupuy-Dutemps M M, and Bourguet E T:** Note preliminaire sur un procede de dacryocystorhinostomie. *Ann D'ocul* (Paris). 1920; 157: 445. [Quoted from: Albert D M, Jakobiec F A, Azar D T, Gragoudas E S, Power S M, and Robinson N L: In "Principles and practice of ophthalmology". 2nd edition, by W.B. Saunders Company, USA. 2000; ch 268 pp. 3558].
- El-Khayyat M F, El-Habbak A H, and El-Gazzar H A:** A combination of subscleral and scleral-surface Mitomycin-C in trabeculectomy. *Bull Ophthalmol Soc Egypt*. 2001; 94: 313.
- El-Yamany A, and El-Sadaani A I:** Probing of nasolacimal duct with Mitomycin-C for adult epiphora. *Bull Ophthalmol Soc Egypt*. 2002; 95: 797.

-
- Enzer Y R and Shorr N:** The Jones I E test: Cobalt blue endoscopic primary dye test of lacrimal excretory function. *Ophthalmic Plast Reconstr Surg.* 1997; 13: 204.
- Fathi A A, and El-Feky M A:** Microbiology of lacrimal obstruction in adults. *Bull Ophthalmol Soc Egypt.* 1998; 91: 845.
- Fenton S, Cleary P E, Horan E, Murray A, Ho S L, Ryder D and O'Connor G:** Balloon dacryocystoplasty study in the management of adult epiphora. *Eye.* 2001; 15: 67.
- Fulcher T, O'Conner M, and Moriarty P:** Nasolacrimal intubation in adults. *Br J Ophthalmol.* 1998; 82: 1039.
- Galloway J E, Kavic T A, and Raflo G T:** Digital subtraction macrodacryocystography (A new method of lacrimal system imaging). *Ophthalmology.* 1984; 91: 956.
- Groessl S A, Sires B S, and Lemke B:** An anatomical basis for primary acquired nasolacrimal duct obstruction. *Arch Ophthalmol.* 1997; 115: 71.
- Goldberg R A, Heinz G W, and Chiu L:** Gadolinium magnetic resonance imaging dacryocystography. *Am J Ophthalmol.* 1993; 115: 738.
- Guinot-Saera A, and Koay P:** Efficacy of probing as treatment of epiphora in adults with blocked nasolacrimal ducts. *Br J Ophthalmol.* 1998; 82: 389.
- Guzek J P, Ching A S, Hoang T A, Dure-Smith P, Llauro J G, You D C, Stephenson C B, Stephenson C, and Elam D A:** Clinical and radiologic lacrimal testing in patients with epiphora. *Ophthalmology.* 1997; 104: 1875.
- Hamed A A, Sayed A S, Salah A M, and Benany S T:** Transnasal endoscopic dacryocystorhinostomy. *Bull Ophthalmol Soc Egypt.* 2003; 96: 831.
- Hardman J G, Limbired L E, and Gilman A G:** In "Goodman and Gilman's the pharmacological basis of therapeutics". 10th edition, by McGraw Hill companies – USA. 2001; ch 52 pp. 1431.
- Hartikainen J, Lehtonen O and Saari K:** Bacteriology of lacrimal duct obstruction in adults. *Br J Ophthalmol.* 1997; 81: 37.

-
- Hartikainen J, Grenment R and Sappa H:** Prospective radomized comparison of external dacryocystorhinostomy and endonasal laser dacryocystorhinostomy. *Ophthalmology*. 1998; 105: 1106.
- Hassanein R M, Khairat Y, and Galal E E:** Use of Mitomycin-C in treatment of epiphora in adults with blocked nasolacrimal duct. *Bull Ophthalmol Soc Egypt*. 2002; 95: 793.
- Henderson P R , Karp K and Higginbotham E J:** Evaluation of the efficacy of stored Mitomycin-C as adjunctive therapy in glaucoma filtration surgery in rabbits. *Invest Ophthalmol Vis Sci* 1994; 35: 1452.
- Higginbotham E J, Stevens R K, Muscl D C, Karp K D, Lichter P R, Bergstrom T J and Skuta G L:** Bleb-related endophthalmitis after trabeculectomy with Mitomycin-C. *Ophthalmology*. 1996; 103: 650.
- Hornblass A:** A simple taste test for lacrimal obstruction". *Arch Ophthalmomol*. 1973; 90: 435.
- Hornblass A, and Ingis T M:** Lacrimal function tests *Arch Ophthalmol*. 1979; 97: 1654.
- Huber-Spitzy V, Steinkogler F J; Huber E, Mettinger A, and Schiffbanker M:** Acquired dacryocystitis. Microbiology and conservative therapy. *Acta Ophthalmol*. 1992; 70: 745.
- Hurwitz J J, and Victor W H:** The role of sophisticated radiological testing in the assessment and management of epiphora. *Ophthalmology*. 1985; 92: 407.
- Ibrahim H A, Batterbury M, Banhegyi G and McGalliard J:** Endonasal laser dcryocystorhinostomy and external dacrcystorhinostomy outcome profile in a general ophthalmic service unit: a comparative retrospective study. *Ophthalmic surg. lasers*. 2001; 32: 220.
- Janssen A G, Mansour K and Bos J J:** Obstructed nasolacrimal duct system in epiphora: long term results of dacryocystoplasty by means of balloon dilation. *Radiology*. 1997; 205: 791.

- Jones L T:** An anatomical approach to problems of the eye lids and lacrimal apparatus. *Arch Ophthalmol.* 1961; 66: 137.
- Jones L T, and Linn M L:** The diagnosis of the causes of epiphora. *Am J Ophthalmol.* 1969; 67: 751.
- Jones L T, Marquis M M, and Vincent N J:** Lacrimal function. *Am J Ophthalmol.* 1972; 73: 658.
- Jones L T:** Anatomy of the tear system. *Int Ophthalmol Clin.* 1973; 13: 3.
- Jones L T and Wobig J L:** In “Surgery of the eyelids and lacrimal system”. by Aesculapius, UK. 1976.
- Jordan A, and Baum J:** Basic tear flow: Does it exist?. *Ophthalmology.* 1980; 87: 920.
- Kanski J J:** In “Clinical ophthalmology. A systemic approach”. 5th edition, by Butterworth-Heinemann, Oxford – UK. 2003; ch 2 pp. 44.
- Kao S C, Liao C L, Tseng J H, Chen M S, and Hou P K:** Dacryocystorhinostomy with intraoperative Mitomycin-C. *Ophthalmology.* 1997; 104: 86.
- Kaufman P L, and Alm A:** In “Adler’s Physiology of the eye: Clinical Application”. 10th edition, by Mosby St. Louis, USA. 2003; ch 3 pp. 30.

-
- Kaye S B, Sims G, Willoughby C, Field A E, Longman L, and Brown M C:** Modification of the tear function index and its use in the diagnosis of Sjogren's syndrome. *Br J Ophthalmol.* 2001; 85: 193.
- Kersten R C, Bartley G B, Nerad J A, Neuhaus R W, Nowinski T S, Popham J K and Beardsley T L:** In "Basic and Clinical Science Course; Orbit, eyelids and lacrimal system" by American Academy of Ophthalmology. 1999-2000; Sec 7 pp. 224.
- Khalifa M A, Tawfik E, and Abd Raboh S:** The role of digital subtraction macrodacryocystography in the treatment of obstructed epiphora. *Bull Ophthalmol Soc Egypt.* 1991; 84: 471.
- Kuchar A, and Steinkogler F J:** Antegrade balloon dilatation of nasolacrimal duct obstruction in adults. *Br J Ophthalmol.* 2001; 85: 200.
- Kunitomo N, and Mori S:** Studies on the pterygia; part IV. A treatment of pterygium by Mitomycin-C instillation. *Acta Soc Ophthalmol JPN.* 1963; 67: 601. [Quited from, Hayasak S, Noda S, Yamamoto Y and Setogawa T: Postoperative instillation of low-dose Mitomycin-C in the treatment of primary pterygium. *Am J Ophtalmol.* 1988; 106: 715].
- Lee J M, Song H Y and Han Y M:** Balloon dacryocystoplasty: results in the treatment of complete and partial obstructions of the nasolacrimal system. *Radiology.* 1994; 192: 503.
- Lee J S, Jung G, Oum B S, Lee S H, and Roh H J:** Clinical efficacy of the polyurethane stent without fluoroscopic guidance in the treatment of nasolacrimal duct obstruction. *Ophthalmology.* 2000; 107: 1666.
- Lee-Wing M W, and Ashenhurst M E:** Clinicopathologic analysis of 166 patients with primary acquired nasolacrimal duct obstruction. *Ophthalmology.* 2001; 108: 2038.

-
- Levin P S and Stormo-Gipson J:** Endocanalicular laser-assisted dacryocystorhinostomy: an anatomical study. *Arch Ophthalmol.* 1992; 110: 1488.
- Lew H, Lee S Y, Yang W I, and Kim S J:** A morphological study of drill holes applied with Mitomycin-C in Hydroxy appetite orbital implants. *Ophthalmic Res.* 2001; 33: 340.
- Liao S L; Kao S C S; Tseng J H S, Chen M S, and Hou P K:** Results of intraoperative Mitomycin-C application in dacryocystorhinostomy. *Br J Ophthalmol.* 2000; 84: 903.
- Linberg J V, and McCormick S A:** Primary acquired nasolacrimal duct obstruction. A clinicopathologic report and biopsy technique. *Ophthalmology.* 1986; 93: 1055.
- Llgit E T, Yuksel D, Unal M, Akpek S, Isik S and Hasanreisoglu B:** Transluminal balloon dilatation of the lacrimal drainage system for the treatment of epiphora. *Am J Radiol.* 1995; 165: 1517.
- Llyod G A S and Welham R A N:** Subtraction macro-dacryocystography. *Br J Radiol.* 1974; 42: 379.
- Mahar P S, and Nwokora G E:** Role of Mitomycin-C in pterygium surgery. *Br J Ophthalmol.* 1993; 77: 433.
- Malik S R K, Gupta A K, Chaterjee S, Bhardwaj O P, and Saha M:** Dacryocystography of normal and pathological lacrimal passages. *Br J Ophthalmol.* 1969; 53: 174.
- Manning C A, Kloess P M, Diaz M D, and Yee R W:** Intraoperative Mitomycin-C in primary pterygium excision. A prospective, randomized trial. *Ophthalmology.* 1997; 104: 844.
- Mannor G E, and Millman A L:** The prognostic value of preoperative dacryocystography in endoscopic intranasal dacryocystorhinostomy. *Am J Ophthalmol.* 1992; 113: 134.
- Mansfield D C, Zaki S M and Clark A:** Case report: extravasation of lipiodol a complication of dacryocystography. *Clin Radiol.* 1994; 49: 217.

-
- Massaro B M, Gonnering R S and Harris G J:** Endonasal laser dacryocystorhinostomy. A new approach to nasolacrimal duct obstruction. *Arch Ophthalmol.* 1990; 108: 1172.
- Maurice D M:** The dynamics and drainage of tears. *Int Ophthalmol Clin.* 1973; 13: 103.
- Mckelvie P A, and Daniell M:** Impression cytology following Mitomycin-C therapy for ocular surface squamous neoplasia. *Br J Ophthalmol.* 2001; 85: 1115.
- McMenemy MG, Lahiri-Munir D, and King R T:** Effect of storage on anti-fibroblastic activity of Mitomycin-C. *Invest Ophthalmol Vis Sci.* 1994; 35: 1425.
- Meyer D R, Antonello A, and Lindberg J V:** Assessment of tear drainage after canalicular obstruction using fluorescein dye disappearance. *Ophthalmology.* 1990; 97: 1370.
- Milder B, and Demorset B H:** Dacryocystography. I- Normal lacrimal apparatus. *Arch Ophthalmol.* 1954; 51: 180.
- Milder B, and Demorest B H:** Dacryocystography. II- The pathologic lacrimal apparatus. *Arch Ophthalmol.* 1955; 54: 410.
- Milder B, and Weil B A:** In "The lacrimal system". By Appleton-Century-Crofts/Norwalk, Connecticut, USA. 1983.
- Millman A Z, Leibeskind A, and Putterman A M:** Dacryocystography: the technique and its role in the practice of ophthalmology. *Radiol Clin North Am.* 1987; 25: 781.
- Moore W M, Bentley C R and Olver J M:** Functional and anatomic results after two types of endoscopic endonasal dacryocystorhinostomy: Surgical and holmium laser. *Ophthalmology.* 2002; 109: 1575.
- Muellner K, Bodner E and Mannor G E:** Endoscopy of the lacrimal system. *Br J Ophthalmol.* 1999; 83: 949.
- Muellner K, Bonder E, and Geva E. Mannor G E, Wolf G, Hofmann T, and Luxemberger W:** Endolacrimal laser-assisted lacrimal surgery. *Br J Ophthalmol.* 2000; 84: 16.

-
- Munk P L, Lin, D T, and Morris D C:** Epiphora: Treatment by means of dacryocystoplasty with balloon dilation of the nasolacrimal drainage apparatus. *Radiology*. 1990; 177: 687.
- Murayama T, Takahashi N, and Ikoma N:** Cytotoxicity and characteristics of Mitomycin-C. *Ophthalmic res*. 1996; 28: 153.
- Nesi F A, Lisman R D, and Levine M R:** In: "Smith's ophthalmic plastic and reconstructive surgery". 2nd edition, by Mosby - St. Louis. USA. 1998; ch 32 pp. 639 and ch 33 pp. 643.
- Olver J:** In "Colour Atlas of Lacrimal Surgery". 1st ed. by Butterworth-Heinemann, Oxford, U.K. 2002.
- Orouk W Y, Abdel Rahman O K, Higazy M T, and Abdel Baki H:** Management of adult epiphora. *Bull Ophthalmol Soc Egypt*. 2001; 94: 833.
- Paulsen F P, Thale A B, Hallmann U J, Schandig U, and Tillmann B N:** The cavernous body of the human efferent tear ducts: Function in tear outflow mechanism. *Invest Ophthalmol Vis Sci*. 2000; 41: 965.
- Paulsen F P, Thale A B, Maune S, and Tillmann B N:** New insights into the pathophysiology of primary acquired dacryostenosis. *Ophthalmology*. 2001; 108: 2329.
- Paulsen F P, Corfield A P, Hinz M, Hofmann W, Schaudig U, Thale A B and Berry M:** Characterization of mucins in human lacrimal sac and nasolacrimal duct. *Invest Ophthalmol Vis Sci*. 2003; 77: 1807.

- Perry J D, Mans M, Nowinski T S, and Penne R B:** Balloon catheter dilation for treatment of adults with partial nasolacrimal duct obstruction: a preliminary report. *Am J Ophthalmol.* 1998; 126: 811.
- Reda K, Hany G, and Yahia A:** Manometric study of lacrimal sac pressure after endoscopic and external DCR. *Acta Otolaryngol.* 2003; 81: 93.
- Rosengren B:** On lacrimal drainage. *Ophthalmologica.* 1972; 164: 409.
- Rossomondo R M, Carlton W H, Trueblood J H, and Thomas R P:** A new method of evaluating lacrimal drainage. *Arch Ophthalmol.* 1972; 88: 523.
- Rubinfeld R S, Pfister R S, Stein R M, Foster C S, Martin N F, Stoleru S, Talley A R, and Speaker M G:** Serious complications of topical Mitomycin-C after pterygium surgery. *Ophthalmology.* 1992; 99: 1647.
- Russell E J, Czervionke L, Hukman M, Daniels D and McLachlan D:** CT of the inferomedial orbit and the lacrimal drainage apparatus: Normal and pathologic anatomy. *Am J Radiol.* 1985; 145: 1147.
- Sarac K, Hepsen I F, and Bayramlar H:** Computed tomography dacryocystography. *Eur J Radiol.* 1995; 19: 128.
- Selim A M, and El-Sayed, A E:** Microsurgical transnasal dacryocystorhinostomy. *Bull Ophthalmol Soc Egypt.* 2002; 95: 805.
- Selig Y K, Biesman B S, and Rebeiz E E:** Topical application of Mitomycin-C in endoscopic dacryocystorhinostomy. *Am J Rhinol.* 2000; 14: 205.
- Serdahl C L, Berris C E, and Chole R A:** Nasolacrimal duct obstruction after endoscopic sinus surgery. *Arch Ophthalmol.* 1990; 108: 391.
- Silkiss R Z, Axelrod R N, Iwach A G, and Hennings D R:** Transcanalicular THC: YAG dacryocystorhinostomy. *Ophthalmic Surg.* 1992; 23: 351.
- Singh G, Wilsom M R, and Foster C S:** Mitomycin eye drops as treatment for pterygium. *Ophthalmology.* 1988; 95: 813.

-
- Snell R S, and Lemp M A:** In “Clinical anatomy of the eye”. By Blackwel Science Inc.U.K. 1998; ch 5 pp. 90.
- Soliman Y S, Mansour A, and Abdel Ghaffar E:** The adjunctive use of Mitomycin-C in external dacryocystorhinostomy. Bull Ophthalmol Soc Egypt. 2000; 93: 1275.
- Song H Y, Ahn H S, Park C K, Kwon S H, Kim C S, and Choi K C "A":** Complete obstruction of nasolacrimal system. I- treatment with balloon dilation. Radiology. 1993; 186: 367.
- Song H Y, Ahn H S, Park C K, Kwon S H, Kim C S, and Choi K C "B":** Complete obstruction of the nasolacrimal system. II- Treatment with expandable metallic stents. Radiology. 1993; 186: 372.
- Song H Y, Jin Y H, Kim J H, Sung K B, Han Y M, and Cho N C:** Nasolacrimal duct obstruction treated non surgically with use of plastic stents. Radiology. 1994; 190: 535.
- Song H Y, Jin Y H, Kim J H, Huh S J, Kim Y H, Kim T H and Sung K B:** Non surgical placement of a nasolacrimal polyurethane stent. Radiology. 1995; 194: 233.
- Spaeth G L:** In “Ophthalmic surgery: principles and practice”. 3rd edition, by Suanders, Philadelphia, USA. 2003; ch 27 pp. 277.
- Suner I J, Greenfield D S, Miller M P, Nicolela M T, and Palmberg PE:** Hypotony maculopathy after filtering surgery with Mitomycin-C. Incidence and Treatment. Ophthalmology. 1997; 104: 207.

- Talamo J H, Gollamudi S, Green W R, De LA Cruz Z, Filatov V, and Stark WJ:** Modulation of corneal wound healing after Excimer Laser Keratomileusis using topical Mitomycin-C and steroids. *Arch Ophthalmol*. 1991; 109: 1141.
- Tarbet K J, and Custer P L:** External dacryocystorhinostomy (Surgical success, patient satisfaction, and economic cost). *Ophthalmology*. 1995; 102: 1065.
- Tasman W, and Jaeger E A:** In “Daune’s clinical ophthalmology”. By Lippincott Williams and Wilkins Publishers, Philadelphia, USA. 2002; ch 13 and ch 79.
- Thabet A E, and Abdelrazek M A:** Endoscopic diode laser-assisted inferior dacryocystorhinostomy with Mitomycin-C. *Bull Ophthalmol Soc Egypt*. 2003; 96: 835. metodo conservatore di cura radicale delle supprazioni croniche
- Toti A:** Nouvo del sacco lacrimale (dacryo-cystorinostomia). *Clin Moderna (Firenze)*. 1904; 10: 385. [Quoted from: Albert D M, Jakobiec F A, Azar D T, Gragoudas E S, Power S M, and Robinson N L: In “Principles and practice of ophthalmology”. 2nd edition, by W.B. Saunders Company, USA.2000;ch268 pp. 3558].
- Tsai C C, Kau H C, Kao S C, Hsu W M, and Liu I H:** Efficacy of probing the nasolacrimal duct with adjunctive Mitomycin-C for epiphora in adults. *Ophthalmology*. 2002; 109: 172.
- Tucker N A, Tucker S M, and Linbery J V:** The anatomy of the common canaliculus. *Arch Ophthalmol*. 1996; 114: 1231.
- Tucker N, Chow D, Stockl F, Codere F, and Burnier M:** Clinically suspected primary acquired nasolacrimal duct obstruction. Clinicopathologic review of 150 patients. *Ophthalmology*. 1997; 104: 1882.
- Urban R C, and Kaufman L M:** Mitomycin-C in the treatment of Hypertrophic conjunctival scars after strabismus surgery. *J Ped Ophthalmol Strabismus*. 1994; 31: 96.
- Wearne M J, Pitts J, Frank J, and Goffrey E R:** Comparison of dacryocystography and lacrimal scintigraphy in the

- diagnosis of functional nasolacrimal duct obstruction. *Br J Ophthalmol*. 1999; 83: 1032.
- Welham R A, and Henderson R H:** Results of dacryocystorhinostomy: analysis of causes for failure. *Trans Ophthalmol Soc UK*. 1973; 93: 601.
- Welham R A:** In “Surgery of lacrimal apparatus”. By Miller, SJH Ed.; Butterworths UK – London. 1975; ch 7 pp. 115.
- Welham R A N, and Hughes S M:** Lacrimal surgery in children. *Am J Ophthalmol*. 1985; 99: 27.
- White W L, Clover A T, Buckner A B, and Hartshorne M F:** Relative canalicular tear flow as assessed by dacryoscintigraphy. *Ophthalmology*. 1989; 96: 167.
- Wilson L A:** In “External diseases of the eye”. By Harper and Row publisher, Inc., USA. 1979; ch 12 pp. 121.
- Wilson M W, Hungerford J L, George S M and Madreperla S A:** Topical Mitomycin-C for the treatment of conjunctival and corneal epithelial dysplasia and neoplasia. *Am J Ophthalmol*. 1997; 124: 303.
- Woo K I, Moon S H, and Kim Y D:** Transcanalicular laser-assisted revision of failed dacryocystorhinostomy. *Ophthalmic Surg Lasers*. 1998; 29: 451.
- Woog J J, Kennedy R H and Custer P L:** Endonasal DCR: a report by the American Academy of Ophthalmology. *ophthalmology*. 2001; 108: 2369.
- Wright M M, Bersani T A, Frueh B R, and Musch D C:** Efficacy of the primary dye test. *Ophthalmology*. 1989; 96: 481.
- Wyngaarden J B, Smith L H and Bennett J C:** In “Cecil’s Text-Book of Medicine”. 19th edition, by WB Saunders Co. USA. 1992; PP. 1508 and 1544.
- Yazici B, and Yazici Z:** Frequency of the common canaliculus. A radiological study. *Arch Ophthalmol*. 2000; 118: 1381.
- Yazici B, Yazici Z and Parlak M:** Treatment of nasolacrimal duct obstruction in adults with polyurethane stent. *Am J Ophthalmol*. 2001; 131: 37.