

- **About Sharkh, A.M.A.; Fawzy, K.M.; and Almarakby, M.A. (2000):** Amniotic membrane transplantation for conjunctival surface reconstruction. Bull Ophthalmol Soc Egypt. 93:115-121.
- **Adamis, A.P.; Stark, T.; and Kenyon, K.r. (1990):** The management of pterygium. Ophthalmol Clin North Am. 3:611-623.
- **Akle, C.A.; Adinofli, M.; Welch, K.I.; et al. (1981):** Immunogenicity of human amniotic epithelial cells after transplantation into volunteers. Lancet. 2:1003-1005.
- **Beitch, I. (1970):** The induction of keratinization in the corneal epithelium: a comparison of the “dry” and vitamin A deficient eyes. Invest Ophthalmol Vis Sci. 9:827-843.
- **Bessant, D.A.R.; and Dart, J.K.G. (1994):** Lamellar keratoplasty in the management of inflammatory corneal ulceration and perforation. Eye. 8:22-28.
- **Blanco, A.A.; Pillai, C.T.; and Dua, H.S. (1999):** Amniotic membrane transplantation for ocular surface reconstruction. Br J Ophthalmol. 83:399-402.

- **Boudreau, N.; Sympson, C.J.; Werb, Z.; and Bissell, M.J. (1996):** Suppression of apoptosis by basement membrane requires three-dimensional tissue organization and withdrawal from the cell cycle. *Proc Natl Acad Sci USA*. 93:3500-3513.
- **Bourne, G.L. (1962):** The human amnion and chorion, Lloyd-Wike, London. 4:56-135.
- **Brown, S.I.; and Hook, C.W. (1971):** Treatment of corneal destruction by collagenase inhibitors. *Trans Am Acad Ophthalmol Otolaryngol*. 75:1194-1207.
- **Brown, S.M.; Lamberts, D.W.; Reid T.W.;et al. (1997):** neurotropic and anhidrotic keratopathy treated with substance P and insulin like growth factor . *Arch Ophthalmol*. 115:926-927.
- **Chen, H.J.; Renato, T.F.; and Tseng, S.C.G. (2000):** Amniotic membrane transplantation for severe neurotrophic corneal ulcers. *Br J Ophthalmol*. 84:826-833.
- **Chen, J.K.; Tsai, R.J.F.; and Lin, S.S. (1994):** Fibroblasts isolated from human pterygia exhibit

- transformed cell characteristics. In Vitro Cell Dev Biol. 30A:243-248.
- **de-Rotth, A. (1940):** Plastic repair of conjunctival defects with fetal membrane. Arch Ophthalmol. 32:522-525.
 - **Dixon, W.S. (1989):** Treatment of corneal perforation and ulcer with primary keratoplasty. In: Drager J, Winter R, editors. New microsurgical concepts. Basal :Kraeger:176-180.
 - **Djefal, A.; Mahlous, M.; and Bachir, M. (1997):** Freeze dried human amniotic membrane in the treatment of burns. Nuclear Science.1:45.
 - **Donzis, P.B.; and Mondino, B.J. (1987):** Management of non-infectious corneal ulcer. Surv Ophthalmol. 32:94-110.
 - **Dua, H.S.; and Blanco, A.A. (1999):** Amniotic membrane transplantation. Br J Ophthalmol. 83:748-752.
 - **Elrakhawy, M.T. (1981):** Illustrative embryology. P:64 & 73

- **El-Shayeb, A.A. (2001):** Management of the recurrent pterygium by human amniotic membrane transplantation. Bull Ophthalmol Soc Egypt. 94(1):75-79.
- **Feder, R.S.; and Krachmer, J.H. (1984):** Conjunctival resection for the treatment of the rheumatoid corneal ulceration. Ophthalmology. 91:111-115.
- **Fogle, J.A.; Kenyon, K.R.; and Foster, C.S. (1980):** Tissue adhesive arrests stromal melting in the human cornea. Am J Ophthalmol. 89:795-802.
- **Fox, R.; Chan, R.; Michelson, J.; Belmont, J.; et al. (1984):** Beneficial effect of artificial tears made with autologous serum in patients with keratoconjunctivitis sicca. Arthritis Rheum. 27:459-461.
- **Frank, H.; and Estel, C.H. (1979):** Studies on the ultrastructure of the term amnion in pathological pregnancy. Exp Pathol. 17:461-473.
- **Fujishima, H.; Shimazaki, K.; and Tsubota, K. (1996):** Temporary corneal stem cell dysfunction after radiation therapy. Br J Ophthalmol. 80:911-914.

- **Fukoda, K.; Chikama, T.; Nakamura, M.; et al. (1999):** Differential distribution of subchains of the basement membrane components type IV collagen and laminin among the amniotic membrane, Cornea and conjunctiva . Cornea. 18:73-79.
- **Gaballah, F.; and Badawy, Z. (1986):** Atlas of embryology. P:19.
- **Gabler, B.; and Lohmann, C.P. (2000):** Hypopyon after repeated transplantation of human amniotic membrane on the corneal surface. Ophthalmolgy. 107:1344-1346.
- **Golubovic, S.; and Parunovic, A. (1990):** Cyanoacrylate glue in the treatment of corneal ulceration. Fortschr Ophthalmol. 87:378-381.
- **Gould, H.L. (1967):** Treatment of neurotrophic keratitis with scleral contact lenses. Eye, Ear, Nose, and Throat Monthly. 46:1406-1414.
- **Hosni, F.A. (1974):** Repair of trachomatous cicatricial entropion using mucous membrane graft. Arch Ophthalmol. 91:49-51.

- **Insler, M.S.; and Pecous, B. (1987):** Conjunctival flaps revisited. *Ophthalmic Surg.*18:455-458.
- **Joseph, A.; Dua, H.S.; and King, A.J. (2001):** Failure of amniotic membrane transplantation in the treatment of acute ocular burns. *Br J Ophthalmol.* 85:1065-1069.
- **Kenyon, K.R. (1969):** The synthesis of basement membrane by the corneal epithelium in bullous keratopathy. *Invest Ophthalmol Vis Sci.*8:156-158.
- **Kenyon, K.R. (1985):** Inflammatory mechanisms in corneal ulceration. *Tr Am Ophth Soc.* 83:610-663.
- **Kim, J.C.; and Tseng, S.C.G. (1995):** Transplantation of preserved human amniotic membrane for surface reconstruction in severely damaged rabbit corneas. *Cornea.* 14:473-484.
- **Kim, J.S.; Kim, J.C.; Nu, B.K.; et al. (2000):** Amniotic membrane patching promotes healing and inhibits proteinase activity on wound healing following acute corneal alkali burn. *Exp Eye Res.* 70(3):329-331.
- **Kinoshita, S.; Friend, J.; and Thoft, R.A. (1983):** Biphasic cell proliferation in transdifferentiation of

- conjunctival to corneal epithelium in rabbits. Invest Ophthalmol Vis Sci. 24:1008-1014.
- **Kirkness, C.M. (1985):** Ophthalmology. London, Gower Medical Publishing :27.
 - **Koizumi, N.; Inatomi, T.; Sotozono, A.; et al. (2000):** Growth factor mRNA and preserved protein in human amniotic membrane. Curr Eye Res. 20:173-177.
 - **Kruse, F.E.; Chen, J.J.Y.; Tsai, R.J.F.; et al. (1990):** Conjunctival transdifferentiation is due to incomplete removal of basal epithelium. Invest Ophthalmol Vis Sci.31:1903-1913.
 - **Kruse, F.E.; Klaue, R.; and Hans, E. (1999):** Multilayer amniotic membrane transplantation for reconstruction of deep corneal ulcers. Ophthalmolgy. 106:1504-1511.
 - **Lambiase, A.; Rama, P.; Bonini, S.; et al. (1998):** Topical treatment with nerve growth factor for corneal neurotrophic ulcer. N Engl J Med. 338:1174-1180.
 - **Lee, S.B.; Li, D.Q.; Guaja-Smith, Z.; et al. (1994):** Increased expression and activity of MMP-1 and MMP-3

- by cultured pterygium head fibroblasts. *Invest Ophthalmol Vis Sci.* 40:S334.
- **Lee, S.H.; and Tseng, S.C.G. (1997):** Amniotic membrane transplantation for persistent epithelial defects with ulceration. *Am J Ophthalmol.*123:303-312.
 - **Liotta, L.A.; Lee, C.W.; and Morakis, D.J. (1980):** New method for preparing large surfaces of intact human basement membrane for tumour invasion studies. *Cancer Lett.* 11:141-152.
 - **Lugo, M.; and Arentsen, J.J. (1987):** Treatment of neurotrophic ulcers with conjunctival flaps. *Am J Ophthalmol.* 103:711-712.
 - **Ma, D.H.K; See, L.C.; Liao, S.B.; et al. (2000):** Amniotic membrane graft for primary pterygium: Comparison with conjunctival autograft and topical mitomycin C treatment. *Br J Ophthalmol.* 84:973-978.
 - **Mastropasqua, L.; Carpineto, P.; Ciancaglini, M.; and Gallenga, P.E. (1996):** Long term results of intraoperative mitomycin C in the treatment of recurrent pterygium. *Br J Ophthalmol.* 80:288-291.

- **Mc Cully, J.P.; Hotowitz, B.; Hussein, Z.M.; et al. (1993):** Topical fibronectin therapy of persistent corneal epithelial defects. Fibronectin study group. Trans Am Ophthalmol Soc.91:367-386.
- **Mejia, L.F.; Acosta, C.; and Santamaria, J.P. (2000):** Use of non-preserved human amniotic membrane for reconstruction of the ocular surface. Cornea. 19:288-291.
- **Meller, D.; and Tseng, S.C.G. (1999):** Conjunctival epithelial cell differentiation on amniotic membrane. Invest Ophthalmol Vis Sci. 40:878-886.
- **Meller, D.; Maskin, S.L.; Pires, R.T.; and Tseng, S.C.G. (2000):** Amniotic membrane transplantation for symptomatic conjunctivochalasis refractory to medical treatment. Cornea. 19:796-803.
- **Mondino, B.J.; and Brwon, S.I. (1981):** Ocular Cicatricial Pemphigoid. Ophthalmology. 88:95-100.
- **Mondino, B.J. (1990):** Bullous diseases of the skin and mucous membrane. In Tasman W, Jaeger EA (eds). Duane's clinical ophthalmology. Philadelphia :JB, Lippincott ;4.

- **Murbue, J.; Taylor, H.; and Tsubota, K. (2000):** Amniotic membrane transplantation, a major contribution to ocular surface disorders. *Highlights Of Ophthalmology*. Vol.28:3-10.
- **Naumann, G.O.H.; Lang, G.K.; Rummelt, V.; and Wigand, M.E. (1990):** Autologous nasal mucousa transplantation in severe bilateral conjunctival mucous deficiency syndrome. *Ophthalmolgy*. 97:1011-1017.
- **Ohashi, Y.; Motokura, M.; Kinoshita, Y.; et al. (1989):** Presence of epidermal growth factors in the human tears. *Invest Ophthalmol Vis Sci*. 30:1879-1882.
- **Panda, A. (1999):** Amniotic membrane transplantation in ophthalmology (fresh vs preserved tissue). *Br J Ophthalmol*. 83:1401-1.
- **Paridaens, D.; Beekhuis, H.; Bosch, W.; et al. (2001):** Amniotic membrane transplantation in the management of conjunctival malignant melanoma and primary acquired melanosis with atypia. *Br J Ophthalmol*. 85:658-661.
- **Parra, C.J.; Diaz-liopiz, M.; Maldonado, M.J.; et al. (1995):** Prospective trial of intraoperative mitomycin C in

- the treatment of primary pterygium. Br J Ophthalmol. 79:439-441.
- **Pearlman, G.; Susal, A.L.; Hushaw, J.; and Bartlett, R.E. (1970):** Recurrent pterygium and treatment with lamellar keratoplasty with presentation of a technique to limit recurrence. A preliminary report. Ann Ophthalmol. 2:763-771.
 - **Pfister, R.R.; and Paterson, C.A. (1980):** Ascorbic acid in the treatment of alkali burn of the eye. Ophthalmology. 87:1050-1057.
 - **Polishuk, W.Z.; Kohane, S.; and Peranio, A. (1962):** Cytochemistry and electron microscopy. The preservation of cellular ultrastructure and enzymatic activity by aldehyde fixation. J cell Biol. 17:19-58.
 - **Prabhasawat, P.; and Tseng, S.C.G. (1997):** Impression cytology study of epithelial phenotype of ocular surface reconstructed by preserved human amniotic membrane. Arch Ophthalmol. 115:1360-1367.
 - **Prabhasawat, P. (1999)** Annual meeting of the ocular surface and tear conference, Miami, Florida, May.

- **Renato, T.F.P.; Tseng, S.C.G.; Prabhasawat, P.; et al. (1999):** Amniotic membrane transplantation for symptomatic bullous keratopathy. Arch Ophthalmol. 117:1291-1297.
- **Rhodes, P. (1966):** In reproductive physiology for medical students, Churchill, London. :227.
- **Rubinfeld, R.S.; Pfister, R.R.; Stein, R.M.; et al. (1992):** Serious complications of topical mitomycin-C after pterygium surgery. Ophthalmology. 99:1647-1654.
- **Russel, A.D. (1982):** Effect of ionizing radiation on bacterial spores. In: The destruction of bacterial spores (A.D.Russel eds). Academic Press Inc, London:411.
- **Sato, H.; Shimazaki, J.; Shinozaki, K.;et al. (1998):** Role of growth factors for ocular surface reconstruction after amniotic membrane transplantation. Invest Ophthalmol Vis Sci. 39:s428.
- **Shaheen, M.A.E. (2000):** Amniotic membrane transplantation for kerato-conjunctival disorders. Bull Ophthalmol Soc Egypt. 93:173-175.

- **Shimazaki, J.; Shinozaki, N.; and Tsubota, K. (1998):**
Transplantation of amniotic membrane and limbal autograft for patients with recurrent pterygia associated with symblepharon. *Br J Ophthalmol.* 82:235-240.
- **Shimazaki, J.; Yang, H.Y.; and Tsubota, K. (1997):**
Amniotic membrane transplantation for ocular surface reconstruction in patients with chemical and thermal burns. *Ophthalmology.*104:2068-76.
- **Shimazaki, J.; Yong, H.Y.; and Tsubota, K. (1996):**
Limbal autograft transplantation for recurrent and advanced pterygia. *Ophthalmic Surg Lasers.* 27:917-923.
- **Shore, J.W.; Foster, S.; Westfall, C.T.; et al. (1992):**
Results of buccal mucosal grafting for patients with medically controlled ocular cicatricial pemphigoid. *Ophthalmology.* 99:383-395.
- **Shwu-Huey, L.; and Tseng, S.C.G. (1997):** Amniotic membrane transplantation for persistent epithelial defects with ulceration. *Am J Ophthalmol.* 123:303-312.
- **Sridhar, M.S.; Virender, S.; Sangwan,; Aashish, K.B.; et al. (2001):** Amniotic membrane transplantation in the

- management of shield ulcers of vernal keratoconjunctivitis. *Ophthalmology*. 108:1218-1222.
- **Sternberg, and Stephen; S. (1992):** Histology for pathologists. New York. Ravan Press. 842-843.
 - **Su, C.Y.; and Lin, C.P. (2000):** Combined use of amniotic membrane and tissue adhesive in treating corneal perforation. *Ophthalmic Surg Lasers*. 31:151-154.
 - **Telmi, Y.P.; Sigler, L.; and Inge, E. (1991):** Antibacterial properties of human amniotic membrane. *Placenta*. 12:285-288.
 - **Thoft, R.A. (1977):** Conjunctival transplantation. *Arch Ophthalmol*. 95:1425-1427.
 - **Thoft, R.A. (1984):** Keratoepithelioplasty. *Am J Ophthalmol*. 97:1-6.
 - **Trelford, J.D.; and Trelford, S.M. (1979):** The amnion in surgery, past and present. *Am J Obstet Gynecol*. 134:844-845.
 - **Tsai, R.J.; and Tseng, S.C.G. (1995):** Effect of stromal inflammation on the outcome of limbal transplantation for corneal surface reconstruction. *Cornea*. 14:434-449.

- **Tsai, R.J.; Sun, T.T.; and Tseng, S.C.G. (1990):** Comparison of limbal and conjunctival autograft transplantation in corneal surface reconstruction in rabbits. *Ophthalmology*. 97:445-446.
- **Tseng, S.C.G.; and Tsai, R.J. (1991):** Limbal Transplantation for ocular surface reconstruction: a review. *Fortscher Ophthalmol*. 88:236-242.
- **Tseng, S.C.G.; and Tsubota, K. (1997):** Important concepts for treating ocular surface and tear disorders. *Am J Ophthalmol*. 124:825-835.
- **Tseng, S.C.G.; Prabhasawat, P.; and Lee, S.H. (1997):** Amniotic membrane transplantation for conjunctival surface reconstruction. *Am J Ophthalmol*. 124:765-774.
- **Tsubota, K.; Sataki, Y.; Ohyama, M.; et al. (1996):** Surgical reconstruction of the ocular surface in advanced ocular cicatricial pemphigoid and Steven-Johnson syndrome. *Am J Ophthalmol*. 122:38-52.
- **Tsubota, K.; Toda, I.; Saito, H.; et al. (1995):** Reconstruction of corneal epithelium by limbal allograft