

REFERENCES

Addicks EM, Quigley HA, Green WR, and Robin AL: Histologic characteristic of filtering blebs in glaucomatous eyes. Arch Ophthalmol 1983; 101: 795-798.

Begui ZE: Acoustic properties of refractive media of the eye. J Acoust Soc Am, 1954; 56: 365-372.

Bronson NR (development of a simple B-scan ultrasounoscope) Trans Am Ophthaalmol Soc 1972; 70: 365.

Brown LF: Ferroelectric polymers; Current and future applications. IEEE Ultrasonics Symposium Proceedings 1992, pp. 539-545. IEEE, New York.

Coleman DJ (Reliability of ocular and orbital diagnosis with B-scan ultrasound in Ocular diagnosis) Am J Ophthalmol 1972; 73: 501.

Coleman DJ, Konig WF, and Katz L (A hand-Operated ultrasound scan system for ophthalmic evaluation) Am J Ophthalmol 1969, 68: 256.

Coleman DJ, Lizi F, and Jack R. Ultrasonography of the eye and orbit 1977 Lea & Febrger, Philadelphia.

Foster FS, Pavlin CJ, Lockwood GR, Ryan LK, Harasiewicz KA, Berube LR, and Rauth AM. Principles and applications of

References

ultrasound backscatter microscopy IEEE Trans UFFC 1993; 40: 608-617.

Foster FS, Starban M, and Austin G.: The ultrasonic Macroscope. Ultrasonic Imaging 1984; 6: 243-261.

Fourman S: Angle closure glaucoma complicating cilio-choroidal detachment. Ophthalmology 1989; 96: 646-653.

Gohdo T, Toyooki T, Hiroyuki i, Kenji K, and Shigeo T: Ultrasound Biomicroscopic Study of Ciliary Body thickness in eyes with narrow angles, Am J Ophthalmol 2000; 129: 342-346.

Goss SA, Jonhston RL, and Dunn F: Comprehensive compilation of empirical ultrasonic properties of mammalian tissues. J Acoust soc Am 1978; 64: 423-457.

Hartnett ME, Gilbert MM, Hirose T, et al.: Glaucoma as a cause of poor vision in severe retinopathy of prematurity. Graefes Arch Clin Exp Ophthalmol 1993; 231: 433-438.

Jampel HD, McGuigan LJB, Dunkelberger GR, L'Hernault NL, Quigley HA: Cellular proliferation after experimental glaucoma filtration surgery, Arch Ophthalmol 1988; 106-89-94.

Jansson F, and Sundmak E. Determination of the velocity of sound in ocular tissues at different temperatures acta ophthalmol 1961; 39:899-911.

Jinza K, Saika S, Kin K, and Ohnishi Y; Relationship between formation of filtering bleb and an intrascleralaqueous drainage rout after trabeculectomy: evaluation using ultrasound Biomicroscopy. Ophthalmic Res Sep-Oct; 32 (5): 240-3 .

Kanski JJ: Clinical Ophthalmology. The Glaucomas, Grading of the angle. 5th edition 2003; 9: 202.

Kahiry HA, HR Atta, FD Green, J van der Hoek , and A Azuara-Blancs: Ultrasound Biomicroscopy in deep sclerectomy, eye ophthalmology 2005; 19, 555-560.

Kapetansky FM. A new water bath for ultrasound biomicroscopy Ophthalmic surg. Lasers 1997; 28: 605-606.

Kunimatsu S, Atsuo T, Kouichi M, Hiroyo T, Goji T, Aiko I, and Makoto A: Prevalence of Appositional Angle Closure Determined by Ultrasonic BIomicroscopy in Eyes with Shallow Anterior Chambers. Ophthalmology 2005; 112: 407-412.

Kobayashi H, Ono H, Kiny Uj, Kobayashi K, and Kondo T: Ultrasonic BIomicroscopy measurement of development of anterior chamber angle. Brj ophthalmol 1999 May, 83(5):559-562.

Liebman JM, Ritch R, and Greenfield DS: The angle-Closure glaucomas in choplin NT and Lundy DC. Atlas of glaucoma 1st end (Martin Dunitz 1998), 133-153.

References

Lowe RF: Primary angle-closure glaucoma; a review of ocular biometry. Aust J Ophthalmol 1977; 5: 9-17.

Marigo FA, Esaki K, Finger PT, et al.: Differential diagnosis of anterior segment cysts by ultrasound biomicroscopy. Ophthalmology 1999; 106: 2131-2135.

Markowitz SN, and Morin JD. Ratio of lens thickness to axial length for biometric standardization of angle-closure glaucoma. Am J Ophthalmol 1985; 99: 400.

Matsunaga k, Kunio I, Koji E, Kota S, Toru S, Katsuya M, Mikio S, and Yukitaka U : Evaluation and Comparison of Indentation Ultrasound Biomicroscopy Gonioscopy in Relative Pupillary Block, Peripheral Anterior Synechia, and Plateau Iris Configuration J Glaucoma. Volume 13, J Glaucoma 2004; 13: 516-519.

Mundt GH Jr, and Hugher WF Jr (Ultrasonics in ocular diagnosis) Am J Ophthalmol 1956; 41: 488.

Ohana E-Blumen, Hamelin N, and Nordmann JP. Glaucoma and ultrasound biomicroscopy J. Fr Ophtalmol. 2004 May 27 (5): 469-76.

Oksala A, Lehtinen A: (Diagnostic of detachment of the retina by means of ultrasound) Acta Ophthalmol 1957; 35: 461.

Ossoining KC: Standardized echography. Basic principles, clinical applications and results. ed. Dallow RL. Int Ophthalmol Clin. 1979; 19: 127-210.

Pavlin CJ, Sherar MD, and Foster FS: Subsurface ultrasound microscopic imaging of intact eye, Ophthalmology 1990; 97: 244-250.

Pavlin CJ, Harasiewicz K, Sherar MD and Foster FS: Clinical use of ultrasound biomicroscopy. Ophthalmology 1991; 98: 287-295.

Pavlin CJ, Harasiewicz K and Foster FS: Ultrasound biomicroscopy of anterior segment structures in normal and glaucomatous eyes. Am J Ophthalmol 1992; 113: 381-389.

Pavlin CJ, Ritch R and Foster FS: Ultrasound biomicroscopy in plateau iris syndrome. Am J Ophthalmol 1992; 113: 390-395.

Pavlin CJ and Foster FS. : Ultrasound biomicroscopy of the eye. New York : Springer-verlag (1995).

Pavlin Charles J., Sanpatna S. Rutnin, Robert Devenyi, Martin Wand, and F. Stuart Foster: Supraciliary Effusions and Ciliary Body Thickening after Scleral Bucking Procedures, Ophthalmology 1997; 104: 433-438.

Pavlin Cj, and Foster Fs: Ultrasound biomicroscopy .High frequency Ultrasound imaging of the eye at microscopic resolution. Radiol clin North Am. 1998 Nov; 36(6):1047-58.

Pothash SD, Tello C, Liebmann J and Ritch R: Ultrasound-biomechanics in the pigment dispersion syndrome. Ophthalmology 1994; 101: 332-339.

Purnell EW: (Ultrasound in ophthalmological diagnosis in Grossman CC (ed) : Diagnostic Ultrasound. New York, Plenum Press, 1965. P 96.

Ritch R, and Liebmann JM: Argon laser peripheral iridoplasty: a review. Ophthalmic Surg Lasers 1996; 27: 289-300.

Ritch R, Liebmann J, and Tello C.A: Construct for understanding angle-closure glaucoma; the role of ultrasound biomechanics. Ophthalmol Clin. North Am 1995; 8: 281-293.

Ritch R, Liebmann J, Lezzi R and Tello C: Practical uses of UBM in Glaucoma. In: Schuman JS: Imaging in glaucoma. 1999; 10: 188.

Ritch, Robert, Brian M. Chang, Jeffrey M. and Liebmann: Angle Closure in Younger Patients Trans Am ophthalmol Soc 2002; 100: 201-214.

Sherar MD, Foster FS. The design and fabrication of high frequency polyvinylidene fluoride transducers Ultrasonic imaging 1989; 11: 79-97.

Sherar MD, Starkoski BG, Taylor WB and Foster FS: A 100 MHz B-scan ultrasound backscatter microscope. Ultrasonic Imaging; 11:95-105 (1989).

References

Shields JA. Shields CL, Lois N, et al. Iris cysts in children: classifications, incidence, and management. The 1998 Torrence A. Makley Jr Lecture. Br j Ophthalmol 1999; 83: 334-338.

Tello C, Chi T, Shepps G, Liebmann J, and Ritch R: Ultrasound biomicroscopy in pseudophakic malignant glaucoma. Ophthalmology 1993; 100: 1330-1334.

Tello C, R Othman R, Ishikawa H, and Ritch R: Differential diagnosis of the angle-closure glaucomas. Ophtahlmology Clinics of North American Setp. 2000 Number 3, volume 13, 443-453.

Thijssen MJ, Mol and Timer MR; Acoustic parameters of ocular tissues. Ultrasound Med. Biol; 11: 157-161 (1983).

Yanoff M and Duker J S: Ophthalmology. Mosby international Ltd. 1999.