

References

- **Adroque HJ. and Madias NE. (2000):** Hyponatremia. *N Engl J Med*; 342(20):1493-9.
- **Ahmed T., Ali M., Ullah MM. et al. (1999):** Mortality in severely malnourished children with diarrhea and use of a standardized management protocol. *Lancet*; 353: 1919–22.
- **Ajjampur SS., Rajendram P., Ramani S. et al. (2008):** Closing the diarrhoea diagnostic gap in Indian children by the application of molecular techniques. *J Med Microbiol*; 57:1364–8.
- **Akhter J., Burdette JM., Qadri SMH. et al. (1999):** Etiology of gastroenteritis at a major referral centre in Saudi Arabia. *J Int Med Res*; 22: 47-54.
- **Alam NH. and Ashraf H. (2003):** Treatment of infectious diarrhea in children. *Paediatr Drugs*; 5:151–65.
- **Alhashimi D., Al-Hashimi H. and Fedorowicz Z. (2009):** Antiemetics for reduced vomiting related to acute gastroenteritis in children and adolescents. *Cochrane Database Syst Rev. (2):CD005506*
- **Atherly-John YC., Cunningham SJ. and Crain EF. (2002):** A randomized trial of oral vs intravenous rehydration in a pediatric emergency department. *Arch Pediatr Adolesc Med*; 156:1240–3.
- **Atkins D., Best D., Briss PA. et al. (2004):** Grading quality of evidence and strength of recommendations. *Br Med J*; 328:1490–7.
- **Bettari L., Fiuzat M., Shaw LK. et al. (2012):** Hyponatremia and long-term outcomes in chronic heart failure--an observational study from the Duke Databank for Cardiovascular Diseases. *J Card Fail*; 18(1):74-81.
- **Bhutta ZA., Ghishan F., Lindley K. et al. (2004):** Persistent and chronic diarrhea and malabsorption: Working Group report of the Second IWorld Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr*; 39: 571-576.

- **Bhutta ZA., Nelson EA., Lee WS. et al. (2008):** Recent advances and evidence gaps in persistent diarrhea. *J Pediatr Gastroenterol Nutr*; 47:260–5.
- **Black RE. (1993):** Persistent diarrhea in children of developing countries. *Pediatr Infect Dis J*; 12:751–61.
- **Boga, J. A., S. Melón., Nicieza I., et al. (2004):** Etiology of sporadic cases of pediatric acute gastroenteritis in Asturias, Spain, and genotyping and characterization of norovirus strains involved. *J. Clin. Microbiol*; 42:2668-2674.
- **Boschi-Pinto C., Velebit L., Shibuya K. (2008):** Estimating child mortality due to diarrhoea in developing countries. *Bull World Health Organ*; 86:710–7.
- **Brewster D. (2002):** Dehydration in acute gastroenteritis. *J Paediatr Child Health*; 38: 219-222.
- **Brewster DR. (2006):** Critical appraisal of the management of severe malnutrition: Implications for Aboriginal child health in northern Australia. *J Paediatr Child Health*; 42:594–5.
- **Buesa, J., Collado B., López P. et al. (2002):** Molecular epidemiology of caliciviruses causing outbreaks and sporadic cases of acute gastroenteritis in Spain. *J. Clin. Microbiol*; 40:2854-2859.
- **Centers for Disease Control and prevention. (2002):** Outbreak of Gastroenteritis Associated with Noroviruses on Cruise Ships- N NITED States, *MMWR Morb Mortal Wkly Rep*; 51(49):1112-1115.
- **Clemens J., Rao M., Ahmed F. et al. (1993):** Breast-feeding and the risk of life-threatening rotavirus diarrhea: prevention or postponement? *Pediatrics*; 92: 680–5.
- **Cook SM., Glass RI., leBaron CW. Et al. (1990):** Global seasonality of rotavirus infections. *Bull World Health Organ*; 68:171-7.
- **Cortese MM. and Parashar UD. (2009):** Prevention of rotavirus gastroenteritis among infants and children. Recommendations of the

- Advisory Committee on Immunization Practices. MMWR Morb Mortal Wkly Rep; 58(RR-2):1–2.
- **Cortese MM., Tate JE., Simonsen L. et al. (2010):** Reduction in gastroenteritis in United States children and correlation with early rotavirus vaccine uptake from national medical claims databases. *Pediatr Infect Dis J.* Jun 2010; 29(6):489-94.
 - **Guerrant RL., Van Gilder T., Steiner TS. et al. (2001):** Practice guidelines for the management of infectious diarrhea. *Clin Infect Dis*; 32:331-51.
 - **Daly SA., Roy SJ., Blaney DD. et al. (2009):** Outbreak of giardiasis associated with a community drinking-water source. *Epidemiol Infect.* Sep 15; 1-15.
 - **Dans LF., Gregorio GV., Silvestre MA. (2008):** Early versus delayed refeeding for children with acute diarrhoea. *Cochrane Database Syst Rev*; (3):CD007296.
 - **Davidson GP. and Barnes GL. (1997):** Structural and functional abnormalities of the small intestine in infant and young children with rotavirus gastroenteritis. *Acta paediatr Scand*; 68:181-186.
 - **Davis H., Olsen S., Ahmad E. et al., (2010):** Neutrophil CD64 is an Improved Indicator of Infection or Sepsis in Emergency Room Patients. In press, *Archives in Pathology and Laboratory Medicine*.
 - **Dennehy PH. (2005):** Acute diarrheal disease in children: epidemiology, prevention, and treatment. *Infect Dis Clin North Am.* Sep; 19(3):58-602.
 - **Denno DM., Stapp JR., Boster DR. et al. (2005):** Etiology of diarrhea in pediatric outpatient settings. *Pediatr Infect Dis J*; 24:1.42-1.48.
 - **Duggan C. and Nurko S. (1997):** “Feeding the gut”: the scientific basis for continued enteral nutrition during acute diarrhea. *J Pediatr*; 131:801–8.
 - **Dutta SR., Khalfan SA., Baig BA. et al. (1990):** Epidemiology of Rotavirus diarrhoea in children under 5 years in Bahrain. *Int J Epidemiol*; 19: 722-27.

- **Eisenstein L., Bodgar D. and Ginzl D. (2006):** Outbreak of giardiasis and cryptosporidiosis associated with a neighborhood interactive water fountain- Florida, J Environ Health; 71(3):18-22; quiz 49-50.
- **Ejemot RI., Ehiri JE., Meremikwu MM. et al. (2008):** Hand washing for preventing diarrhoea. Cochrane Database Syst Rev.; (1):CD004265.
- **El-Hassan M., Ayed N., Elmekki M. et al. (2011):** Diarrheal diseases among internally home displaced in khartoum state, Sudan. Acad. J. biolog. Sci; 3(1): 1-5.
- **Elliott EJ. (2007):** Acute gastroenteritis in children. BMJ; 334:3540.
- **Elliott E and Dalby-Payne J. (2006):** Gastroenteritis in children. Clin Evid; 15:1-7.
- **Elliott EJ., Robins-Browne RM., O'Loughlin EV. et al. (2001):** Nationwide study of haemolytic uraemic syndrome: clinical, microbiological and epidemiological features. Arch Dis Child; 85: 125-131.
- **Escobedo AA., Almirall P., Alfonso M. et al. (2009):** Treatment of intestinal protozoan infections in children. Arch Dis Child; 94:478–82.
- **Esposito DH., Holman RC., Haberling DL. Et al. (2011):** Baseline estimates of diarrhea-associated mortality among United States children before rotavirus vaccine introduction. Pediatr Infect Dis J. Nov 2011; 30(11):942-7.
- **Evans HS., Madden P., Douglas C. et al. (2008):** General Outbreaks of infectious intestinal disease in England and Wales: Common Dis Public Health 1998; 1:165-71.
- **Fischer TK, Viboud C, Parashar U, Malek M, Steiner C, Glass R, et al.** Hospitalizations and deaths from diarrhea and rotavirus among children < 5 years of age in the United States, 1993-2003. J Infect Dis. Apr 15 2007; 195(8):1117-25.

- **Follett EA., Sanders., Beards GM. Et al. (2004):** Molecular epidemiology of human rotaviruses. Analysis of outbreaks of acute gastroenteritis in Glasgow and the West of Scotland J. Hyg; 92,209-222.
- **Fotedar R., Stark D., BeebeN. et al. (2007):** PCR detection of Entamoeba histolytica, Entamoeba dispar, and Entamoeba moshkovskii in stool samples from Sydney, Australia. J Clin Microbiol; 45(3): 1035-7.
- **Fuchs GJ. (1998):** Possibilities for zinc in the treatment of acute diarrhea. Am J Clin Nutr 1998;68(suppl):480S–3S.
- **Giordano, M.O., Ferreyra L.and Martinez J. (2001):** The epidemiology of acute viral gastroenteritis in hospitalized children in Cordoba, Argentina: an insight of disease burden. Rev. Inst. Med. trop S. Paulo; 43(3):193-197.
- **Glass RI., Kilgore PE., Holman RC. et al. (2006):** The epidemiology of rotavirus diarrhea in the United States: surveillance and estimates of disease burden. J Infect Dis; 174(Suppl11):S5-11.
- **Glass R. (2005):** Rotavirus Vaccines: Targeting the developing world. The Journal of Infectious Disease; 192:S160-S166.
- **Glass RI. And ParasharUD. (2006):** The promise of new rotavirus vaccines. N Engl J Med; 354(1):75-7.
- **Gogia S.and Sachdev HS. (2009):** Neonatal vitamin A supplementation for prevention of mortality and morbidity in infancy: systematic review of randomised controlled trials. Br Med J; 338:b919.
- **Goldman RD., Friedman JN. and Parkin PC. (2008):** Validation of the clinical dehydration scale for children with acute gastroenteritis. Pediatrics; 122(3):545-9.
- **Georges M., Wachsmuth., Meunier D, et al. (1984):** Parasitic, Bacterial, and Viral Enteric Pathogens Associated with Diarrhea in the Central African Republic. Journal of clinical microbiology, P; 571-575
- **Goyal RK.and Hirano I. (1996):** The enteric nervous system: mechanism of disease. N Engl J Med; 34:1106-1115.

- **Gracey M. (1992):** Diarrhoea in Australian Aborigines. *Aust J Public Health*; 16: 216–25.
- **Gracey M. and Cullinane J. (2003):** Gastroenteritis and environmental health among Aboriginal infants and children in Western Australia. *J Paediatr Child Health*; 39: 427–31.
- **Gracey M., Lee AH. and Yau KK. (2004):** Hospitalisation for gastroenteritis in Western Australia. *Arch Dis Child* 2004; 89:768–72.
- **Gregorio GV., Gonzales MLM., Dans LF. et al., (2009):** Polymer-based oral rehydration solution for treating acute watery diarrhoea. *Cochrane Database Syst Rev*; (2):CD006519.
- **Grimwood K. and Forbes D. (2009):** Acute and Persistent Diarrhea. *Pediatr Clin N Am*; 56 doi: 10.1016.
- **Grimwood K. and Kirkwood CD. (2008):** Human rotavirus vaccines: too early for the strain to tell. *Lancet*; 371:1144–5.
- **Grimwood K. and Lambert SB. (2009):** Rotavirus vaccines: opportunities and challenges. *Hum Vaccin*; 5:57–69.
- **Grotto I., Mim J., Gdalevich M. et al. (2003):** Vitamin A supplementation and childhood morbidity from diarrhea and respiratory infections: a meta-analysis. *J Pediatr*; 142:297–304.
- **Guandalini S. and Kahn S. (2008):** Acute diarrhea. In: Walker A, Goulet O, Kleinman J, et al eds. *Pediatric Gastrointestinal Disease*; 1(15). 252-64.
- **Guerrant RL., Stienner TS. and Lima AM. (1999):** How intestinal bacteria cause disease. *J Infect Dis*; 79:5331-337.
- **Guyatt GH., Oxman AD., Kunz R. et al. (2008):** GRADE: going from evidence to recommendations. *Br Med J*; 336:1049–51.
- **Hamer DH and Gorbach SL. (1998):** Infectious diarrhea and bacterial food poisoning. *Gastrointestinal and Liver disease*.pa:WB Saunders;1594-1632.

- **Hamkar R., Yahyapour Y., Noroozi M. et al. (2010):** Prevalence of Rotavirus, Adenovirus, and Astrovirus Infections among Patients with Acute Gastroenteritis in, Northern Iran Iranian J Publ Health; 39(2):45-51.
- **Hartling L., Bellemare S., Wiebe N. et al. (2006):** Oral versus intravenous rehydration for treating dehydration due to gastroenteritis in children. Cochrane Database Syst Rev; (3):CD004390.
- **Helmi EM., Barakat SH., Harfoush RA. et al. (2010):** Role of Enteraggresive Eseherichia coli in acute diarrhea in Egyptian infants and young children. RIF; 1(4):197-201.
- **Hill ID., Mann MD., Househam KC. et al. (1986):** Use of oral gentamicin, metronidazole, and cholestyramine in the treatment of severe persistent diarrhea in infants. Pediatrics; 77:477–81.
- **Holliday MA., Friedman AL. and Wassner SJ. (1999):** Extracellular fluid restoration in dehydration: critiques of rapid versus slow. Pediatr Nephrol; (4):292-7.
- **Holman RC., Parashar UD., Clarke MJ. et al. (1999):** Trends in diarrhea-associated hospitalizations among American Indian and Alaskan Native Children, 1980–1995. Pediatrics; 103:e11.
- **Humphrey JS. and Bresee UD. (2009):** Epidemiologic and molecular trends of "Norwalk-like viruses" associated with outbreaks of gastroenteritis in the United States. J. Infect. Dis; 186:1-6.
- **Isaacs D. (2007):** Gastrointestinal infections. In: Elliott E, Gilbert R, Moyer V, et al, editors. Evidence-based pediatric infectious diseases. Oxford: Blackwell Publishing Ltd.p; 74–101.
- **Kafetzis D., Maltezou H., Zafeiropoulou A. et al. (2001):** Epidemiology, clinical course and Impact on hospitalization costs of acute diaroea among hospitalized children in Athens, Greece.scand. J. Infect.Dis; 33:681-685.
- **Ogilvie I., Khoury H., EL Khoury A. et al. (2007):** Burden of Rotavirus Gasteroenteritis in the pediatric population of the Middle East and North Africa. BioMedCom Consultants inf, Montreal, Quebec, Canada; Merck& Co, West Point, PA, USA.

- **Jennifer Lynn Bonheur. (2002):** A study of bacterial gastroenteritis, MD. Division of gastroenterology, Lenox Hill Hospital.
- **Junquera, C. G., C. S. de Baranda.et al., (2009):** Prevalence and clinical characteristics of norovirus gastroenteritis among hospitalized children in Spain. *Pediatr. Infect. Dis. J*; 28:604- 607.
- **King CK., Glass R., Bresee JS. et al., (2003):** Managing acute gastroenteritis among children.Oral rehydration, maintenance, and nutritional therapy. *MMWR Morb Mortal Wkly Rep*; 52(RR-16):1–16.
- **Kopecky-Bromberg SA and Palese P. (2009):** Recombinant vectors as influenza vaccines. *Curr Top Micobiol Immumol*; 333:243-67.
- **Kossek M., Bern C., AND Guerrant RL. (2003):** The global burden of diarrhoeal disease, as estimated from studies published between 1992 and 2000. *Bull World Health Organ.* 81(3): 197-204.
- **Kotloff KL. (1999):** Bacterial diarrheal pathogens. *Adv Pediatr Infect Dis* ; 14:219-267.
- **Kukuruzovic R., Robins RM., Anstey NM. et al., (2002):** Enteric pathogens, intestinalpermeability and nitric oxide production in acute gastroenteritis. *PediatrInfect Dis J*; 21:730–9.
- **Lazzerini M. and Ronfani L. (2008):** Oral zinc for treating diarrhoea in children. *Cochrane Database Syst Rev.* (3):CD005436.
- **Levidiotou, S., Gartzonika C., Papaventsis D. et al. (2009):** Viral agents of acute gastroenteritis in hospitalized children in Greece. *Clin. Microbiol. Infect*; 15:596-598.
- **Liddle JL., Burgess MA., Gilbert GL. et al. (1997):** Rotavirus gastroenteritis: impact on young children, their families and the health care system. *Med J*; 167: 304-307.
- **Li ST., Grossman DC. and Cummings P. (2007):** Loperamide therapy for acute diarrhea in children. Systematic review and meta-analysis. *PLoS Med*; 24:e98.

- **Long KZ., Rosado JL., Montoya Y. et al. (2007):** Effect of vitamin A and zinc supplementation on gastrointestinal parasitic infections among Mexican children. *Pediatrics*; 120:e846–55.
- **Long KZ., Santos JL., Rosado JL. et al. (2006):** Impact of vitamin A on selected gastrointestinal pathogen infections and associated diarrheal episodes among children in Mexico City, Mexico. *J Infect Dis*; 194:1217–25.
- **Lukacik M., Thomas RL. and Aranda JV. (2008):** A meta-analysis of the effects of oral zinc in the treatment of acute and persistent diarrhea. *Pediatrics*; 121:326–36.
- **Mackenzie A., Barnes G. and Shann F. (1989):** Clinical signs of dehydration in children. *Lancet*; 2: 605-607.
- **Mamatha B., Pusapati BR. and Rituparna C. (2007):** Changing pattern of antimicrobial susceptibility of *Shigella* serotypes isolated from children with acute diarrhea in Manipal, South India, a 5 year study. *Southeast Asian J Trop Med Public Health*; 38:863-6.
- **Mandomando I., Macete E., Ruiz J. et al. (2007):** Etiology of diarrhea in children younger than 5 years of age admitted in rural hospital of Southern Mozambique. *Am. J. Trop. Med. Hyg*; 76(3) pp. 522–527.
- **Mattin AC., Malcolm AK., David M. et al. (2010):** *Field's virology*. Philadelphia: Wolters Kluwers Health/ Lippincott Williams & Wilkins. pp; 2395.
- **Mathers C. (2004):** Diarrhoeal diseases and gastroenteritis: Australia. Australian Institute of Health and Welfare. Burden of disease and disease expenditure. *Med J*; 167: 304-307.
- **Matsui MS, Greenberg HB (2007):** Astroviruses. In: *Fields Virology*, USA, pp. 875-76.
- **Mehal JM., Esposito DH., Holman RC. et al. (2012):** Risk Factors for Diarrhea-Associated Infant Mortality in the United States, 2005-2007. *Pediatr Infect Dis J*. Mar 9.

- **Mendis L., Kumarasinghe G., Chow C. et al. (1995):** Bacteria, viruses, yeasts and protozoans associated with diarrheal disease in Singapore. *Pathology*; 27: 48-52.
- **Mikhail IA., Hyams KC., Podgore JK. et al. (1999):** Microbiologic and Clinical Study of Acute Diarrhea in Children in Aswan, Egypt *srcnd J Wnca Dis*; 21:59-65.
- **Murray PR., Pfaller MA. and Rosenthal KS. (2005):** Medical Microbiology. Mosby, ISBN; 0-323-03303-2.
- **Naficy AB., Abu-Elyazeed R., Holmes JL. et al. (1999):** Epidemiology of rotavirus diarrhea in Egyptian children and implications for disease control. *Am J-Epidemiol*; 150(7):770-7.
- **Nager AL. and Wang VJ. (2002):** Comparison of nasogastric and intravenous methods of rehydration in pediatric patients with acute dehydration. *Pediatrics*; 109: 566–72.
- **Neville KA., Verge CF., Rosenberg AR. et al. (2006):** Isotonic is better than hypotonic saline for intravenous rehydration of children with gastroenteritis: a prospective randomised study. *Arch Dis Child*; 91:226–32.
- **Newall AT., MacIntyre R., Wang H. et al. (2006):** Burden of severe rotavirus disease in Australia. *J Paediatr Child Health*; 42:521–7.
- **Niyogi SK. (2005):** Shigellosis *Journal of Microbiology*; 43: 133–143.
- **Ochoa TJ, Salazar-Lindo E, Cleary TG. (2004):** Management of children with infection-associated persistent diarrhea. *Semin Pediatr Infect Dis*; 15:229–36.
- **Parashar UD., Burton A., Lanata C. et al. (2009):** Global mortality associated with rotavirus disease among children in 2004. *J Infect Dis*; 200 Supp11:S9-S15.
- **Parashar UD., Gibson CJ., Bresse JS. et al. (2006):** Rotavirus and severe childhood diarrhea. *Emerg. Infect. Dis*; 12:304-306.

- **Parkin PC., Macarthur C., Khambalia A. et al. (2010):** Clinical and laboratory assessment of dehydration severity in children with acute gastroenteritis. *Clin Pediatr(Phila)*;49(3):235-9.
- **Petri WA., Miller M., Binder HL. et al. (2008):** Enteric infections, diarrhea, and their impact on function and development. *J Clin Invest*; 118:1277–90.
- **Phan TG., Okame M., Nguyen TA. et al. (2004):** Human astrovirus, norovirus (GI, GII), and sapovirus infections in Pakistani children with diarrhea. *J. Med. Virol*; 73:256-261.
- **Qiao H., Nilsson M., Abreu ER. et al. (1999):** Viral diarrhea in children in Beijing, China. *J Med Virol*; 57: 390-96.
- **Savadkoobi RB. (2007):** Prevalence of viral gastroenteritis in children with acute gastroenteritis in Babol, Iran. *Journal of Pediatric Infectious Disease*.
- **Ramani S. and Kang G. (2009):** Viruses causing childhood diarrhea in the developing world. *Curr Opin Infect Dis*; 22(5):477-82.
- **Reid SR. and Bonadio WA. (1996):** Outpatient rapid intravenous rehydration to correct dehydration and resolve vomiting in children with acute gastroenteritis. *Ann Emerg Med*; 28:318–23.
- **Robins-Browne RM., Bordun AM., Tauschek M. et al. (2004):** *Escherichia coli* and community-acquired gastroenteritis, Melbourne, Australia. *Emerg Infect Dis*; 10: 1797-1805.
- **Robertson L., Gjerde B., Hansen EF. Et al. (2009):** A water contamination incident in Oslo, Norway during October 2007; a basis for discussion of boil-water notices and the potential for post-treatment contamination of drinking water supplies. *J Water Health*; 7 (1):55-66.
- **Ruiz-Palacios GM., Perez-Schael I., Velazquez FR. et al., (2006):** Safety and efficacy of an attenuated vaccine against severe rotavirus gastroenteritis. *N Engl J Med*; 354:11–22.

- **Samal S., Khuntia H., Nanda P. et al. (2008):** Incidence of Bacterial Enteropathogens among Hospitalized Diarrhea Patients from Orissa, India Jpn.J. Infect Dis; 61: 350-355.
- **Sartor RB, (2004):** Therapeutic manipulation of the enteric microflora in inflammatory bowel diseases: antibiotics, probiotics, and prebiotics. Gastroenterology; 126(6):1620-33.
- **Scrimgeour AG. and Lukaski HC. (2008):** Zinc and diarrheal disease: current status and future perspectives. Curr Opin Clin Nutr Metab Care; 11:711-7.
- **Sharma N., Mandal P., Dhillon R. et al (2007):** Changing Profile of V.cholerae 01, 0139 in Delhi and its periphery (2003-2005) Indian J.med. Res; 125:633-640.
- **Shastri Y., Bergis D., Povse N. et al. (2008):** Prospective Multicenter Study Evaluating Fecal Calprotectin in Adult Acute Bacterial Diarrhea. American journal of medicine. Doi: 10.1016.
- **Sivapalasingam S., Nelson JM., Joyce K. et al. (2006):** High prevalence of antimicrobial resistance among Shigella isolates in the United States tested by the national antimicrobial resistance monitoring system from 1999 to 2002. Antimicrob Agents Chemother; 50:49-54.
- **Steiner MJ., DeWalt DA. and Byerley JS. (2004):** Is this child dehydrated? JAMA; 291: 2746-2754.
- **Striet JM., King CK., Glass R. et al. (2006):** Global illness and deaths caused by Salmonella in children. MMWR Recomm Rep; 52(RR-16):1-16.
- **Subekti D, Lesmana M, Tjaniadi P, et al. (2002):** Incidence of Norwalk-like viruses, rotavirus and adenovirus infection in patients with acute gastroenteritis in Jakarta, Indonesia. FEMS Immunol Med Microbiol; 33: 27-33.
- **Szajewska H. and Mrukowicz JZ. (2005):** Use of probiotics in children with acute diarrhea. Paediatr Drugs; 7:111-22.

- **Talbert A., Thuo N., Karisa J. et al. (2012):** Diarrhea complicating severe acute malnutrition in kenyan children: a prospective descriptive study of risk factors and outcome. *PLoS One.*;7(6):e38321
- **Thapar M.and Sanderson IR. (2004):** Diarrhoea in children: an interface between d eveloping and developed countries.*Lancet*; 353: 641-653.
- **Vandenplas Y., Salvatore S., Vieira M. et al. (2007):** Probiotics in infectious diarrhea in children: are they indicated? *Eur J Pediatr*; 166(12):1211-8.
- **Vargas M., Gascon J., Casals C. et al. (2004):** Etiology of diarrhea in children less than five years of age in Ifakara, Tanzania. *Am J Trop Med Hyg*; 70: 536–539.
- **Vernacchio L., Vezina RM., Mitchell AA. et al. (2006):** Diarrhea in American infants and young children in the community setting. Incidence, clinical presentation and microbiology. *Pediatr Infect Dis*; J.25:2–7.
- **Vesikari T., Matson DO., Dennehy P. et al. (2009):** Safety and efficacy of pentavalent human-bovine (WC3) reassortant rotavirus vaccine. *N Engl J Med*; 354: 23–33.
- **Ward R. (1996):** Mechanisms of protection against rotavirus in human and mice. *J infect Dis*; 174:S51-8.
- **Walsh MP. and Seto J. (2011):**Computational analysis of two species C human adenoviruses provides evidence of a novel virus. *Journal of Clinical Microbiology*.
- **Walter JE, Mitchell DK (2000).** Role of astrovirus in childhood diarrhoea. *Curr Opin Pediatr*; 12: 275-79.
- **Wenneras C andErling V. (2004):** Prevalence of enterotoxigenic Echerichia coli-associated diarrhea and carrier state in the developing world. *JHealth popul Nutr*; 222(4):370-82.

- **Widdowson MA., Sulka SN., Sabahi F. et al., (2005):** Norovirus and food-borne disease, United States, 1991-2000. *Emerg. Infect. Dis*; 11:95-102.
- **Abd EL Messih I., Wierzba T., Abu-ELYazeed R. et al. (2006):** Clinical- based surveillance for bacterial-and rotavirus- associated diarrhea in Egyptian. *Am. J. Trop. Med. Hyg.*, 74(1), pp. 148–153.
- **World Health Organization. (2009):** Rotavirus Vaccines: an update. *Wkly Epidemiol Rec*; 84:533-40.
- **World Health Organization. (2004):** Child and adolescent health and development. Assessing the diarrhoea patient.
- **. Yau KKW., Lee AH. and Gracey M. (2005):** Multilevel modeling of hospitalizations for recurrent diarrhoeal disease in Aboriginal and non-Aboriginal infants and young children in Western Australia. *Paediatr Perinat Epidemiol*; 19:165–72.
- **Youssef M., Shurman A., Bounoux M. et al. (2000):** Bacterial, Viral and Parasitic enteric pathogens associated with acute diarrhea in hospitalized children from northern Jordan. *FEMS Immunol. Med microbial*; 28:257-264.
- **Zarnani AH., Modarres SH., Jadaliv F. et al. (2004):** Role of rotaviruses in children with acute diarrhea in Tehran, Iran. *J Clin Virol*; 29: 189 -93.