

REFERENCES

- Achorn, F. P. (1985).
Exploring the benefits of acid-base fertilizers.
Fert. Progress J., 16 : 19 - 23.
- Anderson, W. B. (1982).
Diagnosis and correction of iron deficiency in field crops-an overview.
J. Plant Nutr., 5 : 785 - 795.
- Azarabadi, S. , and H. Marchner. (1979).
Role of the rhizosphere in utilization of inorganic iron III-compounds by
corn plants.
Z. Pflanzenernahr. Bodenkd, 142 : 751 - 764.
- Bloom, P. R., and W. P. Irskoop. (1986).
Factors affecting bicarbonate chemistry and iron chlorosis in soils.
J. Plant Nutr., 9 : 215 - 228.
- Breeuwsma, A., and J. Lyklema. (1973).
Physical and chemical adsorption of ions in the electrical double layer on
hematite (- Fe₂O₃).
J. Coll. Interface Sci., 43 : 437 - 448.
- Bremner, J. M., and L. A. Douglas. (1971).
Decomposition of Urea Phosphate in soils.
Soil Sci. Soc. Am. Proc. 35:575-578.
-

- Bradford, G. R., F. L. Bair, and V. Hunsaker. (1971).
Soil Sci., 112 : 225 - 230.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240
- Brown, J. C., R. L. Chaney, and J. E. Ambler. (1971).
A new tomato inefficient in the transport of iron.
Physiol. plant, 25 : 48 - 53.
- Brown, J. C., and R. S. Holmes. (1956).
Iron supply and interacting factors related to lime-induced chlorosis.
Soil Sci., 82 : 507 - 509.
- Bui, E. N., R. H. Loeppert, and W. L. Wilding. (1990).
Carbonate phases in calcareous soils of the western United States.
Soil Sci. Soc. Am. J. 54 : 39 - 45.
- Bureau, R. G. (1963).
An investigation of soil factors in iron deficiency chlorosis of soybeans.
Ph.D. diss. Univ. of Minnesota, St. Paul (Diss. Abstr.65 - 07833).
- Bureau, R. G., R. G. White, and J. M. MacGregor. (1960).
Uptake of applied iron by soybean from calcareous soil treated with peat-
based humate; and synthetic chelates.
Trans. 7th intern. Congr. Soil Sci., iv : 544 - 553.
- Chaberek, S., and A. E. Martell. (1959).
" Organic Sequestering Agents." New York.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240.

- Chakravarti, S. N., and O. Talibudeen. (1962).
Phosphate equilibria in acid soils.
J. Soil Sci., 12 : 231 - 240.
- Chaney, R. L., J. C. Brown, and L. O. Tiffin. (1972)
Obligatory reduction of ferric chelates in iron by soybeans.
Plant Physiol., 50 : 208 - 213.
- Chang, S. C., and W. K. Chu. (1961).
Fate of soluble phosphate applied to soils.
J. Soil Sci., 12 : 286 - 293.
- Chang, S. C., and M. L. Jackson. (1958).
Soil phosphorous fractions in some representative soils.
J. Soil Sci., 9 : 109 - 119.
- Chapman, H. D. (1939).
Soil Sci., 48 : 309 - 315.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240.
- Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy, 35 : 217 - 240.
- Chen, Y. R., J. N. Butler, and W. Stumm. (1973).
Adsorption of phosphate on alumina and kaolinite from dilute aqueous
solution.
J. Coll, Interface Sci., 43 : 421 - 436.
- Clark, R. B. (1982).
Iron deficiency in plants grown in the great plains of the U.S.
J. Plant Nutr., 5 : 251 - 268.

- Clarke, E. T., R. H. Loeppert, and J. M. Ehrman. (1985).
Crystallization of iron oxides on calcite surfaces in static systems.
Clays Clay Min., 33 : 152 - 158.
- Coulombe, B. A., R. I. Chaney, and W. J. Weibold. (1985).
Bicarbonate directly induces Fe-chlorosis in susceptible soybean cultivars.
Soil Sci. Soc. Am. J. 43 : 1297 - 1310.
- Crawford, R. M. M. (1983).
Physiological response to flooding.
p.p. 453 - In C. L. Large, P. S. Nobil, C. B. Osmand, and H. Zeigler
(eds.), *Enc. Plant Physiol.* NS 12 B. Springer, Berlin.
- De Vos, C. R., H. J. Lubberding, and H. F. Bienfait. (1986).
Rhizosphere acidification as a response to iron deficiency in bean plants.
Plant Physiol. 81 : 842 - 846.
- Dixon, J. B., and S. B. Weed. (1989).
"Minerals in Soil Environment"
Soil Sci. Soc. Amer. Madison, Wisconsin.
- Doner, H. E., and W. C. Lynn. (1977).
Carbonate halide, sulfate, and sulfide minerals. p. 75 - 98. In J. B. Dixon
and S. B. Weed. (ed.) *Minerals in soil environments*, SSSA, Madison, WI.
- Dreimanis, S. (1962).
Quantitative gravimetric determination of calcite and dolomite by using the
Chittick apparatus.
J. Sediment Petrol., 32:520-529.
- Eddings, J. L., and A. I. Brown. (1957).
Absorption and translocation of foliar-applied.
Plant Physiol., 42 : 15 - 19.

- Elphic, B. L. (1955).
Studies in use of agricultural limestone in acid soils as influenced by particle size.
N. Z. J. Sci. Technol. Sect. A 37 : 156 - 173.
- Fleming, A. L., R. L. Chaney, and B. A. Coulombe. (1984).
Bicarbonate inhibits Fe-stress response and Fe uptake-translocation of chlorosis-susceptible soybean cultivars.
J. Plant Nutr., 7 : 699 - 714.
- Follet, R. H., and W. L. Lindsay. (1971).
Changes in DTPA-extracted Zn, Fe, Cu, and Mn in soils following fertilization.
Soil Sci. Soc. Amer. Proc., 35 : 600 - 602.
- Gasser, J. K. R., and A. Penny. (1967).
The value of urea nitrate and urea phosphate and nitrogen fertilizers for grass and barley.
J. Agric. Sci. 59:139-146.
- Geiger, S. C., and R. H. Lothrop. (1986).
Correlation of DTPA extractable Fe with indigenous properties of selected calcareous soils.
J. Plant Nutr. 9 : 229 - 240.
- Glauser, R., and M. Jenney. (1960).
Agrochimica 4 : 263 -m 278.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240.
- Hagstrom, G. R. (1984).
Current management practices for correcting iron deficiency in plants with emphasis on soil management.
J. Plant Nutr. 7 : 23 - 46.

- Haleem, A. A. (1985).
Studies on iron chlorosis in plants.
M.Sc. Thesis, Department of Soils and Agricultural Chemistry, Faculty of
Agriculture, Moshtohcr, Zagazig University.
- Hawkins, R. H., and G. G. Kunze. (1965).
Phosphate fractions in some Texas Grumusols and their relation to soil
weathering and available phosphorus.
Soil Sci. Soc. Amer. Proc., 29 : 650 - 656.
- Hingston, F. J., A. M. Posner, and J. P. Quirk. (1972).
Anion adsorption by goethite and gibbsite.I. The role of the proton in
determining adsorption envelopes.
Ibid, 23 : 177 - 192.
- Hiscox, J. D., and G. F. Israelstom. (1979).
A method for the extraction of chlorophyll from leaf tissue without
maceration.
Can. J. Bot., 57 : 1332 - 1334.
- Hochberg, M. (1974).
M.Sc. thesis, Fac. Agric., Hebrew University of Jerusalem, Rehovot.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240.
- Hodgson, J. F., K. L. Neely, and J. C. Pushee. (1972).
Iron fertilization of calcareous soils in the greenhouse and laboratory.
Soil Sci. Soc. Amer. Proc., 36 : 320 - 323.
- Iljin, W. S. (1951).
Metabolism of plants affected with lime-induced chlorosis (calcirose) : II
organic acids and carbohydrates.
Plant Soil, 3 : 339 - 351.

Inskeep, W. P., and P. R. Bloom. (1984).

A comparative study of soil solution chemistry associated with chlorotic and nonchlorotic soybeans in western Minnesota.

J. Plant Nutr., 7 : 513 - 531.

Inskeep, W. P., and P. R. Bloom. (1986).

Effects of soil moisture on soil pCO₂, soil solution bicarbonate, and iron chlorosis in soybean.

Soil Sci. Soc. Am. J., 50 : 946 - 952.

Inskeep, W. P., and P. R. Bloom. (1987).

Soil chemical factors associated with the incidence of soybean chlorosis in calciaquolls of western Minnesota.

Agron. J., 79 : 779 - 786.

Jacobson, L. (1951).

Maintenance of iron supply in nutrient solutions by a single addition of ferric potassium ethylene diamine tetra-acetate.

Plant Physiol., 26 : 411 - 413.

Johnson, C. M., R. R. Stoat, T. C. Broyer, and A. B. Carlton. (1957).

Comparative chlorine requirements of different plant species.

Plant and Soil, 8 : 337 - 353.

Juo, A. S. R., and B. G. Ellis. (1968).

Chemical and physical properties of iron and aluminum phosphate and their relation to phosphorus availability.

Soil Sci. Soc. Amer. Proc., 32 : 216 - 221.

Kashirad, A., and H. Marschner. (1974).

Plant Soil, 41 : 91 - 101.

c.f. Chen, Y., and P. Barak. (1982).

Iron nutrition of plants in calcareous soils.

Advances in Agronomy 35 : 217 - 240.

Khattari, S. K., and W. B. Anderson. (1986).

Iron uptake by sorghum plants partitioned between applied Fe⁵⁹ and indigenous Fe from three soil types.

J. Plant Nutr. 9 : 947 - 958.

Kitrick, J. A. , and M. L. Jackson. (1956).

Electron-microscope observations of the reaction of phosphate with minerals, leading to a unified theory of phosphate fixation in soils.

J. Soil Sci., 7 : 81 - 89.

Kuo, S., and E. G. Lotse. (1974).

Kinetics of phosphate adsorption and desorption by hematite and gibbsite.

Soil Sci., 116 : 400 - 406.

Landsberg, E. C. (1981 a).

Energy driven H⁺ efflux pump in sunflower roots-activated by Fe-deficiency stress.

Plant Physiol. 67 : S-702.

Landsberg, E. C. (1981 b).

Organic acid synthesis and release of hydrogen ions in response to Fe deficiency stress of mono- and dicotyledonous plant species.

J. Plant Nutr., 3 : 578 - 591.

Landsberg, E. C. (1982).

Transfer cell formation in the root epidermis : a prerequisite for Fe-efficiency.

J. Plant Nutr., 5 : 415 - 453.

Landsberg, E. C. (1986).

Function of rhizodermal transfer cells in the iron stress response mechanism of Capsium annuum L.

Plant Physiol., 82 : 511 - 517.

- Lindsay, W. L. (1974).
Role of chelation in micronutrient availability.
In : E. W. Carson : The Plant Root and its Environment, p. 507 - 524.
University Press of Virginia.
- Lindsay, W. L. (1979).
"Chemical Equilibria in soils."
Wiley-Interscience, New York.
- Lindsay, W. L. (1984).
Soil and plant relationships associated with iron deficiency with emphasis
on nutrient interactions.
J. Plant Nutr. 7:489-500.
- Lindsay, W. L., and J. D. DeMent. (1961).
Effectiveness of some iron phosphates as sources of the phosphorus for
plants.
Plant Soil, 14 : 118 - 126.
- Lindsay, W. L., and W. A. Norvell. (1978).
Development of DTPA soil test for Zinc, iron manganese
and copper.
Soil Sci. Soc. Am. J., 42:421-428.
- Lindsay, W. L., and A. P., Schwab. (1982).
The chemistry of iron in soils and its availability to plants.
J. Plant Nutr., 5 : 821 - 840.
- Lindsay, W. L., and D. W. Thorne. (1954).
Bicarbonate ion and oxygen level as related to chlorosis.
Soil Sci., 77 : 271 - 279.
- Loeppert, R. H. (1986).
Reactions of iron and carbonates in calcareous soils.
J. Plant Nutr., 9 : 195 - 214.

- Loeppert, R. H., and E. T. Clarke. (1984).
Reactions of Fe(II) and Fe(III) in calcareous soils.
J. Plant Nutr., 7 : 149 - 163.
- Loeppert, R. H., and S. C. Geiger, R. C. Hartwig, and D. R. Morris. (1988).
A comparison of indigenous soil factors influencing the Fe-deficiency chlorosis of sorghum and soybean in calcareous soils.
J. Plant Nutr., 11 : 1481 - 1492.
- Loeppert, R. H., and C. T. Hallmark. (1985).
Indigenous soil properties influencing the availability of iron in calcareous soils.
Soil Sci. Soc. Am. J., 49 : 597 - 603.
- Loeppert, R. H., and L. R. Hossner. (1984).
Reactions Of Fe(II) and Fe(III) with calcite.
Clays Clay Min., 32 : 213 - 222.
- Loeppert, R. H., L. R. Hossner, and F. K. Amin. (1984a).
Formation of ferric oxyhydroxides from ferrous and ferric perchlorate in stirred calcareous systems.
Soil Sci. Soc. Am. J., 48 : 677 - 683.
- Loeppert, R. H., L. R. Hossner, and M. A. Chemielewski. (1984).
Indigenous soil properties influencing the availability of Fe in calcareous hot spots.
J. Plant Nutr. 7(1 - 5) : 135 - 147.
- Marschner, H., V. Romheld, and M. Kissel. (1986).
Different strategies in higher plants in mobilization and uptake of iron.
J. Plant Nutr., 9 : 695 - 713.
- McBride, M. B. (1979).
Chemosorption and precipitation of Mn^{2+} at $CaCO_3$ surfaces.
Soil Sci. Soc. Am. J., 43 : 693 - 698.

- Morales, D. A. (1979).
Iron-phosphorus relationships in Fe chlorosis of sorghum.
M.Sc. Thesis. Texas A&M university College Station.
- Mortvedt, J. J., and P. M. Giordano. (1971).
Response of grain sorghum to iron sources applied alone
or with fertilizers.
Agron. J. 63:758-761.
- Mortvedt, J. J., and P. M. Giordano. (1973).
Grain sorghum response to iron in a ferrous sulfate-ammonium thiosulfate-
ammonium polyphosphate suspension.
Soil Sci. Soc. Amer. Proc., 37 : 951 - 955.
- Mortvedt, J. J., and J. J. Kelsoe. (1987).
Effects of banded acid-type fertilizers on micronutrient
levels in soil and uptake by corn.
J. Fert.issues, 4 : 29 - 35.
- Mortvedt, J. J., and J. J. Kelsoe. (1988).
Grain sorghum response to banded acid-type fertilizers in
iron - deficient soil.
J. Plant. Nutr. 11 : 1297-1310
- Muljadi, D., A. M. Posner, and J. P. Quirk. (1966).
The mechanism of phosphate adsorption by kaolinite, gibbsite and
pseudoboehmite.
J. Soil Sc., 17 : 212 - 247.
- Mulkey, J. R., J. Drawe, and E. L. Albach. (1984).
Soybean varieties in southwest Texas.
Texas Agric. Exep. Stn. Publ. PR - 4200.
- Nelson, D. W. (1974).
Forms and reactions of nitrogen in soils.
Solutions March-April: 79-82.

Nommik, H. (1973).

The effect of pellet size on the ammonia loss from-sulfur-coated urea and conventional nitrogen fertilizers.

Soil Sci. Soc. Am. J., 40 : 597 - 601.

Nye, P. H., and P. B. Tinker (1977).

"Solute movement in the soil root system."

Black Well Scientific Publications, Oxford, London, Edinburgh, Melbourne.

O'Connor, G. A., W. L. Lindsay, and S. R. Olsen (1971).

Diffusion of iron and iron chelates in soil.

Soil. Sci. Soc. Amer. Proc., 35 : 407 - 410.

Oertli, J. J., A. A. Opoku. (1974).

Intraction of potassium in the availability and uptake of iron from ferric hydroxide.

Soil Sci. Am. Proc., 38 : 451 - 454.

Ohno, Y., C. J. Morur, and I. A. Okuyoma. (1978).

Antagonistic iron-deficiency of rice plants growing in acid red latosol in Parana, Brazil

Japan Agriculture research Quartely, 12 : 177 - 179.

c.f. Soil and Fert., 1980. 43 : 521.

Oliver, S., and S. A. Barber. (1966).

Mechanisms for the movement of Mn, B, Cu, Zn, Al, and Sr from one soil to the surface of soybean roots (Glycine max).

Soil Sci. Soc. Am. Proc., 30 : 468 - 470.

Olsen, R. A., and J. C. Brown. (1980).

Factors related to iron uptake by dicotyledonous and monocotyledonous plants. I. pH and reductant.

J. Plant Nutr., 2 : 629 - 645.

- Olsen, S. R., C.V. Cole, F.S. Watanabe and L.A. Dean. (1954).
Estimation of available phosphorus in soils by extraction
with sodium bicarbonate. U.S.D.A. Cir. 939. Beltsville, MD.
- Olson, R. V. (1950).
Effect of acidification, iron oxide addition, and other soil treatments on
sorghum chlorosis and iron absorption.
Soil Sci. Soc. Amer. Proc., 15 : 97 - 101.
- Olson, R. V., and C. Carlson. (1949).
Iron chlorosis of sorghum and trees as related to extractable soil iron and
manganese.
Soil. Sci. Soc. Am. Proc., 14 : 109 - 112.
- Olson, R. V., and R. Ellis, Jr. (1982).
Iron In A. L. Page (ed.) Methods of soil analysis, part
2. Am. Soc. of Agron., Madison, WI.
- Parfitt, R. L., R. J. Atkinson, and R.S.C. Smart. (1975).
The mechanism of phosphate fixation by iron oxides.
Soil sci. Soc. Amer. Proc. , 39 : 837 - 841.
- Patel, G. J., B. V. Ramakrishanaya, and B. K. Patel. (1977).
Effect of soil and foliar application of ferrous sulfate and of acidification of
soil on iron chlorosis of paddy seedlings in Goradu soil.
Plant and Soil, 46 : 209 - 219.
- Pennington, H. D. (1971).
Iron and zinc response and nutrient uptake of sorghum grown on two
calcareous soils from the high plains of Texas.
M.Sc. Thesis Texas A&M University, college station.
- Piper, C. S. (1950).
"Soil plant analysis"
Interscience Publications, Inc. New York.

- Porter, L. K., and D. W. Thome. (1955).
Interaction of carbon dioxide and bicarbonate ions in causing plant chlorosis.
Soil Sci., 79 : 373 - 382.
- Rajan, S. S. S. (1975).
Adsorption of divalent phosphate on hydrous aluminium oxide.
Nature, (Lond) 253 : 434 - 436.
- Rajan, S. S. S., K. W. Perrott, and W. M. H. Saunders. (1974).
Identification of phosphate reactive sites of hydrous alumina from proton
consumption during phosphate adsorption at constant pH values.
J. Soil Sci., 25 : 438 - 447.
- Raju, K. V. , and H. Marschner (1973).
Z. Pflanzenerr aehr. Bodenkd, 133 : 227 - 241.
c.f. Chen, Y., and P. Barak. (1982).
Iron nutrition of plants in calcareous soils.
Advances in Agronomy 35 : 217 - 240.
- Razeto, B. (1982).
Treatments for iron chlorosis in peach trees.
J. Plant Nutr., 5 : 917 - 922.
- Reed, D. W. (1988).
Effect of urea, ammonium nitrate on foliar absorption of ferric citrate.
J. Plant Nutr., 11 : 1429 - 1437.
- Reed, D. W., C. G. Lyons, and G. R. McEachern. (1988).
Field evaluation of inorganic and chelated iron fertilizers as foliar sprays and
soil application.
J. Plant Nutr., 11 : 1359 - 1378.
- Reed, D. W., and H. B. Tukey, Jr. (1978).
Factors affecting foliar absorption of nutrients by herbaceous ornamental
and woody ornamental plant.
J. Environ. Hort., (in press).
-

- Rogers, E. (1978).
Iron chlorosis and mineral content of "Fay Alberta", "Shippers Late Red" and "Redhaver" peach trees as affected by iron chelates.
J. Amer. Soc. Hort. Sci., 103 : 608 - 612.
- Romheld, V., and H. Marshner. (1981).
Mobilization of iron in the rhizosphere of different plant species.
Adv. Plant Nutr., 2 : 155 - 204.
- Romheld, V., and H. Marschner. (1984).
Plant induced pH changes in the rhizosphere of "Fe-efficient" and "Fe-inefficient" soybean and corn cultivars.
J. Plant Nutr., 7 : 623 - 630.
- Romheld, V., and H. Marschner. (1986).
Mobilization of iron in the rhizosphere of different plant species.
Adv. Plant Nutr. 2 : 155 - 204.
- Romheld, V., C. Muler, and H. Marshner (1984).
Localization and capacity of proton pumps in roots of intact sunflower plants.
Plant Physiol., 76 : 603 - 606.
- Ronov, A. B., and A. A. Yaroshevsky. (1969).
Chemical composition of the earth's crust. In P. J. Hart (ed.) The earth's crust and upper mantle.
Amer. Geophys. Union, Washington, D.C.
P : 37 - 57.
- Razeto, B. (1982).
Treatments for iron chlorosis in peach trees.
J. plant Nutr., 5 : 917 - 922.
- Ryan, J., M. Hamze, S. Darub, and S. N. Harik. (1986).
Nutrient availability in an incubated urea phosphate-treated calcareous soil.
J. Fert. Issues 3(4): 145-150.

Ryan, J., and J. L. Stroehlein. (1976).

Copper industrial by-products for improving iron deficiency calcareous soils.

Agron. J., 68:79-82.

Ryan, J., J. L. Stroehlein, and S. Miyamoto. (1975).

Sulfuric acid applications to calcareous soils: effects on growth and chlorophyll content of common bermudagrass in the greenhouse.

Agron. J., 67:633-637.

Ryden, J. C., J. R. McLaughlin, and J. K. Syers. (1977).

Mechanisms of phosphate sorption by soils and hydrous ferric oxide gel.

J. Soil Sci., 28: 72 - 92.

Salardini, A. A., and L. S. Murphy (1978).

Grain sorghum (*sorghum bicolor*) response to organic iron on calcareous soil.

Plant and Soil, 49: 57 - 70.

Schollenberger, C. J., and R. M. Salter. (1943).

A chart for evaluating agricultural limestone.

J. Am. Soc. Agron., 35: 955 - 956.

Scholz, G., G. Schlesier, and K. Siefert. (1985).

Effect of nicotianamine on iron uptake by the tomato mutant "chloronerva"

Physiol. Plant, 63: 99 - 104.

Seckback, J. (1982).

Ferretting out the sectors of plant fertilizers, a review.

J. Plant Nutr., 5: 369 - 394.

Shafer, W. E., and D. W. Reed. (1986).

The foliar absorption of potassium from organic and inorganic potassium carriers.

J. Plant Nutr., 9: 143 - 157.

- Somers, I. I., and J. W. Shive. (1942).
The iron-manganese relation in plant nutrition.
Plant Physiol., 17 : 582 - 602.
- Steel, R. G., and J. H. Torrie (Ed). (1960).
"Principles and procedures of statistics"
McGraw. Hill Inc., N.Y.
- Stewart, I., and C. D. Leonard. (1952).
Chelates as sources of iron for plants growing in the field.
Sci., 116 : 564 - 566.
- Swartzendruber, D., and S. A. Barber. (1965).
The dissolution of limestone particles in the soil.
Soil Sci., 100 : 287 - 291.
- Takagi, S. (1976).
Naturally occurring iron-chelating compounds in oat - and rice - root washings.
Soil Sci. Plant Nutr., 12 : 423 - 433.
- Taylor, A. W., E. L. Gurney, and W. L. Lindsay. (1960).
An evaluation of some iron and aluminum phosphates as sources of phosphorous for plants.
Soil Sci., 90 : 25 - 31.
- Taylor, A. W., E. L. Gurney, and E. C. Morreno. (1964).
Precipitation of phosphate from calcium solutions by iron oxide and aluminum hydroxide.
Soil Sci. Soc. Proc. p. 49 - 52.
- Taylor, W. L., W. L. Lindsay, E. O. Huffman, and E. L. Gurney. (1963).
Potassium and ammonium taranakites, amorphous Al phosphate and variscite as sources of P for plants.
Soil Sci. Soc. Amer. Proc., 27 : 148 - 151.
-

- Tiffin, L. O. (1967).
Translocation of Mn, Fe, Cu, and Zn in tomato.
Plant Physiol., 42 : 1427 - 1432.
- Vempati, R. K., and R. H. Loeppert. (1988).
Chemistry and mineralogy of Fe-containing oxides in relation to plant available Fe.
J. Plant Nutr. 11 : 1557 - 1574.
- Venkat - Raju, K., H. Marschner, and V. Romheld. (1972).
Effect of iron nutritional status on iron uptake. Substrate pH and production and release of organic acids and riboflavine by sunflower plants.
Z. Pflanzenernähr Bodenkunde, 133 : 177 - 199.
- Von Tress, M., R. H. Loeppert, and J. H. Matis. (1985).
A calcite dissolution for the estimation of particle size distribution.
Soil Sci. Soc. Am. J., 49 : 302 - 307.
- Vose, P. B. (1982).
Iron nutrition in plants. A world wide overview.
J. Plant Nutr. 5 : 233 - 249.
- Wallace, A. (1988).
Acid and acid-iron fertilizers for iron deficiency control in plants.
J. Plant Nutr. 11: 1311-1319.
- Wallace, A., and J. W. Cha. (1986).
Effects of bicarbonate, phosphate, iron EDDHA, and nitrogen sources on soybeans grown in calcareous soil.
J. Plant Nutr. 9 : 251 - 256.
- Wallace, A., and O. R. Lunt (1960).
Iron chlorosis in horticulture plants. A review.
Proc. Am. Soc. Hort., 75 : 819 - 841.