

## REFERENCES

- Agnieszka D., Violetta S., & Ryszard P., (2010):** Quality of life, mental health and self-esteem in hirsute adolescent females (Article). Faculty of Woman's Health, Medical University of Silesia, Vol. 31, No. 3.
- Alvarez F., (2006):** Prevalence and characteristics of the polycystic ovary syndrome in overweight and obese women. Archives of Internal Medicine; 166-86.
- American College of Obstetricians and Gynecologists, (2009):** Polycystic ovary syndrome. ACOG Practice Bulletin No. 108. Obstetrics and Gynecology, 114(4): 936-949. available at [http:// www. Cigna. Com/ healthinfo/ tw 9103.html](http://www.Cigna.Com/healthinfo/tw9103.html).
- Atiomo W., Khalid S., Parameshweran S., Houda M., and Layfield /?., (2009) :** Proteomic biomarkers for the diagnosis and risk stratification of polycystic ovary syndrome: a systematic review. BJOG 137-143. Available at <http://www.netdoctor.co.uk/womenshealth/facts/pcos.htm>.
- Attaran M., (2005):** Polycystic ovary syndrome. The Cleveland Clinic Medicine Index. Available at [www.clevelandclinimed. com/ diseasemanagement/wom en/pcos/pcos.htm](http://www.clevelandclinimed.com/diseasemanagement/women/pcos/pcos.htm) .
- Azziz R, Woods K, and Reyna R., (2006):** The prevalence and features of the polycystic ovary syndrome in an unselected population. Journal of Clinical Endocrinology and Metabolism; p89.
- Balen A., Dresner M., Scott E., and Drife J., (2006):** Should obese women with polycystic ovary syndrome receive treatment for infertility? BMJ; p332.

- Barbara S., (2011):** "Poly cystic ovary syndrome in the adolescent patient: recommendations for practice". Pediatric Nursing. FindArticles.com. 02 Jul, <http://findarticles.com/p/articles>.
- Barll R. and Frisch B., (2009):** Osteoporosis. Diagnosis and Prevention, Therapy, 2<sup>nd</sup> ed., Springer- Verlag Berlin Heidelberg, P 200.
- Barron A., and Falsetti D., (2008):** Polycystic ovary syndrome in adolescents: a hormonal barrage and metabolic upheaval. ADVANCE for Nurse Practitioners.; 16(3):49-54.
- Black J., and Hawks J., (2009):** Medical-Surgical nursing clinical management for positive outcomes, 8<sup>th</sup> ed. Elsevier Comp USA, P 411.
- Blank S., Helm K., McCartney C., and Marshall J., (2008):** Poly cystic ovary syndrome in adolescence. Ann NY Acad Sci.; p 76-84.
- Bttrbieri R., (2008):** Update in female reproduction: a life-cycle approach. 5 Clin Endocrinol Metab.; 93 (7): 2439-2446. Available at <http://www.webnponline.com/articles>.
- Buti M., Wong J., Cassado M, and Esteban R., (2006):** Quality of Life and cost effectiveness of ante "HCV" therapy in HIV-infected patient's .science Direct Journal of Hepatology .Vol (44), P 560.
- Center of Health Promotion, (2009):** Quality of Life Research Unit, University of Toronto, 3 March.
- Chang J., (2010):** The Hormone Foundation's patient guide to the evaluation and treatment of hirsutism in premenopausal women. The HormoneFoundation.Available at [http://www.honnone.org/Resources/PatientGuides/Hirsutism\\_.pdf](http://www.honnone.org/Resources/PatientGuides/Hirsutism_.pdf).
- Chang, R., (2004):** A practical approach to the diagnosis of polycystic

- ovary syndrome. American Journal of Obstetrics and Gynecology, pp 713,717.
- Chevy C., (2010):*** Evaluation and treatment of hirsutism in premenopausal women: An Endocrine Society clinical practice guideline: The Endocrine Society. [http:// www.endo-society.org/ custom apps/ search.cfm? qhirsutism](http://www.endo-society.org/custom_apps/search.cfm?qhirsutism).
- Ching H., Burke K, Stuckey B., (2007):*** Quality of life and psychological morbidity in women with polycystic ovary syndrome: body mass index, age and the provision of patient information are significant modifiers. Clin Endocrinol pp 373-379. Available at
- Chittenden B., Fullerton G., Maheshwari A., and Bhattacharya S., (2009):*** Polycystic ovary syndrome and the risk of gynecological cancer: a systematic review. Report Biomed Online. 19(3):398-405. Available at [http://www.netdoctor.go.uk/ womenshealth facts/ pcos.htm](http://www.netdoctor.go.uk/womenshealth/facts/pcos.htm).
- Christine B., Shaymaa S., and Shaker A., (2009):*** The Pharmaceutical Research Institute, Albany College of Pharmacy and Health Sciences, Albany, NY, USA available at [http:// www.dovepress.com/](http://www.dovepress.com/polycystic-ovary-syndrome) polycystic-ovary- syndrome-.
- Clayton W., Lipton M, Elford J., Rustin M., and Sherr L., (2005):*** A randomized controlled trial of laser treatment among hirsute women with polycystic ovary syndrome. Pp 152- 986.
- Coffey S., Bano G., and Mason D., (2006):*** Health-related quality of life in women with polycystic ovary syndrome: a comparison with the general population using the Polycystic Ovary Syndrome Questionnaire (PCOSQ) and the Short Form-36 (SF-36).. Pp 80-86.

- Colwell K, Lujan E, Lawson L, Pierson A ,and Chizen R (2010) :** Women's perceptions of polycystic ovary syndrome following participation in a clinical research study: implications for knowledge, feelings, and daily health practices. College of Medicine, University of Saskatchewan, Saskatoon SK, Canada. May; 32(5):453.
- Costanza, R., fisher, B., Ali,s. Beer, C., Bond, L., Boumans, R.,& Nicholas, L.,(2008):** Quality of Life: An Approach Integrating Opportunities, Human Needs and Subjective Weil-Being., p 61.
- Crete J., & Adamshick P.,(2011):** Managing polycystic ovary syndrome: what our patients are telling us. Moravian College, Bethlehem, USA. Dec; 29(4): PP 66- 256.
- Dalgard F., Gieler U., &Holm J., (2008):** Self-esteem and body satisfaction among late adolescents with acne: results from a population survey. J Am AcadDermatol Nov; 59(5):746-51.
- Danial R., (2008):** Fundamentals, Caring and clinical decision making, 1<sup>st</sup> ed, Tomas, Delmar bearing, Canada, p 52.
- Darren S, Howard C, and Lois, s (2010):** Screening for and Treatment of Polycystic Ovary Syndrome in Teenagers. Diabetes Research Institute, Santa Barbara, California 93105.
- Decherney H., and Nathan L., (2003):** current Obstetric & Gynecologic Diagnosis and Treatment, 9<sup>th</sup> ed., McGraw-Hill Companies, USA, p709.
- Diana F., (2009):** lecture on Obstetric and Gynecology, 3rd ed., Hong Kong., p 34.
- Donatelle J., (2007):** The Basics Health, 7<sup>th</sup> ed., New York, P 306.
- Dronavalli S., and Ehrmann A., (2007):** Pharmacologic therapy of polycystic ovary syndrome. Clinical Obstetrics and Gynecology, 50(1): 244-254.

- Eath D., Walls M, Hodgins M., & Cronin M., (2006):** Paper Quality of life of young people with Intellectual Disability in Ireland. National Disability. Available at: <http://Avwww.Nda.ie/cntmgmtnew.nsf>.
- Eleftheriadou M, Michala L, Stefanidis K, Iliadis I, Lykeridou A,&Antsaklis A (2012):** Exercise and Sedentary Habits among Adolescents with PCOS.Department of Obstetrics and Gynecology, University of Athens, Alexandra Hospital, Athens, Greece , Jan 18.
- Emily M., Susan J., Sharon M, & Jean A., (2009):** Maternal- Child Nursing. 3<sup>rd</sup> ed. Louis, Missouri, P 62.
- Essah A, Wickham P., & Nestler E. (2007):** The metabolic syndrome in polycystic ovary syndrome. Department of Internal Medicine, Medical College of Virginia Campus, Virginia Commonwealth University, USA. Mar; 50(l):205-25. [paessah@hsc.vcu.edu](mailto:paessah@hsc.vcu.edu).
- Ewles L., & Hunter D., (2005):** Key Topics in Public Health, Essential, Briefings on Prevention and Health Promotion, 1<sup>st</sup> ed., Elsevier Churchill Livingstone, Philadelphia pp 106-107.
- Fallon E., KaffM., Mcduffie J., Cohen M., and Yanavusk J., (2005):** health related quality of life among women with uterine fibroids; p. 75.
- Fallow field, L. (2009):** What is Quality of Life? 3:2- WWW.Whatisseries.Co.UK.
- Forguharm., (2003):** Definition of Quality of Life. Taxonomy Journal of Advanced Nursing, 22, PP 502-508.
- Franks S., (2008):** Poly cystic ovary syndrome in adolescents. Int J Obes. 32:1035-41.
- Galletly C, Moran L., and Noakes M., (2007):** Psychological

benefits of a high-protein, low-carbohydrate diet in obese women with polycystic ovary syndrome.

**Galletly C., Moran L., and Noakes M, (2007):** Psychological benefits of a high-protein, low-carbohydrate diet in obese women with polycystic ovary syndrome - a pilot study.

**Goodazi M., Azziz R, (2006):** Diagnosis, epidemiology, and genetics of the

**Gregory D., Johnston R., and Pratt G., (2009):** "Quality of Life". Dictionary of Human Geography, 5<sup>th</sup> ed. Oxford: Wiley-Blackwell. ISBN 978-1-4051-3287-9. available at [http://en.wikipedia.org/wiki/Quality\\_of\\_life](http://en.wikipedia.org/wiki/Quality_of_life) – life.

**Hahn S., Janssen E., and Tan S., (2005):** Clinical and psychological correlates of quality-of-life in polycystic ovary syndrome. Eur J Endocrinol; 153:853-860.

**Haney A, (2008):** Leiomyomata. In: Obstetrics and Gynecology. 10 ed. Co., Philadelphia Lippincott Williams & Wilkins; p 916.

**Hanha K., Guillemin F., Cong D., and Bariamcon S., (2008):** Health related quality of life in Vietnam: Cross-cultural adaptation & validation of adolescent Duke Health profile, Journal of Adolescent, Vol 28, No.1, Elsevier LTD, p 127.

**Hassan K., Joshi V., Madhavan S., Amonkar M, (2003):** Obesity and health-related quality of life: A cross-sectional analysis of the US population. Int J Obese, P 27.

**Hickey M, Doherty A, Atkinson H, Sloboda M, Franks S, Norman J, Hart R (2011) :** Clinical, ultrasound and biochemical features of polycystic ovary syndrome in adolescents: implications for diagnosis. University of Melbourne, Melbourne, VIC, Australia. Jun; 26(6):1469-77. available at [hickey @the womens. org. au](http://hickey@thewomens.org.au).

- Hill, K., (2003):** the pathogenesis and treatment of polycystic ovarian syndrome (PCO). Nurse Practitioner, pp 8-25.
- Hirshfeld J., Barnes B., Ehrmann A., (2009):** Characterization of functionally typical and atypical types of polycystic ovary syndrome. J Clin Endocrinol Metab; 94:1587.
- Hoeger M., Kochman L., Wixom N., Craig K., Miller R., and Guzick D., (2004):** A randomized, 48-week, placebo-controlled trial of intensive lifestyle modification and metformin therapy in overweight women with polycystic ovary syndrome: a pilot study. Fertil Steril; pp 421-429.
- Holmes S., & Dickerson J., (2003):** the quality of life: design and evaluation of a self-assessment for use with cancer patients. International Journal of Nursing studies; pp: 515- 520.
- <http://humupd.oxfordjournals.Org/content/14/1/15.full>.
- Huang J., Norman G., Zabinskim., Calfas K., & Patrick., (2007):** Body Image and Self-Esteem among Adolescents Undergoing an Intervention Targeting Dietary and Physical Activity, Journal of Adolescent Health. Vol. 40, No.3, March, Elsevier Inc, P 245.
- Humphreys L., and Costarelli K., (2008):** Implementation of dietary and general lifestyle. Advice among women with polycystic ovarian syndrome. J RSoc Health; 128:190-6.
- Imberfy C., & Dona D., (2010):** Using the SF- 36 to determine perceived health related quality of life, Journal of Allied health; (35): p.161.
- Jacalyn J, Robert M., & Chelsea B., (2008):** Exercise Guidelines for Children and Adolescence, PP 241-245.
- Johnson J., Patner A., and Bottorff J., (2004):** An exploration of penders health promoting model using User. Nursing research, May/ June, Vol. 42, No.3, p. 132.

- Jones K, Arslanian S., and Peterokova K, (2003):** Effect of metformin in pediatric patients with Type 2 diabetes: A randomized controlled trial. *Diabetes Care*; 25(1): pp 89-94.
- Jones L, Hall M, Lashen L, Baien H., & Ledger L. (2011):** Health-related quality of life among adolescents with polycystic ovary syndrome, the Association of Women's Health. *Obstetric and Neonatal Nurses*. Sep; 40(5):577-88.
- Kawalski M., (2003):** Text Book of Nursing, 8<sup>th</sup> ed, P 47.
- King, C, & Hinds P., (2004):** Evaluation of quality of life in oncology nursing. *Quality of life: from nursing and patientperspective*.T<sup>1</sup> ed., Jones and Bartley publishers. U.S.A pp 3-12.
- Knox A., (2008):** Skin disease in infants and children. *Current diagnosis and treatment in family medicine*, 2<sup>nd</sup> ed, Columbus, OH, McGraw-Hill, P 928.
- Koulouri O., Conway 6\*., (2009):** Management of hirsutism. *BML* Mar 27; 338: p 847. doi: 10.1136/bmj.b847 . Available at [http:// www.patient. co.uk/ doctor/Hirsutism-and- Virilism.htm](http://www.patient.co.uk/doctor/Hirsutism-and-Virilism.htm).
- Kurtus,R.(2005):** Quality of Life Model. The School for Champions. Univ.of Toronto [WWW. schoolforchampion.Coiri/Life/toronto\\_univ-quality-life.htm](http://WWW.schoolforchampion.Coiri/Life/toronto_univ-quality-life.htm).
- Leeman L., and Acharya 17, (2009):** The use of metformin in the management of polycystic ovary syndrome and associated anovulatory infertility: the current evidence. 29(6):467-72 available at [http:// emedicine.niedscape.com//article/ 2568Q6-treatment](http://emedicine.niedscape.com//article/2568Q6-treatment).
- Lowdermilk D., Perry L., and ShannonE., (2007):** Maternity and women's health care, 9<sup>th</sup> ed., Mosby-year book, USA, p281.
- Maria E., Trent M., (2002):** Division of Pediatrics and Adolescent



Medicine, Department of Pediatrics, The Johns Hopkins University School of Medicine, Vol.156 No.6, available at <http://archpedi.ama-assn.org/cgi>.

**Martha M., Walter R, (2011):** PCOS Pavilion of OBGYN.NET Registered Dietician, Certified Diabetes Educator, New York Newsday and the Journal of the American Dietetic Association. Available at

**Martin A. ,Chang J., Ehrmann A., Ibanez L., Lobo A., and Rosenfeld L., (2008):** Evaluation and treatment of hirsutism in Premenopausal women ran Endocrine Society Clinical Practice Guideline. Clin Endocrin Metab.PP; 93: 100.

**McEwen, B.S. (2006):** Protective and damaging effects of stress mediators: central role of the brain. Dialogues Clin Neurosci 8 (4):81-367.

**Miller C., (2006):** Do you suffer from PCOS? (PCOS and diet solutions). Retrieved February 16, 2010, from the Soulcysters Web site: [http:// www.soulcysters.net/do-you-suffer-pcos-pcos-diet-solutions-138500/](http://www.soulcysters.net/do-you-suffer-pcos-pcos-diet-solutions-138500/).

**Moore A., (2003):** Menopausal health strategies: Focus on osteoporosis American Journal for Nurse Practitioners 7(2), pp 9-21.

**Moran C., Arriaga M., Rodriguez G., (2012):** Obesity differentially affects phenotypes of polycystic ovary syndrome. Direction of Health Research and Training, Medical Unit of High Specialty, Gynecology and Obstetrics, Mexican Institute of Social Securit.

**Moreira S., Soares E., Tomaz G., & Maranhão T, (2010):** Polycystic ovary syndrome: a psychosocial approach. (Article in

Portuguese). Departamento Ciências da Saúde, Universidade Federal do Rio Grande do Norte, Natal-RN, Brasil.

**Nair K, Pappachan P, Balakrishnan S, Leena L, & George B (2012):** Menstrual irregularity and polycystic ovarian syndrome among adolescent girls—a 2 year follow-up study. Medical College, Kerala, India. Epub 2011 Jul 16 nairmkc@rediffmail.com neonatal Nurse. Pp 12-20.

**Nestler J., (2008):** Metformin for the treatment of the polycystic ovary syndrome. NEnglJMed; pp 47-54.

**Nybacka A, Carlstrom K, Stahle A, Nyren S, & Hellstrom M, (2011):** Randomized comparison of the influence of dietary management or physical exercise on ovarian function and metabolic parameters in overweight women with polycystic ovary syndrome. Sep 29. Published by Elsevier Inc.

**Olutunmbi K, Paiey K., and English C, (2008):** Adolescent Female Acne; Etiology and management. Pediatric Adolescent, Gynecology, pp 71-176.

**Ornstein M, Copperman M, & Jacobson S (2011):** Effect of weight loss on menstrual function in adolescents with polycystic ovary syndrome, ovary syndrome. Brit J of Nutr; PP 154-165.

**Panchali M., (2010): Woman and Child nutrition Expert,** article Available at [http:// www. Indiaparentmg.com/food and nutrition/53 -3331/the-right> pcos-diet.html](http://www.Indiaparentmg.com/food_and_nutrition/53-3331/the-right-pcos-diet.html).

**Pasquali R., (2006):** Obesity and androgens; facts and perspectives. Fertil Sterile, PP 1319–1340.

**Peter C., Leung A., and Eli, Y., (2004):** The Ovary, 2<sup>nd</sup> ed, Elsevier Academic Press, P 493.

**Petermann T., Maliqueo M., and Codner E., (2007):** Early metabolic polycystic ovary syndrome. Best Pract Res Clin

Endocrinol Metab; 20,193 - 205.

**Pillitter A., (2010):** Maternal and child health nursing: care of the child bearing and child rearing family. 6<sup>th</sup> ed., Lippincott Williams & Wilkins Com., London. PI72.

**Pinola P., Lashen H., Bloigu A., & Puukka K., (2012):** Department of Obstetrics and Gynecology, University Hospital of Oulu, PL 23 90029 OYS, Finland. Aug 29.

**Popat K, and Suzanne T., (2009):** "Amenorrhea, Secondary." eMedicine. 19 Sep. Medscape, <http://ernedicine.medscape.com/article/276110-overview>.

**Powers P., Gerstle R., Lapey A., (2009):** Adolescents with cystic fibrosis: family reports of health-related quality of life and forced expiratory volume in one second. Pediatrics. Available at: [ttp:// www. pediatrics.Org/ cgi/ content/full/107/5/e70](http://www.pediatrics.org/cgi/content/full/107/5/e70).

**Priscilla L., and Karen B., (2008):** Medical -Surgical Nursing.Critical thinking in client care, 4th edition, United State of America, p 1608. Published by Elsevier Inc. USA. Jun; 24(3):161-5. [ronstein@hmc.psu.edu](mailto:ronstein@hmc.psu.edu).

**Randeva H., Lewandowski K., Drzewoski J., Brooke K., (2010):** Exercise decreases plasma total homocysteine in overweight young women with polycystic ovary syndrome. J Clin Endocrinol Metab , pp 4496-4501.

**Ray A., (2005):** Medical - Surgical Nursing, 1<sup>st</sup> ed., Co., Lippincott William Willikins, U.S.A., pp 185-186.

**Renwick R., (2005):** Being, belonging and becoming. The center of health promotion model of quality of life in health promotion and rehabilitation, conceptual approach, issues and applications, Pp 75- 88.

- Rose, G., and Reglna F., (2007):** Oncology Nursing sectors, 3<sup>rd</sup> ed, Mosby, p 627.
- Roy H., and Cornelius B., (2004):** Human Reproduction and Embryology, Vol. 19, No. 5, 1039-1042. Available at <http://humrep.oxfordjournals.Org/cgi/content/full/19/5/>.
- Salmi D., Zisser H., Jovanovic L., (2004):** Screening for and treatment of poly cystic ovary syndrome in teenagers. Exp Biol Med; pp 469-477.
- Samantha M., (2005):** Division of Reproductive Endocrinology and Infertility, University of Pennsylvania School of Medicine, Philadelphia, P 111-117.
- Schooner, M. (2003):** The Quality of Life in Ontario Schooner. Canadian Sochial Welfare Policy Conference. Quality of Life: An Integrating Framework for Research, Public Policy and community Action. Ontario Sochial Development Council.
- Scott R., (2007):** Essentials of maternity, newborn and women's health nursing, Lippincott Williams & Wilklns, p 163.
- Sheehan M., (2004):** Polycystic ovarian syndrome: Diagnosis and management. Clinical Medicine & Research, 2 (1), pp, 13-27.
- Sloboda D., Hart R., and Doherty D., (2007):** Age at menarche: influences of prenatal and postnatal growth. J Clin Endocrinol Metab; pp 46-50.
- Studd J., Tan S., and Chervenak F., (2008):** progress in Obstetrics and Gynecology, British Library, Elsevier. P, 11.
- Sultan C, Paris F. (2006):** Clinical expression of polycystic ovary syndrome in adolescent girls. Fertile. Sieril; 86 Suppl.
- Susan A., (2008):** Maternity, Newborn and Women's Health Nursing: comprehensive care across the life Span., Lippincott Williams

&Wilkins Com., and Philadelphia. P; 329.

**Swallen K., Reither E., Haas S., &Meier A, (2005):** Overweight, obesity, and health-related quality of life among adolescents: .The National Longitudinal Study of Adolescent Health, 115(2), pp; 340-347.

**Taylor R., Gibson F., and Franck L., (2008):** A concept analysis of heath-related quality of life in young people with chronic illness. J Clin Nurse; pp; 1823-1833.

**Teede H, & Deeks A, (2010):** Polycystic ovary syndrome: a complex conditions with psychological, reproductive and metabolic manifestations that impact on health across the lifespan. Monash University, Clayton, Australia.

**Trent M., Rich M., Gordon C, and Austin S., (2005):** Overweight status of adolescent girls with poly cystic ovary syndrome: body mass index as mediator of quality of life. Johns Hopkins School of Medicine, USA. Mar-Apr; 5 (2).Available at <http://www.ncbi.nlm.nih.gov/pubmed>.

**United Nations Population Division (DESA) and The World Health Report (2006):** Available on [http:// www. aarp.org/ resreach/ international/ map/ facts/](http://www.aarp.org/resreach/international/map/facts/) a2004-06-24- globaaging-map.

**Vural B., Caliskan E., Turkoz E., Kilic T., and Demirci A., (2005):** Evaluation of metabolic syndrome frequency and premature carotid atherosclerosis in young women with polycystic ovary syndrome. Human Reproduction , pp;2409-2413.

**Wee C., Davis B., and Hamel M., (2008):** Comparing the SF-12 and SF-36 health status questionnaires in patients with and without obesity. Health Quality Life Outcomes, PI 1.

- Whetstone M., Morrissey L., and Cummings, D., (2007):** Children at risk: the association between perceived weight status and suicidal thoughts and attempts in middle school youth. *Journal of School Health*, 77(2), pp 59-66.
- Wikipedia organization, (2009):** Quality of life 26 February, available at: <http://ea.Wikipedia.Org/wild/measuring-wellbeing>.
- Wing ., Phenlan A., (2005):** Long-term weight loss maintenance. *American Journal of Clinical Nutrition*, 82, 2228-2258.
- Wong M., (2007):** Comparison of quality of life scores among non-exercising adolescent females and adolescent dancers with oligomenorrhoea and amenorrhea. *J Pediatric Adolescent Gynecology*; pp 20-83.
- Word Health Organization, (2006):** Measuring quality of life. Available at: <http://www.who.Int/evidence/assessmentmstmmment/OOL/index.htm>. Access ed: March 30.
- World Health Organization (2006):** "BMI Classification". Global database on body mass index, WHO, 10 Jan 2011.
- Wright E, & Talhott O., (2004):** Dietary intake, physical activity, and obesity in women with polycystic ovary syndrome. *Int J Obes Relat Metab Disord*; PP 28-32.
- Xita N., Tsatsoulis A., (2006):** Fetal programming of polycystic ovary syndrome by androgen excess: evidence from experimental clinical, and genetic association studies. *J Clin Endocrinol Metab*.