Results

The results of this study was presented in the following sequences:

- **Section I**:- Personnel characteristics of staff nurses working in dialysis unit at Benha University Hospital, Table (1)
- **Section II**:- Nurses' opinion about the importance of dialysis standards in Dialysis Unit at Benha University Hospital, Tables (2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13)
- **Section III:-** Observation of nurses' performance according to proposed standards for Dialysis Unit at Benha University Hospital. Included 2 parts:-
 - **Part A:-**Structure standards included tables (14, 15, 16, 17, 18, 19, 20, and 21)
 - Part B: Process Standards included Tables (22, 23, 24, and 25)
- **Section IV:-** Mean and standard deviation of nurses' performance of proposed process standards in Dialysis Unit at Benha University Hospital, Table (26)
- **Section V: -** Correlation coefficient between nurses' performance and their age, experience and experience in work place in Dialysis Unit at Benha University Hospital. Table (27).

Section (I): - Personal Characteristics of Studied Staff Nurses

Table (1):- Personal Characteristics of Studied Staff Nurses (no =44)

Items	No	%
Age		
≤ 25	9	20.5
26 – 34	28	63.6
≥ 35	7	15.9
Mean ± SD	28.95	± 5.49
Qualification		
Diploma degree in nursing	31	70.5
Diploma with specially	2	4.5
Technical nurse institute	0	0
Baclorate of nursing (B.SC in nursing)	11	25.0
Years of experience		
≤ 5	6	13.6
6 – 10	14	31.8
11 – 15	12	27.3
≥ 16	12	27.4
Mean ± SD	10.77	7 ± 5.87
Experience in work place		
≤ 5	13	29.5
6 - 10	14	31.8
11 - 15	9	20.5
≥ 16	8	18.2
Attend Training program about		
quality		
No	33	75.0
Yes	11	25.0

This table shows personal characteristics of staff nurses, the results revealed that 63.6% of studied staff nurses ages were between 26 - 34 years old, 70.5% of studied staff nurses were graduated from diploma nursing, 31.8% of studied nurse have years of experience from 6-10 years, 31.8% have 6-10 years of experience in work place finally 75.0% had no training in quality.

Section II: Nurses' Opinions about the Importance of the Standards in Dialysis Unit.

Table (2): Nurses' Opinions about the Importance of the Policy and Objective Dialysis Unit.

Standard of policy and objective	Important		Not important	
Items of policy and objective standard.	No	%	No	%
Polices and Procedure must be written	40	100	0	0
This objectives must be declared and	39	97.7	1	2.3
available to all nurses				

This table shows that 100% of studied nurses reported that the policies and procedures must be written and 97.7% of them agreed that objectives must be declared and available to all nurses.

Table (3):- Nurses' Opinions about the Importance of Organizational Chart in Dialysis Unit.

Standard of organizational chart	Important		Not important	
Items of organizational chart standard.	No	%	No	%
Organizational chart displays the lines of authority	36	90.9	4	9.1
Organizational chart must be clear and	37	93.2	3	6.8
available to all nurses				

This table clarifies that 93.2% of studied nurses agreed about the importance of the organizational chart that should be clear and available to all nurses. 90.9% of nurses show the importance of organizational chart that should displays the lines of authority.

Table (4):- Nurses' Opinions about the Importance of Job Description to Employee in Dialysis Unit.

Standard of job description	Important		Not important	
Items of job description standard.	No	%	No	%
Job Description clarifies the role of every nurse in the unit	40	100	0	0
This job description must be clear and being reviewed every 6 months'	36	90.9	4	9.1

This table clarifies that 100% of studied nurse agreed about the importance of job description should clarify the role of every nurse in the unit, 90.9% of nurses agreed about the importance of that job description should be clear and reviewed every 6 months.

Table (5):- Nurses' Opinions about the Importance of Human Resources managed in Dialysis Unit.

Standard of human resources	Important		Not important	
Items of human resources standard.	No	%	No	%
Available head nurse to give patients care with experience not less than 3 years	40	100	0	0
Head nurse have clearly defined and declared tasks and responsibilities	40	100	0	0
Available nurse in unit to follow up 2 patient at least	39	97.7	1	2.3
Trained nurse about infection control is supervised in dialysis unit	37	93.2	3	6.8

This table declared that almost of studied nurses reported the importance of all items of human resources.

Table (6):- Nurses' Opinions about the Importance of Documentation System in Dialysis Unit.

Standard of documentation	Important		Not important	
Items of documentation standard.	No	%	No	%
* Patient's medical history	40	100	0	0
* Patient's general status	40	100	0	0
* Patient's psychological status	36	90.9	4	9.1
* Patient's immunization	39	97.7	1	2.3
* Patient's nutritional status	39	97.7	1	2.3
* Patient's drug allergies	40	100	0	0
* Drug doses uses	40	100	0	0
* Any unusual events occurs during dialysis process	40	100	0	0
* Patient's weight	40	100	0	0
* Patient's investigation	40	100	0	0
* Recording regularly vital signs especially blood pressure	40	100	0	0

This table declared that the almost of studied nurses reported the importance of all items of documentation, while 9.1% of studied nurses reported that documentation of patient psychological status were not important.

Table (7):- Nurses' Opinions about the Importance of Safe
Handling of Medications in Dialysis Unit.

Standard of safe handling of medications	Important		Not important		
Items of safe handling of medications Standard.	No	%	No	%	
Is ascertained by patient's I D band(patient's name and medical record number)	37	93.2	3	6.8	
Available unit policy describe the safe handling of medication through 7 rights *Right patient	40	100	0	0	
*Right medicine	40	100	0	0	
*Right dosage	40	100	0	0	
*Right route	40	100	0	0	
*Right time	40	100	0	0	
*Right frequency	40	100	0	0	
*Right documentation	40	100	0	0	
Calculate doses of dangerous drug certification by 2 nurses with signature this drug as (Adrenaline-Atropine –calcium)	35	88.6	5	11.4	
Medication storage area are locked at all times expect when nurses preparing medication	40	100	0	0	
The medication storage area have good lighting ,good ventilation and clean	40	100	0	0	
Each shift should count all medication especially dangerous and documenting this number	39	97.7	1	2.3	
Need to focus on drug expire date	40	100	0	0	

This table shows that almost total sample of studied nurses reported that all items of safe handling of medications were important, while 11.4% of studied nurses reported that the item of calculated doses of dangerous drug certification by 2 nurses with signature were not important.

Table (8):- Nurses' Opinions about the Importance of Infection Control in Dialysis Unit.

Standard of infection control	Im	portant	Not imp	portant
Items of infection control standard.	No	%	No	%
Hand washing have 3 types	40	100	0	0
* Routine				
* Healthy	40	100	0	0
* Surgical	40	100	0	0
Use of personal protective equipment as	40	100	0	0
* Masks				
* Gloves	40	100	0	0
* Aprons	40	100	0	0
* Eye protective	36	90.9	4	9.1
* Face protective	36	90.9	4	9.1
* Over head	39	97.7	1	2.3
* Over shoes	39	97.7	1	2.3
Change bed linen between each patient	40	100	0	0
Follow the policy and procedure of cleaning and	40	100	0	0
disinfecting the work surfaces				
Expiry date should be recorded on the sterile	40	100	0	0
materials				
Provide a list of required sterile materials	40	100	0	0
Before installing the catheter should use sterile	40	100	0	0
gauze with antiseptic solution				
Methods of anti pollution				
Found 3 stages to re processing medical	40	100	0	0
equipment are				
* Cleaning	40	100	0	0
* Cleansing	40	100	0	0
* Sterilization	40	100	0	0
Staff has a policy that describe the safe				
handling of waste			T .	
The unit should provide the separation	36	90.9	4	9.1
requirements of wastes			_	_
Put the bags of non acute hazards waste inside	40	100	0	0
the patient's station	4.0	100		
Put bags of normal non hazards wastes inside	40	100	0	0
the nursing station				

Standard of infection control	Impo	Important		portant
Standard of finection control	No	%	No	%
Put safety boxes with sharp waste in appropriate	40	100	0	0
closed area not inside the station				
Closed safety boxes after filled 3\4	40	100	0	0
Deal safe with patient's spillage blood and	40	100	0	0
secretions				
Isolation in dialysis unit				
Isolated rooms for patients with hepatitis C,B and aids with allocated nurses for them	40	100	0	0
Provide patient with hepatitis C,B and aids with special devices not used by other patient	31	79.5	9	20.5
Identified rooms for male and female	35	88.6	5	11.4
Physical separation between each patient	34	86.4	6	13.6
The employee follow the policy of anti	51	00.1		13.0
contamination when preparing a medication				
Prepared a medication for each patient individually	40	100	0	0
Cleaned and disinfected trays specialty for	40	100	0	0
medication between each patient	40	100	U	U
Health maintenance of the workers				
Wear special clothes(personal protective) to protect	40	100	0	0
them selves	40	100		0
Nursing staff shouldn't eat in the unit	40	100	0	0
All workers in the unit should be vaccinated against hepatitis B	40	100	0	0
Unit policy for cleansing dialysis machine include				
the following				
The nurse wear protective clothes	40	100	0	0
At the beginning and end of the day and after each use should rinse and clean the machine	40	100	0	0
Use chlorine diluted with 20CM\liter water to clean the machine from abroad	40	100	0	0
Cleaned the parts of keys in machines by use alcohol	40	100	0	0
During preparation of dialysis machine should keep	40	100	0	0
the intravenous tube in residues container				
Use payment process to cleansing the pipes of the machine	40	100	0	0
Cleansing the container for the disposal of waste resulting from nomination daily process	40	100	0	0
Shouldn't allow the waste of dialysis machine back again to the machine	40	100	0	0

This table clarifies that majority of studied nurses reported all items of infection control, the unit policy and procedure specialty of infection control were important. While 20.5% of studied nurses reported that items of provide patient with hepatitis C, B and aids with special devices not used by other patient were not important, 13.6% of studied nurses reported that items of physical separation between each patient were not important.

Table (9):- Nurses' Opinions about the Importance of Nursing Station in Dialysis Unit.

Standard of nursing station	Important		Not Important		
Items of nursing station standard.	No	%	No	%	
For each treatment unit should found nursing	40	100	0	0	
station to allow observation of all patient					
Available furniture to save the files and records	40	100	0	0	
Available furniture to store medicine	40	100	0	0	
Available furniture to save supplies and medical	40	100	0	0	
equipment needed to nursing operation					

This table shows that 100% of studied nurses reported that all items of nursing station were important.

Table (10):- Nurses' Opinions about the Importance of Training program in Dialysis Unit.

Standard of training	Imp	ortant	Not im	portant
Items of training standard.	No	%	No	%
Available training courses on the optimal use of tools and supplies in the unit	37	93.2	3	6.8
Available training courses on the unit about development of nursing skills	40	100	0	0
Available training courses on how to deal with verbal order	39	93.2	3	6.8
Available training courses on how to apply the policy quality in the unit	40	100	0	0
Available training courses on patient's safety and security	40	100	0	0
Available training courses on how to deal with patient when he come out and transferred	40	100	0	0
Available training courses about how to deal with blood transferring	40	100	0	0
Available training and courses on how to deal with safe disasters and crisis	36	90.9	4	9.1
Available written and posted guidance for staff in dialysis unit	40	100	0	0
Available training courses for new staff before work handling in dialysis unit	40	100	0	0
Available training courses for all workers about cardio pulmonary resuscitation (CPR) process	40	100	0	0
Available training courses for all workers on how to deal with fire safety	40	100	0	0
Click the alarm key	40	100	0	0
Click call report key	40	100	0	0
 Close oxygen valve 	40	100	0	0

This table clarifies that almost of studied nurses reported that all items of training were important. While 9.1% of studied nurses reported that the items of available training and courses on how to deal with safe disasters and crisis were not important.

Table (11):- Nurses' Opinions about the Importance of Environmental Factors in Dialysis Unit.

Standard of environmental factor	Important		Not	
Standard of environmental factor			important	
Items of environmental factor standard.	No	%	No	%
Available alarm system beside each patient	35	88.6	5	11.4
Available room with suitable size for all	34	86.4	6	13.6
water filters				
Available separated room for disinfection	40	100	0	0
Available room for store the clean medical	40	100	0	0
supplies and linens				
Available room for store the non clean	40	100	0	0
medical supplies and linens				
Available room for store cleaning materials	40	100	0	0
include sink to drain water				
Available room for store the cleaning tools	40	100	0	0
Available room for store the requirements of	40	100	0	0
the unit (Trolley – Wheel Chairs – Oxygen				
Cylinder)				
Clothes change room		1		1
Available room for patients clothes change	40	100		
Available room for nurses clothes change	40	100		

This table declared that majority of studied nurses reported that all items of environmental factors are important, except 13.6% of studied nurses reported that items of available room with suitable size for all water filters not important & 11.4% reported the item of available alarm system beside each patient also not important.

Table (12):- Nurses' Opinions about the Importance of Patient

Care in Dialysis Unit.

Care in Dialysis Unit.	_	4 4	N	ot
Standard of patient care	Impo	rtant	impo	rtant
Items of patient care standard.	No	%	No	%
Patients are directed towards maintaining a place of	40	100	0	0
catheter clean and dry				
Patients are directed toward signs of infection (fever	40	100	0	0
, feeling cold , chills , pain , the emergence of leak				
placement)				
During the dialysis process allow patients to eat their	40	100	0	0
food				
Patients are directed toward maintaining nutrition	40	100	0	0
with low sodium, potassium, phosphate moderate				
protein, carbohydrate and fat				
Patients are directed toward eat fresh fruits and	40	100	0	0
vegetables to supply the necessary vitamins				
Patients are directed toward reducing the intake of	40	100	0	0
salted food				
Patients are directed toward maintaining personal	40	100	0	0
hygiene to reduce the skin irritation resulting from the				
increase of urea				
Patients are directed toward maintaining the clean	40	100	0	0
lines of the mouth and repeat encouragement to chew				
gum to stimulate saliva flow to reduce thirst				
Patients are directed toward optimal use of laxatives	40	100	0	0
to reduce the irritation of the colon as result of the				
high percentage of urea as directed by physician				
Intervention is necessary drugs diuretics as directed	40	100	0	0
by your doctor				
Be installed the urinary catheter to monitor urine	37	93.2	3	6.8
output				
Patients with renal failure directed toward not taking	40	100	0	0
antibiotics such as(gentamycin, streptomycin) and				
analgesics such as (aspirin or ibuprofen)				
Clarify how treat of the patient to reduce unrest	40	100		

Standard of patient care	Important		Not Importan	
•	No	%	No	%
Nurses make patient's assessment when entering the	40	100	0	0
dialysis unit include :-				
1- Assess vital signs				
2- Assess the degree of awareness	40	100	0	0
3- Evaluation of the patient's weight	40	100	0	0
Be alert to dialysis patient not to take blood pressure	40	100	0	0
medication during the process of dialysis, but must be				
taken before starting dialysis process at least one hour				
to prevent decline in blood circulation				

This table clarifies that almost of studied nurses reported that all items of patient care are important, while 6.8% of studied nurses reported that the item of "Be installed the urinary catheter to monitor urine output" not important.

Table (13):- Nurses' Opinions about the Importance of Patient Rights in Dialysis Unit.

Standard of patient rights	Important			ot ertant
Items of patent rights standard.	No	%	No	%
Patient right to know the name of the physician	39	97.7	1	2.3
Patient right to have nursing care according to his case	40	100	0	0
Patient right to know what decisions about his care	35	88.6	5	11.4
Patient right to participate in decisions about his care	34	86.4	6	13.6
Patient right to refuse care and discontinue treatment	28	72.7	12	27.3
Patient right to safe and safety	40	100	0	0
Patient right to privacy and confidentiality	40	100	0	0
Patient right to receive final treatment	40	100	0	0
Patient right to complain without fear persecution	40	100	0	0
Patient right to make proposals during his treatment in the unit	40	100	0	0

This table declared that the majority of studied nurses reported the importance of all items of patient rights. While 27.3% of studied nurses reported that the item of right to refuse care and discontinue treatment were not important and 13.6% reported the item of right to participate in decision about his care were not important.

Section III: -Observation of Nurses' Performance According to Proposed Standards in Dialysis Unit.

A:-Structure Standard.

Table (14):- Observation of Nurses' Performance of Proposed
Structure Standard of the Dialysis Policy and
Objective.

Standard of policy and objective	Available		Not available	
Items of policy and objective standard	No	%	No	%
These polices and procedure must be written	0	0	40	100
This objective must be declared and available to all	0	0	40	100

This table declared that 100% of studied nurses had found all items of the standard of policy and objective of the dialysis unit were not available.

Table (15):- Observation of Nurses' Performance of Proposed Standard of Organizational Chart in Dialysis Unit.

Standard of organizational chart	Available		Not available		
Items of organizational chart standard.	No	%	No	%	
These organizational chart displays the lines of authority	0	0	40	100	
These chart is clear and available to all	0	0	40	100	

This table clearly shows that 100% of studied nurses had found all items of organizational chart were not available.

Table (16):- Observation of Proposed Standard of Job

Description of Employee in Dialysis Unit.

Standard of job description	Avai	lable	Not available		
Items of job description standard	No	%	No	%	
Clarifies the role of every nurse in the unit	0	0	40	100	
This job description is clear and reviewed every 6 months'	0	0.	40	100	

This table clearly shows that 100% of studied nurses had found all items of standard of job description were not available.

Table (17):- Nurses' Observation of Nurses' Performance of Proposed Standard of Human Resources in Dialysis Unit.

Standard of human resources	Available		Not available	
Items of human resources standard	No	%	No	%
Available head nurse to give patients care with	40	100	0	0
experience not less than 3 years				
Head nurse have clearly defined and declared tasks	40	100	0	0
and responsibilities				
Available nurse in unit to follow up 2 patient	0	0	40	100
Trained nurse about infection controlled is	0	0	40	100
supervised in dialysis unit				

This table clarifies that 100% of studied nurses have the items of, Available head nurse to give patients care with experience not less than 3 years and the item of head nurse have clearly defined and declared tasks and responsibilities.' While 100% of studied nurses had found items of available nurse in unit to follow up 2 patients & trained nurse about infection control is supervised in dialysis unit were not available.

Table (18):- Observation of Nurses' Performance of Proposed Standard of Nursing Station in Dialysis Unit.

Standard of nursing station	Available		Not available	
Items of nursing station standard	No	%	No	%
For each treatment unit should found nursing	0	0	40	100
station to allow observation of all patient				
Available furniture to save the files and	35	88.6	5	11.4
records				
Available furniture to store medicine	36	90.9	4	9.1
Available furniture to save supplies and	36	90.9	4	9.1
medical equipment needed to nursing				
operation				

This table declared that the majority sample had found all items of nursing station except the first items 100% of staff were not available.

Table (19):- Observation of Nurses' Performance of Proposed Standard of Training in Dialysis Unit.

Standard of training	Available		Not av	ailable
Items of training standard	No	%	No	%
Available training courses on the optimal use	0	0	40	100
of tools and supplies in the unit				
Available training courses on the unit about	0	0	40	100
development of nursing skills				
Available training courses on how to deal with	0	0	40	100
verbal order				
Available training courses on how to applied	0	0	40	100
the policy quality in the unit				
Available training courses on patient's safety	0	0	40	100
and security				
Available training courses on how to deal	0	0	40	100
patient when he came out and transferred				
Available training courses about how to deal	0	0	40	100
with blood transferring				
Available training and courses on how to deal	0	0	40	100
with safe disasters and crisis				
Available written and posted guidance for	0	0	40	100
staff in dialysis unit				
Available training courses for new staff before	0	0	40	100
work handling in dialysis unit				
Available training courses for all workers	0	0	40	100
about CPR process				
Available training courses for all workers on				
how to deal with fire safety				
Click the alarm key	0	0	40	100
Click call report key	0	0	40	100
 Close oxygen valve 	0	0	40	100

This table clearly shows that 100% of studied nurses had found all items of training were not available.

Table (20):- Observation of Nurses' Performance of Proposed Standard of Environmental Factors in Dialysis Unit.

Standard of environmental factors	Available			ot lable
Items of environmental factors standard	No	%	No	%
Available alarm system beside each patient	0	0	40	100
Available room with suitable size for all water filters	31	79.5	9	20.5
Available separated room for disinfection	0	0	40	100
Available room for store the clean medical supplies	6	13.6	34	86.4
and linens				
Available room for store the non clean medical	0	0	40	100
supplies and linens				
Available room for store cleaning materials include	0	0	40	100
sink to drain water				
Available room for store the cleaning tools	0	0	40	100
Available room for store the requirements of the unit	0	0	40	100
(trolley – wheel chairs – 0xygen cylinder)				
Clothes change room		1		1
Available room to patients clothes change	0	0	40	100
Available room to nurses clothes change	40	100	0	0

This table declared that the majority of studied nurses not have all items of the standard of environmental factor except item of available room with suitable size for all water filters (79.5%) and item of available room to nurses clothes change (100%) were available.

Table (21):- Observation of Nurses' Performance of Proposed Standard of Patient Rights in Dialysis Unit.

Standard of patient rights	Available		Not available	
Items of patient rights standard	No	%	No	%
Patient right to know the name of the physician	40	100	0	0
Patient right to have nursing care according to his case	40	100	0	0
Patient right to know what decisions about his care	0	0	40	100
Patient right to participate in decisions about his care	0	0	40	100
Patient right to refuse care and discontinue treatment	0	0	40	100
Patient right to safe and safety	0	0	40	100
Patient right to privacy and confidentiality	0	0	40	100
Patient right to receive final treatment	40	100	0	0
Patient right to complain without fear persecution	40	100	0	0
Patient right to make proposals during his treatment in	40	100	0	0
the unit				

This table clearly shows that 100% of studied nurses performed some items of standard of patient rights especially in, right to know the name of the physician, right to have nursing care according to his case, right to receive final treatment, right to complain without fear persecution and right to make proposals during his treatment in the unit. While the same percent 100% of studied nurses had found items of patient rights especially in right to know what decisions about his care, right to participate in decisions about his care, right to refuse care and discontinue treatment, right to safe and safety and right to privacy and confidentiality were not available.

Nurses' Performance of Proposed Process Standard

B: - Process Standard

Table (22):- Observation of Nurses' Performance of Proposed Standard of Documentation in Dialysis Unit.

Standard of documentation	D	one	No	t done
Items of documentation standard	No	%	No	%
* Patient's medical history	9	20.5	31	79.5
* Patient's general status	0	0	40	100
* Patient's psychological status	0	0	40	100
* Patient's immunization	0	0	40	100
* Patient's nutritional status	0	0	40	100
* Patient's drug allergies	0	0	40	100
* Drug doses uses	0	0	40	100
* Any unusual events occurs during dialysis process	0	0	40	100
* Patient's weight	5	11.4	35	88.6
* Patient's investigation	28	72.7	12	27.3
* Recording regularly vital signs especially blood pressure	15	34.1	25	65.9

This table declared that the almost staff sample not performed the all items of documentation. While 72.7% of studied nurses document patient's investigation and 34.1% recording regularly vital signs especially blood pressure.

Table (23):- Observation of Nurses' Performance of Proposed
Standard of Safe Handling of Medication in Dialysis
Unit.

Standard of safe handling of medication	Done		Not done	
Items of safe handling of medication standard	No	%	No	%
Is ascertained by patient's I D band(patient's name	0	0	40	100
and medical record number)				
Available unit policy describe the safe handling				
of medication through 7 rights	0	0	40	100
* Right patient	40	100	0	0
* Right medicine	40	100	0	0
* Right dosage	40	100	0	0
* Right route	40	100	0	0
* Right time	40	100	0	0
* Right frequency	40	100	0	0
* Right documentation	0	0	40	100
Calculate doses of dangerous drug certification by	0	0	40	100
2 nurses with signature				
Medication storage area are locked at all times	0	0	40	100
expect when nurses preparing medication				
The medication storage area have good lighting	4	9.1	36	90.9
good ventilation and clean,				
Each shift should count all medicine especially	0	0	40	100
dangerous and documenting this number				
Need to focus on drug expire	21	56.8	19	43.2

This table clarifies that 100% of studied nurses performed some items of safe handling of medication through right patient, right medicine, right dosage, right route right time and right frequency and 56.8% of studied nurses' focus on drug expire. While the majority of studied nurses not performed another all items of safe handling of medication.

Table (24):- Observation of Nurses' Performance of Proposed Standard of Infection Control in Dialysis Unit.

Standard of infection control	Done		Not done	
Items of infection control standard	No	%	No	%
Hand washing have 3 types	0	0	40	100
* routine				
* healthy	0	0	40	100
* surgical	0	0	40	100
Use of personal protective equipment as	0	0	40	100
* masks		_		
* gloves	0	0	40	100
* Aprons	0	0	40	100
* Eye Protective	0	0	40	100
* Face Protective	0	0	40	100
* Over head	0	0	40	100
* Over shoes	0	0	40	100
Change bed linen between each patient	0	0	40	100
Followed the policy and procedure of cleaning and	0	0	40	100
disinfecting the work surfaces				
Expiry date should be recorded on the sterile materials	7	15.9	33	84.1
Provide a list of required sterile materials	0	0	40	100
Before installing the catheter should use sterile gauze	0	0	40	100
with antiseptic solution				
Methods of anti pollution				
Found 3 stages to re processing medical equipment are				
* Cleaning	6	13.6	34	86.4
* Cleansing	0	0	40	100
* Sterilization	0	0	40	100
Staff has a policy that describe the safe handling of				
waste				
The unit should provide the separation requirements of	0	0	40	100
wastes				
Put the bags of non acute hazards waste inside the	0	0	40	100
patient's station				
Put bags of normal non hazards wastes inside the	0	0	40	100
nursing station				

Standard of infection control	Standard of infection control Done No %		Not done		
Standard of infection control			No %		
Put safety boxes with sharp waste in appropriate closed		0	40	100	
area not inside the station					
Closed safety boxes after filled 3\4	0	0	40	100	
Deal safe with patient's spillage blood and secretions	0	0	40	100	
Isolation in dialysis unit					
Isolated rooms for patients with hepatitis C,B a and	0	0	40	100	
aids with allocated nurses for them					
Provide patient with hepatitis C,B and aids with special	0	0	40	100	
devices not used by other patient					
Identified rooms for male and female	0	0	40	100	
Physical separation between each patient	0	0	40	100	
The employee follow the policy of anti contamination		I.			
when preparing a medication					
Prepared a medication for each patient individually	0	0	40	100	
Cleaned and disinfected trays specialty for medication	0	0	40	100	
between each patient					
Health maintenance of the workers					
Wear special clothes(personal protective) to protect	0	0	40	100	
them selves					
Nursing staff shouldn't eat in the unit	9	20.5	31	79.5	
All workers in the unit should be vaccinated against	0	0	40	100	
hepatitis B					
Unit policy for cleansing dialysis machine include		I			
the following					
The nurse wear protective clothes	0	0	40	100	
At the beginning and end of the day and after each use	0	0	40	100	
should rinse and clean the machine					
Use chlorine diluted with 20CM\liter water to clean the	0	0	40	100	
machine from abroad					
Cleaned the parts of keys in machines by use alcohol	0	0	40	100	
During preparation of dialysis machine should kept the		0	40	100	
intravenous tube in residues container					
Use payment process to cleansing the pipes of the		0	40	100	
machine					
Cleansing the container for the disposal of waste		0	40	100	
resulting from nomination daily process					
Shouldn't allow the waste of dialysis machine back	40	100	0	0	
again to the machine					

This table shows that the majority of studied nurses not performed all items of standard of infection control except the item of intervention is necessary drugs diuretics as directed by doctor 100% of studied nurses performed it.

Table (25):- Observation of Nurses' Performance of Proposed Standard of Patient Care in Dialysis Unit.

Standard of patient care	Done		Not done	
Items of patient care standard	No	%	No	%
Patients are directed towards maintaining a place of	10	22.7	30	77.3
catheter clean and dry				
Patients are directed toward signs of infection (fever,	0	0	40	100
feeling cold, chills, pain, the emergence of leak				
placement)				
During the dialysis process allow patients to eat their	40	100	0	0
food				
Patients are directed toward maintaining nutrition	0	0	40	100
with low sodium, potassium, phosphate moderate				
protein, carbohydrate and fat				
Patients are directed toward eat fresh fruits and	0	0	40	100
vegetables to supply the necessary vitamins				
Patients are directed toward reducing the intake of	37	93.2	3	6.8
salted food				
Patients are directed toward maintaining personal	0	0	40	100
hygiene to reduce the skin irritation resulting from the				
increase of urea				
Patients are directed toward maintaining the clean	0	0	40	100
lines of the mouth and repeated encouragement to				
chew gum to stimulate saliva flow to reduce thirst				
Patients are directed toward optimal use of laxatives to	0	0	40	100
reduce the irritation of the colon as result of the high				
percentage of urea as directed by physician				
Intervention is necessary drugs diuretics as directed by	40	100	0	0
your doctor				
Be installed the urinary catheter to monitor urine	0	0	40	100
output				
Patients with renal failure directed toward not taking	0	0	40	100
antibiotics such as gentamicin, streptomycin and				
analgesics such as aspirin, ibuprofen				
Clarify how treatment of the patient to reduce unrest	0	0	40	100

Standard of patient care	Done		Not done		
Standard of patient care		%	No	%	
Nurses make patient's assessment when entering					
the dialysis unit include :-					
1- Assess vital signs	17	38.6	23	61.4	
2- Assess the degree of awareness	17	38.6	23	61.4	
3- Evaluation of the patient's weight	17	38.6	23	61.4	
Be alert to dialysis patient not to take blood	0	0	40	100	
pressure medication during the process of dialysis,					
but must be taken before starting dialysis process					
at least one hour to prevent decline in blood					
circulation					

This table clarifies the almost studied nurses not performed all items of patient care except in items of 'allow patient eat their food during the dialysis process and make intervention with diuretic drugs according to doctor opinion' 100% of studied staff nurses are performed it. And 93.2% of nurses performed item of patients are directed toward reducing the intake of salted food.

Section IV:

Table (26):- Mean and Standard Deviation of Nurses' Performance of Proposed Process Standards in Dialysis Unit.

Standards	n= 44			
Standards	Max score	Mean	±	SD
Standard 5 : Documentation	11	5.11	±	0.84
Standard 6 : Safe Handling of Medication	13	7.05	±	0.77
Standard 7: Infection Control	41	8.31	±	2.03
Standard 11: Patient Care	17	6.61	±	1.01
TOTAL	82	27.08	±	6.85

This table clearly shows that the performance of studied staff nurses was poor in all process standards except for standard of nursing station, safe handling of medication and documentation were average performance.

Section V:

Table (27):- Correlation Coefficient between Nurses' Performance and Their Age, Experience and Experience in Work Place.

	Nurses performance		
	r	P – value	
Age	- 0.256	0.082	
Experience	- 0.319	- 0.035*	
Experience in work place	- 0.178	0.284	

^{*}Statistically significance $p \le 0.05$

This table clarifies that there was negative correlation between nurses' age, experience in work place and nurses' performance, while there was negative significant correlation between staff nurses' performance & experience.