

REFERENCES

REFERENCES

- Abdel Rahman, A.M. and Martin, R.F. (1987):** Late Pan-African magmatism and crustal development in northeastern Egypt. *J. Geol.*, 22: 281-301.
- Abu Zaid, M. (1995):** Relation between surface and subsurface uranium mineralization and structural features, Gabal Gattar, north Eastern Desert, Egypt. M.Sc. Thesis, Fac., Sci., Ain Shams Univ., 208p .
- Akaad, M.K. and Noweir, A.M. (1969):** Lithostratigraphy of the Hammamt-Um Seleimat district, Eastern Desert, Egypt. *Nature*, 223: 284-285.
- Akaad, M.K. and Noweir, A.M. (1980):** Geology and lithostratigraphy of the Arabian Desert orogenic belt of Egypt between Lat. $25^{\circ} 35'$ and $26^{\circ} 30'$ N. *Bull. Ins. Appl. Geol., king Abdul Aziz Univ., Jeddah*, 3 (4):127-135.
- Ali, B.H. (2001):** Trace elements distribution and fluid inclusions studies of fluorite: Evidence for hydrothermal alteration in Gabal Gattar area, North Eastern Desert, Egypt. *J. Geol.*, 45 (2): 1003-1015.
- Assaf, H.S. Mahdy , M.A. and El Afandy , A.H. (1997) :** Egyptian younger granites, an approach to define parameters favoring formation of uranium deposits . 3rd conference Geochemistry, Alexandria Univ., Egypt : 409 - 420
- Attawiya, M.Y. (1990):** Petrochemical and geochemical studies of granitic rocks from Gabal Gattar area, Eastern Desert, Egypt. *Arab. J. Nucl. Sci. App.*, Cairo, 23, (2) :13-30
- Billings, M.P. (1972):** Structural geology. Prentice Hall of India.. Private Limited. Third Edition, 606p.
- Boyle, R.W. (1970):** Regularities in wall rock alteration phenomena associated with epigenetic deposits. In: Pouba and Stemprok (eds), problems of hydrothermal ore deposition, Asymp. St. Andrews, Scotland, 1967 : 233 – 260
- Bucanan, M.S. (1982):** The geochemistry of some igneous rock series. *Geochim. Cosmochim. Acta*, 9:101-137.

- Dardir, A.A. and Abu Zeid, K.M. (1972):** Geology of the basement rocks between lat. 27° 00' and 27° 30' N, Eastern Desert. Ann. Geol. Surv. Egypt, II:129-159.
- Darnley, A.G. (1982):** "Hot granites" some general remarks. In: Maurice, Y.J. (ed.), Uranium in granites. Geol. Surv. Canada, Paper No.18-23:1-10.
- Davis, G.H. (1984):** Structural geology of rocks and regions John Wiley & Sons, Inc. New York : 37-53.
- Dixon. T.H. (1981):** Age and chemical characteristics of some Pre-Pan-African rocks in the Egyptian shield. Precambrian Res., 14: 119-133.
- El Gaby, S. (1975):** Petrochemistry and geochemistry of some granites from Egypt. N. Jb. Mineral. Abh., 124 (2) : 146-189.
- El Gaby, S. (1983):** Architecture of the Egyptian basement complex. Proc. 5th Inter. Conf. Basement Tectonics, Cairo: 1-8.
- El Gaby, S., and Habib, M.S. (1982):** Geology of the area southwest of port Safaga with special emphasis on the granitic rocks, Eastern Desert, Egypt. Ann. Geol. Surv. Egypt. 12: 47 – 71.
- El Gaby, S.; El Nady, O.M. and Khudeir, A.M. (1984):** Tectonic evolution of the basement complex in the Central Eastern Desert of Egypt. Geol. Rundschav, 73:1019 -1036.
- El Gaby, S.; List, F. and Tehrani, R. (1988):** Geology, evolution and metallogenesis of the Pan-African belt in Egypt. In: S. El Gaby and R. Greiling (eds.), The Pan-frican belt of northeast Africa and adjacent areas. Braunschweig (Vieweg): 17- 68 .
- El Gaby, S.; List, F. and Tehrani, R. (1990):** The basement complex of the Eastern Desert and Sinai. In: R. Said (ed.), The geology of Egypt, Balkema / Rotterdam/Brookfield: 175-184.
- El Kammar, A.M.; Salman, A.E.; Shalaby, M.H. and Mahdy, A.I. (2001):** Geochemical and genetical constraints on rare metals mineralization at the Central Eastern Desert of Egypt. J. of Geochem., 35 P .

- El Rakaiby, M.L. and Shalaby, M.H. (1992):** Geology of Gabal Qattar batholith, Central Eastern Desert, Egypt. *Int. J. Remote Sensing* 13, No. 12: 2337-2347.
- El Ramly, M.F. (1972) :** A new geological map for the basement rocks in the Eastern and Southwestern Desert of Egypt, Scale 1:1000.000. *Ann. Geol. Surv. Egypt*, II : 1-18.
- El Ramly, M.F. and Akaad, M.K. (1960):** The basement complex in the central Eastern Desert of Egypt between lat. $24^{\circ} 30'$ and $25^{\circ} 40'$ N. *Geol. Surv. Egypt*, paper 8, 35 P.
- El Sayed, M.M. (1998):** Tectonic setting and petrogenesis of the Kadabora pluton: a late proterozoic anorogenic A -type younger granitoid in the Egyptian Shield. *Chem. Erde*, 58:38-63.
- El Sayed, M.M.; Shalaby, M.H. and Hassanen, M.A. (2003):** Petrological and geochemical constraints on the tectonomagmatic evolution of the late Neoproterozoic granitoid suites in the Gattar area, North Eastern Desert, Egypt. *N. Jb. Miner. Abh.* (178): 239-275; Stuttgart.
- El Shatoury , H.M.; Mostafa, M.E. and Nasr , F.E. (1984):** Granites and granitoid rocks in Egypt, a statistical approach of classification. *Chem.. Erde*, 43:83-111.
- El Shazly, E.M. (1964) :** On the classification of the Precambrian and other rocks of magmatic affiliation in Egypt. *Proc. 22nd Inter. Geol. Congr.*, New Delhi, 10:88-101.
- El Shazly, E.M. (1970):** Evolution of granitic rocks in relation to major tectonic. The West Commemoration Volume, University of Sagar. India. II: 569-581.
- El Sirafe, A.M. and Rabie, S.I. (1989):** Contribution of aeromagnetics to structural mapping of Gabal Gattar area, north Eastern Desert, Egypt. *J. Afr. Earth Sci*, 11, (1-2) : 119 - 128 .
- El Zalaky, M.A., (2002):** Interplay of plutonism, faulting and mineralization, Northern Gabal Qattar peripheral zone, North Eastern Desert, Egypt. M.Sc. Thesis, Zagazig Univ, Banha Bran., Egypt. 178 P.

- Engel, A.E.J.; Dixon, T.H. and Stern, R.J. (1980):** Late Precambrian evolution of Afro-Arabia crust from ocean-arc to craton. *Bull. Geol. Soc. Am*, 91: 699-706.
- Faure, G. (1986):** Principles of isotope geology. John-Wiley and Sons, Inc., New York. 589p.
- Fullagar, P.D. (1980):** Pan-African age granites of northeastern Africa; new or reworked sialic materials?. In: M.J. Salem and M.R. Busrewil (eds.), *The geology of Libya*. Academic press, 3 :1051-1058.
- Fullagar, P.D. and Greenberg, J.K. (1978):** Egyptian younger granites: a single period of plutonism?. *Precambrian. Res.*, 6:A 22-23.
- Furnes, H.; El Sayed ,M.M.; Khalil,S.O and .Hassanen, M.A.(1996):** Pan-African magmatism in the wadi El -Imra district, Central Eastern Desert, Egypt; geochemistry and tectonic environment. *J. Geol. Soc. London* 153 : 705-718.
- Ghobrial, M.G. and Lotfi, M. (1967):** The geology of Gabal Gattar and Gabal Dokhan areas, Eastern Desert. *Geol. Surv. Egypt*, paper No. 40,26P.
- Gillespie, J.G. and Dixon, T.H. (1983):** Pb isotope systematics of some granitic rocks from the Egyptian shield. *Precambrian Res.*, 20 :63-77
- Greenberg, J.K. (1981):** Characteristics and origin of Egyptian younger granites: Summary. *Geol. Soc. Am. Bull.*, Part II, 92 : 749 – 840.
- Hall, A. and Walsh, J.N. (1969):** Rapid method for the determination of fluorine in silicate rocks and minerals. *Anal Chem. Acta*, 45:341–342
- Haridy , M.H .(1995):** Physical and mechanical properties of Gabal Gattar granitic pluton and the relation to joint-type U-mineralization. M.Sc. Thesis, Fac., Sci., Cairo. Univ., Egypt.172 P.
- Hashad, A.H. (1980) :** Present status of geochronological data on the Egyptian basement complex. *Bull. Ins. Appl. Geol.*, King Abdul Aziz Univ., Jeddah, 4 : 31-46.

- Hassan, M.A. and Hashad, A.H. (1990):** Precambrian of Egypt. In ;R.Said (ed.), The geology of Egypt, Balkema /Rotterdam/Brookfield : 201-245.
- Hassanen, M.A. (1997):** Post-collision, A-type granite of Homrit Waggate Complex, Egypt: Petrological and geochemical constraints on its origin. Percambrian Res., 82 : 211-236.
- Helgeson, J.J. (1974):** Chemical aspects of hydrothermal alteration with emphasis on hydrogen metasomatism. Eco. Geol, 59: 538-569.
- Hume, W.F. (1935):** Geology of Egypt, II, Part II: The later plutonic and minor intrusive rocks. Geol. Surv. Egypt, Government press, Cairo:301 –688.
- Hussein, A.A.A; Ali, M.M. and El-Ramly, M.F. (1982):** Aproposed new classification of the granites of Egypt. J. and Geoth. Res., 14, Elsevier, Amesterdam, Netherlands : 187-198.
- Hussein, H.A, Faris, M.I. and Maram, W., (1965):** Radioactivity of some accessory minerals especially zircon in some Egyptian granites and pegmatites. J. Geol., U.A.R., 9, no. 2:13-16.
- Hussein, H.A., ; Hassan , M.A. ; El-Tahir , M.A. and Abu-Deif , A. (1986):** Uranium –bearing siliceous veins in younger granites, Eastern Desert, Egypt. In: Vein type uranium deposits, IAEA, Vienna, TECDOC – 361:143 – 157.
- Khalaf, M.A. (1995):** Petrological and mineralogical characteristics of some uranium bearing younger granites, North Eastern Desert, Egypt. M.Sc. Thesis, Fac., Sci., Cairo Univ., 78 P.
- Khazback, A.E.; Shalaby, M.H. and Raslan, M.F.(1995):** On the occurrence of some secondary U.minerals and fluorites in Gabal Qattar locality, E.D., Egypt. Egyptian Min., Cairo, Egypt , No. 9, 20 P.
- Mahmoud ,H.M.(1995):** Studies of the distribution and recovery of uranium/ molybdenum from their minerals from Gabal Qattar area. Eastern Desert Egypt . M.Sc. Thesis , Geology Dept., Fac.,Sci.,Cairo Univ., 126P.
- Mcclay, B.K. (1987):** The mapping of geological structures. Halsted press, John Wiley & Sons, Inc., New York, Toronto. 161 P.

- Meneisy , M.Y. and lenz, H., (1982):** Isotopic ages of some Egyptian granites. Ann. Geol. Surv. Egypt, XII: 7-14 .
- Meshref, W.M. (1990):** Tectonic framework In :R. Said (ed), The geology of Egypt, Balkema / Rotterdam/Brookfield: 113-155.
- Moghazy, A.M. (1999)** Magma source and evolution of late Neoproterozoic granitoids in the Gabal El-Urf area ,Eastern Desert , Egypt : geochemical and Sr.- Nb isotopic constrains. Geol . Mag. 136 : 286 – 300
- Moussa, E.M. (1994):** Geochemistry of some granitic masses and their relation to the tectonic evolution of the northern Eastern Desert, Egypt .M.Sc. Thesis ,Geology Dept., Fac., Sci., Ain Shams Univ., Egypt., 214P.
- Moussa, E.M. (1998):** Geochronological studies of some granitoids; application to geochemical evolution and tectonic history of the northern Eastern Desert, Egypt. Ph.D. Thesis, Ain Shams Univ., Egypt, 284 P.
- Rasmy , A.(1969):** Report of the petrographic and mineralogic study of twenty samples from Gabal Gattar. Int. Rep. Geol. Surv. Egypt, 14 P.
- Rich, R.A.; Holland, H.D and Peterson, U. (1975):** Vein – type uranium deposits U.S energy research and develop . Adm . , GJO – 1640. Harvard Univ., Dep. Geol. Sci. Cambridge, Massachusetts , 383 P.
- Ries, A.C.; Shackelton, R.M.; Graham, R.H. and Fitches, W.R. (1983):** Pan-African structures, ophiolites and mélange in the Eastern Desert of Egypt, a traverse at 26° N. J. Geol. Soc., London, 140:75-95.
- Rogers, J.J.W and Adams, J.S.S. (1969):** uranium In: Wedepohl, K. H. (ed.) Handbook of geochemistry, New Yourk, Springer, Verlag 4: 92-129
- Roz, M.E. (1994):** Geology and uranium mineralization of Gabal Gattar area, North Eastern Desert, Egypt. M.Sc. Thesis, Fac. Sci., Al Azhar Univ., Egypt, 175 P.
- Sabet, A.H. (1962):** Geology and mineral deposits of Gabal El-Sibai area, Red Sea hills, Egypt. Ph. D. Thesis leiden State Univ., Netherlands, 188P.
- Said ,R.(1962):** The geology of Egypt .Elsevier, 377 P.

- Salman, A.B. (1994):** Potential U.provinces in some Arabian countries. Arab Conf., IAEA, 2nd Conf., of Peaceful Uses Atomic Energy, Cairo, Egypt, 22P.
- Salman, A.B.; El Aassy, I.E. and Shalaby, M.H. (1990):** New occurrence of uranium mineralization in Gabal Qattar, northern Eastern Desert, Egypt. Ann. Geol. Surv. Egypt. XVI: 31-34.
- Salman, A.B.; Shalaby, M.H and Nossair, L.M. (1990):** Uranium province, northern Red Sea Hills, Egypt. Int. Earth Sci. Congr. Turkey, 1: 89-101.
- Sayyah, T.A. and Attawiya, M.Y. (1990):** Contribution of the mineralogy of uranium occurrence of Gabal Gattar granites, Eastern Desert, Egypt. Arab. J. Nucl. Sci. App. Cairo, 23 (1) : 171-184.
- Schurmann, H.M. (1953):** The Precambrian of the Gulf of Suez area. 19th Inter. Geol. Conger. Algeria, Sec. I: 115-135.
- Schurmann, H.M. (1966):** The Precambrian along the Gulf of Suez and the northern part of the Red Sea. E.J. Brill, Leiden, Netherlands, 404 P.
- Shalaby, M.H. (1990) :** Uranium mineralization in northern Gabal Qattar locality, northern Eastern Desert. 7th Conf. Phanerozoic and Develop., Al Azhar Univ., Cairo. 3: 19 P .
- Shalaby, M.H. (1995):** New occurrence of uranium mineralization, G-VII, Gabal Qattar Uranium prospect, north Eastern Desert, Egypt. Bull .faculty of science, Alex. Univ., 35 (2): 447 – 460
- Shalaby, M.H. (1996):** Structural controls of uranium mineralizations at Gabal Qattar,. north Eastern Desert, Egypt. Proc. Egypt. Acad Sci., 46: 521-536.
- Stern, R.J. (1985) :** The Najd Fault system , Saudi-Arabia and Egypt: a Late Precambrian Rift – related transform system. Tectonics 4: 497 – 511.
- Stern, R.J. and Hedge, C.E. (1985):** Geochronologic and isotopic constraints on late Precambrian crustal evolution in the Eastern Desert of Egypt. Am. J. Sci., 285:97-127.
- Streckeisen, A. (1976):** To each Plutonic rock its proper name. Earth Sci. Rev., 12: 1-33.

- Sturchio, N.C.; Sultan , M.; Sylvester, P.; Batiza, R.,; Hedge, C. E.; El Shazly, E.M. and Abdel Meguid A.A (1983):** Geology , age and origin of the Meatiq dome: Implications for the Precambrian stratigraphy and tectonic evolution of the Eastern Desert of Egypt. Bull. Fac. Earth Sci. King Abdul Aziz Univ., Jeddah, 6 : 127-143 .
- Sweewald, J.S. and sayfried, J.W. (1990) :** The effect of temperature on metal mobility in subseafloor hydrothermal system. Constraints from basalt alteration experiments. Earth. Planet. Sci. Lett., 101: 388-403 .
- Takla, M.A. and Hussein, A.A. (1995):** Shield rocks and related mineralization in Egypt. 11th Sympo. Precamb. Develop. Cairo, Abst : 6-7
- Youssef, M.I.(1968):** Structural pattern of Egypt and its interpretation, U.A.R. Amer. Assoc. Petro. Geol. Bull., 52 (4): 601- 614.
- Youssef, T.F.M. (1996):** Correlative studies on Some uraniferous radioactive granitic rocks in Gabal Qattar, El Missikat, El Eredia and Umm Ara areas, Eastern Desert of Egypt. M.Sc. Thesis, Fac., Sci. Ain Shams Univ., Cairo, Egypt, 133 P.