

REFERENCES

REFERENCES

- [1] Tswett, M.S., Trav. Soc. Nat. Var. **14** (1903) 1903.
- [2] Adams, B.A., and Holmes, E.L., J. Soc. Chem. Ind., Lond. **54** (1935)1.
- [3] Russell, R.G., and Pearce, D.W. "Fractionation of the rare earths by zeolite action", J. Amer. Chem. Soc. **65** (1943) 595.
- [4] Kozak, R., and Walton, H.F., "Separation of metal ions by cation exchanger", J. Phys. Chem. **49** (1945) 471.
- [5] Samuelson, O., "On the application of base-exchange substances in analytical chemistry II", Anal. Chem. **116** (1939) 328.
- [6] Martin, A.J.P., and Synge, R.I.M., J. Biochem. **35** (1941) 1385.
- [7] Mayer, S.W., and Tompkins, E.R., "Ion exchange as a separation method: IV. A theoretical analysis of the column separation process", J. Amer. Chem. Soc. **69** (1947) 2866.
- [8] Small, H., Stevens, T.S., and Baumann, W.C., "Novel ion exchanger chromatographic method using conductimetric detection", Anal. Chem. **47** (1975) 1801.
- [9] Fritz J.S., Gjerdr, D.T., and Schmuckler, G., "Anion chromatography with low-conductivity eluents", J. Chromatogr. A **186** (1979) 509.
- [10] Lough, W.J and Wainer, I.W., "High Performance Liquid Chromatography" 1st ed., Blackie Academic & Professional, UK (1995).
- [11] Morales, J.A., Ligbel, S. de Graterol and Johan, M. "Determination of chloride, sulfate and nitrate in ground water samples by ion chromatography", J. Chromatogr. A **884** (2000) 185.
- [12] Hiissa, T., Siren, H., kotiaho, T., Snellman, M. and Hautojarvi, A., "Quntification of anions and cations in environmental water samples: Measurements with capillary electrophoresis and indirect. UV detedction", J. Chromatogr. A **853** (1999) 403.
- [13] El Haddad, M., Fabric, M., Claire, E., and Michel, D., "Conditions for rapid determination of inorganic cations in water by ion-exchange chromatography and evaporative light scattering detection", J. Sep. Sci. **24** (2001) 669.

- [35] Yan, D., and Schwedt, G., "Optimization of ion chromatography trace analysis for heavy and alkaline earth metals by post-chromatographic derivatization", *Fresenius J. Anal. Chem.* **327** (1987) 503.
- [36] Challenger, J.O., Hill, S.J., and Jones, P., "Separation and determination of trace metals in concentrated salt solutions using chelation ion chromatography", *J. Chromatogr. A* **639** (1993) 197.
- [37] Yan, D., and Schwedt, G., "Simultaneous ion chromatography of alkali, alkaline and heavy metal ions with conductivity and indirect UV detection: comparison of eluents containing organic complexing acids and copper sulfate", *Fresenius J. Anal. Chem.* **338** (1990) 149.
- [38] Ammann, A.A. "Speciation of heavy metals in environmental water by ion chromatography coupled to ICP-MS", *Anal. Bioanal. Chem.* **372** (2002) 448.
- [39] El Daly, T.A., Fahmy, I.A., and Abdel-Rassoul, A.A, "Ion chromatographic determination of major and trace elements in ground water of El Dabaa area", *Bull. Fac. Sci., Zagazig Univ.*, **20** (1998) 34.
- [40] International Atomic Energy Authority "The environmental behaviour of radium", Technical Reports Series No. 310, IAEA, Vienna, Vol. 1 (1990) 335-418.
- [41] Taylor, S.R., "Trace element abundances and the chondritic earth model", *Geochim. Cosmochim. Acta* **28** (1964) 1989.
- [42] International Atomic Energy Agency, "Gamma ray surveys in uranium exploration" Technical Reports Series No. 186, IAEA, Vienna.
- [43] Miyake, Y., Sugimura, Y., and Tsubota, H., "Content of uranium, radium and thorium in river waters in Japan", *Natural Radiation Environment (Proc. Int. Symp. Houston, 1963)* (ADAMS, J.A.S., LOWDER, W.M., Eds), University of Chicago Press, Chicago, IL (1964) 219.
- [44] Davy, D.R., and Conway, N.F., "Environmental studies, northern territory uranium province in the Alligator Rivers area", Fact Finding Study, Rep. AAEC/E-305, Australian Atomic Energy Commission Research Establishment, Lucas Heights (1974).
- [45] Holtzman, R.B., "Lead-210 (Ra-D) and polonium-210 (Ra-F) in potable waters in Illinois", *Natural Radiation Environment (Proc. Int.*

Symp. Houston, 1963) (ADAMS, J.A.S., LOWDER, W.M., Eds), University of Chicago Press, Chicago, IL (1964) 227.

- [46] Asikainen, M., "Natural radioactivity of ground water and drinking water in Finland", Rep. STL-A39, Institute of Radiation Protection, Helsinki (1982) 1.
- [47] Asikainen, M., and Kahlos, H., "Anomalously high concentration of uranium, radium and radon in water from drilled wells in the Helsinki region", *Geochim. Cosmochim. Acta* **43** (1979) 1681.
- [48] Asikainen, M., "Radium content and the Ra-226/Ra-228 activity ratio in ground water from bedrock", *Geochim. Cosmochim. Acta* **45** (1981) 1375.
- [49] Baradacs, E., Hunyadi, I., Dezso, Z., Csige, I., and Szerbin, P., "²²⁶Ra in geothermal and bottled mineral waters of Hungary", *Radiation Measurements* **34** (2001) 385.
- [50] Kumar, A., Sugandhi, S., Usha, N., Rupali, K., and Gurg, R.P., Mumbai (India) the 11th national symposium on environment, Mumbai, India, Board of Research in Nuclear Science **387** (2002) 132.
- [51] Marovic, G., Sencar, J., and Franic, Z., "Natural radioactivity of thermal springs in Croatia", the 10th international congress of the International Radiation Protection Association on harmonization of radiation, human life and the ecosystem, Tokyo, Japan (2000).
- [52] Moreno, H.P., Absi, A., Vioque, I., Manjon, G., and Garcia Tenorio R., "Application of liquid scintillation technique to the measurement of ²²⁶Ra and ²²⁴Ra in samples affected by non nuclear industry wastes", *J. of Radioanalytical and Nuclear Chemistry* **245** (2000) 309.
- [53] Moise, T., Starinsky, A., Katz, A., and Kolodny, Y., "Ra isotopes and Rn in brines and ground waters of the Jordan-Dead Sea Rift Valley: enrichment, retardation, and mixing", *Geochim. Cosmochim. Acta* **64** (2000) 2371.
- [54] Bem, H., "Comparison of two methods for ²²⁶Ra determination in mineral water", *Nukleonika* **43** (1998) 459.
- [55] Tinker, R.A., and Smith, J.D., "Radium in potable water from Central Victoria, Australia an application of the Australian drinking water guidelines", the 5th conference of the South Pacific Environmental Radioactivity Association (SPERA). *Environmental radioactivity and its application in environmental studies* **292** (1998) 159.

- [56] Zovko, E., "Investigation of the radium activity concentration in drinking water of central region Bosnia and Herzegovina", the 4th symposium of the Croatian Radiation Protection Association, Zagreb, Croatia **369** (1998) 219.
- [57] Koulouris, G., Dharmasiri, J., and Akber, R.A., "Radioactivity in Helidon soa waters", Radiation Protection in Australia **14** (1996) 87.
- [58] Duenas, C., and Fernandez, M.C., "Radon and radium concentrations in bottled waters: An estimate of ingestion doses", International conference on low doses of ionizing radiation: Biological effects and regulatory control, 17-21 Nov., (1997) 527.
- [59] Oliveira, J.D., and Assumpcao, S.P., Mazzilli, B., Pecequilo, R.S., Oliveira, S., Maria, H.D., and Bambalas, E., "Determination of the natural radioactivity levels present in the water used for the Sao Paulo State consumption", The 4th Brazilian meeting on nuclear applications **1** (1997) 392.
- [60] Sophie, R., and Michel, C., "An improved method for Ra isotope (^{226}Ra , ^{228}Ra , ^{224}Ra) measurements by gamma spectrometry in natural water: application to CO₂-rich thermal waters from the French Massif Central", Chemical Geology **182** (2002) 409.
- [61] Minster, T., Ilani, S., Kronfeld, J., Even, O., and Godfrey, S.D.I., "Radium contamination in the Nizzanal water well Negev Desert Israel", Journal of Environmental Radioactivity **71** (2004) 261.
- [62] Burnett, W.C., Cable, P.H., and Mose, R., "Determination of radium-228 in natural waters using extraction chromatographic resins", Radioactivity and Radiochemistry **6** (1995) 36.
- [63] Repinc, U., and Benedik, L., "Development of a method for the determination of radium-226 by liquid scintillation counting", J. Radioanal. Nucl. Chem. **254** (2002) 181.
- [64] Somlai, J., Horvath, G., Kanyar, B., Kovacs, T., Bodrogi, E., and Kavasi, N., "Concentration of ^{226}Ra in Hungarian bottled mineral water", Journal of Environmental Radioactivity **62** (2002) 235.
- [65] Higgy, R.H., " ^{226}Ra and natural uranium in Egyptian bottled mineral waters", the 7th conference of nuclear sciences and applications, Egyptian Society of Nuclear Science and Applications, Cairo, Egypt Vol. **2** (2000) 963.

- conductivity detection in ion chromatography", *J. Chromatog. A* **640** (1993) 97.
- [79] Thorngate, J.H., Mc Dowell, W.J., and Christian, D.J., "An application of pulse shape discrimination to liquid scintillation counting", *Health physics* **27** (1974) 123.
 - [80] Mcklveen, J.W., and Johnson, W.R., "Simultaneous alpha and beta particle assay using liquid scintillation counting with pulse shape discrimination", *Health Physics* **28** (1975) 5.
 - [81] Twort, A.C., Law, F.M., Crowely, F.W., and Ratnayaka, D.D., "Water Supply", 4th ed., (1994).
 - [82] WHO, Guidelines for Drinking Water Quality, Volume 1, Recommendation, World Health Organization, Geneva, Switzerland (1993).
 - [83] The Water Supply (Water Quality) Regulations, applying to England and Wales (1989).
 - [84] The United States Environmental Protection Agency's (EPA's) Drinking Water Regulations under the Safe Drinking Water Act 1974 and the Amendments of (1986).
 - [85] Egyptian Drinking Water Standards No. 190 (1995).
 - [86] Nikoladze, G., Mintas, D., and Kastalsky, A., "Water Treatment For Public and Industrial Supply", Mir Publishers, Moscow (1984).
 - [87] Sevenich, G.J. and Fritze, J.S., "Addition of complexing agents in ion chromatography for separation of polyvalent metal ions", *Anal. Chem.* **55** (1983) 12.
 - [88] Rahmalan, A., Zahari, A.M., Marsin, S.M., and Rashid, M., "Determination of heavy metals in air particulate matter by ion chromatography", *J. Chromatogr. A* **739** (1996) 233.
 - [89] Timerbaev, A.R., and Bonn, G.K., "Complexation ion chromatography-an overview of developments and trends in trace metal analysis", *J. Chromatogr. A* **650** (1993) 195.
 - [90] James S. Fritze, Douglas T.Gjerde, "Ion Chromatography", 3rd ed., VCH, Weinheim (2000).
 - [91] Weiss J., "Ion Chromatography", 2nd ed., VCH, Weinheim (1995).

- [92] Codex Standard for Natural Mineral Waters "CODEX STAN 108-1981, Rev. 1-1997.
- [93] Shawky, S., Amer, H., Nada, A.A., Abdel El-Maksoud, T.M., and Ibrahiem, N.M., "Characteristics of NORM in the oil industry from Eastern and Western deserts of Egypt", *Applied Radiation and Isotopes* **55** (2001) 135.
- [94] Bruzzi, L., Maurizio, B., Giorgio, M., Renato, M., and Serena, R., "Radioactivity in raw materials and end products in the Italian ceramics industry", *Journal of Environmental Radioactivity* **47** (2000) 171.
- [95] Ronald, M.W., "Over watr", the 2nd International Symposium on the Treatment of NORM, Krefeld, Germany, Nov. 10-13, Vol. **32** (1998).
- [96] Chong, C.S., Hu, S.J., and Subas, S., "U-238 and Th-232 in Cassiterites samples and among by-product", *Health physics* **40** (1981) 248.
- [97] Hamlat, M.S., Djeflal, S., Khelidj, M., and Kheznadji, L., "Natural occurring radioactive materials in Algeria", processing of the 2nd international symposium on the treatment of NORM, Krefeld, Germany, Nov. 10-13, Vol. **14** (1998).
- [98] Power, R.P., Turnage, N.E., and Kanipe, L.G., "Determination of Ra-226 in environmental samples", *Natural Radiation Environment III* (proc. Int. Conf. Houston 1978) (Gesell, T. F., Lowder, W. M., Eds), Vol. 1, Conf-780422, Technical Information Center, United States Department of Energy, Oak Ridge, TN (1980) 640.
- [99] Semkow, T.M., Parekh, P.P., Schwenker, C.D., Khan, A.J., Bari, A., Colaresi, J.F., Tench, O.K., David, G., and Guryn, W., "Low-background gamma spectrometry for environmental radioactivity", *Applied Radiation and Isotopes* **27** (2002) 213.
- [100] Blanco, Rodriguez M.P., Vera Tome F., Lozano, J.C., and Gomez Escobar V., "Sequential method for the determination of uranium, thorium, Ra-226 by liquid scintillation alpha spectrometry", *Applied Radiation and Isotopes* **52** (2000) 705.
- [101] Hilal, M.A., "Nuclear spectroscopic measurements for different environmental radiation", Ph.D thesis (physics) Faculty of Science, Mansoura University, Egypt (2002).

- [102] El-Sayed, A.A, "Development of analytical schemes for environmental control using nuclear and non nuclear spectroscopic techniques", Ph.D. thesis, Ain Shams University, Cairo, Egypt (1996).
- [103] United Nations Scientific Committee on the Effect of Atomic Radiation, UNSCEAR, "Sources, effects and risks of ionizing radiation", Report to the General Assembly. United Nations, New York (2000).
- [104] Salih, I.M., Pettersson, H.B., and Lund, E., "Uranium and thorium series radionuclides in drinking water from drilled bedrock wells: correlation to geology and bedrock radioactivity and dose estimation", *Radiation Protection Dosimetry* **102** (2002) 249.
- [105] Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., "Hydrologic and geochemical studies of selected natural radioisotopes and barium in ground water", Bureau Reclamation, U.S. Department of the Interior, Washinton, DC (UILU-WRC-83-0180), (1983).
- [106] Banner, J.L., Sturchio, N.C., Binz, C.M., Heraty, L.B., and Musgrove, M., "Radium geochemistry of ground waters in Paleozoic carbonate aquifers, midcontinent, USA", *Applied Geochemistry* **16** (2000) 109.
- [107] Havlik, B., Nycova, B., and Grafova, J., "Radium-226 liberation from uranium ore processing mill waste solids and uranium rocks into surface stream-I. The effect of pH of surfasce water", *Health Physics* **14** (1968) 417.
- [108] Paul, A.C., Londhe, V.S., and Pillai, K.C., "Radium-228 and radium-226 levels in a river environment and its modification by human activities", *Natural Radiation Environment III* (proc. Int. Conf. Houston 1978) (Gesell, T. F., Lowder, W. M., Eds), Vol. 2, Conf-780422, Technical Information Center, United States Department of Energy, Oak Ridge, TN (1980) 1633.
- [109] Langmuir, D., and Riese, A.C., "The thermodynamic properties of radium", *Geochim. Cosmochim. Acta* **49** (1985) 1593.
- [110] Andrews, J.N., Ford, D.J., Hussain, N., Trivedi, D., and Youngman, M.J., "Natural radioelement solution by circulating ground waters in the Stripa granite", *Geochim. Cosmochim. Acta* **53** (1989) 179.
- [111] Kriege, L.B., and Hahne, R.M., "Ra-226 and Ra-228 in Iowa drinking water", *Health Physics* **43** (1982) 543.

- [112] Michel, J., King, P.T., and Moore, W.S., "Ra-228 and Ra-226 in drinking water a new technique using gamma ray spectroscopy and results from South Carolina", Isotope studies of hydrological processes (Perry, E.C., Jr., Montgomery, C. W., Eds), Northern Illinois University Press, Dekalb, IL (1984) 83.
- [113] Davidson, M.R., and Dickson, B.L., "A porous flow model for steady state transport of radium in ground water", Water Resour. Res. **22** (1986) 34.
- [114] Latham, A., and Schwarcz, H.P., "The relative mobility of U, Th and Ra isotopes in the weathered zones of the Ely-Dashwan Lakes granite pluton, northwestern Ontario, Canada", Geochim. Cosmochim. Acta **51** (1987) 2787.
- [115] International Commission on Radiological Protection "Age depended doses to members of public from intake of radionuclides", Part 5 Compilation of ingestion and inhalation dose coefficients, ICRP publication 72, Pergamon Press, Oxford, UK (1996).