

"References"

Abu-Senna, H.O., and El-Ridi, A.M.S. (1981):

"Lectures in medical parasitology". Part 1.

Department of parasitology, Faculty of medicine

Zagazig University, Cairo.

Abdel Aziz, O., 1975:

Diseases of the gastrointestinal tract.

First ed, Tanta University.

Alberti, K.G.M.M., Record, C.O., Williamson, D.H., and Wright,

R. (1972):

"Metabolic changes in active chronic hepatitis".

Clinical science, 42, 591.

Amatuzio, D.S. and Nesbitt, S. (1950):

A study of pyruvic acid in the blood and spinal

fluid of patients with liver disease with an

without hepatic coma.

Journal of Clinical Investigation, 29, 1486.

Badawi, H. and Nomeir, A.M. (1962):

"Hepatic flow in bilharzial fibrosis"

Alex. Med. J. 8, 220.

Berkowitz, D., Blinkoff, B. and Glassman, S. (1966):

"Carbohydrate metabolism in jaundice".

Gastroenterology, 50, 830.

Bhatnagar, H.N.S., Bhu. N., and Arya. S.C. (1979):

"Blood and C.S.F. lactic and pyruvic acid in uncontrolled diabetes mellitus".

Jr. Asso. Phys. Ind. 27, 39.

Bravo, M., Orrego - Matte, M. and Walshe, J.M., (1961):

J. Lab. Clin. Med., 57, 213. Quoted from Tadros,

S.U., (1981), M.sc, Thesis, Carbohydrate metabolism in bilharzial liver fibrosis, Tanta.

Buckle R.M., (1966):

Blood pyruvic and oxoglutaric acids in vitamin B₁ deficiency. Clinic.Sci., 31, 180.

Bueding, E., Stern, M. and Wortis, H. (1941):

"The formed pyruvic acid following glucose in man".

Journ. Biol. Chemist. 140, 697.

Bueding, E., and Wortis, H. (1940):

J. biol. Chem., 133, 585.

Quoted from varly, H. (1978).

In "Practical clinical biochemistry" 4th ed.

Arnold-heinemann publishers-India.

Cantarow, A. and Trumper, M. (1975):

In "Clinical Biochemistry", 7th ed., W.B. Saunders
Company, Philadelphia, London.

Credutzfeldt, W., Frerichs, H. and Sickinger, K. (1970):

Liver diseases and diabetes mellitus.

Progress in liver disease, 3, 371.

Day, H.B. and Ferguson, A.H. (1909):

Account of form of splenomegally with hepatic
cirrhosis endemic in Egypt.

Ann. Trop. Med. Paras. 3, 379.

Day, H.B. (1933):

"The etiology of egyptian splenomegally and hepatic
cirrhosis".

Trans.R.Soc.Trop.Med.Hyg. 18, 121.

Dano, T.S. and Gillespie, H.K., (1950):

J.Biol. and Med. 20, 361. Quoted from El-Hawary

(1969) J.Egy.Med.Ass., 52, 229.

Dawson, A.M., de Groote, J. Rosenthal, W.S., and Sherlock, S.
(1957):

Blood pyruvic acid and alpha-keto-acids in liver
disease and hepatic coma, Lancet, 1, 392.

De Moura, M.C. and Cruz, A.G. (1968):

"Carbohydrate metabolism studies in cirrhosis of the liver".

Amer.J. of Dig.Dis., 10, 891.

Doar, S.W.H., Cramp, D.G., Maw, D.S.J., Seed, M. and Wynn, V.
(1970):

Blood pyruvate and lactate levels during oral and intravenous glucose tolerance tests in diabetes mellitus.

Clinical Science, 39, 259.

Edwin E.E.; Jackman R.: (1981):

"Elevation of blood keto acids in cerebrocortical necrosis". Vet Rec. 1981, Jul. 25; 109, 75.

Elwi, A.M., and Attia, P. (1962):

Proceedings first international symposium on bilharziasis, 11, 79.

Elwi, A. (1965):

In "Text book of pathology" 3rd, ed.,
El-Nasr Modern Bookshop, 217.

El-Haddad. S., Abul-Fadl. A., and El-Shebeiny.A., (1971):

"Blood pyruvic acid in malignant disease"

Egyp. J. of Rad. and Nucl. Med. 2, 89.

Fadel, H.E., Northrop, G., M., Misenhimer, H.R. and Harp, R.

J. (1979):

"Acid base balance in pre-eclamptic, hypertensive and diabetic pregnancies. Maternal blood and amniotic fluid studies".

J. Perinat. Med., 1979, 7, 202.

Felig, P., Brown, V., Levine, R.A. and Klatskin, G. (1970):

"Glucose homeostasis in viral hepatitis".

New England Journal of Medicine, 283, 1436.

Fisher., R.A. (1964):

Statistical methods for research workers, 10th ed.

Edinburgh, Oliver and Boyd.

Friedemann, T.E., and Haugen, G.E. (1943):

Pyruvic acid, the determination of keto acids in blood and urine.

J. Biol. Chem., 147, 415.

Ghazal, A., Zeitoun, Z.M., Hassanein, E.A. and Seli, M.M.

(1970):

Serum electrolytes, ketone bodies, pyruvic acid and lactic acid in infants with moderate and severe diarrhoeal dehydration.

Trop. Geogr. Med., 22, 149.

Gioannini, P. and Scalise., (1971):

"Glucose tolerance in viral hepatitis".

Acta Diabetica Latina, 8, 932.

Gloster, J.A., and Harris, P. (1962):

Clin. Chim. Acta, 7, 206.

Queted from varely, H. (1978):

In "Practical clinical biochemistry", 4th ed.

Arnold-heinemann-India.

Gordon, E.E. and Graigie, A. (1960):

Effect of intravenous glucose on the splanchnic
and peripheral metabolism of endogenous pyruvate
and citrate in patients with cirrhosis and in
subjects without liver disease.

J. Lab. Clin. Med., 55, 841.

Govan, A.D.T., (1981):

Pathology illustrated. P: 450.

Edinburgh London Melbourne and New York.

Hashem, M. (1947):

"Etiology and pathogenesis of endemic form of
hepatosplenomegally (Egyptian splenomegally)".

J.Roy.Egypt.Med.Ass. 30, 48.

Handler, J.S., (1960):

The role of lactic acid in the reduced excretion of uric acid in toxemia of pregnancy".

J. Clin. Invest. 13, 1526.

Harper's , (1983):

Review of Biochemistry. 18th ed., (Ed. by Martin, D.W., Mayes, P.A. and Rodwell, V.W.). Long. Med. Publications, California.

Hernandez, A. Zorilia, E. and Gershberg, H. (1969):

Decreased insulin production, elevated growth hormone levels and glucose intolerance in liver disease.

Jour. of Lab.and clinic. Med., 73, 25.

Ibrahim, A. (1928):

"Egyptian splenomegally"

Comp.Rend.Cong.Trop.Med.Hyg. Cairo 3, 49.

Johnston, D.G., Alberti, K.G., Brinder, C., Faber, O.K.,

Wright, R. and Orsko, H. (1982):

"Hormonal and metabolic changes in hepatic cirrhosis".

Horm-Metab-Res. 1982 Jan., 14, 34.

Kamel. K.E. and Kamel. I.A. (1976-1977):
In "Kamel's pathology". Hepatic bilharziasis.
P: 196.

Kelly, M., Walsh, H., Doyle, C., O'Sullivan, D.S., O'Regan,
S. and Whelton, H. (1972):
"Glucose homeostasis in viral hepatitis".
Digestion, 6, 286.

Kleeberg, J., and Gitelson, S. (1954):
J. Clin.Path., 7, 116. Quoted from Varley, H.
(1978): Practical Clinical Biochemistry, 4th ed.,
Arnold-Heinemann, Publishers, India.

Laverdant, CH., Meuneir, J., Molinie, C. and Baudet, A.(1971).
Quoted from Record et al., (1973): Glucose tolerance
and metabolic changes in human viral hepatitis.
Clini. Sci. Mol. Med. 45, 677.

Lu, G.D. (1939):

Biochem. J., 33, 249.

Quoted from varley, H. (1978).

Practical clinical biochemistry, 4th ed.

Arnold-heinemann publishers-India.

Marks, V. and Rose, F.C. (1965):

Hypoglycaemia, P. 166. Black well scientific
publication, Oxford.

Megyesi, C., Samols, E. and Marks, V. (1967):

"Glucose tolerance and diabetes in chronic liver
disease".

Lancet, 2, 1051.

Nada, G. (1984):

In "Principles of general pathology".

Faculty of medicine, Cairo University.

Nieschlag, E., Kremer, G.J. and Mussnug, U. (1970):

Insulin, Glucosetoleranz and freie Fetts-auren
wahrend und nach akuter hepatitis.

Klinische Wochenschrift, 48, 381.

Queted from Record et al., (1973), Clin.Sci.Mol.
Med. 45, 677.

Nofal, M.M. Hidayat, M.A., Mahran, A.A., and Haxton, J.A.

(1972):

"Changes in hepatic blood flow and blood volume
after splenectomy for bilharzial hepatosplenic
fibrosis.

J. Trop. Med. and Hyg. 75, 80.

Oltmanns - D, Adlung, J. (1979):

"Comparative studies on the use of equimolar 14 C-labeled glucose and fructose infusions in normal subjects and patients with liver cirrhosis
Infusionsther-Klin-Ernehr 1979 Jun., 6 , 144.

Renold, A.E., Teng, C.T., Nesbett, F.B., and Hastings, A.B.,
(1953):

"Studies on carbohydrate metabolism in rat liver slices".

J. Biol. Chemi., 204, 533.

Record. C.O., Alberti - K.G., Williamson. D.H., and Wright
R. (1973):

"Glucose tolerance and metabolic changes in human viral hepatitis".

Clin-Sci-Mol-Med, Nov. 73, 45, 677.

Record, C.O., Iles, R.A., Gohen, R.R., Williams, R. (1975):

"Acid base and metabolic disturbances in fulminant hepatic failure".

Gut 1975., 16, 144.

Salah, M. (1962):

"The bilharzial liver".

Alex.Med.J. 8, 177.

Samols, E. and Holdsworth, D. (1968):

In "Carbohydrate metabolism and its disorders"

(Ed. by F. Dickens, P.J. Randle and W.J. Whelan)

2, 289. Academic press, London.

Samaan, N.A., Stone, D.B. and Eckhardt, R.D. (1969):

"Serum glucose, insulin and growth hormone in chronic hepatic cirrhosis". Archives of Internal Medicine, 124, 149.

Salmela-P.I, Sotaniemi. E.A., Pelkonen. R.O., and Arranto. A. J. (1983):

"Blood lactate, hepatic histology and microsomal enzyme activity in non-insulin-dependent diabetics". Diabete-Metab 1983 May-Jun., 9, 100.

Schiff, L. (1975):

"Diseases of the liver"

J.B. Lipincott company, philadelphia
Totonto. P. 1082.

Seligson, D., McCormick, G.J. and Sborov, V. (1952):

Blood ketoglutrute and pyruvate in liver disease.

J. Clin. Invest, 31, 661.

Sherlock, S., (1981):
In "Diseases of the liver and biliary system".
6th ed., Blackwell scientific publications, Oxford
London.

Sitprija. S., Vajanamarhutue. C., and Bunnag. S., (1982):
Blood lactate and pyruvate levels in diabetic patient treated with sulphonylureas with and without biguanides.
J. Med. Ass. Thailand, 65, 63.

Stern, J.R., and Ochoa, S., (1951):
Enzymatic synthesis of citric acid.
J. Biol. Chem., 191, 101.

Stewart, A., Johnston D.G., Albertic, K.G., Nattress. M., and Wright R. (1983):
"Hormone and metabolic profiles in alcoholic liver disease".
Eur. J. Clin. Invest. 1983 Oct., 13, 397.

Symmer's, W.S.T.C. (1904):
Note on a new form of liver cirrhosis due to presence of ova of bilharzia haematolbium".
J. Path. and Bact; 9, 237.

Tatibouet L.; Tatibouet MH. (1982):
Congestive heart failure due to chronic alcoholism.
Sem. Hop. Paris 1982 Apr. 22; 58, 991.

Varley, H. (1978):
In "Practical clinical biochemistry", 4th ed.
Arnold-heinemann publishers - India.

Varely, H. (1980):
In "Practical clinical biochemistry", 5th ed.
(Ed. by Alan, H.G. and Mauricel, B.) 2, 228.
William hunemann medical books ltd-London.