

REFERENCES

Ahn, N.Chr., Andersen, G.W., Thomsen, A. and Valentin, N. (1981);

Preanaesthetic medication with rectal diazepam in children.

Acta anaesth. Scand., 25, 158.

Alder, H.F., Alkinson, A.J., and Ivy, A.C. (1942);

Effect of morphine and dilaudid on the ileum and of morphine, dilaudid and atropine on the colon of man. Arch. Intern. Med., 69, 974.

American Society of Anesthesiologists, (1963);

New classification of physical status .
Anesthesiology, 24, 111.

Anderson, S.M. (1959);

Principles and practice of paediatric anaesthesia,
General Anaesthesia, Vol. 2, P. 160, London:
Butterworth.

Andrew, R. (1954);

Gastric and intestinal motility studies with morphine, atropine, hexamethonium bromide and Bantline.

Aust. Ann. Med., 3, 305.

Assaf, R.A.E., Dundee, J.W. and Gamble, J.A.S. (1975);

The influence of the route of administration on the clinical action of diazepam.

Anaesthesia, 30, 152.

Aubert, P. (1883);

Quoted by Dastre, A. Les Anesthésiques, P. 165.
Paris, 1890.

Averill, K.H., and Lamb, L.N. (1959);

Less commonly recognized actions of atropine on
Cardiac rhythm. Am. J. Med. Sci., 237, 304.

Bachrach, W.H. (1958);

Anticholinergic drugs: survey of the literature
and some experimental observations.
Am. J. Dig. Dis, 3, 743.

Baraka, A., Saab, M., Salem, M. R., and Winnie, A.P. (1977);

Control of gastric acidity by glycopyrrolate
premedication in the parturient. Anaesth. Analg.
(Cleve.), 56, 642.

Beal, I. M., (1959);

Basic Principles in the surgical management of the
aged.
Geriatrics, 14, 269.

Beecher, H.K. (1955);

Preanaesthetic medication
J. Amer. Med. Ass., 157, 242.

Beechey, A.P.G., Eltringham, R.J., and Studd, C. (1981);

Temazepam as premedication in day surgery.

Anaesthesia, 36, 10.

Beranard, Claude (1869);

Reported in Lancet, 2, 789.

Birnbaum, D., Karmeli, F. and Tefera, M. (1971);

The effect of diazepam on human gastric secretion.

Gut, 12, 616.

Boba, A. (1976);

The effects of atropine on the heart rate.

Can. Anaesth. Soc. J., 33, 92

Brock-Utne, J.G., Rubin, J., Welman, S., Dimopoulos, G.F.F.,

Moshal, M. G., and Downing, J.W., (1978);

The effect of glycopyrrolate (Robinul) on the lower oesophageal sphincter, Can. Aneasth Soc. J., 25, 144.

Brodsky, J.B., and Campos, F.A., (1978);

Chloroprocaine analgesia in a patient receiving echothiopate iodine eye drops.

Anesthesiology, 48, 288.

Bramwell, R.G.B. and Manford, L.M. (1981);

Premedication of children with trimeprazin tartarate.

Br. J. Anaesth., 53, 821.

Buxton, Dudley (1911a);

The use of morphine , scopolamine, atropine and similar drugs before inhalation anaesthesia. Proc. ray.

Soc. Med., 4, 53.

Buxton, Dudley (1911b);

Methods of producing anaesthesia by the combined use of alkaloidal substances and the general anaesthesia. Clin. J., 38, 145.

Carrow, D.J., Aldrette, J.A., Masden, R.E., and Jackson D. (1975);

Effects of large doses of I.V. atropine on heart rate and arterial pressure of anaesthetized patients. Anaesth. Analg., 54, 262.

Chamberlain, D.A., Turner, P., and Sneddon, J.M. (1967);

Effects of atropine on the heart rate in healthy man. Lancet, 2, 12.

Clark, C.G. and Riddoch, M.E. (1962);

Observations on the human cardia at operation. Br. J. Anaesth. 34, 875.

Clark, M.M. (1969);

Droperidol in preoperative anxiety. Anaesthesia 24, 36.

- Clarke, R.S.J. Dundee, J.W., and Love W.J. (1965);
 Studies of drugs given before anaesthesia VIII;
 Morphine 10 mg alone and with atropine or hyoscine.
 Br.J. Anaesth., 37, 772.
- Clarke, R.S.J., Dundee, J.W., and Moore, J. (1964);
 Studies of drugs given before anaesthesia IV:
 Atropine and hyoscine. Br. J. Anaesth., 36, 648
- Gohen, E.N. and Beecher, H.K., (1951);
 Study of narcotics and sedatives for use in
 preanaesthetic medication.
 J. Amer. Med. Ass, 147, 1664.
- Collins, V.J. (1958;
 Preanesthetic Evaluation and Preparation.
 Iowa State Med. Soc., 58, 647.
- Collins, V.J. (1976);
 Principles of anaesthesiology 2nd ed.
 Lea and Febiger, Philadelphia.
- Conner, J.T., Herr, G.P., Katz, R.L., Dorey, F., Pagano,
 R.R. and Schehl, D. (1978);
 Droperidol, fentanyl and morphine for i.v. surgical
 premedication Br. Anaesth., 50, 463.

Cook, D.R. (1976);

Paediatric anaesthesia: pharmacological
considerations. *Drugs*, 12, 212.

Corday, E., Gold, H., Devera, L.B., Williams, J.H. and
Fields, J. (1959);

Effects of cardiac arrhythmias on coronary
circulation. *Ann. Intern. Med.*, 50, 535.

Cormack, R.S., Milledge, J.S. and Hanning, C.D. (1977);

Respiratory effects and amnesia after premedication
with morphine or lorazepam. *Br. J. Anaesth.*,
49, 351.

Cullumbine, H., Mc Kee, W.H.E., and Creasy N.H. (1955);

The effects of atropine sulphate upon healthy
male subjects. *Q.J. Exp. Physiol.*, 40, 309.

Cullumbine, H., and Miles, S. (1956);

The effect of atropine sulphate on men exposed
to warm environments. *Q.J. Exp. Physiol.*, 41, 162.

Das, G., Talmers, F.N., and Weissler, A.M. (1975).

New observations on the effects of atropine on
the sinoatrial and atrioventricular nodes in man.
Am. J. Cardiol., 36, 281.

Dastre, A. (1890);

Les Anesthésiques. Paris.

Dauchot, P.J., and Gravenstein, J.S. (1971);

Effects of atropine on the electrocardiogram in
different age groups. Clin. Pharmacol. Ther, 12, 274.

Davie, I.T., (1977);

Specific drug interaction in anaesthesia,
Anaesthesia, 32, 1005.

De Roett, A.J., Dettbarn, W.D. and Rosenberg P., (1965);

Effect of phospholine iodide on blood cholin-
esterase of normal and glaucoma subjects.
Am. J. Ophthalmol., 59, 586.

Dobkin, A.R., Wyant, G.M., and Aasheim, G.M. (1958);

Antisialogogue drugs in man: comparison of some
anticholinergic and sedative antihistamine drugs,
Anaesthesia, 13, 63.

Dodson, M.E. and Eastley, R.J. (1978);

Tranquilizers for oral premedication
Br. J. Anaesth., 50, 1059.

Dodson, M.E., Yousseff, Y., Maddison, S. and Pleuvry, B (1976);

Respiratory effects of lorazepam.
Br. J. Anaesth. 48, 611.

Drik, Von Dr. (1904);

Ueber die scopolamin-morphium narkose, Dtsch.
med. Waschr., 1, 378.

Dripps, R.D. (1944);

The pharmacological basis for preoperative medication
Surg. Clin. N. Am., 24, 1377.

Dripps, R.D., Eckenhoff, J.E. and Vandam, L.D. (1976);

Introduction to Anaesthesia. The Principles of
Safe Practice. 5th Edition. W.B. Saunders Company
Philadelphia. London. Toronto

Dubois, R. (1964);

Anesthesie Physiologique, Paris.

Dundee, J.W. and Haslett, W.H.K. (1970);

The benzodiazepines.
Br. J. Anaesth. 42, 217.

Dundee, J.W., Loan W.B., and Morrison, J.D. (1970);

Study of drugs given before anaesthesia XIX:
Opiates. Br. J. Anaesth. 42, 54.

Dundee, J.W., Moore, J., and Clarke, R.S.J. (1964);

Studies of drugs given before anaesthesia V:
Pethidine 100 mg alone and with atropine or
hyoscine. Br. J. Anaesth., 36, 703.

Dundee, J.W., Moore, J., and Nicholl, R.M. (1962);

Studies of drugs given before anaesthesia:
A method for studying their influence on the
course of anaesthesia.

Br. J. Anaesth. 34, 523.

Dundee, J.W., Nicholl, R.M., Clarke, R.S.J., Moore, J.
and Love, W.J. (1965);

Study of drugs given before anaesthesia VII:
Pethidine-phenothiazine combinations. Br. J.
Anaesth. 37, 601.

Eckenhoff, J.E. and Herlich, M. (1958);

Study of narcotics and sedatives for use in
preanaesthetic medication J. Am. Med. Ass., 167,
415.

Eger, E.I. (1962);

Atropine, Scopolamine and related compounds.
Anesthesiology, 23, 365.

Eger, E.I., Kraft, I. D., and Keasling, H.H. (1961);

Comparison of atropine or scopolamine plus
pentobarbital, meperidine or morphine as pediatric
preanaesthetic medication. Anesthesiology, 22, 962.

Eikard, B., and Andersen, J.R. (1977);

Arrhythmias during halothane anaesthesia. II:
The influence of atropine. Acta, Anaesthesiol.
Scand., 21, 245.

Ellis, F.R. and Wilson, J. (1972);

An assessment of droperidol as a premedicant.
Br. J. Anaesth. 44, 1288.

Ellis, G.H., (1955);

In A Synopsis of Anaesthesia 8th ed. page 48. Eds.,
Atkinson, R.S., Rushman, G.B. and Lee, J.V.
Bristol, John Wright & Sons, London.

Embley, E.H. (1802);

The causation of death during the administration
of chloroform. Brit. Med. J. , 1, 975.

Frumin, M.J., Herekar, V.R., and Jorvik, A.E. (1976);

Amnesic actions of diazepam and scopolamine
in man. Anesthesiology, 45, 406.

Garde, J.F., Aston, R., Endler, G. C., and Sison, O.S. (1978);

Racial mydriatic response to belladonna premedication
Anesth. Analg. (Cleve.), 57, 572.

Gaviotaki, A., and Smith, R.M. (1962);

Use of atropine in pediatric anaesthesia.

Int. Anaesth. Clin. 1, 97.

Gilchrist, A.R. (1933);

The action of atropine in complete heart block

Q.J. Med., 3, 483.

Goldman, L., Caldera, D.L., Nussbaum, S.R., Southwick,

F.S., Krogstad, D., Murray, B., Bruke, D.S.,

O'Malley, T.A., Goroll, A.H., Coplan, C.H.,

Nolan, J., Carabello, F., and Slater, E.E., (1977);

Multifactorial index of cardiac risk in non-cardiac
Surgical procedures.

Engl. J. Med., 297, 845.

Goodman, L.S., and Gilman, A. (1965);

The Pharmacological basis of Therapeutics. 2nd.

edn., P. 556. New York: Macmillan.

Gordon, N.H. and Turner, D.J. (1969):

Oral paediatric premedication

Br. J. Anaesth., 41, 136.

Gravenstein, J.S., (1964);

Effects of atropine and scopolamine on cardiovascular
system. Anesthesiology, 25, 123.

Gravenstein, J.S., Ariet, M., and Thornby, J.I. (1969);

Atropine on the electrocardiogram. Clin Pharmacol.
Ther., 10, 660.

Gray, T.C., Nunn, J.F. and Utting J.E. (1980);

General Anaesthesia 4th. ed.
Butterworths, London, Boston.

Greene, B.A., and Berkowitz, S. (1952);

Preanesthetic induced cough as a method of diagnosis
of preoperative bronchitis.
Ann. Int. Med., 37, 723.

Hardy, T.K., and Wakely, D., (1962);

The amnesic properties of hyoscine and atropine
in preanaesthetic medication.
Anaesthesiology 17, 331.

Herr, G.P., Conner, J.T., Katz, R.L., Dorey, F., L'Armand, J
and Schehl, D. (1979);

Diazepam and Droperidol as i.v. Premedicants:
Br. J. Anaesth., 51, 537.

Hester, J.B. and Heath, M.L. (1975);

Pulmonary acid aspiration syndrome: should prophylaxis be routine?
Br. J. Anaesth., 47, 630.

Hewer, C.L. (1923).

Anaesthesia in children, P.3, London; H.K. Lewis.

Hewer, C.L. (1932);

Recent Advances in Anaesthesia and Analgesia,
1st ed., p. 29, London: Churchill.

Herxheimer, A. (1958);

A comparison of some atropine-like drugs in man,
with particular reference to their end-organ
specificity. Br. J. Pharmacol., 13, 184.

Holt, A.T. (1962);

Premedication with atropine should not be a
routine. Lancet, 2, 984.

Howells, T.H., Khanam, T., Kneel, L., Seymour. C.,
Oliver, E. and Davies, J.A.H. (1971).

Pharmacological emptying of the stomach with
metoclopramide.

Br. Med. J., 2, 558.

Inglis, J.M. (1967);

Premedication in the geriatric patient.
Geriatrics 22, No. 9, 115

Inglis, J.M., and Barrow, M.E.H. (1965);

Premedication: a reassessment. Proc. R. Soc.
Med., 58, 29.

Innes, I.R., and Nickerson, M. (1975);

Atropine, scopolamine and related antimuscarinic drugs; in *The Pharmacological Basis of Therapeutics* (eds L.S. Goodman and A. Gilman), 5th edn, p.514. London and New York: Baillière, Tindall and Macmillan.

Isaacs, B. (1956);

The influence of hyoscine and atropine on apomorphine-induced vomiting in man, *Clin. Sci.*, 15, 177.

John, A., Clark, M. and Hurtig, J.B. (1981);

Premedication with meperidine and atropine does not prolong recovery to street fitness after out-patient surgery.

Canad. Anaesths. Soc. J., 28, 390.

John, A.H. (1965);

Placental transfer of atropine and the effect on fetal heart rate. *Br. J. Anaesth.*, 37, 57.

Johnstone, M. (1956);

The human cardiovascular response to fluothane anaesthesia. *Br. J. Anaesth.* 28, 392.

Johnstone, M. (1961);

Ventricular arrhythmias during halothane anaesthesia. *Brit. J. Anaesth.*, 33, 9.

Jones, R.E., Deutsch, S., and Turndorf, H. (1961);

Effects of atropine on cardiac rhythm in conscious and anaesthetised man. *Anesthesiology*, 22, 67.

Joseph, M.C. and Vale, R.J. (1960);

Premedication with atropine by mouth.
Lancet, 2, 1060.

Joseph, R., (1965);

Drill's Pharmacology in Medicine, New York,
Mc Graw-Hill.

Kerr, I.H., (1974);

Routine chest X-ray as a baseline for postoperative care. *Ibid*, 46, 558.

Kessell, J. (1974);

Atropine premedication.
Anaesth. Intens. Care, 2, 77.

King, B.C., (1957);

The control of diabetes mellitus in surgical patients.
Anaesthesia, 12, 30.

Labbe L., and Guyon E. (1872);

Reported in *Med. Times, Lond.*, 1, 350.

La Due, J.S., (1956);

Evaluation and preparation of patients with
degenerative heart disease for major surgery.

Bull. N.Y. Acad. Med., 32, 418.

La Due, J.S., (1959);

Evaluation of operative risk in patients with
cancer.

N.Y. State J. Med., 59, 2942.

Lal, S., Ferguson, A.D., and Campbell, E.J. M. (1964);

In A Synopsis of Anaesthesia 8th ed. p. 75

Eds. Atkinson, R.S., Rushman, G.B., and Lee, J.V.

Bristol, John Wright & Sons, London.

Leach, R.H. and Wood, B.S. (1967);

Drug dose for children

Lancet ii, 1350.

Lee, J.A., and Atkinson, R.X. (1968);

A synopsis of anaesthesia 7th, edn. p. 622.

London, Butterworths.

Leigh, M.D., McCoy, D.D., Belton, M.K., and Lewis G.B. (1957);

Bradycardia following intravenous administration
of succinylcholine chloride to infants and children

Anesthesiology, 18, 698.

Leighton, D.M. and Sanders, M. D. (1976);

Anticholinergic premedication. Can. Anaesth.

Soc. J. 23, 563.

Leo Strunin, (1980);

Anaesthesia for patients with diminished hepatic function.

In General Anaesthesia 4th. ed. P. 779; eds.,

Gray, T.C., Nunn, J. F. and Utting, J.M., Butterworths London. Boston.

Lind, J.F., Crispin, J.S., and McIver, D.K. (1968);

The effect of atropine on gastroesophageal sphincter Can. J. Physiol. Pharmacol., 46, 233.

Lindahl. Sten, Olsson; A.K. and Thomon Dick (1981);

Rectal premedication in children.

Anaesthesia, 36, 376.

Lindsay, W.A. and Shepherd, J. (1969);

Plasma levels of thiopentone after premedication with rectal suppositories in young children.

Br. J. Anaesth. 41, 977.

List, W.F., and Gravenstein, J.S., (1965);

Effects of atropine and scopolamine on cardiovascular system in man, Anesthesiology, 26, 299.

Longo, V.G. (1966);

Behavioral and electroencephalographic effects
of atropine and related compounds. Pharmacol.
Rev., 18, 965.

Lönnnerholm, G., and Widerlöv, E. (1975);

Effect of intravenous atropine and methylatropine
on heart rate and secretion of saliva in man.
Eur. J. Clin. Pharmacol., 8, 233.

Lyons, S.M., Clarke, R.S.J. and Vulgaraki, K. (1975);

The premedication of cardiac surgical patients.
Anaesthesia, 30, 459.

Macnaughton-Jones, H. (1908);

Scopolamine-morphine-chloroform anaesthesia.
Brit. med. j., 2, 809.

Magbagbeola, J.A.O. (1973);

The effect of atropine premedication on body
temperature of children in the tropics.
Br. J. Anaesth., 45, 591.

Marshall, J.R., (1976);

Pre-operative Evaluation and choice of Anesthesia
from: Introduction to the Practice of Anesthesia,
chapter 21, page 244.

McMechan, F.H (1920);

American Year Book of Anesthesia and Analgesia,
1917-18, 2, 245.

Mendelson, C.L. (1946);

The aspiration of stomach contents into the lungs
during obstetric anesthesia.

American Journal of Obstetrics and Gynecology, 52,
191.

Millar, R.A., (1980);

Thyroid, Parathyroid and other endocrine glands
in relation to anaesthesia.

In General Anaesthesia 4th ed. p. 825. eds.,

Gray T.C, Nunn, J.F., and Utting.J.E.

Butterworths, London. Boston.

Milledge, J.S., and Nunn, J.F., (1975);

Criteria of fitness for anaesthesia in patients
with chronic obstructive lung disease.

Br. Med. J., 3, 670.

Mirakhur, R.K. (1978);

Comparative study of the effects of oral and i.m.
atropine and hyoscine in volunteers.

Br. J. Anaesth., 50, 591.

- Mirakhur, R.K. (1979);
Anticholinergic drugs. Br. J. Anaesth., 51, 671.
- Mirakhur, R.K., Clarke, R.S.J., Elliott, J., and Dundee, J.W.
(1978a);
Atropine and glycopyrronium premedication: a
comparison of the effects on cardiac rate and
rhythm during induction of anaesthesia.
Anaesthesia, 33, 906.
- Mirakhur, R.K., Clarke, R.S.J., Dundee, J.W. and
McDonald, J.R. (1978b);
Anticholinergic drugs in anaesthesia: a survey
of their present position. Anaesthesia, 33, 133.
- Mirakhur, R.K., Dundee, J.W., and Clarke, R.S.J. (1977);
Glycopyrrolate-neostigmine mixture for antago-
nism of neuromuscular block: comparison with
atropine-neostigmine mixture.
Br. J. Anaesth., 49, 825.
- Mirakhur, R.K., Dundee, J.W. and Conolly, J.D.R. (1979);
Studies of drugs given before anaesthesia XVII:
Anticholinergic premedicants.
Br. J. Anaesth., 51, 339.

- Mirakhur, R.K., Dundee, J.W. and Johnes, C.J. (1978);
Evaluation of the anticholinergic actions of
glycopyrronium bromide.
British journal of Clinical Pharmacology, 5, 77.
- Mirakhur, R.K., Reid, J. and Elliott, J. (1979);
Volume and pH of gastric contents following
anticholinergic premedication.
Anaesthesia, 37, 453.
- Morrison, J.D. (1970);
Studies of drugs given before anaesthesia XXII:
Phenoperidine and fentanyl, alone and in combina-
tion with droperidol. Br. J. Anaesth., 42, 1119.
- Morrison, J.D., Clarke, R.S.J. and Dundee, J.W. (1970),
Studies of drugs given before anaesthesia XXI:
Droperidol. Br. J. Anaesth., 42, 730.
- Morton, H.J., and Thomas, E.T. (1958);
Effect of a tropine on the heart rate.
Lancet, 2, 1313.
- Morton, H.J.V. (1944);
Smoking in surgical patients.
Lancet, 1, 368.

- Möller, J., and Rosen, A. (1968);
Comparative studies on i.m. and oral effective
doses of some anticholinergic drugs.
Acta Med. Scand., 184, 201.
- Mushin, W.W., Golloon, S., and Lewis-Fanning E. (1953);
Antisialagogue and other aspects of atropine
mucate.
Br. Med. J., 2, 652.
- Nibest, H.I.A. and Norris, W. (1963);
Objective measurement of sedation, II. A simple
scoring system. Br. J. Anaesth., 35, 618.
- Norman, J., (1978);
The pre-operative assessment of patients
Brit. J. of anaesthesia, 50, 538.
- Norris, W. (1971);
Psychological and drug preparation of patients
for anaesthesia; in General Anaesthesia (eds T.C.
Gray and J. F. Nunn); Vol. II, 3 rd edn, p. 155,
London; Buterworths.
- Nunn, J.F. and Bergman, N.A. (1964);
The effect of atropine on pulmonary gas exchange.
Br. J. Anaesth., 36, 68.

Nussbaum (1964);

reported in Med. Times, Lond., 1, 259.

Ogg. T.W. (1972);

An assessment of postoperative out-patient cases.

Br. med. J., 4, 573.

Orkin, L.R., Bergman, P.S., and Nathanson, M. (1956);

Effect of atropine, scopolamine and meperidine on man. Anesthesiology, 17, 30.

Patton, C.M., Moon, M.R. and Dannemiller, F.J. (1974);

The prophylactic antiemetic effect of droperidol. Aneth. Analg. (Cleve.) 53, 361.

Paymaster, N.J. (1973);

Lorazepam (WY 4036) as preoperative medication Anaesthesia, 28, 521,

Pickering, B.G., Palahniuk, R.J. and Cumming, M. (1980);

Cimetidine premedication in elective caesarean section.

Can. Anaesth. Soc. J., 27, 33.

Preyer, W. (1885);

Specielle Physiologie des Embryo. Griben, Leipzig.

- Proakis, A.G. and Harris, G.B. (1978);
Comparative penetration of glycopyrrolate and atropine across the blood-brain and placental barriers in anaesthetised dogs. *Anesthesiology*, 48, 339.
- Pugh, R.N.H., Murray-Lyon, I.M., Dawson, J.L., Pietroni, M.C., and Williams, R., (1973);
Transection of the oesophagus for bleeding varices.
Br. J. Surg. 60, 646.
- Raftery, E.B. (1980);
Preoperative assessment of the cardiovascular system. In *general Anaesthesia* 4th ed. p. 685. eds., Gray, T.C., Nunn, J.F. and Utting, J.E. Butterworths, London. Boston.
- Raj, P.P., Rosenblatt, R. and Miller, J., (1977);
Dynamics of local anaesthetic compounds in regional anaesthesia.
Anaesth. Analg. 56, 110.
- Ramamurthy, S., Shaker, M.H. and Winnie, A.P. (1972);
Glycopyrrolate as a substitute for atropin in neostigmine reversal of muscle relaxant drugs. *Can. Anaesth. Soc. J.*, 19, 399.

Steinke, J., (1970);

Management of diabetes mellitus and surgery.
New Engl. J. Med., 282, 1472.

Stephen, C.R., Bowers, M.A., Nowill, W.K., and Martin,
R.C. (1956);

Anticholinergic drugs in preanaesthetic medication.
Anesthesiology, 17, 303.

Stoelting, R.K. (1978);

Responses to atropine, glycopyrrtolate and Riopan
of gastric fluid pH and volume in adult patients.
Anesthesiology, 48, 367.

Stoll, H.C. (1948);

Pharmacodynamic consideration of atropine and
related compounds. Am. J. Med. Sci., 215, 577.

Sturgee, J., and Reid, L. (1972);

An organ culture study of the effect of drugs
on secretory activity of the human bronchial
submucosal gland. Clinical Science, 43, 533.

Taylor, A.B.W. (1977);

Foetal heart rate monitoring during caesarean
section. Br. J. Obstet. Gynaecol, 84, 281.

Thomas, E.T. (1965);

The effect of atropine on the pulse.

Anaesthesia, 20, 340.

Temlin, P.J., Conway, C.M., and Payne, J.P. (1964);

Hypoxaemia due to atropine. Lancet, 1, 14.

Toung, T. and Cameron, J.L. (1980);

Cimetidine as a preoperative medication to reduce the complication of aspiration of gastric contents.

Surgery, 87, 205.

Uitting, H. J. and Pleuvry, B.J. (1975);

Benzocetamine: a study of the respiratory depressant effects of oral doses in human volunteers and interactions with morphine in mice.

Br. J. Anassth. 47, 987.

Vandam, L.D. (1965);

Aspiration of the gastric contents in the operative period.

New England Journal of Medicine, 273, 1206.

Wagenman, C.P. and Hawk, M.H. (1942);

The effects of morphine, atropine and scopolamine on human subjects, Anesthesiology, 3, 24.

Walters, F.J.M., Pearce, D.J. and Hanks, G.W. (1979);

Clinical and biochemical evaluation of premedicants:
A double-blind assessment of clobazam, a new 1, 5
benzodiazepine.

Anaesthesia, 34, 644.

Waters, R.M. (1938);

Pain relief in children, Amer. J. Surg., 39, 471.

West, J.S., and Papper, E.M. (1950);

Preanaesthetic medication for children. Anesthesio-
logy, 11, 279.

Westfall, T.C. (1976);

Antimuscarinic agents; in Essentials of Pharmacology
(Ed. J. A. Bevan) 2nd. edn, P. 128 London: Harper
and Row.

Wilson, J. and Ellis, F.R. (1973);

Oral premedication with lorazepam: a comparison
with heptabarbitalone and diazepam. Br. J. Anaesth.
45, 738.

Wood-Smith, F.F., Horne, G.M., and Nunn, J.F., (1961);

Effect of posture on respiration.

Anaesthesia, 16, 340.

Wyant, G.M., and Dobkin, A.B. (1957);
 Antisialagogue drugs in man.
 Anaesthesia, 12, 203.

Wyant, G.M., and Kao, E. (1974);
 Glycopyrrolate methobromide.
 I: Effect on Salivary secretions. Can. Anaesth.
 Soc. J., 21, 230.