

PART VII
REFERENCES

REFERENCES

- Abboud, M.A. and El-Zawahry, K. (1962):
Secondary hypersplenism in schistosomiasis,
Proc. First Intern. Symp. Bilh. Part II:
221-230, Cairo.
- Abd-El Hady, S.S. (1979):
A clinical and immunological study of
Hodgkin's disease in children, Thesis,
Pediatrics, Cairo University.
- Abdin, F.H. (1963): Needle biopsy in cirrhosis of the
liver. J. Egypt. Med. Assoc., 46 : 45-52.
- Aboul Nasr, A.L. and Boutros, S.G. (1978):
The Cancer Registry of Metropolitan Cairo
Area (CRMCA), Cairo university, Report 4,
p.102.
- Afifi, N.M. (1969):
Immunological study in bilharziasis utilizing
the immuno-diffusion and immuno-electrophoretic
techniques. Thesis, Clinical Pathology,
Cairo University.
- Andersen, V. ; Cohn, J., Sørensen, S.F. (1976):
Immunological studies in children before
and after splenectomy. Acta. Pediatr. Scand.,
65 : 409-415.
- Andrade, Z. A.; Paronetto, F. and Papper, H. (1961):
Immunocytochemical studies in schistosomiasis.
Am. J. Path., 39 (9): 589.

- Andrade, Z.A. (1967):
Immunopathology in schistosomiasis.
Rev. Inst. Med. Trop. Soc., 5 : 181.
- Asker, O. (1962):
Portal hypertension in Egyptian
splenomegaly.
Proc. First Internat. Symp. Bilh.
Part II : 169, Cairo.
- Askoy, M. et al. (1963):
"Cystoscopy" in a case of pancreatic
pseudocyst. Gastroenterologia, 99 : 164.
(Quoted from Wintrobe, 1974).
- Aster, H.R. (1966):
Pooling of platelets in the spleen.
Role in the pathogenesis of hypersplenic
thrombocytopenia. J.Clin. Invest., 45(5):
645.
- Ata, A.A. (1962): Clinico-hematologic aspects of
schistosomiasis. Proc. First Intern.
Symp. Bilh. Part II : 219, Cairo.
- Ata, A., Hunter, S., El-Badrawy, N. and Shaker, Z. (1977):
Some immunological studies of bilharzial
ascitic case. J. Egypt. Med. Assoc., 60 : 581-
590.
- Athens, J.W., Haab, O.P.; Raab, S.O.; Mauer, A.M. et al.,
(1961):
Leukokinetic studies. IV. The total circula-
ting and marginal granulocyte pools and
granulocyte turn over rate in normal
subjects. J.Clin. Invest., 40:989.

- Ayad, N. (1974) : Egypt J. Bilh., 1 : 9-27 %.
- Baehner, R.L. and Miller, D.R. (1978):
The spleen and disorders of the reticulo-
endothelial system. In Smith's blood
diseases of infancy and childhood, 4th
edition, P. 647-655.C.V. Mosby Company.
St. Louis.
- Bagleyk, G.M., Roth, J.A., Thomas, L.B. and DeVita,
V.T. (1972):
Liver biopsy in Hodgkin's disease, clinico-
pathologic correlation in 127 patients. Ann.
Intern. Med. 76 : 219.
- Baker, A.L., Koplan, M.M., Wolfe, H.J. and McGowan,
J.A. (1971):
Liver disease associated with early
syphilis. N. Engl. J. Med. 284 : 1422.
- Banti, G. (1894):
La splenomegalia con Cirrose del fegato-
sperimentale (Sez biol), 48 : 407.
(Quoted from Baehner & Miller, 1978).
- Baron, M.G. and Wolf, B.S. (1968):
Splenoportography. J.A.M.A., 206 : 629.

- Bassily, S.; Farid, Z., Said, M.T., Iskander, F., Mahran, Y. and Mousa, M.I. (1973):
Serum immunoglobulins in different stages of schistosomiasis and effect of therapy on their levels. J. Egypt. Med. Assoc., 56 : 433.
- Bennett, I.L., Jr. and Beeson, P.B., (1954):
Bacteremia a consideration of some experimental and clinical aspects. Yale. J. Biol. Med., 26 : 241.
(Quoted from Baehner and Miller, 1978).
- Biagi, F. (1976):
Kala-Azar. In tropical medicine, 5th edition P.415. Edited by Hunter, G.W., Swartzwelder, J.C. and Clyde, D.F.W.B. Saunders company, Philadelphia. London. Toronto.
- Bladini, M. (1966) :
Idiopathic thrombocytopenic purpura. N. Engl. J. Med., 274 : 1301.
- Boggs, D.R. (1968):
Factor influencing hematopoietic spleen colony formation in irradiated mice vi. Radiat. Res., 35 : 68.
- Boggs, D.R. and Chervenick, P.A. (1970):
Hematopoietic stem cells in formation and destruction of blood cells, eds T.J. GreenWalt G.A. Jamieson. Philadelphia, J.B. Lippincott Co. P.240.

- Bowdler, A.J. (1975):
The spleen and hemolytic disorders.
Clinics in haematology, 4 (1):231-243.
- Burke, J.S. and Simon, G.T. (1970):
Electron microscopy of the spleen
I. anatomy and micro-circulation.
II. phagocytosis of colloidal carbon
Am. J. Pathol. 58 , 157.
- Carlisle, H.N. and Saslaw, S.(1959):
Properdin levels in splenectomized
person. Proc. Soc. Exp. Biol. Med.,
102 : 150.
- Castell, D.O. (1967):
The spleen percussion sign a useful
diagnostic technique. Ann. Int. Med.,
67 : 1265-1267.
- Chatterjea, J.B.; Mesa Arrau, C. and Dameshek.W.
(1952):
Splenic puncture Br. Med.J., 1 : 987.
- Chessels, J.M., Mardistry, R.M., Rapson, N.T.
et al. (1977):
Acute lymphoblastic leukemia in children:
Classification and prognosis. Lancet
1307.
- Chilcote, R.R., Baehner, R.L., Hammoud, D.(1976):
Septicemia and meningitis in children
splenectomized for Hodgkin's disease
N.Engl.J. Med., 15 : 798-800.

- Clain, A. (1973):

Examination of the spleen. In Hamilton Bailey's demonstrations of physical signs in clinical surgery, 15th edition. p.242-244. Bristol : John Wright and sons LTD and The English Language Book Society.

- Clegg, J.A ., Smithers, S.R. and Terry, R.J.(1971):

Acquisition of human antigens by schistosoma mansoni during cultivation in vitro. Nature, London, 232 : 653.

- Constantopoulos, A., Najjar, V.A., Wish, J.B.;

Nechelos, T.H. and Stolbach, L.L.(1973):
Defective phagocytosis due to tuftsin deficiency in splenectomized subjects. Am.J. Dis. Child., 125 : 663.

- Corry, J.M., Phohill, R.B., Edmonds, S.R. and Johnston R.B.(1979):

Activity of alternative complement pathway after splenectomy : comparison to activity in sickle cell disease and hypogammaglobulinemia.. J. Pediatr., 95 (6).

- Crane, G.G., Rowely, M.J., Warburton, M.R. and Mackay, J.R. (1972):

Humoral immune responses in tropical splenomegaly syndrome in New Guinea. Clin. Science, 43 : 869-879.

- Crosby, W.H. (1956):

Siderocytes and the spleen. Blood, 12 : 165.

- Crosby, W.H. (1959):
Normal functions of the spleen relative
to red blood cells : A review. Blood,
4 : 399.
- Dameshek, W. and Estren, J. (1950):
Hypersplenism. Med. Clin. North Am.
34 : 1271.
- Dameshek, W. (1955): Hypersplenism, Bull.N.Y.
Acad. Med., 31 : 113.
- De Gruchy, G.C. (1978):
Clinical hematology in medical practice,
4th edition. p. 617. The English
Language Book Society & Black Well
Scientific publications. Oxford.London.
Edinburgh.
- De Vita, V.T., Jr. and Canellos, G.P.(1972);
Treatment of lymphoma. Semin. Hematol.,
9 : 193 - 209.
- De Witt, W. and Warren, R.S. (1954):
Hepatosplenic schistosomiasis in mice.
Am. J. Trop. Med. Hyg., 8 : 440-446.
- (a) Diamond, L.K. (1969):
Splenectomy in childhood and hazard
of overwhelming infection. Pediatrics,
43 : 886-9.

-(b)Diamond, L.K. (1969):

The concept of functional asplenia.
N.Engl.J. Med., 281 : 958-9.

- Di Sant'Agenese, P.A. and Blance, W.A.(1956):

A distinctive type of biliary
cirrhosis of the liver associated
with disease of the pancreas; Recognition
through signs of portal hypertension.
Pediatrics, 18 : 387.

- Diwany, M. (1944):

Erythroblastic anemia with bone
changes in Egyptian children. Possible
Cooley's anemia. Arch. Dis. Child.19:163.

- Doan, C.A. and Wright C.S. (1946):

Primary congenital and secondary acquired
splenic pancytopenia. Blood, 1 : 10.

- Eckelman, W., Atkins , H.L., Richard, P. et al (1971):

Visualization of human spleen with ^{99m}Tc
labelled erythrocytes.J. Nucl. Med.
12 : 310.

- El-Hawary, M.B., Ibrahim, A.M., Shaker, M.H. and

Saif, M. (1972):

Immuno-electrophoretic studies on
serum proteins in bilharziasis. J.Egypt.
Med. Assoc., 55 : 23.

- Ellis, E.F. and Smith, R.T. (1966):

Role of spleen in immunity. Pediatrics,
37 : 111.

- El Mofty, A., and Khattab, M. (1962):
Hepatosplenic bilharziasis Proc.First.
Internat. Symp. Bilh. Part II :79-92,
Cairo.
- El-Raziky, E.H., Shaker, Z.A.; Mohamed, K., Aboul-
Ezz, F.M. and Mousa, A.H. (1974):
Immunoglobulins in schistosomiasis.
Egypt J. Bilh. 1(2):287-295.
- El-Rooby, A., and Ata, A. (1966):
Examination of fresh biopsy material
for bilharzia ova in hepatosplenic
bilharziasis. Egypt.J. Gastro.
6 : 85-98.
- El-Tabalawi, M.A. (1974):
Clinico-pathological aspects of
bilharzial hepatosplenomegaly in
children. Thesis. Pediatrics. Tanta
Faculty of Medicine.
- El-Tagui, M.H. (1981):
Studies on childhood leukemia.
Thesis. Pediatrics.. Cairo University.
- Elwi, A.M. (1962):
Pathology of hepatosplenic bilharziasis.
Proc. First Internat. Symp. Bilhar.
Part II, 93-114, Cairo.
- Eraklis, A.J.; Kevy, S.V.; Diamond, L.K. and Gross
R.T. (1967):
Hazard of overwhelming infection after
splenectomy in childhood. N. Engl. J. Med.,
22:1225.

- Erfan, M. (1947):
Hepatic bilharziasis. J. Trop. Med. Hyg., 50 : 104.
- Erickson, W.D.; Burgert, E.O. and Lynn, H.B.(1968):
The hazard of infection following splenectomy in children. Am.J.Dis. Child., 116 : 1.
- Fairney, A., Francis, D., Eresser, R.S.; Seakins, J.W. and Cotton, D. (1968):
Diagnosis and treatment of Tryrosinosis. Arch. Dis. Child., 47 : 558.
- Feeman, T.; Smither, S.P.; Targett, G.A. and Waller, P.J. (1970):
Specificity of immunoglobulin G in rhesus monkeys infected with schistosoma mansoni. J. Infect. Dis., 121:401.
- Fidalgo, B.V. and Najjar, V.R. (1967):
The physiological role of lymphoid system. VI. The stimulating effect of leucophilic γ -globulin (leucokinin) on phagocytic activity of human polymorphnuclear leucocyte. Biochemistry, 6 : 3386-3392.
- Figley, M.M. (1958):
Splenoportography. Some advantages and disadvantages. Am.J. Roentgens, 80 : 313.

- Fraumeni, J.F. and Li, F.P. (1969):
Hodgkin's disease in childhood; an
epidemiologic study. Journal of National
Cancer Institute, 42 : 681-691.
- Gad El-Mawla, N., El Morsi, B.A., Sherif, M.,
Ossman, A., Ezzat, I. and Awad, H.K.
(1974):
Malignant lymphoma in children. The
Gazette of Egyptian Pediatric
Association, 22(3) : 197-204.
- Gaydos, L.A., Freireich, E.J. & Mantel, N. (1962):
The quantitative relation between
platelet count and hemorrhage in
patients with acute leukemia. N. Engl.
J. Med., 266:905.
- Gelfand, M. (1967):
Clinical study of intestinal bilhar-
ziasis in Africa, P. 129-141.
Edward Arnold.Ltd., London.
- Gelfand, M. (1978):
Schistosomiasis. In diseases of child-
ren in subtropics and tropics, edited
by Jelliffe , D.B. & Stanfield, J.P.,
3rd edition, P.883-905. The English
Language Book Society and Edward Arnold.
- Giles, J.P. and Krugman, S. (1972):
Viral hepatitis, differential diagnostic
features between infections with type A
& B viruses.Am.J. Dis.Child,123:281.

- Glasgow, L.A., Overall, J.C. & J.R.(1979):
Infections of the new born. In Nelson
textbook of pediatrics, 11th edition,
P.468-489.W.B. Saunders Company.
Philadelphia. London.Toronto.
- Goei, K.M. and Shanks, R.A. (1974):
Follow up of 100 cases of juvenile
rheumatoid arthritis. Annals of
Rheumatoid Diseases, 25.
- Goldstein, R. and Rothenberg, S.P. (1963):
Differential diagnosis of splenomegaly.
In the spleen, edited by Blaustein, A.
P.179 . Mc Graw Hill Book Company.
New York.Toronto. London.
- Gracegl, L. (1965):
Tuberculous abscess of the liver, study
of 200 cases. Brit.J. Surg., 52 : 442.
- Green, M. (1980):
The spleen. In Green & Richmond pedi-
atric diagnosis, 3rd edition, P.135-138.
W.B. Saunders Company. Philadelphia.
London. Toronto.
- Groom, A.C. et al. (1971):
Physical characteristics of red cells
collected from the spleen. Can.J.
Physiol. Pharm., 49 : 1092.
(Quoted from Wintrobe, 1974).

- Gross, R.E. (1953):
Surgery of infancy and childhood, its principles and techniques.
W.B. Saunders Co. Philadelphia.
(Quoted from Baehner and Miller, 1978).
- Ham, A.W. and Cormack, D.H. (1979):
Lymphatic tissue. In Ham histology, 8th edition, P. 359, 360. J.B. Lippincott Company. Philadelphia. Toronto.
- Hanshown, J.B. (1971):
Congenital cytomegalo virus infection.
J. Inf. Dis., 123 : 555.
- Harris, I.M.; Mc Alister, J.M. and Pranker, T. A.J. (1957):
Relationship of abnormal cells to the normal spleen. Clin. Sci., 16:223.
- Harris, I.M., Mc Alister, J. & Pranker, T.A.J. (1958):
Splenomegaly and circulating red cell.
Br.J. Haematol., 4 : 97 - 102.
- Hashem, M. (1947):
The aetiology and pathogenesis of endemic form of hepatosplenomegaly.
J. Roy. Egypt. Med. Assoc., 30:48-76.
- Hassab, A. (1967):
Splenectomy and left gastric vessel ligation for treatment of hematemesis from oesophageal varices in bilharzial hepatic fibrosis. Alex. Med. J., 8:775.

- Hay, F.C., Nineham, L.J. and Roitt, J.M.(1975):
Routine assay for detection of IgG
and IgM in seropositive rheumatoid
arthritis, Brit. Med.J., ii : 203.
- Heath, C.W.; Brodsky, A.L. and Potolsky, A.I.(1972):
Infectious mononucleosis in general
population. Am.J. Epid., 95:38.
- Hillyer, S.V.(1969):
Immunoprecipitins in schistosoma
mansoni infection. Exp. Parasit., 25:
376; J. Clin. Invest., 46 :1422.
- Holroyde , C.P.; Oski, F.R. & Gudnes, F.H.(1969):
The "pocked" erythrocyte. N.Engl.J. Med.,
281:516-520.
- Horan, M. and Colebatch, J.H.(1962):
Relation between splenectomy and sub-
sequent infection. Arch. Dis. Child.,
37 : 398.
- Hornick, R.B.; Greisman, S.E.; Wood, T.E. and
Snyder, M.J. (1970):
Typhoid fever. Pathogenesis and
immunological control. N.Engl.J. Med.,
238 : 686.
- Jacob, H.S. and Jandle, J.H. (1962):
Effect of sulfhydryl inhibition on red
blood cells. J. Clin. Invest., 41:1514.

- Jandle, J.H. (1960):
The agglutination and sequestration of
immature red cells. J. Lab. Clin. Med.,
55 : 663.
- Jandle, J.H. and Kaplan, M.E. (1960):
The destruction of red cells by
antibodies in man. III. Quantitative
factors influencing the patterns of
hemolysis in vivo. J. Clin. Invest.,
39 : 1145.
- Jandle, J.H.; Jacob, H.S. and Deland, G.E. (1961):
Hypersplenism due to infection :
A study of five cases manifesting
hemolytic anemia. N. Engl. J. Med., 264 :
1063.
- Johnson, D.H., Rosenthal, A. and Nadas, A. (1975):
A forty-year review of bacterial
endocarditis in infancy and childhood.
Circulation, 51 : 581.
- Johnston, R.B., Jr., Newman, S.L. (1973):
Serum opsonins and alternate pathway
in sickle cell disease. N. Engl. J. Med.,
288 : 803.
- Kagan, I., Raigh, D.W. and Kaiser, R.L. (1962):
A clinical, parasitological and
immunologic study of schistosomiasis
in 103 Puerto-Rican males in U.S.A.
G. Ann. Int. Med., 56 : 457-461.

- Kamel, K., Hoerman, K.C.; Miale, A., Jr. and Awany, A.Y. (1960):
L'incidence d'hémoglobines congénitales anormales chez les enfants du Caire. R.A.U. Le Sang, 9(4):307.
(Quoted from Miale, 1960).
- Kauman, H.E., Jr., R.A.; and Miller, J.H. (1976):
Toxoplasmosis. In tropical medicine, edited by Hunter, G.W., Swartzwelder J.C. & Clyde D.F.; 5th edition, P. 397-403. W.B. Saunders Company. Philadelphia. London. Toronto.
- Kevy, S.V., Tefft, M.; Vawter, G.F. et al. (1968):
Hereditary splenic hypoplasia. Pediatrics, 42 : 752-757.
- Khalifa, A.S., Lusher, J.M.; Jan Cejka and Zuelzer W.W. (1976):
Immunoglobulins in idiopathic thrombocytopenic purpura in childhood. Acta hemato., 56 : 205-211.
- King, M.C., Glick, B.W. & Freed, A. (1968):
Diagnosis of splenic cysts. Surg. Gynecol. Obstet., 127 : 509.
- Klemperer, P., Pollack, A.D. and Baehr, G. (1972):
Diffuse collagen disease, acute disseminated lupus erythematosus. J. Am. Med. Assoc., 113.

- Knospe, W.H., Fried, W., Gregory, S.A. et al.(1970):
Effect of non-cellular spleen derived
factor on recovery of hematopoietic
stem cells from irradiation.J.Lab.
Clin. Invest.. 76 : 584.
- Koyama, S. et al. (1964):
Electron microscopic observation of
the red pulp with special reference
to pitting function. Mie Med.J.,14:143.
(Quoted from Wintrobe,1974).
- Larson, S.M., Tuell, S.H., Moores, K.D. et al.(1971):
Dimensions of normal adult spleen
scan and prediction of spleen weight.
J. Nucl. Med., 12 : 123.
- Levin, B., Burgess, E.A. and Hortimer, P.E.(1968):
Glycogen storage disease type IV.
Arch. Dis. Child., 43 : 548.
- Levitan, R.; Diamond, H.D. & Craver, I.F.(1959):
Oesophageal varices in Hodgkin's
disease involving the liver.Am.J.Med.,
27 : 137.
- Li, J.G. (1963):
The leucopenic effect of focal splenic
x-irradiation in leukemic patients.
Radiology, 80 : 471.
- Libre, E.P.; Cowman, D.H.; Watkins, S.P.,J.R. and
Shulman, N.R.(1968):
Relationship between the spleen,plate-
lets and factor VIII levels : Blood,
31 : 358-368.

- Lipson, R.L.; Bayrd, E.D. & Watkins, C.H.(1959):
The post-splenectomy blood picture.
Am.J. Clin. Pathol., 32 : 526.
- Livingstone, F.B. (1967):
Abnormal hemoglobins in human population.
ALd. Publ. Co., Chicago.
- Magallaes, F.A., Krupp, I.M. and Matek, E.(1965):
Localization of antigens and presence
of antibodies in the tissues of mice
infected with schistosoma as indicatd
by fluorescent antibody technique.
Am.J. Trop. Med. & Hyg., 14 :84.
- Marsden, P.D.; Hutt, M.S.; Wilks, N.E., Voller, A.
et al. (1965):
An investigation of tropical splenome-
galy at Mulago hospital, Kampala,
Uganda. Br.Med.J., 1 : 89-92.
- Marsden, P.D. and Hamilton, P.J.S. (1969):
Splenomegaly in tropics. Br.Med.J.,
1 : 99-102.
- Mauer, A.M. (1979):
Neoplasms and neoplasm-like lesions.
In Nelson textbook of pediatrics,
11th edition. P. 1431,1439-W.B.Saunders
Company. Philadelphia. London . Toronto.
- Mc Bride, J.A. (1968):
The Effect of splenectomy on leucocytic
count. Br.J. Haematol., 14 : 225.

- Mc Intyre, O.R. and Ebaugh, F.G.(1967):
Palpable spleens in college freshmen
Ann. Intern. Med., 66 : 301.
- Mc Intyre, P.A. and Wagner, H.N. (1970):
Current procedures for scanning of
the spleen. Ann. Intern. Med., 73:
995.
- Mc Millan, R.; Longmire, R.L., Yelenosky, R.;
Smith, R. and Craddock, C.G.(1972):
Immunoglobulin synthesis in vitro by
splenic tissue in idiopathic thrombo-
cytopenic purpura . N. Engl.J. Med.,
286 : 683.
- Mhasein, A.A. (1980):
Study on hepatosplenomegaly in infants
and children. Thesis, Pediatrics.Cairo
University.
- Miale, A.; Hoerman, K.C. and Diwany, M.(1960):
Thalassemia major in Egypt. A report
of six cases with a review of current
treatment. The Gazette of Egyptian
Pediatric Association. VIII (3):585.
- Moeschlin, S. (1951):
Spleen puncture. London. Wm Heinemann
Ltd. (Quoted from Wintrobe,1974).
- Mollison, P.L. (1959):
Blood group antibodies and red cell
destruction. Br.Med.J., 2 :1123.

- Motulsky, A.G., Cassad, F., Giblett, E.R., Broun, G.O. and Finch, C.A. (1958):
Anemia & spleen. N.Engl.J. Med.,
259 : 1164-1169; 1215-1219.
- Mousa, A.H. (1976):
Hepatosplenic schistosomiasis.
Compiled review on schistosomiasis.
N.I. D.C. Cairo.
- Najjar, V.A.; Fidalgo, B.V. and Stitt (1968):
The physiologic role of lymphoid
system. VII. The disappearance of
leukokinin activity following splene-
ctomy. Biochemistry, 7 : 2376-2379.
- Najjar, V.A. and Nishioka, K. (1970):
Tuftsin: a natural phagocytosis
stimulating peptide. Nature, 228 :672,
673.
- Najjar, V.A. and Constantopoulos, A. (1972):
A new phagocytosis stimulating
tetrapeptide hormone, tuftsin, and
its role in disease.J. Reticulo-
endothel. Soc., 12 : 197-215.
- Newton, W.A., Hanoudi, A.R. (1973):
Histiocytosis : A histological classi-
fication with clinical correlation.
In persepectives in pediatric
pathology. Vol. (1), P.251. Year Book
Medical Publishers.Chicago.

- Nooman, Z.H. (1976):
The immunology of schistosomiasis.
Compiled review on schistosomiasis;
published by the National Information
and Documentation centre (N.T.D.D.C.)
Dokki, Cairo. P.81.
- Odom, L.F. and Tubergen, D.G. (1979):
Splenomegaly in children; Identifying
the cause. Postgrad. Med., 65 : 191.
- Ogilvie, C. (1980):
The hematopoietic system. In Chamber-
lain's symptoms and signs in clinical
medicine, 10th edition, P. 287, 288.
The English Language Book Society
and Bristol John Wright & Sons LTD.
- Oski, F.A.; Allen, D.M. and Diamond, L.K. (1963):
Portal hypertension : a complication
of umbilical vein catheterization.
Pediatrics, 31 : 297.
- Palmer, J.G., Kemp I., B.A., Cartwright, G.E. and
Wintrobe, M.H. (1951):
Studies on the effect of splenectomy
on the total leucocytic count in
albino rat. Blood, 6 : 3.
- Pearson, H.A.; Spencer, R.P. and Lornelius, E.A.
(1969):
Functional asplenia in sickle cell
anemia. N.Engl.J. Med., 281:923.

- Pearson, H.A. (1978):
Thalassemia syndromes. In Smith's blood diseases in infancy and childhood, 4th edition. P. 435-447. C.V. Mosby Co. St. Louis.
- Pearson, H.A. (1979):
Diseases of the blood; In Nelson text book of pediatrics, 11th edition, P. 1390, 1422. W.B. Saunders Company. Philadelphia. London. Toronto.
- Persson, B., Tunell, R. and Ekengren, K. (1965):
Chronic Vit. A Intoxication during the first year of life. Acta Paediat. Scand., 54 : 49.
- Peter, G.Z. and Peter, E.C. (1976):
Tumours of infants and children by the staff of royal children's hospital, Melbourne.
(Quoted from El Tagui, 1981).
- Pitney, W.R. (1968):
Tropical splenomegaly syndrome.
Trans. R.Soc. Trop. Med. Hyg., 62:217.
- Polhemus, D.W. and Schafer, W.B. (1959):
Absent spleen syndrome : hematologic findings as an aid to diagnosis.
Pediatrics, 24 : 254.

- Pranker, T.A.J. (1963):
The spleen and anemia. Br.Med.J., 2:217.
- Pryor, D.S. (1967):
Tropical splenomegaly in new guinea.
Quart. J. Med., 36 : 321,337; Brit.
Med.J., 3 : 825.
- Putscher, W.G.J. and Manion, W.C. (1956):
Congenital absence of the spleen and
associated anomalies. Am.J. Clin.
Path., 26 : 429.
- Raab, S.O., Athens, J.W.; Haas, O.P; et al.(1964):
Granulokinetics in normal dogs. Am.J.
Physiol., 206 : 83.
- Remington, J.S.; Jacobs, L., Ksuman, H.E.(1960):
Toxoplasmosis in the adult N.Engl.J.
Med., 262 : 180-186,237-241.
- Riemenschneider, P.A. and Whalen, J.P. (1965):
The relative accuracy of estimation
of enlargement of the liver and spleen
by radiologic and clinical methods.
Am.J. Roentgenol., 94 : 462.
- Rifaat, M.A.; Ismail; El-Mahallawy, I.M. and Salem,
S.A. (1972):
The use of non-schistosomal antigen
in the fluorescent antibody technique
(F.A.T.) for diagnosis of schistosoma.
J. Egypt. Soc. Parasitol., 1 : 103.

- Rifkind, R.A. (1965):
Heinz body anemia : an ultrastructural study. II. Red cell sequestration and destruction. Blood, 26 : 433.
- Rizk, M.K. (1974):
Study of amino acid pattern in schistosomiasis in children. Thesis. Pediatrics. Tanta Faculty of Medicine.
- Rogers, D.E. (1956):
Studies on bacteremia : mechanisms relating to persistence of bacteremia in rabbits following intravenous injection of staphylococci. J. Exp. Med., 103 : 713.
- Rogers, D.E. & Melly, M.A. (1957):
Studies on bacteremia, the blood stream clearance of E.coli in rabbits. J. Exp. Med., 105 : 113.
- Rollo, F.D. and Deland, F.H. (1970):
The determination of spleen mass from radionuclide images. Radiology, 97:583.
- Sakr, R.; Amin, N. and Gharib, H. (1961):
Studies on thalassemia in Egyptian children. The Gazette of Egyptian Pediatric Association, IX (4).
- Say, B. and Berkel, I. (1964):
Idiopathic myelofibrosis in an infant. J. Pediatrics, 64 : 580-585.

- Schuckmell, N.; Grove, W.J. and Remenchik, A.P.
(1955):
The diagnosis of operable portal
obstruction in children. Am. J. Dis.
Child., 90 : 692.
- Scott, J.L. & Davidson, J.G. (1970):
Normal lymphocyte kinetics : influence
of splenectomy & epinephrine.
Proc. XIII Annu. Meeting. Am.Soc.
Hematol., Puerto Rico 6-8 Dec.P.42.
- Shaldon, S. and Sherlock, S. (1962):
Obstruction to extrahepatic portal
circulation in childhood. Lancet,
1 : 63.
- Sheir, Z.(1972):
Tropical diseases, First edition;
El Nasr Modern Book Shop,Cairo.P.6.
- Shoeb, S.M., Basmy, K. and Habib, M.A. (1962):
Studies on bilharzia ova in snips from three
rectal valves in 80 cases of endemic
hepatosplenomegaly.
Proc. First Intern. Symp. Bilhar.
Part I : 279-282, Cairo.
- Siegal, S. and Berkowitz, J. (1961):
Diphenylhydantoin (Dilantin) hyper-
sensitivity with infectious mononuc-
leosis like syndrome and jaundice.
J.Allergy Clin. Immunol.,32:447-451.

- Silver, H.K., Kempe, C.H. and Bruyn, H.B.(1977):
Handbook of pediatrics, 12th edition.
P.695. Lange Medical Publications.
Los Altos. California.
- Simon, G.T. and Burke, J.S. (1970):
Electron microscopy of the spleen.
III. Erythroleukophagocytosis. Am.J.
Pathol., 58 : 451.
- Singer, K. (1941):
Hematologic changes following splene-
ctomy in man. Am. J.Med. Sci,202:
171.
- Snodgrass, M.J. & Snook, T.(1971):
A study of some histo-chemical and
phagocytic reaction of reticuloendo-
thelial system of rabbit spleen.
Anatomical Record, 170 : 243-254.
- Storti, E. et al. (1967):
Biological and clinical significance
of adrenaline test in hematology.
Haematologia, 1 : 27.
(Quoted from Wintrobe,1974).
- Toghil, P.J. and Prichard, B.N.C.(1964):
A study of the action of noradrenaline
on the splenic cell pool. Clin. Sci.,
26 : 203.
- Troup, S.B. and Swisher, S.N. (1960):
The anemia of leukemia. Am.J.Med.,
28 : 751.

- Vanier, M.T.; Hutt, M.S.R.; & Cook, G.C.(1968):
Childhood splenomegaly in Uganda and
its relation to malaria. Brit.Med.
J., 2 :649-653.
- Wagner, H.N. (1962):
Removal of erythrocytes from the
circulation. Arch. Intern. Med. ,
110 : 90.
- Wagner, H.N.; Mc Afee, J.G. and Winkelman, J.W.
(1962):
Splenic disease diagnosis by radio-
isotope Scanning. Arch. Int. Med.,
109 : 673.
- Walker, W. (1976):
Splenectomy in childhood : A review
in England and Wales 160-4, Br.J. Surg.,
63 : 95.
- Watson, R.J.; Shapira, H.D.; Ellison, P.R. and
Lichtman, N.C. (1955):
Splenic aspirations in clinical and
experimental hematology. Blood, 10:259.
- Weatherall, D.J. and Clegg, J.B.(1972):
The thalassemia syndromes.
2nd edition. Blackwell Scientific.
Publications. Oxford.London.Edinburgh.
Melbourne.

- Weed, R.I., Lacelle, P.L. and Marrill, E.W.(1969):
Metabolic dependence of red cell
deformability.J.Clin. Invest.,48:
795-809.
- Welch, C.S. (1950):
Portal hypertension.N. Engl.J. Med.,
243 : 598.
- Whipple, A.O. (1945):
Problems of portal hypertension in
relation to hepatosplenopathies.Ann.
Surg., 122 : 449.
- Willoughby, M.L.N. (1978):
Disorders of blood and reticulo-
endothelial system, In text book of
pediatrics edited by ForFor J.O. &
Arneil, G.C., 2nd edition. P. 825.
Churchil Livingstone.Edinburgh.London.
New York.
- Winkelman, J.W.; Wagner, H.N.; Jr., Mc Afee, J.G.
and Morely, J.M. (1960):
Visualization of the spleen in man
by radioisotope scanning. Radiology,
75 : 465.
- Winkelstein, J.A. and Drachman, R.H. (1968):
Deficiency of pneumococcal serum
opsonizing activity in sickle cell
disease.N.Engl.J. Med., 279 : 459-466.

-(a) Wintrobe, M.M., Lee, G.R.; Boggs, D.R., Bithell, T.C., Athens, J.W. and Foerster, J. (1974):
The Reticulo-endothelial system and the spleen. In Clinical hematology. P. 351-367. Lea & Febiger. Philadelphia.

-(b) Wintrobe, M.M., Lee, G.R.; Boggs, D.R., Bithell, T.C., Athens, J.W. and Foerster, J. (1974):
Disorders primarily involving the spleen. In Clinical hematology, P.1405-1430. Lea & Febiger. Philadelphia.

- Wiseman, B.K. and Doan, C.A. (1942):
Primary splenic neutropenia Ann. Int. Med. 14 : 1097.