

VIII. BIBLIOGRAPHY

- Ameriso, F.M.S. and Caffarena, G. (1963)
Simusopation par streptococco anaerobio.
Seman. Med. 123, 1355.
- Ballantyne, J.; Groves, J.; Edwards, C.H. and Downdon D. (1978)
A synopsis of otolaryngology 3rd Ed., John wright &
Sons, Bristol.
- Baron, D.; Drugeon, H.; Nicloas, F. and Courtieu, A.L. (1975)
Interet du metronidazole dans les septicemies a
bacteroides fiagilis. Deux observation. Nouv.
Presse Med. 4, 667 as quoted by Finegold 1977.
- Beerens, H. and Tahon-Castel M. (1965)
"Infection Humaines a bactéries anaerobics non-
toxigènes".
Présses Acad. Eur. Bruxelles.
- Beerens, H. (1953-1954).
Etude de 25 souches d'une bacterie anaerobic non-
sporulée: Rami bacterium pleuritium.
Ann. Inst. Pasteur, little 6, 116.
- Bjornson and Hill, E.D. (1973)
E-cterodaceae in Thomboembolic disease effects of
cell wall components on blood coagulation in vivo
and vitro. Infect. Immun. 8, 911.

- Blanton Patricia and Biggs Norman, L. (1969)
Eighteen hundred years of controversy.
The paranasal sinuses, Am. J. anat. 124: 135-148.
- Boerhaave (1969)
Cited from Blanton P.L. & Biggs U.L.
Am. J. Anat. 124: 135 - 148.
- Bodner, S.J.; Koenig, G. and Goodman, J.S. (1970)
Bacteremic Bacteroides infections.
Am. Intern. Med. 73, 537.
- Braune-Clasen (1877)
Cited from Killern R.H. (1913) in the "Catarrhal &
septic diseases of the accessory sinuses in
the nose".
Philadelphia & London.
J.B. Lippincott Co. 1913.
- Brown, Edward, E. (1950)
Fifty symptoms of chronic sinusitis in children
with differential diagnosis of each symptom.
Arch. Pediat. 67: 503 - 518, 553 - 568.
- Burdon, K.L. (1927)
The occurrence of a black pigment producing micro-
organism on the normal mucous membranes and skin
in pathological conditions.
J. Missouri state Med. Assoc. 24, 381.
- Cornot, P. and Blamoutier, P. (1924)
Stomato-rhino-conjunctivite à fusospires.
Arch. Int. Laryngol, 31, 1.

- Casiato, D.A.; Rosenblatt, J.E.; Goldberg, L.S. and
Bluestone, R. (1975)
In vitro interaction of *Bacteroid foragilis* with
polymorphmu clear leucocytes and serum factors,
Infect. Immun. 11, 337 (1975).
- Chow, A.W. and Guze, L.B. (1974)
Bacteriodacea bacteraemia.
Clinical experiments with 112 patients
Medicine (Baltionore) 53, 93 (1974).
- Davis, Warren B. (1918)
Anatomy of the nasal accessory sinuses in infancy
and childhood.
Cited from Maresh Marion M. *Amer. J. Dis. of
children* 60: 55 - 78 (1918).
- Dietrich, H.; Klein, W. and Nickel, H. (1965)
*Uber Auftreten und Resistenz bestim mung Anaerober
sporenloser Infektionserreger. Zentralbl.
Bakteriol, Parasitenkd, Infektions Kr. Hyz
Abt. I: Orig.* 197, 515 (1965).
- Ebbs, J.H. (1938)
A note on the incidence of sinusitis in children
Brit. Med. J. 1: 385 (1938).
- Felner, J.M. and Dowell, Jr., V.R. (1971)
"Bacteroides" bacterenian. *Am. J. Med.* 50, 787 (1971).
- Finegold, S.M. (1977)
Anaerobic Bacteria in human disease sydney, M.
Finegold, M.D. Academic Press.
New York Sanfransisco-London (1977).

Flemo, R.J.; Flint, L.M.; Osterhont, S. and Shingleton, W.W.
(1967)

Bacteriological studies of biliary tract infection.
Ann. Surgery 66, 513 (1967).

Freeman, W.A.; Fadzean, M.C. and Whelan, J.A.

Activity of metronidazole against experimental tetanus
and gas gangrene.

J. Appl. Bacteriol. 31, 443.

Frederick, J. and Braude, A.I. (1974)

Anaerobic infection of the paranasal sinus.

N. Engl. J. Med. 290, 135 (1974).

Georg, L.K.; Hobertstad, G.W. and Brinkman, S. (1964)

Identification of species of actinomyce.

J. Bacteriol 88, 477 (1964).

Gesner, B.N. and Jenkin, C.R. (1961)

Production of Hyarinase by bacteroid.

J. Bacteriol 81, 595.

Gibbons, R.J. and Van Houte, J. (1975)

Bacterial adherence in oral microbial ecology, Am.

Rev. Microbial 29, 19 (1975).

Goldsand, G. and Braude, A.I. (1966)

"Anaerobic infections"

Dis. - Hon. Nov. (1966)

Greenblatt, I.J. and Greenblatt, A.P. (1945)

Human infection with *Bacterium necrophorum*.

Am. J. Med. Sci. 210, 596.

- Gujer, H., Hortmann, H.P. and Wiesmann, E. (1970)
Gas brand sysismit ungewoh nlicher streuquelle
Beitr. Gerichtl. Med. 27, 284 (1969).
- Gullers, K.; Hundberg, C. and Mabmborg, (1969)
Penicillin in paranasal sinus secretions.
Chemotherapy (Basel) 14, 303 (1969).
- Hamory, B.H.; Sande, M.A.; Sydnor A.Jr. et al., (1979)
Etiology and antimicrobial therapy of acute maxillary
sinusitis. Dept. Int. Med., Univ. Vigrinia Sch.
Med., charlottesvible, Va. U.S.A. J. Infect. Dis.
139/2 (197 - 202) (1979).
- Harvey, J.C.; Cantrell, J.R. and Fisher, A.M. (1957)
Actinomycosis: Its recognition and treatment
Ann. Intern. Med, 46, 868 (1957).
- Hausmann, H. (1928)
Vonder Bedeutung der Anaerobier in der ineran
Medizin.
Schweiz. Med. Wochenschr, 58, 305 (1928).
- Hinrich, S. and Pulverer, G. (1960)
Uber den Nachweis des bacteroides mechaninogenicus
in Krank heits prozessen bei Mensch and Tier.,
2 Hyg. 146, 331 (1960).
- Himalstein, M.R. (1967)
Osteomyelitis of the maxilla due to an anaerobic
organism, ~~case~~ report and management laryngoscope
77, 559 (1967).

- Hite, K.E.; Locke, H. and Hesseltine, M.C. (1949)
Synergism in experimental infections with non-sporulating anaerobic bacteria.
J. Infect. - Dis. 84 (1949).
- Hollender, A.R. (1929)
Delayed healing of seftal reactions due to vincent's infections. Report of three cases Arch. Otoloryngol 9, 422 (1929).
- Ingelrans, P. (1947)
Infection grove de la faces a "spherophorus varius" d'origines dentaire avec em yeme du sinus maxillaire. Mem. Acad. Chir. 73, 433.
- Braude, A.I. (1973)
Bacteroides in the blood, Lancet 1, 377.
- Ledger, W.J.; Gee, C.; Pollin, P.A.; Lewis, W.L.; Sutter, V.L. and Finegold, S.M. (1976)
A new approach to patient with suspected anaerobic post partum pelvic infections. Transabdominal uterine aspiration for culture and Metronidazole for treatment.
Am. J. Obstet. Gynecol. 126 (1), 1 (1976).
- Lodenk, H. and Stienen, G. (1955)
Importance & Therapy of Anaerobic infections.
Antibiot. Med. I, 653.

Logan Turner, A. (1901)

The accessory sinuses of the nose.
Edinburgh-William Green and Sons.

Logan's Turners 8th Edition (1977)

Disease of nose, throat Ear.
Bristol: John Wright and Son L.T.D.

Lundberg, C.; Carenfelt, C.; Engquist, S. and Nord, C.E.
(1979)

Anaerobic bacteria in maxillary sinusitis Dept.
otolaryngol., Sodersjukh., Stockholm SWE.
SCAND. J. INFECT. Dis. 1979 11/Suppl. 19 (74-76).

MacDonal J.B.; Socransky, S.S. and Gibbon's, R.J. (1963)

Aspect of pathogenesis of mixed anaerobic infections
of mucous membrane.
J. Dent. Res., 42, 529.

Maresh, M.M. (1940)

Paranasal sinuses from birth to late adolescence.
Size of the paranasal sinuses as observed in Routines
Postero-anterio roentgenograms.
Am. J. Dis. Child 60: 55 - 78.

Melency, F.L. (1931)

Bacterial synergism in disease processes with a
confirmation of the synergistic bacterial etiology
of certain type of progressive gangrene of the
abdominal wall.
Ann. surg. 94, 961.

Mitre, R.J. and Rotheran (1974)

Anaerobic septicemia from thrombophlebitis of internal jugular vein. Successful treatment with metronidazole.

J. Am. Med. Assoc. 230, 1168.

Moore, H.B.; Sutter, V.L. and Finegold, S.M. (1975)

Comparison of three procedures for biochemical testing of anaerobic bacteria.

J. Clin. Microbiol - 1, 15.

Morten J.W. (1971) Practical Methods for isolation of anaerobic bacteria from clinical specimen, Appl. Microbiol. 25: 77.

Nathan, H. (1931)

Über den Austretung sweiz septischer, metastasierenden infektionen.

Virchows Arch. Pathol. anat. Physiol. 281, 430.

Nathan, M.H.; Radman, W.P. and Barton, H.L. (1962)

Osseous actinomycosis of the Head and Neck.

Am. J. Roentagenol Radium Ther. Nucl. Med. 87, 1048.

Nastro, L.O. and Finegold, S.M. (1972)

Bactericidal activity of five antimicrobial agents against Bacteroid Fragilis.

J. Infect. Dis. 126, 104.

Negus, V. (1957)

The function of the paranasal sinuses.

Arch. Otolaryng. 66: 430 - 442, (1957).

- Okudo, K. and Takazoe, J. (1974)
Heamagglutinating activity of bacteroides melaninogenicus Arch. Oral Biol., 19, 415.
- Onodi, A. (1911)
The accessory sinuses of the nose in children.
Translated by Carl Prausnitz London-John Bale, Sons and Danielsson Ltd.
- Paparella, M.M. and Shumrick, D.A. (1973)
Otolaryngology, Vol. I, Saunders, London (1973).
- Pinkus, G., Veto, G. and Braude, A.I. (1968)
Bacteroides Penicillinase, J. Bacteriol. 96, 1437 (1968).
- Prevot, A.R.; Beerens, H. and Zimmes-chaverou, J. (1947)
Etude des caractères morphologiques, Physiologiques et Biochimiques de spherophorus varius.
Am. Inst. Pasteur, Paris 73, 390.
- Proetz, A.W. (1953)
Applied physiology of the nose second edition (1953).
Amale Publishing Company Saint-Louis.
- Rentsch, R. (1963)
Zur Diagnostik nicht sporenbildender.
Anaerobier Inaugural Dissertation, University of Zurich.
- Ritter, F.N. (1971)
The surgical Anatomy of the nasal sinues.
Otol. Clin. N. Amer 4: 3 - 11.

- Ruben, R.J. and Wegs, N. (1975)
Contraindication to adenoidectomy.
Bull. of the New York Acad. of Medicine.
Vol. 55, No. 7, 817 - 827 (1975).
- Rui, Le Den, Gourlaoven (1960)
Contribution a l'étude du role dessinus paranaseaux.
Rev. de L ar. Oto-Rheir.
81: 796 - 839.
- Sacransky, S.S. and Gibbons, R.J. (1965)
Required role of bacteroid melaninogenicus in mixed
Anaerobic infection.
J. Infect. dis. 115, 247.
- Samuel, E. (1952)
Clinical radiology of the ear, nose and throat.
London, H.K. Lewis & Co. Ltd., First Edition.
- Schaeffer, J.P. (1920)
The nose paranasal sinuses, nasolacrimal path ways
and the olfactory organ in man philadelphia,
P. Blakiston Son & Company.
- Schwabacher, H.; Lucas, H.D.R. and Rimington, C. (1947)
Bacterium melaninogenicum-a misnomer.
J. Gen. Microbiol. 1, 109.
- Scott-Brown's (1979)
Disease of Ear, Nose and Throat, Vol. 3, 4th ed.
Butter worths, London, Boston.

Sevel, D. (1973)

D. Sevel, B. Tobias, S.L. Sellors and A. Forder.
Gas in the orbit associated with orbital allulitis
and paranasal sinusitis.
Br. J. Ophthalmol 57, 133.

Shinn, D.L.S. (1962)

Metronidazole in acute ulcerative gingivitis.
Lancet 1, 1191.

Skillern-Ross, Hall (1913)

The catarrhal and suffurative diseases of the access-
ory sinuses of the nose.
Philadelphia & London.
J.B. Lippincott Company.

Smith, D.T. (1932)

"Oral spirocheates and related organisms in fuso
spirocheatal diseases".
Williams and Wilkins, Baltimore, Maryland.

Stanton, H.B. (1969)

Actinomycosis of the maxillary sinus in "Actinomyc-
osis" (M. Bronner and M. Bronner, eds).
P. 167, Williams and Wilkins, Baltimore Maryland
(1969).

Takazoe and Nakamura, T. (1971)

Experimental mixed infection due to various oral
anaerobes. In "First symposium on anaerobic bacteria
and their infectious diseases".
(S. I. Shiyama et al., eds) P. 70, Eisai, Tokyo, Japan.

Talley, F.P. and Stewart, P.R.; Sutter, V.L. and Rosenblatt, J.E. (1968)
Oxygen Tolerance of Fresh clinical Anaerobic bacteria.
J. Clin Microbiol. 1, 161.

Thomas, G.G.A. and Hare, R. (1954)
The classification of anaerobic cocci and their isolation in normal Human beings and pathological processes.
J. Clin. Pathol. 7, 300.

Thomas, G.G.; Toohill, R.J. and Lehman, R.H. (1974)
Actinomycosis following bacteriograft.
A case report. Arch. Otolaryngol 100, 377.

Thomson, S.C., Negus, V.E. and Bateman, G.H. (1955)
Diseases of the nose and throat.
5th Ed., London, Cassel (1955).

Ueno, K.K.; Niromiya, K.; Kamiya, M. and Suzuki, S. (1971)
Antibacterial Activity of metronidazole (Flagyl) against.
Anaerobes in Vivo. Olin. Rep. 5, 737.

Vanden Eeckhaut (1971)
Adenogenous aetiology in certain irritation cough.
Int. Rhinol (leiden) 1970, 812, 195.
Cited after Exepta medica 24-6/71, Abstract No. 1561.

Videau, D. (1971)
Association metronidazole-spiramycine sur les germes anaerobies Pathol. Biol. 19, 661 (1971).

Von Gusnar, K. and Globig, H. (1929)

Ubereine besondere from dersepsis.

Dtsch. Z. Chir. 221, 263.

Williams, H.L. and Nichols, D.R. (1943)

Spreading osteomyelitis of the frontal bone treated
with penicillin Proc. Staff. Meet. Mayo. Clin.
18, 467.

Wilson, T.G. (1962)

Diseases of the ear, nose and throat in children,
Second edition.

London-Williams, Heinmann Medical, Books Ltd.

Wright, I. (1970)

The bacteriology of ear nose and throat diseases.
J. of Laryng. Vol. II, P. 283 - 308, 1970.