

REFERENCES

REFERENCES

Abdel-Hakim, A.M., Soliman, M.A. and Sobhy, K.E. (1987):

Role of fiberbronchoscopic lavage in diagnosis of suspected cases of pulmonary tuberculosis.

Egypt J.Chest Dis. & Tuberc., 33(1): 211.

Affronti, L.F., Fife, E.H. and Grow, L. (1973):

Serodiagnostic test for tuberculosis.

Am. Rev. Resp. Dis., 107: 822.

American Lung Association (1979):

Diagnostic standards and classification of tuberculosis and other mycobacterial diseases. New York, cited by U.S. Department of Health education and welfare, Public Health Service Centre for diseases control. Atlanta, Georgia, Reprinted, P. 37.

American Thoracic Society:Comittee on Diagnostic Skin Testing (1971):

The tuberculin skin test.

Am. Rev. Resp. Dis., 104: 769.

American Thoracic Society (1980):

Diagnostic standards classification of tuberculosis and other mycobacterial diseases (14th edition).

Am.Rev.Resp.Dis.,123: 343.

Arthur, S. and Banner, M.D. (1979):

Tuberculosis - Clinical aspects and Diagnosis.

Arch., Intern. Med., 139: 1387.

Avrameas, S. and Trnynek, T. (1969)

The cross linking of proteins with glutaraldehyde and its use for the preparation of immuno- absorbents

Immunochemistry, 6:53

Bass, J.B., Faver, L.S. and Hopewell, P.C (1990):

Diagnostic standards, and classification of tuberculosis.

Am.Rev. Resp. Dis, 142:725

Bates, J.H. (1979):

Diagnosis of Tuberculosis.

Chest, 76 (suppl.): 757.

Baum, G. and Wolinsky, E. (1983):

Textbook of Pulmonary Diseases, 3rd ed., Little and Brown Company P. 507.

Baum, G. and Wolinsky, E. (1989):

Textbook of Pulmonary Diseases, 4th ed.

Little and Brown Company. P. 465.

Beck, J.S. (1988):

The Tuberculin Testing.

J. Pathol., 155: 1-2.

Beck, J.S. (1991):

Skin changes in Tuberculin test.

Tubercle, 72 : 81.

Beck, J.S., Spence, V.A, Lowe, J.G. and Gibbs, J.H. (1986):

Measurement of skin swelling in tuberculin test by ultrasonography.

J. of Immunological Methods, 86: 125.

Blair, J.E. and Lennette, E.H. (1970):

Maunual of clinical microbiology. American society for microbiology, Washington, D.C., P. 114.

Byrdi, R.B., Douglas, R.G., Daniel, C. and Knies, A. (1969):

The mono-vacc tuberculin skin test.

Chest, 56: 447.

Charpin, D., Herbault, H. and Gevaudan, M.J. (1990):

Value of ELISA using A 60 antigen in the diagnosis of active pulmonary tuberculosis .

Am. Rev. Resp. Dis., 142: 380.

Choremins, C.B. and Anastasea (1954):

The application of Middlebrook, Dubos haemagglutination test in tuberculosis of children.

Am. Rev. Resp. Dis., 70: 139.

Cockburn, T.A., Witt, M.T., Ludlow, C.E. and Maclead, K.I. (1965):

A comparison of Jet injection with the Mantoux test in mass skin testing with tuberculin.

Am. Rev. Resp. Dis., 92: 982.

Collins, C.H., Grange ,J.M. and Yates, M.D. (1985):

Organization and practice in tuberculosis bacteriology.

Butterworth, London

Comstock, G.W. (1975):

False tuberculin results.

Chest, 68: 465 (suppl.).

Comstock, G.W. (1982):

Epidemiology of tuberculosis.

Am. Rev. Resp. Dis., 125(3): 8.

Comstock, G.W., Furcolow, M.L., Green berg, R.A., Grzybowski, S.,

Maclean R.A, Beer, H. and Edwards, P.Q. (1971):

The tuberculin skin test.

Am. Rev. Resp. Dis., 104:769.

Crofton, J. and Douglas, A. (1981):

Respiratory Diseases, 3rd edition, Blackwel Scientific
Publication, Oxford, Chapter 12, P. 218

Crofton, J., Horne, N. and Miller, (1992):

Clinical tuberculosis. Reprinted of 1st ed. Macmillan press
LTD, London and Bosingskoke, P. 15.

Cutler, R.R, Wilson, P. and Clarke, F.V.(1987):

The effect of polyoxyethylene stearate (POES) on the growth of
Mycobacteria in radiometric 7H 12 Middlebrook T.B medium.
Tubercle, 68:209

Daniel, T.H. and Baum, G.L. (1968):

Molecular characterization of hemagglutination antibody to tuberculopolysaccharide in sera from patients with tuberculosis.
Am. Rev. Resp. Dis., 98: 677.

Daniel, T.H. and Baum, G.L. (1969):

Molecular characterization of hemagglutination antibody to tuberculoprotein in sera from patients with tuberculosis.
Am. Rev. Resp. Dis., 99:249.

Daoud, W.Y. (1993):

Adenosine deaminase activity in bronchoalveolar lavage of pulmonary tuberculosis.
M.D. Thesis, Chest department, Cairo University, P. 228.

De Kantor, I.N., Lapez, B. Torres, P., Nader, A., and Garcia, V. (1993):

Preliminary evaluation of a simple method for detection of bovine tuberculosis : the glutaraldehyde test
J. Vet. Med. B40:27

Donnenberg, A.M. (1982):

Pathogenesis of pulmonary tuberculosis.
Am. Rev. Resp. Dis., 125(3): 25.

Duboczy, B.O. and White, F.C. (1966):

Latex agglutination test for tuberculosis.

Am. Rev. Resp. Dis., 94: 914.

El-Abd, A.E. (1993):

Study of cellular and humoral immunity in patients with active and inactive pulmonary tuberculosis , M.D. Thesis , Benha Faculty of Medicine, Zagazig University

El-Ansary, E.H. and Grange, J.M. (1984):

Qualitative differences in tuberculin reactivity in patients with tuberculosis, occupational contact and non contact.

Tubercle, 65:191.

El-Batawi, Y.A.(1981):

Manual of microbial infections of man. 4th ed., El- Nasr Modern Bookshop, Cairo, part III, P. 85.

El-Gazzar A., G. (1984):

Specific immuno stimulant "Levamisol" as an adjuvant therapy in the treatment of pulmonary tuberculosis, M.Sc Thesis, Faculty of Medicine, Zagazig University

Elias, R.Y. (1975):

Evaluation of different bacteriological methods and techniques used for the diagnosis of mycobacterial infection in man.

M.D.Thesis, Bact. Depart., Faculty of Medicine, Cairo University.

EL-Maraghy, A.S., Mostafa, M.A., Nafie, E.K. and Abd EL-Rahman.

(1985):

Rate of discovery of pulmonary tuberculosis in attendants of Benha University Chest clinic using sputum bacilloscopy.

Egypt. J. Chest Dis. & Tuberc., 29(1): 143

EL-Zawahry, M.A. and Mansour, A.E. (1963):

Some epidemiological features of reported tuberculosis in Alexandria.

Egypt. J. Chest Dis. & Tuberc., 6:1

Esmat, M.M. and EL-Maraghy, A.S. (1975):

Follow up of sputum analysis and the effect of rifampicin.

Egypt. J. Chest Dis. & Tuberc., 21:11.

Finegold, S.M. and Martin, W.J. (1982):

Diagnostic microbiology, 6th ed., C.V. Mobsy Company, London, p. 338.

French, G.L., Chan, C.Y., Cheung, S.W. and Oo, K.T. (1987):

Diagnosis of pulmonary tuberculosis by detection of tuberculostearic acid in sputum by using gas chromatography - mass spectrometry with selected ion monitoring.

The J. of Infec. Dis., 156 (2): 356.

Furcolow, M.L., Hewell, B., Nelson, W.E. and Palmer, C.E. (1941):

Quantitative studies of the tuberculin reaction I. Titration of tuberculin sensitivity and its relation to tuberculous infection.

U.S. publ. HLth. Rep. 56: 1082 (Quoted from Seaton et al., 1989).

George B.W., (1990):

Mycobacteria in: Bailey & Scett's. Diagnostic Microbiology, 8th ed. 41: 601.

Gharib, M. (1979):

Evaluation of the staining methods in the detection of tuberculous infection M. Sc. Thesis, Bact. Dept., Faculty of Medicine, Cairo University.

Glenchur, H. and Kettel, L. (1965):

A study of the agar - double diffusion test in human tuberculosis.

Am. Rev. Resp. Dis. 91:86.

Good R.C.; and Mastro, T.D. (1989):

The modern mycobacteriology laboratory, How it can help the clinician.

Clinics in Chest Medicine, 10 (3): 315.

Grange, J.M. (1989):

The rapid diagnosis of paucibacillary tuberculosis.

Tubercle, 70:1.

Grange, J.M., Gibson, J., Nassau, E. and Kardijito, T. (1980):

Enzyme - linked immunosorbent assay (ELISA): A study antibodies to M. tuberculosis in the IgG, Ig A and Ig M classes in tuberculosis, sarcoidosis and crohn's diseases.

Tubercle, 61: 145.

Hallberg, V. (1976):

A new method for staining tubercle bacilli applicable also to the microorganism of leprosy and other acid fast germs.

ACTA, Med. Scand Supp., 180:1.

Hinshow, H.C. and Murray, J.F. (1980):

Pathogenesis, diagnosis and control of tuberculosis in : Diseases of Chest, 4th ed. W.B.Saunders Company, Philadelphia, London, p. 299.

Horne, N. (1986):

Tuberculosis. *Medicine International*, 36: 1493.

Husen, L., Fukerson, L.L. and Zack, M.B. (1971):

Pulmonary tuberculosis with negative finding in chest x-ray films,
A study of 40 cases.

Chest, 60(6): 540.

Kardijito, T. and Grange, J.M. (1980):

Immunological and clinical feature of pulmonary tuberculosis in
East Jova.

Tubercls, 61:231.

Kardijito, T. and Grange, J.M. (1982):

Diagnosis of active tuberculosis by immunological methods 2.
Qualitative differences in the dermal response to tuberculin in
patients with active pulmonary disease and healthy tuberculin
positive individual.

Tubercle 63: 275.

Kilburn, J.O., Silcox, V.A. and Kubica, G.P. (1969):

Differential identification of mycobacteria by the tellurite
reduction test.

Am. Rev. Resp. Dis., 99: 94.

Kinyoun, J.J. (1915):

A note on sputum examination for tubercle bacilli.
Am. J. Pub. Health, 5: 867.

Konno, K. (1956):

Identification of mycobacteria by Niacin test.
Science, 124: 985.

Kochi, A. (1991):

The global tuberculosis situation and the new control strategy of
the World Health Organization.
Tubercle, 72:1

Larsson, S.A. (1988):

A Preliminary study on an easy and inexpensive method for the
detection of tuberculosis in cattle using the glutaraldehyde test.
J. of Nepal Med. Association, 26:9.

**Larsson, S.A., Shrestha, M.P., Pokhrel, B.M. Upadhyay, M.P. and
Shrestha, K.B. (1990):**

The gluaraldehyde test as a rapid screening method for pulmonary
tuberculosis: a preliminary report.
Ann. of Tropical Medicine and Parasytology, 48(2): 111.

Lian, B.H. (1984):

The diagnosis of pulmonary tuberculosis.

S. Afr. Med. J., 65:152.

Liberg, P., (1978):

The fibrinogen concentration in blood of dairy cows and its influence on the interpretation of the gluaraldehyde and formol gel test reaction.

Acta. Vet. Scand., 19 : 413.

Lillington. G.A. and Jamplis, R.W. (1977):

Collection of tracheo-bronchial secretion in: **D i a g n o s t i c** approach to chest diseases, 2nd ed., The Williams & Willkins company, Baltimore, USA, P. 17.

Maclean, R.A. (1975):

Tuberculin testing antigens and techniques.

Chest, 68:455.

Manjunath, N., Shankar, P. Rajan,L., Bhargava, A.,Saluja, S. and Shrinivas (1991):

Evaluation of polymerase chain reaction for the diagnosis of tuberculosis.

Tubercle, 72:21

Mascher,W. (1951):

Tuberculin negative tuberculosis.

Am. Rev. Resp. Dis., 63:501

Michison, D.A., Aber, V.R., Ahmad, F.J., Allen, B.W. and Devi, S. (1977):

Evaluation of serological test for tuberculosis.

Brit. Med.J., 1: 1383

Middlebrook, G (1950);

The haemolytic modification of haemagglutination test for antibodies against tubercle bacilli .

J. Clin. Invest., 29:1480.

Middlebrook, G. and Dubos, R.J. (1948):

Specific serum agglutination of erythrocytes sensitized with extracts of tubercle bacilli

J. Exp. Med.,88: 521.

Milton, J.R. and Ilfeld, B.R. (1963):

Preventive medicine and public health, 9th ed. by
Philib, E. Sortmell, Appleton, Century.
Crofts, Inc. Ch., 59:213.

Murray.J.F. and Nadel, J.A. (1988):

Respiratory Medicine, W.B. Saunders company, Philadelphia,
P.860

Nassau, E., Persons , E.R. and Ghonson, G.D. (1976);

The detection of antibodies to mycobacterial tuberculosis
by microplate Enzyme - Linked immunosorbent assay (ELISA).
Tubercle, 57:67

National Tuberculosis Association of U.S.A. (1961):

Diagnostic standards and classification of tuberculosis,
1961 ed. New York.

National Tuberculosis Control Program, (NTP- Guide) (1994):

Ministry of Health, Arab Republic of Egypt. P.4.

Negm, M.F., Amin, M.F., Mohamed, A.A. and youssef, S.A. (1995):

Evaluation of polymerase chain reaction in diagnosis of
pulmonary tuberculosis , Egypt Society of Chest Disease and
Tuberculosis, International conference, March 30- 31, 1995.

Negm, M.F., Hamdy, A.B., El-Gazzar, A.G. and youssef, A.A., El-Aarag, A.H., Okab, A.A. and Abd El-Monem, M.M. (1995):

Diagnostic value of sialic acid in malignant and non malignant pleural effusion. pulmonary tuberculosis, Egypt Society of Chest Disease and Tuberculosis, International conference, March 30-31, 1995.

Nicholls, A.C. (1975):

A serodiagnostic test for tuberculosis.
J. Clin. Path., 28:850

Nyke, V. (1963):

Studies on Myco- tuberculosis in lesions of the human lung.
A new method of staining tubercle bacilli in tissues sections.
Am. Rev. Resp.Dis., 88: 670

Ocana, I. Martinez- Vasques, J.M. and Segura, M. (1983):

Adenosine deaminase in pleural fluid. Test for diagnosis
of tuberculous pleural effusion.
Chest, 84 (1) : 51

Osman, A.H., Abdel- Aziz, S.A., Abdel- Maguid, T.M., Abul- fadle, A.A., Elsinowy, O. and Abdalla, S.M. (1993):

The glutaraldehyde test as a rapid screening test for the
diagnosis of tuberculosis.
Egypt. J. Chest Dis. & Tuberc., 41 (2): 108.

Osman, G.S., Afifi, A. El- Sabah, S.B., Abdel- Naby, M., Youssef ,A.R.,Nafee, R.M.,Raefat, E., Abou- taleb A., Salah, A., El- Nagdy, H., Ghoneum, A.H., Hussien, R.M., Mansour, U.F. and Mobasher, A. (1995):

Diagnosis of Mycobacterial infection in radiologically suspected cases of pulmonary tuberculosis.

Egypt. J. Chest Dis. & Tuberc., 44 (1): 69

Pagel, W., Simmonds, F.A.H., Mac Donald ,N. and Nassau, E. (1964);

Diagnostic methods in: Pulmonary tuberculosis 4th ed., Oxford University Press, London, P.12.

Parlett, R.C. and Youmans, G.P.(1959):

An evaluation of the specificity and sensitivity of a gel-double diffusion test for tuberculosis.

Am. Rev. Resp. Dis., 80: 153.

Pottz, G. A., James, H. and fampey, H. (1964):

A method for rapid staining of acid fast bacilli in smears and sections of tissues.

Am. J. Clin. Path., 42:552

Price, M. (1968):

Lymphangitis reticularis tuberculosa.

Tubercle, 49:377

Ranadive, S.N., Bhattacharya, S., Kale M.K. and Bhattacharya, A. (1986):

Humoral immune response in tuberculosis: Initial characterization by immuno precipitation of ¹²⁵ Iodine labelled antigens and sodium dodecyl sulfate polyacrylamide gel electrophoresis.

Clin. Exp. Immunol., 64:277.

Rao, K. N. (1966):

Bull. WHO, 34: 598 (Quoted from Rao et al., 1982)

Rao, K.N, Viswanthan, R and Sen, P.K. (1982):

Textbook of tuberculosis , the tuberculosis association of India, 2nd ed, Viskas Publshing House, P.207

Rieder, H.L., Cauthen, C.M. Comstock, G.W. and Sinder, D.J. (1989):

Epidemiology of tuberculosis in United states

Epidemiol. Rev., 11:29

Rizzon , F.C. Picon, P.D. and Ott, W.P. (1990):

Photofluorography in industry workers for employment purpose for detection of pulmonary tuberculosis.

Am. Rev.Resp. Dis., 141(4): 787.

Rosenthal, S.R. (1961):

The disc- tine tuberculin test

J.A.M.A.,177:452.

Salem, E.S., Nafei, E.K., El-Shahat, H. and Ahmed, S.S. (1992):

Serological diagnosis of tuberculosis.

Egypt. J. Chest Dis.& Tuberc. 39(1): 173.

Seaton, A., Seaton, D. and Leitch, A.G. (1989):

Pathogenesis, epidemiology and prevention of tuberculosis in :
Crofton and Douglas's Respiratory Diseases, 4th ed. Blackwell
scientific publications, Vol. 1, P. 367

Segovia, D.A. and Fishbein, E. (1971);

Serum immunoglobulin in Pulmonary tuberculosis

Chest, 60 (2): 133.

Smith , D.W. (1981):

Mycobacteria, in Braude, A.I., Davis, C.E and fieren, J.(eds) :
Medical microbiology and infections diseases.Philadelphia, W.B.
Saunders Company, P.416.

Stead, W.W. and Bates, J.H. (1983):-

Tuberculosis in : Harrison's Principles of internal medicine.
Petersdorf, R., Adams, R., Braunwald, E., Isselbacher, K., Martin,
J. and Wilson, J. (eds.).10th ed., Mc Graw- Hill International
Book Company. London, P. 1025.

Styblo, K. and Rouillion, A. (1981):

Estimated global incidence of smear positive pulmonary tuberculosis .Bulletin of the International Union against Tuberculosis,56:118

Takahashi, Y.(1962):-

Specific serum agglutination of kaolin particles sensitized with tubercle phosphatide and its clinical evaluation as serodiagnostic test for tuberculosis .

Am. Rev. Resp. Dis., 85:708

Tilton R.C., Balwos A. Hohnadel, D.C, and Reiss, R.F. (1992)

Clinical laboratory medicine, Mosby year book , P.875

Toman, K. (1979):-

Tuberculosis case finding and chemotherapy.

Questions and answers. WHO, Geneva, P.4, 9

Topley, W.W. and Wilson, G.S (1990):-

Principles of bacteriology, virology and immunity, 8th ed. Arnold, London Vol.(1): 76., Vol (2) : 74, 78.,vol (3): 105

Vooren, J.P., J. P., Farber, B.M., and Serrus, E. (1990):

Immunological detection of mycobacterial antigens in infected fluid, cells and tissues by latex agglutination.

Am. Rev.Resp. Dis., 141(4):805.

Wayne, L.G. and Howkins, J.E. (1988):.

Microbiology of tuberculosis in: Fishman's Pulmonary Diseases and Disorders , 2nd ed. Mc Graw- Hill Book Company, 3: 1811.

Weg, J.G. (1977):

Chronic respiratory tract infection in: Pulmonary medicine, Guenter, C.A. and Welch, M.H. (eds), 1st ed., J.B. Lippincott Company, Philadelphia, P.321

Weyer, K. (1990):

Quality and quantity of sputum specimen affect bacteriological findings.

Am. Rev. Resp. Dis., 141 (4) : 789.

WHO Expert Comittee on Tuberculosis (1974):

Ninth Report. Technical Report Series.,

No. 552.

Willcox, P.A., Benatr, S.R. and Potgieter, P.D. (1982):

Use of the flexible fibreoptic bronchoscopy in the diagnosis of sputum negative pulmonary tuberculosis.

Thorax, 37:598.