

References

REFERENCES

- [1]-Abaci, F. and Aterman, K. (1966): Quoted by Aterman, K. (1968): Pathology of *Candida albicans* infection of the umbilical cord. *Amer.J.Clin. Pathol.* 49:798.
- [2]-Amin, A.,A. (1983): *Candida albicans* in females attending gynaecologic out patient clinic. Thesis submitted for partial fulfilment of master degree in Obstetrics and Gynaecology, Benha Faculty of Medicine, Zagazig University, P.P.39:41.
- [3]-Aterman, K. (1968): Pathology of *Candida* infection of the umbilical cord. *Amer.J. Clin. Pathol.* 49:804.
- [4]-Baily, W.R. and Scott, E.G. (1974): *Diagnostic Microbiology*; 4th.ed., Mosby Co. London, P.258.
- [5]-Barnes, C.G. (1980): *Medical disorders in Obstetric practice*. 4th.ed. Blackwell, London, P.462.
- [6]-Benham, R.W. (1957): Species of *Candida* most frequently isolated from man, methods and criteria of there identification. *Amer.J. Obstet.Gynecol.*, 68:241.
- [7]-Banirschke, K. and Raphael, S.I. (1958): *Candida albicans* infection of the amniotic sack. *Amer.J. Obstet. Gynecol.*, 75:200.
- [8]-Browne, J.C. and Dixon, G. (1978): *Antenatal care*, 11th.ed., Churchill Livingstone, London, P.301.
- [9]-Burrow, E. and Ferris, M. (1977): Quoted by Attia, M.M. (1982): Vaginal infection in late pregnancy. Thesis submitted for partial fulfilment of master degree in Obstetrics and Gynaecology. Faculty of Medicine, Cairo University, P.31.
- [10]-Carrol, C.J.; Hurley, R. and Stanley, S. (1973): Criteria for diagnosis of *Candida* vulvovaginitis in pregnant women. *J. Obstet.Gynaecol. Brit. Cwlth*, 80. pp.258-263.

- [11]-Cassie,R. and Stevenson,A. (1973): Screening for Gonorrhea, Trichomoniasis, Moniliasis and Syphilis in pregnancy. Obstet. Gynecol., 80:48.
- [12]-Catteral,R.D. (1966): Candida albicans and contraceptive pills. Lancet, 2:830.
- [13]-Catteral,R.D. (1970): Diagnosis of vaginal discharge. Brit.J. Vener. Dis.,46:122.
- [14]-Charles,D. (1980): Infections in Obstetrics and Gynaecology.,Vol.12, Editor;Friedman, E.A., W.B.Saunders Co. London, PP.51-73.
- [15]-Cruickshank,R.; Duguid,J.P.; Marimon,B.P. and Swain, H.A. (1975): Medical Microbiology. 12th.ed., Vol.I, Churchill Livingstone,Edinburgh,P.P.425,541.
- [16]-Cruickshank,R.; Duguid,J.P.; Marimon,B.P. and Swain,H.A. (1975): Medical Microbiology, 12th.ed., Vol.II, Churchill Livingstone, Edinburgh, P.539.
- [17]-Cohen,L. (1969): Influence of pH. on vaginal discharge. Brit.J. Vener. Dis. 45,241.
- [18]-Cordey,F. (1925): Quoted by Plass,E.D. and Borts,I.H. (1930): Monilia vulvovaginitis. Amer.J. Obstet. Gynecol., 23:320.
- [19]-Davidson,F. and Mould,R.F. (1978): Recurrent genital candidiasis in women, and the effect of intermittent prophylactic treatment. Brit.J. Vener.Dis.,54:176.
- [20]-Davis,B.A. (1969): Vaginal moniliasis in private practice, Obstet.Gynecol.,34:40.
- [21]-De Costa,E.J. (1969): Infections of the vagina and vulva. Clin. Obstet. Gynecol. 12:198.
- [22]-Diddle,A.W.; Gardner,W.H.; Williamson,P.J. and O'Connor,K.A. (1969): Oral contraceptive medication and vulvovaginal candidiasis. Obstet. Gynecol., 34:373.

[23]-Donald, I. (1979): Discharge in pregnancy. In "Practical Obstetric problems", 5th.ed., Lloyd-luke, London, P.278.

[24]-Duguid, J.P.; Marimon, B.P. and Swain, R.H. (1978): Medical Microbiology. 13th.ed. Vol.I, E.L.B.S. P.544.

[25]-Eddie, D.A.S. (1968): The laboratory diagnosis of vaginal infections caused by Trichomonas and Candida species. J. Med. Microbio.1:153.

[26]-Ellis, C.A. and Spivack, M.L. (1967): Quoted by Mead, Ph.B. (1974): Candida albicans. In " Infectious Disease in Obstetrics and Gynecology", Editor Monif, G.R.G., Harper and Row, New York, P.254.

[27]-Fahmy, K.; Hablass, R.; Ismail, H.M. and Amin, A. (1983): Candida albicans in females attending gynaecologic out patient clinic. Thesis submitted for partial fulfilment of master degree in Obstetrics and Gynaecology, Benha Faculty of Medicine, Zagazig University, P.P. 30-31.

[28]-Feo, L.G. (1956): Quoted by Cohen, L. (1969): Influence of pH. on vaginal discharge, Brit.J. Vener. Dis. 45:241.

[29]-Fleury, F.J. (1981): The vagina. Clinical Obstet. Gynecol., 24:407.

[30]-Fox, L.P. (1971): Fatal superinfection with Monilia in gynecological surgery. Amer. J. Obstet.Gynecol. 110:285.

[31]-Gardner, H.L. (1967): Quoted by Diddle, A.W.; Williamson, P.J. and O'Connor, K.A. (1969): Oral contraceptive medications and vulvovaginal candidiasis. Obstet.Gynecol., 34:373.

[32]-Ghali, A.; Taha, M.; Amer, M.; Tosson, Z.; Abdalla, I. and Hereiz (1984): Candida precipitins in maternal and cord sera correlated with pregnancy outcome. Presented in the Second Annual Medical Congress, Benha Faculty of Medicine, Zagazig University, March, 1984.

[33]-Gray, L.A. and Barnes, M.L. (1965): Vaginitis in women, diagnosis and treatment. Amer. J. Obstet. Gynecol. 92:125-133.

[34]-Hesseltine, H.C. (1959): Quoted by Schenken, R.S. (1982): Genital discharge, Gynecologic disorders, 1st. ed. Pauerstein, C.J., New York, P-P 242-243.

- [35]-Ho,C-Y. and Aterman,K. (1970): Infections of the fetus by Candida in a spontaneous abortion. Amer.J. Obstet. Gynecol. 106:705-710.
- [36]-Howkins,J. and Bourne,G. (1976): Show's text book of Gynaecology, 9th.ed., Churchill Livingstone. P-P 223-224.
- [37]-Hurley,R.; Leask,B.G.S.; Faktor,J.A. and deFonseka,C.I. (1973): Incidence and distribution of yeast species and of tricomonas vaginalis in the vagina of pregnant women. J. Obstet. Gynaecol. Brit. Cwlth, 80.PP. 252-257.
- [38]-Jackson,J.L. (1956): The incidence of Candida in obstetrical patients. Amer.J. Obstet. Gynecol., 72:648.
- [39]-Jawetz,E. and Melnik,L.J. (1978): Review of medical microbiology. 13th.ed. Lang medical Publications, California, P-P 277-278.
- [40]-Jeffcoate,N. (1981): Principles of Gyaecology, 4th.ed., Butter worth, London, P.312
- [41]-Joklik,W.K.; Willett,H.P. and Amos,D.B. (1980): Zinsser microbiology, 17th.ed., Appleton century crofts. New York, P.1327.
- [42]-Kashkin,P.N.; Krassilincov,N.A. and NeKachalov,V.Y. (1961): Candida complications after antibiotic therapy. Mycopathologia (DenHaeg), 14:172.
- [43]-King,A.; Nicol,C. and Rodin,P. (1980): Venereal diseases, 4th.ed., Bailliere-Tindall Co., London, P.320.
- [44]-Koss,L.G. and Durfee,G.R. (1961): Quoted by Cohen,L. (1969): Influence of pH. on vaginal discharge. Brit.J. Vener. Dis. 45:241.
- [45]-Kozinn,P.J.; Taschdjian,C.L.; Wiener,H.; Dragutsky,D. and Minsky,A. (1958): Incidence and Pathogenesis of neonatal candidiasis. Pediatrics 21:421.

- [46]-Lopez,E. and Aterman,K. (1968): Intra-uterine infection by Candida. Amer.J. Dis. Child. 115:663.
- [47]-Louria,D.B. (1965): Quoted by Mead,Ph.B. (1974): Candida albicans. Infectious Disease in Obstetrics and Gynecology. Editor, Monif,G.R.G., Harper and Row, New York. P.245.
- [48]-Masterton,G.; Napier,I.R.; Henderson,J.N. (1977): Three-day Chlotremazol treatment in candidal vulvavaginitis. Brit.J. Vener. Dis. 53:126-128.
- [49]-Mc-Lennan,M.T.; Smith,J.M. and Mc-Lennan,C.E. (1972): Diagnosis of vaginal mycosis and trichomoniasis. Obstet. Gynecol.,40:231.
- [50]-Mead,Ph.B. (1974): Candida albicans. Infectious Diseases in Obstetrics and Gynecology, Editor,Monif,G.R.G., Harper and Row, New York,Ps.242,243.
- [51]-Miles,M.R.; Olsen,L. and Rodgers,A. (1977): Recurrent vaginal candidiasis: importance of any intestinal reservoir.JAMA, 238:1836-1837.
- [52]-Morris,C.A. and Morris,D.F. (1969): British Medical Journal 1:319.
- [53]-Nathanson,E.A. (1960): Quoted by Mead,Ph.B. (1974): Candida albicans Infectious Diseases in Obstetrics and Gynecology. Editor,Monif,G.R.G., Harper and Row, New York,P.254.
- [54]-Novak,E.R. and Woodruff,J.D. (1979): Text book of Gynaecol. and Obstet. Pathology with clinical and endocrine relation. 8th.ed., W.B.Saunders Co., Philadelphia-LondonToronto, P. 237
- [55]-Oates,J.K. and Davidson,F. (1974): Treatment of vaginal candidiasis with Clotrimazol. Postgrad. M.J. 50:99
- [56]-O'connor,B.H. and Adler,M.W. (1979): Current approaches to the diagnosis, treatment and reporting of trichomoniasis and candidiasis. Brit. J. Vener.Dis. 25:52.

- [57]-Oriel,J.D. (1977): Clinical overview of candidal vaginitis.Proc.Roy. Soc. Med., 70:7.
- [58]-Oriel,J.D., Partridge,B.M.; Denny,M.J. and Coleman, J.C. (1972): Genital yeast infections. Brit. Med. J. 4:761.
- [59]-O'sullivan,J.B.; Mahan,C.M. and Charles,D.R.V. (1975): Screening criteria for high risk gestational diabetic patients. Amer.J. Obstet. Gynecol.,116:859.
- [60]-Pace,H.R.; Schantz,S.I. and Brooklyn,N.Y. (1956): Nystatin (Mycostatin) in the treatment of Monilia and non-monilial vaginitis. JAMA.,162:268.
- [61]-Pattman,R.S.; Sportt,M.S. and Moss,T.R. (1981): Evaluation of a culture slide in the diagnosis of vaginal candidiasis. Brit. J. Vener. Dis.,57:67.
- [62]-Peeters,F.; Snauwaert,R.; Segers,J.; Van Custam, J.and Amery,W. (1972): Observations on Candida vaginitis, vaginal pH.,microbiology and cytology. Amer.J. Obstet. Gynec., 112:80.
- [63]-Percival,R. (1980): Holland and Brews, text book, manual of obstetrics.14th.ed., Butler and Tanner Ltd.,P- P 267-271.
- [64]-Pickhardt,W.L. and Breen,J.L. (1957): Identification and therapy for vaginal candidiasis. Amer. J. Obstet. Gynecol., 74:42.
- [65]-Plass,E.D.; Hesseltine,H.C. and Borts,L.H. (1930): Monilia vulvovaginitis Amer. J. Obstet. Gynecol., 23:320.
- [66]-Ratzan,J.J. (1969): Quoted by Schenken,R.S. (1982): Genital discharge, Gynaecologic discharge, 1st.ed. Pauerstein, Co., J., New York,Ps.241-242.
- [67]-Roberts,J.D. (1976): Laboratory diagnosis of fungal infections. Hum. Pathol. 7:161-168.

- [68]-Robinson,S.G. and Mirchandani,G. (1965): Quoted by Peeters,F. (1972): Observations on Candida vaginitis, vaginal pH., microbiology and cytology. Amer.J. Obstet. Gynecol., 112:80.
- [69]-Rohatiner,J.J. (1966): Relationship of Candida albicans in the genital and ano-rectal tracts. Brit.J. Vener. Dis. 42:197.
- [70]-Rohatiner,J.J. and Grimble,A. (1970): Genital Candidiasis and oral contraceptive. J. Obstet. Gynaecol. Brit. Cwlth, 77 PP. 1013-1015.
- [71]-Schweid,A.I. and Hopkins,G.B. (1968): Monilial chorionitis associated with an intra-uterine contraceptive device. Amer. J. Obstet. Gynecol. 31:719.
- [72]-Stephan,S.; Monatscher,F. and Geburtsh,U. (1925): Quoted by Plass,E.D. and Borts,I.H. (1930): Monilia vulvovaginitis. Amer.J. Obstet. Gynecol. 23:322.
- [73]-Steven,D.A.; Levine,H.B. and Deresinski,S.C. (1976): Miconazole in coccidiomycosis,II. Therapeutic and pharmacologic studies in man. Amer.J. Med. 60:191-202.
- [74]-Stewart,F.S. and Benswick,T.S. (1977): Bacteriology, virology and immunity for the student of medicine.10th.ed., Bailliere-Tindall Co.,London, P.325.
- [75]-Suzuki,M. (1960): Quoted by Mead,Ph.B. (1974): Candida albicans, Infectious Disease in Obstetrics and Gynecology. Editor,Monif,G.R.G., Harper and Row, New York. P. 260.
- [76]-Taylor,E.S. (1969): Diseases of the vagina, Essential of Gynaec. 4th.ed., Lea and Febiger, Philadelphia, P-P 119-121.
- [77]-Teokharov,B.A. (1969): Non-Gonoccal infections of the female genitalia. Brit.J. Vener. Dis. 45:334.
- [78]-von-Herff,O. and Uber,S. (1895): Quoted by Plass,E.D. and Borts,I.H. (1930): Monilia vulvovaginitis. Amer.J. Obstet. Gynecol., 23:322.

- [79]-Weissberg,S.M. (1978): Evaluation of a dipstick for Candida. Obstet. Gynecol., 52:506.
- [80]-White,R.G. and Timbury,M.C. (1973): Essential of immunology and microbiology. 2nd.ed. Pitman Co., London, P.319.
- [81]-Wilmott,F.E. (1975): Genital yeasts in female patients attending a V.D. Clinic. Brit. J. Vener. Dis. 51:119-122
- [82]-Winner,H.I. (1966): Symposium on Candida infection. 3rd.ed. Editor,Winner,H.I. and Hurley,R. Livingston-Edinburgh P.6.
- [83]-Woyton,J. and Gerber,J. (1980): Evaluation of diagnostic methods for detection of vaginal mycosis and the results of its treatment with Pimafucin. English Abstract of a thesis in German (Ginekol.Pol)., 51:59.
- [84]-Yaffee,H.S. and Grots,I. (1965): Quoted by Fleury,F.J. (1981): The Vagina, Clinical Obstet. Gynaecol.,24:407.