

REFERENCES

REFERENCES

1. Andrew Davis. (1965): Schistosomiasis. World Health Organization (WHO) Expert Committee on Bilharziasis. Tech. Rep. Ser. Wld.Hlth. Org. 299.
2. Antuneus, L.I., Reis, A.P., Pellegrino, J., Tavares, C.A. and Katz, N. (1971): Immunoglobulins in human Schistosomiasis mansoni. J. Parasit. 57:539.
3. Archer, G.T. and Hirsch, J.G. (1963): Motion of picture studies on degranulation of horse eosinophils during phagocytosis. J. Exp. Med. 118:207.
4. Arnoldsson, H., Helander, C.G., Helander, E. et al., (1962): Elimination of C histamine from the blood in man. Scand. J. Clin. Lab. Invest. 14:241.
5. Ata. A., Hunter, S., El-Badrawy, N. et al., (1977): Some immunological studies of bilharzial ascitic cases. J. Egypt. Med. Assoc. 60:581.
6. Attallah, A.M. and Folks, T. (1979): Interferon-enhanced human natural killer and antibody-dependent cell-mediated cytotoxic activity. Int. Archs Allergy Appl. Imm. 60:377-382.
7. Attallah, A.M., Smith, A.H., Murrell, K.D. Fleische, T., Woody, J., Vannier, W.E., Scher. I., Ahmed, A. and Sell, K.W. (1979): Characterization of the immunosuppressive state during S.mansoni infection. J. Immunol. 122(4):1413-20.

8. Attallah, A.M., Lewis, F.A., Urritia, Shaw A. et al.
(1980): Natural killer cells and antibody-dependent cell-mediated cytotoxicity components of Schistosoma mansoni infection. Int. Arch. Allergy. Appl. Immunol. Vol. 63 (3) p. 351-4.
9. Attardi, G., Cohn, M., Horibata, K. and Lennox, E.S. (1959): An analysis of antibody synthesis at the cellular level. Bact. Review, 23:213.
10. Barrett, J.T. (1978): Textbook of immunology. 3rd edition. The C.V. Mosby Company Saint Louis, p. 13-30.
11. Bassily, S., Higashi, G.I., Farid, Z. and Williams, R.E. (1972): Serum immunoglobulins in Schistosomiasis. J. Trop. Med. Hyg. 75:73.
12. Basten, A. and Beesen, P.B. (1970): Mechanism of eosinophilia II. Role of Lymphocyte. J. Exp. Med. 131:1288.
13. Benevenusti, D.S. and Ultman, J.D. (1969): Eosinophilic leukemia. Ann. Intern. Med. 71:731.
14. Bogitsh, B.J. (1971): S. mansoni Cytochemistry of eosinophils in egg caused early hepatic granulomas of mice. Exp. Parasit. 29:493.

15. Boros, D.L., Schwartz, H.J., Warren, K.S. and Seabury, L.R. (1971): Comparison of granulomatous and dermal reactivity with macrophage migration inhibition during the delayed hypersensitivity response of guinea pigs to soluble egg antigen of S.mansoni. Fed. Proc. 30:351.
- ✓ 16. Boros, D.L., Pelley, R.P. and Warren, K.S. (1975): Spontaneous modulation of granulomatous hypersensitivity in S.mansoni. J. Immunol. 114:1437.
- ✓ 17. Bout, D.T., Joseph, M., David, J.R. and Capron, A.R. (1981): In vitro killing of S.mansoni schistosomula by lymphokine activated mouse macrophages. J. Immunol. 81 Jul, Vol.127(1), p. 1-5.
18. Boyum, A. (1968): A one-stage procedure for isolation of granulocytes and lymphocytes from human blood. Scand. J.Clin. Lab. Invest. 21, 21-.
19. Bruce, C., Gilliland and Mart Mannik (1983): Immune Complex diseases. Cited from Harrison's Principles of internal Medicine 10th Edition p. 378.
20. Byram, J.E. and Von Lichtenberg, F. (1977): Altered schistosome granuloma formation in nude mice. Am. J. Trop. Med. Hyg. 26:944.
21. Bulletin of W.H.O. Memoranda (1974): Immunology of Schistosomiasis 51(6):567.

22. Burent, F.M. (1959): The Clonal Selection theory of Acquired Immunity. Cambridge University Press.
23. Butterworth, A.E., Sturroch, R.F., Houba, V. and Ress, P.H. (1974): Antibody dependent cell mediated damage of Schistosomula in vitro. Nature. 252:503.
24. Butterworth, A.E., Coombs, R.R.A., Gurner, B.W. and Wilson, A.B. (1976): Receptors for antibody-opsonic adherence on the eosinophils of guinea pigs. Int. Arch. Allergy, Appl. Immunol. 51:368.
25. Capron, A., Biguet, J., Rose, F. and Vernes, A. (1965): Les antigenes de S.mansoni II. Etude immunoelectrophoretique comparee de divers stades Larvaires et des adultes de deux sexes. Aspects immunologiques des relations hôte parasite de la cercarie et de l'adulte de S.mansoni Annals de l'Institut Pasteur, 109:798-810.
26. Capron, A. (1969): Immunological studies in various types of Schistosomiasis. Annals of the New York Academy of Sciences. 160:863-879.
27. Capron, A., Dessaint, J.R., Capron, M., Joseph, M. and Pestel, J. (1980): Role of anaphylactic antibodies in immunity to schistosomes. Am. J. Trop. Med. Hyg. 29(5):849-857.

28. Carlier, Y., Bout, D., Bina, J.C., Camus, D., Figueiredo, J.F.M. and Capron, A. (1975): Immunological studies in human Schistosomiasis. I Parasitic antigen in urine. American J. Tropical Med. Hygiene 24:949-954.
29. Cecil, R. (1979): Diseases caused by Trematodes. Cited from Cecil-Textbook of Medicine. Fifteenth Edition, p. 611-W.B. Saunders Company. Philadelphia. London. Toronto.
30. Chensue, S.W. and Boros, D.L. (1979): Population dynamics of T and B lymphocytes in the lymphoid organs, circulation, and granulomas of mice infected with S.mansoni. Am. J. Trop. Med. Hyg. Mar, Vol.:28(2), p. 291-9.
31. Chensue, S.W., Boros, D.L. (1979): Modulation of granulomatous hypersensitivity. I. Characterization of T.lymphocytes involved in the adoptive suppression of granuloma formation in S.mansoni infected mice. J.Immunol. 1979. Sep., Vol.:123 (3), p. 1409-14.
32. Civil, R.H., Warren, K.S. and Mahmoud A.A. (1978): Conditions for bacille Calmette Guerin-induced resistance to infection with S.mansoni in mice. J. Infect. Dis. 1978 May, Vol. 137(5), p. 550-5.
33. Cline, M.J., Hanifin, J. and Lehrer, R.J. (1968): Phagocytosis by human Eosinophils. Blood 32:922.

34. Cochrane C.G., and Koffler, D. (1973): Immune complex disease in experimental animals and man. In Advances in Immunology (F.J. Dixon and H.G. Kunkel eds). pp. 185 Academic Press New York.
35. Cochrane, C.G. (1978): Immune complexes injury. In Samter M (ed) Immunological Diseases. Vol. 1 Boston, Little, Brown, pp. 210.
36. Cohn, Z.A. and Mors S.I. (1959): Interactions between rabbit polymorphonuclear leukocytes and Staphylococci. J. Exp. Med. 110:419,
37. Cohen, S. and Ward, P.A. (1971): In vitro and in vivo activity of a lymphocyte and immune complex dependent chemotactic factor for eosinophils. J. Exp. Med. 133:133.
38. Goldring, O.L., Clegg J.A. Simithers S.R., and Terry R.J. (1976): Acquisition of human blood group antigen by S.mansoni. Clin. Exp. Imm. 26:181-187.
39. Colley, D.G., (1971): Schistosomal egg antigen induced lymphocyte blastogenesis in experimental murine S.mansoni infection. J. Immunol. 107:1477-1840.
40. Colley, D.G. (1972): Intradermal immune responses to a schistosomal egg antigen during experimental murine Schistosoma mansoni infection. Proc. Soc. Exp. Biol. Med. 140: 772-775.

41. Colley G.D. (1973): Schistosoma mansoni . Eosinophilia and the development of lymphocyte blastogenesis in response to soluble egg antigen in inbred mice. J. Immunol. 110:1419.
42. Colley, D.G. (1975): Immune responses to a soluble schistosomal egg antigen preparation during chronic primary infection with S.mansoni. J. Immunol. 115:150.
43. Colley, D.G., Todd, C.W., Lewis, F.A., and Goodgame, R.W. (1979): Immune responses during human S.mansoni. J. Immune. 122:1447-1453.
44. Colley. D.G., Katz. N., Rocha. R.S., Abrantes, W. de-Silva. A.L. and Gazzinelli, G. (1983): Immune responses during human schistosomiasis mansoni. IX. T-lymphocyte subset analysis by monoclonal antibodies in hepatosplenic disease. Scand. J. Immunol., Vol. 17(4) p.297-302.
45. Correa-Oliveira. R., Mota-Santos. T.A. and Gazzinelli. G. (1982): Schistosoma mansoni: in vitro and in vivo killing of antibody-coated schistosomula. Am. J. Trop. Med. Hyg. 1982 Sep., Vol. 31 (5), p. 991-8.
46. Cottrel. B.J., Humber. D., Strurrock. R.F., Seitz. H. and Rees. P. (1982): Non-specific cell mediated immunity in patients infected with S.mansoni in Kenya. Trans. R.Soc. Trop. Med. Hyg. Vol. 76(2), p. 234-7.

47. Coulis, A.P., Lewert, M.R. and Fitch, W.F. (1978): Splenic suppressor cells and cell mediated cytotoxicity in murine schistosomiasis. J. Immunol. 120(1):58-60.
48. Cruickshank, R. (1975): Collection of blood from mice. Cited from Medical Microbiology p. 333 (Vol.II) Twelfth Edition - Churchill Livingstone.
49. Cunningham, A.J. and Szenberg, A. (1965): Further improvement in the plaque technique for detecting single antibody forming cells. Immunology, 14:599.
50. Da Silva, L.C. and Ferri. R.G. (1965): Immuno-diffusion studies in human Schistosomiasis mansoni. II Localization of antibodies by immunoelectrophoresis. Rev. Inst. Med. Trop. S. Paulo. 7:7.
51. Dean, D.A., Wistar, R. and Chen, P. (1975): Immune response of guinea pigs to Schistosoma mansoni. I. In vitro effects of antibody and neutrophils, eosinophils and macrophages on schistosomula. Am. J. Trop. Med. Hyg. Jan 75, Vol. 24(1), p. 74-82.
52. Deelder, A.M., Klappe, H.T. and Von den Aardweg, G.J. et al (1976): S.mansoni: demonstration of two circulating antigens in infected hamsters. Exp. Parasitol. 40(2): 189-97.

53. Dessaint J.P., Capron M., Bout D. et al., (1975):
Quantitative determination of specific
IgE antibodies to schistosoma antigens
and serum IgE levels on patients with
schistosomiasis (S.manson or S.haematobium).
Clin. Exp. Immunol. 20:427.
54. Doenhoff. M., Musallam. R. Bain J. and McGregor.A.
(1978): Studies on the host-parasite
relationship in S.mansoni infected mice:
the immunological dependence of parasite
egg excretion. Immunology 1978 Nov, Vol.
35(5), p. 771-8.
55. Dosset, J.M. Williams,R.C., and Quie, P.G. (1969):
Studies on the interaction of bacteria,
serum factors and polymorphonuclear
leukocytes in both mothers and newborns.
Pediatrics 44:49.
56. Douglas, P.F., Richard, D.E. and Daniel, G.C.(1973):
S.mansoni infection in mice depleted
of thymus-dependent lymphocytes.
Am. J. Pathol. 71:193-206.
57. Dutton, R.W.(1975): Suppressor T. cells.
Transplant. Rev. 26:39.
58. El-Gendi M.A. and Nassar S.H. (1980): Effect of
histamine and histamine antagonists on
portal blood pressure in patients with
hepatosplenic schistosomiasis.
Br. J.Clin. Pharmacol. 10:154.

59. El-Hawary, M.F.S., Ibrahim, A.M., Shakir, M.H. and Saif, M.I. (1971): Cited from Nooman, Z.M. The immunology of schistosomiasis. Faculty of Medicine (Assiut University, 1973).
60. El-Hawey, A.M. Ata A.A. and Mousa A.H. (1970): Eosinophilic pattern in bilharzial cases. J. Egypt. Med. Assoc. 53:785.
61. El-Hawey A.M., Garber A., Saber M.A. et al., (1978): Studies on portal hypertension and its relation to serum histamine level in patients with bilharzial hepatic fibrosis. J. Egypt. Med. Assoc. 61:299.
62. El-Raziky, S. (1972): The role of splenectomy on some autoimmune factors in Bilharzial hepatic fibrosis. Cited in "Saleh, S.A.H., Thesis, Cairo University.
63. Evans, A.S. and Stirewalt, M.A. (1958): Serologic reactions in S.mansoni infections. IV. Comparative ionographic study of sera of hamsters, mice and albino rats. Exp. Parasit. 7:165.
64. Fakunle Y.N., and Greenwood (1977): Low molecular weight (7S) IgM and free light chains in the sera of patients with the tropical splenomegaly Clin. Exp.Immunol. 28:153.

65. Fischer-E., Camus D., Santoro. F. Capron. A.(1981):
Schistosoma mansoni: autoantibodies
and polyclonal B cell activation in
infected mice. Clin. Exp. Immunol. Oct.,
Vol. 46: (1), p. 89-97.
66. Freeman, T., Smithers, S.R., Target, G.A.T. and
Wilkers, P.J. (1970): Specificity of
immunoglobulin G in rhesus monkeys
infected with S.mansoni, P. Knodesi and
T. Brucei. J. Infect. Dis. 121:401.
67. Fundbery, H.H. (1978): Basic and clinical immunology.
2nd edition, Los Angelos, Calif. Lange.
p. 380-383.
68. Gentilini, M., Capron, A., Le Parco, J.C., Vernes,
A. Biguet, J. and Dornart, A. (1967):
Resulats cliniques et sero-immunologiques
des essais therapeutiques par le Ciba 32,
644, Ba, portant sur 350 bilharzieus
chroniques a S.haematobium et S.haematobium
et S.mansoni. Bull. Soc. Path. Exot. 60:241.
69. Ghanem, M.H. (1961): R.A. test in schistosomal liver
cirrhosis. Book II of 10th International
Rheumatology Congress. Rome, p.902.
70. Ghanem, A.H. (1962): The R.A. Test in schistosomal
liver fibrosis. Am. Med. J. 195.

71. Ghanem, M.H., Guirgis, F.K., El-Sawy, M., Khalil, S. and Abu-Kheir, F. (1973): Serum immunoglobulin levels in bilharzial hepatic fibrosis. The effect of intestinal antibodies. Alex. Med. J.
72. Glauert. A.M., Oliver. R.C. and Thorne. K.J. (1980): The interaction of human eosinophils and neutrophils with non-phagocytosable surfaces: a model for studying cell-mediated immunity in schistosomiasis. Parasitology 80 Jun, Vol.80(3), p.525-37.
73. Gold, R., Rosen, F.S. and Weller, T.H. (1969): A specific circulating antigen in hamsters infected with S.mansoni. Detection of antigen in serum and urine, and correlation between antigenic concentration and worm burden. Amer. J. Trop. Med. 18:545.
74. Goldring, O.L., Clegg, J.A. Smithers, S.R. and Terry, R.J. (1976): Acquisition of human blood group antigens by S.mansoni. J.Clin. Imm. 26:181-187.
75. Gloub, E. (1977): The cellular basis of immune response. Simaner Associated Incorp. Sunderland. Massachusettes, p. 118.
76. Goldstein, I.M. Bari M. Osler, A.G., and Weissmann G. (1973): Lysosomal enzyme release from human leukocytes: Mediation by the alternate pathway of complement activation. J. Immunol. 111:33.

77. Goodgame, R.W., Colley, D.G., Draper, C.C., Lewis, F.A., McLaren, M.L. and Pelley, R.P. (1978): Humoral immune responses in human hepatosplenic schistosomiasis mansoni. Am. J. Trop. Med. Hyg. Nov. 1978, Vol.27 (6), p. 1174-80.
78. Gotze O, Muller-Eberhard H.J. (1976): The alternative pathway of complement activation. Adv. Immunol. 24, 1.
79. Greene-B.M., Colley D.G. (1976): Eosinophils and immune mechanisms. III. Production of the lymphokine eosinophil stimulation promoter by mouse T lymphocytes. J. Immunol. Apr. 76, Vol.:116 (4), p. 1078-83.
80. Haakenstad, A.D., and Mannik M. (1979): The biology of immune complexes. An Auto-immunity (ed. by N. Talal). pp. 277 Academic Press, New York.
81. Hang, R. (1979): The immunologic system. Cited from Nelson, W.E. Text book of Paediatrics, 11th edition, W.E. Saunders Co. Philadelphia, p. 589.
- 82. Harrison, T.R. (1983): The immunology of parasites. Cited from Harrison's principles of Internal Medicine. Tenth Edition. p.1180. McGraw-Hill International Book Company.

83. Hathoot, S.E., Ghaffar, Y.A., Awny, A.Y. and Hassan (1966): Relation between urinary schistosomiasis and chronic enteric urinary carrier state among Egyptians. Am. J. Trop. Med. Hyg. 15:156.
84. Hawkins, D. (1971): Biopolymer membrane: A model system for the study of the neutrophilic leukocytes response to immune complexes. J. Immunol. 107:344.
85. Henson P.M. (1971): Interaction of cells with immune complexes, adherence, release of constituents and tissue injury. J. Exp. Med. 134, 1145-135s.
86. Herberman, R.R., Ortaldo, J.R. and Bonnard, G.D. (1979): Augmentation by interferon of human natural and antibody dependent cell mediated cytotoxicity. Nature, Lond. 277: 221-223.
87. Hiatt, R.A. Ottsen, E.A., Sotomayer, Z.R. and Lawley, T.J. (1980): Serial observation of circulating immune complexes in patients with acute schistosomiasis. J. Infect. Dis. 142(5): 665-670.
88. Hillyer, G.V. (1969): Immunoprecipitins in S. mansoni infection. Exp. Parasit. 25 - 376.
89. Hirsch, J.G. (1965): In: The inflammatory Process. Zweifach, B.W., Grant, L. and McCluskey, R.T. Editors. New York, p.245.

90. Hitzig, W.H. (1973): Normal and defective phagocytosis. Theory, Clinical aspects and Laboratory diagnosis. Triangle 12:57.
91. Horowitz, S., Smolarsky.M., Arnon.R. (1982): Protection against S.mansoni achieved by immunization with sonicated parasite. Eur. J. Immunol. Vol. 12 (A), p. 327-32.
92. Hoshino-Shimizy, S., Brito, T., Kanamusa, H.Y., Canto, A.L., Silva, A.O., Campos, A.R., Penna, D.O. and Da Silva, L.C. (1970): Human schistosomiasis: S.mansoni antigen detection in renal glomeruli. Transaction. Royal Soc. Trop. M. Hygiene 70, 492.
93. Hudson, L. and Hay, F.C. (1976): Practical immunology. Blackwell Scientific Publications. 1st edition.
94. Ingraham, J.S. and Bussard, A. (1964): Application of a localized haemolysin reaction for specific detection of individual antibody forming cells. J. Exp.Med.119:667.
95. Ismail, A.A., Abdel-Hady, A.R. and Kamal (1959): Electrophoretic study of the blood proteins in hepatosplenomegaly. Gaz.Kasr El-Eini, 23:71.

96. James, S.L., Sher, Lazdins. J.K. and Meltzer. M.S. (1982): Macrophages as effector cells of protective immunity in murine schistosomiasis. II. Killing of newly transformed schistosomula in vitro by macrophages activated as a consequence of S.mansoni infection. J. Immunol. 82 Apr., Vol.: 128 (4), p. 1535-40.
97. James, J.P. Lorde and Elaine, C. Jong, (1983): Schistosomiasis. Cited from Harrison's Principles of internal medicine. Tenth Edition p. 1217.
98. James, S.L., Skamene. E. and Meltzer. M.S. (1983): Macrophages as effector cells of protective immunity in murine schistosomiasis. V. Variation in macrophage schistosomulocidal and tumoricidal activities among mouse strains and correlation with resistance to reinfection. J. Immunol. 83 Aug., Vol.:131(2), - p. 948 - 53.
99. James, S.L., Lazdins. J.K., Hieny S. and Natovitz. P. (1983): Macrophages as effector cells of protective immunity in murine schistosomiasis. VI. T. Cells dependent, lymphokine-mediated, activation of macrophages in response to S.mansoni antigens. J. Immunol. 83 Sep., Vol.131(3) p.1481-6.

100. Jamies, S. and Von Lichtenberg, F. (1965):
Host response to eggs of S.mansoni
IV. Fluorescent antibody titres in
mice infected with normal cercariae,
gamma irradiated cercariae and with
purified egg. Am. J. Trop. Hyg. 14:727.
101. Jawetz, C., Melnick, J.I. and Adelberg, C.A. (1977):
Review of medical microbiology 13th edi-
tion. LANGE Medical Publications.
102. Jerne, N.K. and Nordin, A.A. (1963): Plaque formation
in agar by single antibody producing
cells. Science, 140:405.
103. Joseph M., Capron A., Butterworth A.E. et al. (1978):
Cytotoxicity of human and baboon mono-
nuclear phagocytes against schistosomula
in vitro induction by immune complex
containing IgE and S.mansoni. Clin. Exp.
Immunol. 33:48.
104. Khalil, R.Y., and Attallah, A.M. (1979): Humoral
immunity assay in vitro, detailed des-
cription. J. of the Egyptian Public
health association. Vol. IV, No.5,6.
105. Kisillow, P., Hisch, J.A. and Shiker, H. (1975):
Ly antigens as markers for functionally
distinct subsets of functionally
derived lymphocytes of the mouse.
Nature 253:210.
106. Kojima, S., Yokogama, M. and Tada, T. (1972): Raised
levels of serum IgE in human helminthiasis.
Am. J. Trop. Med. Hyg. 21:913.

107. Koros, A.M.C., Mazur, J.M. and Mowery, M.J. (1968):
Radioautographic studies of plaque
forming cells. 1. Antigen stimulated
proliferation of plaque forming cells.
J. Exp. Med. 129:235.
108. Kostage, S.T., Rizzo, A.P., and Coben, S.G. (1967):
Experimental eosinophilia XI. Cell
responses to particles of delineated
size. Proc. Soc. Exp. Biol. Med. 125:413.
109. Kusel, J.R. and Machenzie, P.E. (1975): Studies
on the relative turnover rates of membrane
proteins of adult S.mansoni maintained
in culture. Parasitology.
110. Lambert, P.H., Goldman M., and Rose L.M. (1981):
Immune complexes in protozoan disease.
WHO Immunology Research and Training
Centre, Geneva, Switzerland.
Information Bulletin, 1, 24-28.
111. Lewert, R.M. and Yogore, M.G. Jr. (1966):
Alterations in immuno-electrophoretic
reactions following chemotherapy of human
S.japonica (abstract). Proc. 11th
Pacific Science Congress, Tokyo, Vol. 8.
112. Lewis, F.A., and Stirewalt, M. (1985): Effect of
cryopreserved live vaccine on resistance
in mice with a pre-existing S.mansoni
infection. Am. J. Trop. Med. Hyg. 34(2)
pp. 341-345.

113. Litt, M. (1964): Studies in experimental eosinophilia.
VI. Uptake of Immune complexes by
eosinophils. J. Cell Biol. 23:355.
114. Maddison. S.E., Chandler. F.W., McDougal. J.S.,
Slemenda S.B. and Kagan I.G. (1978):
Schistosoma mansoni infection in intact
and B cell deficient mice: the effect
of pretreatment with BCG in these experi-
mental models. Am. J. Trop. Med. Hyg.
1978 Sep., Vol. 27 (5), p. 966-75.
115. Maddison, S.E., Slemenda. S.B., Chandler - F.W.
and Kagan I.G. (1981): Acquired immunity
in B cell deficient mice to challenge
exposure following primary infection with
S.mansoni Am. J. Trop. Med. Hyg. 1981
May, Vol. 30(3), p. 609-15.
116. Magalhaes Filho, A. and Coutinho Abath, E. (1961):
Splenic reactions in Swiss albino mice
to single and double infections with
S.mansoni. Am. J. Trop. Med. Hyg. 10:356.
117. Maged Z., Khalil R., Ghanem and Abdel Raouf T. (1984):
Age associated changes. Proceedings
of the 7th Annual Ain Shams Medical
Congress. Vol. (1) pp. 331.
118. Mahmoud A.A.F., Warren K.S. and Peters P.A. (1975):
A role for the eosinophil in acquired
resistance to Schistosoma mansoni
infection as determined by anti-eosinophil
serum. J. Exp. Med. 142: 805.

119. Mahmoud A.A.F., Billingo F.T. Billings FT et al.
(1978): Human eosinophilopoietin.
Clin. Res. 26:555 A (Abstr.).
120. Mahmoud, A.A.F., (1982): The ecology of eosinophils
in schistosomiasis. J. Infect. Dis.
5:145.
121. Mannik, M. and Arend W.P. (1971): Fate of performed
immune complexes in rabbits and
rhesus monkeys. J. Exp. Med. 134,19-131.
122. McConnell, I. (1971): Antigen receptors on the surface
of antibody secreting cells. Nature,
New Biol. (Lond.) 233,177.
123. McLachlan, S.M., Smith, B.R., Davies, F.F., and Hall,
R. (1977): Thyroid-stimulating auto-
antibody production in vitro .
Nature, 270,447.
124. McLachlan, S.M., Smith, B.R., Hall, R. (1978): Kinetics
of Immunoglobulin production by
cultured human peripheral blood lymphocytes.
J. of Immunol. Methods 21,211.
125. McLaren D.J. and Terry R.J. (1982): The protective
role of acquired host antigen during
schistosome maturation. Parasite Immunol.
82 Mar, Vol.4(2), p. 129-48.
126. McLaren. D.J. and Boros D.L. (1983): S.mansoni:
Schistosomulicidal activity of macro-
phages isolated from liver granulomas
of infected mice. Exp. Parasitol. 83
Dec., Vol.56(3), p. 346-57.

134. Myrvik, Q.N. and Weiser, R.S. (1984): Immune response to Metazoan Parasites.
Cited from Fundamentals of Immunology, Second Edition page 450. Copyright(c) 1984 by Lea and Febiger, Philadelphia U.S.A.
135. Nooman, Z.M. (1962): The haemodynamic alterations in hepatic bilharziasis associated with hypoproteinaemia and anaemia.
M.D. Thesis, Cairo University.
136. Nooman, Z.M., Ezzat, E.S., Nafeh, M.A., Tohamy, M. and Ata, S.M. (1973): A quantitative study of serum immunoglobulins in acute and chronic liver disease.
J. Egypt. Med. Assoc.
137. Nussenzweig, V., Bianco, C., Duker, P. and Eden, A. (1972): In "Progress in immunology" (B.Amos, ed.). p. 73. Academic Press, New York.
138. Nussenzweig V. (1974): Receptors for immune complexes on lymphocytes. Advances in Immunology. 8, 399-408.
139. Nuti, M., Rasi G., Bioni S. et al., (1979):
IgE serum levels in urinary schistosomiasis. Trop. Med. Parasitol. 30:383.
140. Nydegger U.E., Annei R.M., Gerbtzof A., Lambert P.H., and Miescher P.A. (1974):
Polymorphonuclear leukocyte stimulation by ICs. Assessment by nitroblue tetrazolium dye reduction. European J. of Imm., 3, 465-470.

147. Perper, R.J. and Mickelson, M.M. (1968):
Purification of lymphocytes and
platelets by gradient centrifugation.
J. Lab. Clin. Med. 72, 842.
148. Phillips, S.M. and Colley, D.G. (1978):
Immunologic aspects of host response
to schistosomiasis, resistance
immunopathology and eosinophil invol-
vement. Prog. Allergy. Vol. 24, p.
48-182. (Karger, Basel).
149. Phillips, S.M., Bentley, A.G., Linette, G., Doughty,
B.L. and Capron, M. (1983): The
immunologic response of congenitally
athymic rats of S.mansoni infection. I.
In vivo, studies of resistance.
J. Immunol. 1983 Sep., Vol.: 131(3)
p. 1466-74.
150. Plorde, J.J. and Jong, E.C. (1983): Schistosomiasis.
Cited from Harrison's Principles of
Internal Medicine 10th Edition. p.1217.
151. Ramalho, Pinto, F.J., Goldring, O.L., Smithers
S.R. and Playfair, H.L. (1976): T.
Cell helper response to antigens of S.
mansoni in CBA mice. Clin. Exp. Immunol.
Nov. 76, Vol. 26(2), p. 327-33.

152. Ramalho-Pinto. F.J. and Smithers. S.R. (1981):
Suppressor T cells in the specific
control of the carrier response
of schistosomula in mice infected
with S.mansoni. Parasite - Immunol.,
Vol. 3(3), p. 119-26.
153. Reiber, S.; Anderson, R.I. and Radka, M.G.(1961):
Serologic diagnosis of S. mansoni
infections. III Isolation and purifi-
cation of antigen from adult S.mansoni
for the complement fixation test.
Am. J. Trop. Med. Hyg. 10:351.
154. Reif, A.E. and Allen, J.M. (1964): The AKR thymic
antigen and its distribution in leukae-
mias and nervous tissues. J. Exp. Med.
120:413.
155. Roberts, R.B. (1967): The interaction in vitro bet-
ween group B meningococci and rabbit
polymorphonuclear leukocytes. Demonstra-
tion of type specific opsonins and
bactericidins. J. Exp. Med. 126, 795.
156. Robert S. and Goldsmith (1982): Trematode (Fluke)
infections. Cited from Current Medical
Diagnosis and Treatment. p. 886 January,
1982. edition No.21 Lange Medical
Publications.

157. Roitt, I.M. (1977): Immunity to parasitic infections.
Cited from Essential immunology.
Third Edition, p. 206. Blackwell
Scientific Publication.
- 158..Rousseaux P.R., Bazin H. and Capron A. (1977):
IgE in experimental schistosomiasis.
I. Serum IgE levels after infection
by S.mansoni in various strains of rats.
Immunol. 33:501.
159. Rousseaux - Prevost, R., Cappron. M., Bazin. H.
and Cappron. A. (1978): IgE in experi-
mental schistosomiasis II. Quantitative
determination of specific IgE antibodies
against S.mansoni: a follow-up study of
two strains of infected rats. Correlation
with protective immunity. Immunol. 1978
Jul. Vol. 35(1), p. 33-9.
160. Sabesin, S.M., (1963): A function of eosinophil:
phagocytosis of antigen-antibody complexes.
Proc. Soc. Exp. Biol. Med. 112:667.
161. Sadun, E.H., Schoenbechler, M.J. and Bentz, M.(1965):
Multiple antibody response in S.mansoni
infections. Antigenic constituents in
eggs, Cercariae and adults (excretion
and secretions) determined by floccula-
tion reactions) Cross absorption and
double diffusion studies. Am. J. Trop.
Med. Hyg. 14:977.

162. Saleh, S.A.H. (1972): The role of splenectomy on some autoimmune factors in Bilharzial hepatic fibrosis. Thesis, Cairo University, 1972.
163. Santoro F.; Capron M., Joseph M. et al. (1978): Circulation antigens and immune complexes in S.mansoni infected rats: Characterization by radioimmunoprecipitation. PEG Assay. Clin. Exp. Immunol. 32:435.
164. Sbarra , A.J. Jacob, A.A., Strauss, R.R., Paul, B.B., and Mitchel, G.W. (1971): The biochemical and antimicrobial activities of phagocytizing cells. Amer. J. Clin. Nutr. 24:272.
165. Sell, S., Park, A.B. and Nordin, A.A. (1970): Immunoglobulin classes of antibody forming cells in mice. I. Localized haemolysis in agar plaque forming cells belonging to five immunoglobulin classes. J. Immunol. 104:483.
166. Shams El-Din A.H., Peters S.M., Attia W.M. et al., (1983): Immunologic studies of human schistosomiasis. I. Clinical and Immunological finding in acute and chronic human schistosomiasis. Ann. Allerg. 50:182.

167. Sheir, S., Maged, Z., Amer. M.S., Khalil, R. and Abdel Hamid, T. (1978): Immunological study on bilharzial hepatic fibrosis. Proc. 2nd Annual Ain Shams Medical Congress. 21-25 Oct., 1978.
168. Sher. A., Hieny S., James S.L. and Asofsky.R.(1982): Mechanisms of protective immunity against S.mansoni infection in mice vaccinated with irradiated cercariae. II. Analysis of immunity in hosts deficient in T lymphocytes, B lymphocytes, or complement. J. Immunol. 1982 Apr., Vol. 128(4), p. 1880-4.
169. Sher, A., Correa - Oliveira - R, Hieny S., Hussain R. (1983b): Mechanisms of protective immunity against S.mansoni infection in mice vaccinated with irradiated cercariae. Analysis of the role of IgE Abs and mast cells. J. Immunol. Vol.131 (3) p: 1460-5.
170. Sher. R., Wadee. A. and Joffe, M. (1983a): The enhancement of eosinophil function by lymphocyte supernats. Clin. Exp.Immunol. 83 Mar, Vol. 51(3), p. 525-34.
171. Sherif, A.F. (1962): Prophylactic activity of adult Sch. metabolites in experimental infection and its diagnostic value in human infection in "Proceedings of the 1st International Symposium on Bilharziasis" Vol. I.P. 393. The Ministry of Science Research U.A.R.

172. Sherlock, S. (1970): The immunology of liver disease. Am. J. Med. 49:693.
173. Sleeman, H.K. (1960): Isolation and study of a specific complement fixing antigen from adult S.mansoni. Am. J. Trop. Med. Hyg. 9:11.
174. Smith, M.R., and Wood, W.B. (1949): Relation of surface phagocytosis to fibrinous character of acute bacterial exudates Science, 110:187-188.
175. Smithers, S.R. (1962): Stimulation of acquired resistance to S.mansoni in monkeys. Role of egg and worms. Exp. Parasit. 12:263.
176. Smithers, S.R. (1972): Recent advances in the immunology of schistosomiasis. Brit. Med. Bull. 28:49.
177. Smithers, S.R. and Terry, R.J. (1976): The immunology of schistosomiasis. Advan. Parasitol. 14:399.
178. Spiegelberg H.L. (1974): Biological activity of immunoglobulins of different classes and subclasses. Advances in Immunology. 19, 259-294.
179. Sodeman, W.A. (1967): Disc electrophoresis of saliva extracts of S.mansoni. Am. J. Trop. Med. Hyg. 16:591.

180. St.Jerusward, J., Vanky, F., Joudal, M., Wigzell, H. and Sealy, R. (1972): Lymphopenia and change in distribution of human B and T lymphocytes in peripheral blood induced by irradiation for mammary carcinoma. Lancet I:1352.
181. Steinberg, A.D., Gerber, N.L., Gershwin, M.E. (1975): Suppressor cell in immunity (S.K. Signal and N.K. Sinclair, eds). London, Canada.
182. Stephanie L.J. and Colley G.D. (1978): Eosinophil-mediated destruction of S.mansoni eggs in vitro. II. The role of cytophilic antibody. Cell Immunol. 38:35.
183. Sturrock, R.F., Kimani, R., Joseph, M., Butterworth, A.E., David, J.R., Cappron, A. and Houba, V. (1981): Heat-labile and heat-stable antischistosomal antibodies in kenyan schoolchildren infected with S. mansoni. Trans. R. Soc. Trop. Med. Hyg. Vol. 75(2), p. 219-27.
184. Sunday, M.E., Stadecker, M.J., Wright J.A., Aoki, I. and Dorf M.E. (1983): Induction of immune responses by schistosome granuloma macrophages. J. Immunol. 83 May, Vol.130(5), p. 2413-7.
185. Taylor, K.B. (1976): Gastrointestinal and liver diseases. Cited from Basic Clin. Immunol. Fundenberg H.H., p. 613.

186. Theofilopoulos A.N. (1979): The biology and detection of immune complexes. In *Advances in Immunology*. (A.N. Theofilopoulos, F.J. Dixon eds). 28, 289.
187. Thorsby, E. and Bartlie, A. (1970): A rapid method for preparation of pure lymphocytes suspensions. *Histocompatibility Testing*.
188. Tribouley. J., Tribouley Duret J. and Appriou. M. (1978): Effect of *Bacillus Calmette Guerin* (BCG) on the receptivity of nude mice to *S.mansoni*. *C.R. Soc. Biol.* (Paris). Vol. 172(5), p. 902-4.
189. Unanue, E.R., Grey, H.M., Rabellino, E., Campbell, P. and Schmidtke, J. (1971): Immunoglobulins on the surface of lymphocytes. The bone marrow as the main source of lymphocytes with detectable surface bound immunoglobulins. *J. Exp. Med.* 133:1188.
190. Van Furth, F. and Theda Van Zwet (1973): In vitro determination of phagocytosis and intracellular killing by polymorphonuclear and mononuclear phagocytes. Cited from *Handbook of experimental Immunology Vol.II Cellular Immunology*. Second Edition. Edited by D.M. Wier. Blackwell Scientific Publications, Oxford.
191. Varner N.L. (1974): Membrane immunoglobulins and antigen receptors on B & T lymphocytes. *Advances in Immunology*. 19, 67.

192. Verwaerde. C., Grzych. J.M., Bazin. H., Cappron. M. and Cappron. A. (1979): Production of monoclonal anti S.mansoni antibodies. Preliminary study of their biological activities. C.R. Acad. Sci. (d) (Paris). 1979. Oct. 29, Vol. 282 D (10), p.725-7.
193. Von Lichtenberg, F. (1965): Studies on granuloma formation. III antigen sequestration and destruction in the schistosome pseudotubercle. Am. J. Path., 65:75.
194. Waller and MacLennan (1977): Techniques in clinical immunology. R.A. theories on Blackwell Scientific Publications.
195. Warner, N.L., Byrt, P. and Ada, G.L. (1970): Lymphocyte antigen receptor site with autoimmune globulin sera in vitro Nature (London) 226:942.
196. Warren, K.S., (1972): The immunopathogenesis of Schistosomiasis: a multidisciplinary approach. Trans. R. Soc. Trop. Med. Hyg. 66:417.
197. Warren, K.S., Domingo, E.O., and Cowan, R.B.T.(1967): Granuloma formation around schistosome eggs as a manifestation of delayed hypersensitivity. Am. J. Path. 51:735-756.