

References

1. **Amstutz H. C., and Grigoris P.:** Metal on metal bearings in hip arthroplasty. Clin. Orth. ; 329: S11-S34, Lippincott-Raven Publishers, 1996.
2. **Amstutz H., Beaule P., and Le Duff M. :** Hybrid metal on metal surface arthroplasty of the hip. Op. Tech. Orthop.; 11:253-262, 2001.
3. **Amstutz H.C., Beaule P. E., Fredrick J. Dorey, Le Duff M. J., M Campbell P. A., and Gruen T. A.:** Metal-on-metal hybrid surface arthroplasty: Two to six year follow-up Study.J. bone joint surg. ; 86 (Am): 28-39, (January) 2004 .
4. **Amstutz H.C., Campbell P. A., Michel J. , and Le Duff M.A. :** Fracture of the neck of the femur after surface arthroplasty of the hip. J. bone joint surg. ; 86 (Am): 1874-1877, (September) 2004.
5. **Amstutz H.C., and Kody M.H.:** Dislocation and subluxation. In: Amstutz H.C., ed. hip arthroplasty (New York); Churchill Livingstone;429, 1991.
6. **Amstutz H.C., Grigoris P., and Dorey F.J. :** Evolution and future of surface replacement of the hip. J. Orthop. Sci.; 3 :169-186, 1998.
7. **Amstutz H.C., Grigoris P., Safran M.R., et al:** Precision- fit surface hemiarthroplasty for femoral head osteonecrosis. Long-term results. J. bone joint surg.; 76(Br): 423-427, 1994.
8. **Amstutz H.C., Sparling E.A., and Grigoris P.:** Surface and hemi-surface replacement arthroplasty. Semin arthro- plasty ; 9 :261, 1998.
9. **Amstutz H.C., Thomas B.J., Jinnah R., Kim W., Grogan T., and Yale C. :** Treatment of primary osteoarthritis of the hip.

- A comparison of total joint and surface replacement arthroplasty. J. bone joint Surg.; 66(Am): 228-2241, 1984 .
10. **Anastasia K. Skipor, Particia A. Campbell, and Leslie M. Patterson** : Materials in medicine. J. materials science; 13: 1227-1234, 2002.
 11. **Anissian H. L., Stark A., Good V., Dahlstrand H., and Clarke I.C.**: The wear pattern in metal on metal hip prostheses. J. Biomed. Mater Res.;58: 673–678, 2001.
 12. **Bankston A.B., Cates H., Ritter M.A., et al.**: Polyethylene wear in total hip arthroplasty. Clin. Orthop; 317: 7, 1995.
 13. **Bartel D.L., Burstein A.H., Toda M.D., and Edwards D.L.**: The effect of conformity and plastic thickness on contact stresses in metal-backed plastic implants. J. Biomech. Eng.;107: 193, 1985.
 14. **Beaule P. E., Campbell P. A., Hoke R., and Dorey F.** : Notching of the femoral neck during resurfacing arthroplasty of the hip J. bone joint surg.; 88(Br): 35-39, 2006.
 15. **Beaule P. E., Dorey F. J., LeDuff M., Gruen T., and Amstutz H. C.** : Risk factors affecting outcome of metal-on-metal surface arthroplasty of the hip. Clin. Orthop. ; 418 : 87-93, (January) 2004.
 16. **Beaule P. E., Krismer M., Mayrhofer P., Wanner S., Le Duff M., Mattesich M., B. M. Stoeckl M., Amstutz H. C., and Biedermann R.**: EBRA-FCA for measurement of migration of the femoral component in surface arthroplasty of the hip.J. bone joint surg.; 87(Br): 741-744, 2005.
 17. **Beaule P.E., Lee J. L., Le Duff M. J., Amstutz H. C., and Ebramzadeh E.**, : Orientation of the femoral component in surface arthroplasty of the hip. J. bone joint surg.; 86(Am): 2015-2021, 2004.

18. **Beaule P.E., Amstutz H.C., Campbell P.A., and LeDuff M.:** Wagner and McMinn metal-on-metal surface arthroplasty of the hip. Minimum five-year follow-up. Presented at the Canadian Orthopedic Association, London, Ontario, 2001.
19. **Beaule P.E., Schmalzried T.P., Campbell P., Dorey F., and Amstutz H.C.:** Duration of symptoms and outcome of hemiresurfacing for hip osteonecrosis. Clin. Orthop.; 385: 104–117, 2001.
20. **Bierbaum B.E. and Sweet R.:** Complications of resurfacing arthroplasty. Orthop. Clin. North Am.; 13: 761, 1982.
21. **Campbell P., McKellop H., Alim R., et al. :** Metal-on-metal hip replacements: wear performance and cellular response to wear particles. In Disegi J.A., Kennedy R.L., Pilliar R. (eds). Cobalt base alloys for biomedical applications. West Conshohocken, PA: American Society for Testing and Materials; 1365: 193-209, 1999.
22. **Campbell P., Shen F.W., and McKellop H. :** Biologic and tribologic considerations of alternative bearing surfaces. Clin. Orthop.; 418: 98-111, 2004.
23. **Chung S.M.K. :** The arterial supply of the developing proximal end of the human femur. J. bone joint surg.; 58(Am): 961, 1976.
24. **Corin Medical (The Marketing Department),** The Corinium Centre: Cormet hip resurfacing presentation, 2004.
25. **Cornell C.N., Salvati E.A., and Pellici P.M.:** Long-term follow up of total hip replacement in patients with osteonecrosis. Orthop. Clin. North. Am; 16: 757–769, 1985.
26. **Crock H.V. :** An atlas of the arterial supply of the head and neck of the femur in man. Clin. Orthop. 152:17, 1980.

27. **Crowninshield R.D., Brand R.A., and Pedersen D.R.** : A stress analysis of acetabular reconstruction in protrusio acetabuli. J. bone joint Surg.; 65(Am): 495, 1983.
28. **Cutts S., Datta A., Ayoub K., Rhaman H., and Lawrence T.** : A comparison of revision of resurfacing and conventional revision hip surgery . J. bone joint surg.; 86(Br),supp.I: 81 , 2004.
29. **Daniel J., Pynsent P. B., and McMinn D. J.** : Metal-on-metal resurfacing of the hip in patients under the age of 55 years with osteoarthritis. J. bone joint Surg.;86(Br): 177-184, 2004.
30. **Davey J.R., O'Connor D.O., Burke D.W., and Harris W.H.:** Femoral component offset: its effect on strain in bone-cement. J. Arthroplasty; 8: 23, 1993.
31. **De Waal Malefijt M.C.,and Huiskes R.** : A clinical, radiological and biomechanical study of the TARA hip prosthesis. Arch. Orthop. Trauma Surg.; 112: 220-225, 1993 .
32. **Dunbar I.** : Hip Resurfacing. Corin Medical presentation , 2002.
33. **Elewa M.** : personal communication , 2006 .
34. **Firkins P.J., Tipper J.L., Ingham E., et al.** :Wear and debris analysis of low and high carbon content cobalt chrome alloys for use in metal on metal THRs. Trans. Orthop. Res. Soc.; 23: 370, 1998.
35. **Freeman M.A.R., Stocks G.W., Moilanen T., et al:** Hydroxyapatite coating of an acetabular prosthesis: effect on stability. J. bone joint Surg.; 78(Br): 200-205, 1996.
36. **Freeman M.A.R.:** Some anatomical and mechanical considerations relevant to the surface replacement of the femoral head. Clin. Orthop. ;134: 19-24, 1978 .
37. **Ganz R., Gill T.J., Gautier E., et al.** :Surgical dislocation of the adult hip: a new technique with full access to the femoral head and

- acetabulum without the risk of avascular necrosis. J. bone joint surg.; 83-(Br): 1119-1124, 2001.
- 38.**Gautier E., Ganz K., Krugel N., Gill T.J., and Ganz R. :** Anatomy of the medial circumflex artery and its surgical implications. J. bone joint surg.;82(Br): 679-683, 2000.
- 39.**Grecula M.J., Grigoris P., Schmalzried T.P., et al.:** Endoprostheses for osteonecrosis of the femoral head: a comparison of four models in young patients. Int. orthop.; 19: 137–143, 1995.
- 40.**Harkess J. W. :** Arthroplasty of hip. Campbell's operative orthopaedics(10th edition), volume(1),chapter(7) , 2003.
- 41.**Harris W.H.:** Results of uncemented cups: A critical appraisal at 15 years. Clin. Orthop.; 417: 121–125, 2003.
- 42.**Haynes D.R., Crotti T.N., Potter A.E., et al. :** The osteoclastogenic molecules RANKL and RANK are associated with periprosthetic osteolysis. J. Bone joint surg.; 83(Br): 902–911, 2001 .
- 43.**Hedley A.K.:** Technical considerations with surface replacement. Orthop. Clin. North. Am.; 13: 747-760, 1982.
- 44.**Heisel C., Silva M, and Schmalzried T.P.:** Bearing surface options for total hip replacement in young patients. J. bone joint surg. 85(Am): 1366–1379, 2003.
- 45.**Hoppenfeld S.and deBoer P.:** Surgical exposures in orthopaedics.The anatomic approach; chapter 8; hip and acetabulum: 366-453 2003.
- 46.**Howie D.W., Cornish B.L., and Vernon-Roberts B. :** The viability of the femoral head after resurfacing hip arthroplasty in humans. Clin. Orthop.; 291: 171-184, 1993.

- 47.**Howie D.W., Cornish B.L., and Vernon-Roberts B.:** Resurfacing hip arthroplasty. Classification of loosening and the role of prosthesis wear particles. Clin. Orthop.; 255: 144–159, 1990.
- 48.**Huo M. H., and Gilbert N.F., :** What's new in hip arthroplasty. J. bone joint surg.; 87(Am) :. 2133-2146 , 2005.
- 49.**Ingham E., and Fisher J. :** Biological reactions to wear debris in total joint replacement. Proc Inst. Mech. Eng. H.; 214: 21–37, 2000.
- 50.**Jakim N., and Velkes S. :** Metal on metal hip resurfacing early experience. J. bone joint surg.; 84(BR), supp. III: 75, 2002.
- 51.**Johnston R.C., Brand R.A., and Crowninshield R.D.:** Reconstruction of the hip: a mathematical approach to determine optimum geometric relationships. J. bone joint Surg.; 61(Am): 639, 1979.
- 52.**Krackow K.A., Mont M.A., and Maar D.C.:** Limited femoral endoprosthesis for avascular necrosis of the femoral head. Orthop. Rev.; 22: 457–463, 1993.
- 53.**Krismer M., Biedermann R., Stockl B., et al. :** The prediction of failure of the stem in THR by measurement of early migration using EBRA-FCA. J bone joint Surg.; 81(Br): 273-280, 1999.
- 54.**Kurtz S.M., Muratoglu O.K., Evans M., and Edidin A.A.:** Advances in the processing, sterilization, and cross linking of ultra high molecular weight polyethylene for total joint arthroplasty. Biomaterials.; 20: 1659–1688, 1999.
- 55.**LaVelle D. G.:** Fractures of the hip. Campbell's operative orthopaedics (10th edition); volume(3): chapter(52) , 2003.
- 56.**Learmonth S. I. D.:** Practical aspects of hip resurfacing arthroplasty; Corin Medical, 2004.

-
57. **Little C. P., Ruiz A. L., Harding I. J., McLardy P., Smith R. Gundle, Murray D. W., and Athanasou N. A.** : Osteonecrosis in retrieved femoral heads after failed resurfacing arthroplasty of the hip. *J. bone joint surg.*; 87(Br): 320-323, 2005.
58. **Livermore J., Ilstrup D., and Morrey B.**: Effect of femoral head size on wear of the polyethylene acetabular component. *J. bone joint surg.*; 72(Am): 518, 1990.
59. **Loughead, J. M. , Starks I., Chesney D., Matthews J. N. S., McCaskie A. W., and Holland J. P.** : Removal of acetabular bone in resurfacing arthroplasty of the hip. A comparison with hybrid total hip arthroplasty. *J. bone joint surg.*; 88(Br): 31-34, 2006 .
60. **Mai MT, Schmalzried TP, Dorey FJ, Campbell PA, and Amstutz HC**: The contribution of frictional torque to loosening at the cement bone interface in Tharies hip replacements. *J. bone joint surg.*; 78(Am): 505–511, 1995 .
61. **McKellop H., Shen F.W., Lu B., Campbell P., and Salovey R.** : Effect of sterilization method and other modifications on the wear resistance of acetabular cups made of ultra high molecular weight polyethylene: A hip simulator study. *J. bone joint Surg.*; 82(Am): 1708–1725 , 2000.
62. **McKellop H.A.** : Bearing Surfaces in THRs: state of the art and future developments. In Sim F.H. (ed). *Instructional Course Lectures*. Rosemont, IL: American Academy of Orthopaedic Surgeons; 165–179 , 2001.
63. **McKellop H.A., Rosenberg A.G., and Rubash HE (eds)**: The adult hip. Philadelphia: Lippincott Raven Publishers ;231–245, 1998 .
64. **McMinn D. J.** : Metal on metal hip resurfacing with hybrid fixation: results of 1,000 cases , a Personal Series (Midland

- Medical Technologies, Ltd .and Corin Medical, Ltd),Paper No: 268, 2001.
- 65.**McMinn D.J., Joseph Daniel, Pynsent P. B., Pradhan C., and Hena Ziaee** : Mini-incision resurfacing arthroplasty of hip through the posterior approach. Clin. Orthop.; 441: 91–98, Lippincott Williams & Wilkins; 2005 .
- 66.**McMinn D.J., Treacy R., and Kyaw Lin** : Metal on metal surface replacement of the hip, experience of the McMinn prosthesis. Clin. Orthop.; 329S: S89-S98, Lippincott-Raven Publishers, 1996.
- 67.**Muller M.E.** : The benefits of metal-on-metal total hip replacements. Clin. Orthop.; 311; 34-59, 1995.
- 68.**Mont M.A., and Hungerford D.S.**: Non-traumatic avascular necrosis of the femoral head. J. bone joint Surg.; 77(Am): 459–474, 1995.
- 69.**Morrey B.J., and Ilstrup D.**: Size of the femoral head and acetabular revision in total hip-replacement arthroplasty, J. bone joint surg.; 71(Am): 50, 1989.
- 70.**Norrish A. R., Rao J., and Villar R. N.** : Heterotopic ossification : a comparison between hip resurfacing and total hip replacement. J. bone joint surg.; 86(Br),supp. I: 81 2004 .
- 71.**Oonishi H., Saito M., and Kadoya Y.** :Wear of high-dose gamma irradiated polyethylene in total joint replacement: Long term radiological evaluation. Trans. Orthop. Res. Soc.; 23: 97, 1998.
- 72.**Oparaugo P.C., Clarke I.C., Malchau H., and Herberts P.** : Correlation of wear debris-induced osteolysis and revision with volumetric wear rates of polyethylene : A survey of 8 reports in the literature. Acta. Orthop. Scand.; 72: 22–28, 2001 .

-
- 73.**Paling I.H.** : advantages of cormet 2000 implant; corin medical ,2004.
- 74.**Rawlinson R.** : resurfacing hip arthroplasty: a brief history. Corin medical, 2004.
- 75.**Romanes R.G.** : Cunningham's manual of practice anatomy . Volume 1 : upper and lower limbs, 14th edition, 1976.
- 76.**Rose R.M., Goldfarb E.V., Ellis E., and Crugnola A.N.:** Radiation sterilization and the wear rate of polyethylene, J. Orthop. Res. 2: 393, 1984.
- 77.**Rydell N.W.:** Forces acting on the femoral head prosthesis: a study on strain gauge supplied prostheses in living persons. Acta Orthop. Scand Supp. 88: 1, 1996.
- 78.**Schmalzried T. P.** : Total resurfacing for osteonecrosis of the hip. Clin. Orthop.; 429: 151–156; 2004 .
- 79.**Schmalzried T. P., Fowble V.A., Ure K. J., and Amstutz H. C.** : Metal on metal surface replacement of the hip. Clin. Orthop.; 329S: S106-S114, Lippincott-Raven Publishers, (august), 1996.
- 80.**Sieber H.P., Rieker C.B., and Kottig P.** : Analysis of 118 second-generation metal-on-metal retrieved hip implants. J. bone joint surg.; 81(Br): 46–50, 1999 .
- 81.**Siguiet M, Judet T., Siguiet T., et al:** Preliminary results of partial surface replacement of the femoral head in osteonecrosis. J. Arthroplasty; 14: 45–51, 1999.
- 82.**Siguiet T., Siguiet M., Judet T., Charnley G., and Brumpt B.** : Partial resurfacing arthroplasty of the femoral head in avascular necrosis . Clin. Orthop.; 386: 85–92, Lippincott Williams & Wilkins publishers , 2001.

83. **Silva M., Lee K.H., Heisel C., Dela Rosa M.A., and Schmalzried T.P.:** The biomechanical results of total hip resurfacing arthroplasty. *J. bone joint surg.*; 86(Am): 40–46, 2004.
84. **Smith-Petersen M.N. :** Evolution of mold arthroplasty of the hip joint. *J. bone joint surg.*; 30(br): 59, 1948.
85. **Steinberg M. E. and Mont M. A.:** chapmans orth. surg.. osteonecrosis (chapter 125) : 3246-3308, 2001.
86. **Sun D.C., Wang A., Stark C., and Dumbleton J.H.:** The concept of stabilization in UHMWPE. Transactions of the fifth world biomaterials congress, Toronto : 195, 1996.
87. **Tooke S.M., Amstutz H.C., and Delaunay C.:** Hemiresurfacing for femoral head osteonecrosis. *J. Arthroplasty*; 2: 125, 1987.
88. **Wagner M., and Wagner H.:** Preliminary results of uncemented metal on metal stemmed and resurfacing hip replacement arthroplasty. *Clin. Ortho.* ; 329s: S78-S88 , Lippincott-Raven Publishers, 1996.
89. **Walker P.S., and Bullough P.G.:** The effects of friction and wear in artificial joints. *Orthop. Clin. North Am.*; 4: 275, 1973.
90. **Walsh H.A., Furman B.D., and Li S. :** The effects of cross linking on the fracture fatigue properties of UHMWPE acetabular cups. *Trans. Soc. Biomater.*; 22: 592, 1999.
91. **Walsh H.A., Furman B.D., Naab S., Li S. :** Role of oxidation in the clinical fracture of acetabular cups. *Trans. Orthop. Res. Soc.*; 24:845, 1999.
92. **Weber B.G. :** Experience with the Metasul total hip bearing system. *Clin. Orthop.*; 329(Supp 1): S69–S77, 1996.
93. **Williams W.E. :** Problems and pitfalls of resurfacing arthroplasty of the hip. *J. bone joint surg.*; 85(Br),supp. II :144 2003 .

-
94. **Wroblewski B.M., Lynch M., Atkinson J.R., et al:** External wear of the polyethylene socket in cemented total hip arthroplasty. *J. bone joint surg.*; 69(Br): 61, 1987.
95. **Zhu M., Vasquez R., Shen M., et al.:** The effect of load, aging, and preexisting cracks upon wear of a highly cross-linked polyethylene. *Trans. Soc. Biomater.*; CD ROM, 2001.