

References

REFERENCES

1. *Aaffjes, J.H. and Van der Vijver, J.C.M. (1985):* Fertility of men with and without a varicocele. *Fertil. Steril.*, 43: 901.
2. *Abdalla, M.I.; Ibrahim, A.A.; Girgis, S.M.; Osman, M.I.; Bayad, M.A. and El-Karakasy, A. (1981):* Endocrine profile of semen in subferile males with varicocele. *Arch. Andro.*, 6: 175.
3. *Abdel-Raheim, F.; Mostafa, A.; Hamdy, A.; Mabrouk, M.; El-Kholy, M. and Hassan, O. (1993):* Testicular morphology and function in varicocele patients. Pre-operative and post-operative histopathology, *Br. J. Urol.*, 72: 643.
4. *Agger, P. and Johnson, S.G. (1978):* Quantitative evaluation of testicular biopsies in varicocele. *Fertil. Steril.*, 29: 52.
5. *Ahlberg, N.E.; Bartley, O. and Chidekel, N. (1966):* Phlebography in varicocele scroti. *Acta. Radiol. Diagn. Stockh.*, 4: 517.
6. *Al-Juburi, A.; Prankoff, K.; Dougherty, K.A.; Urry, R.L. and Cockett, A.T.K. (1979):* Alteration of semen quality in dogs after creation of varicocele. *Urology*, 13(5): 535.
7. *Anderson, D.J. and Hill, J.A. (1988):* Cell mediated immunity in infertility. *Am. J. Reprod. Immunol. Microbial*, 17: 22.
8. *Andersson, S.; Berman, D.M.; Jenkins, E.P. and Russell, D.W. (1991):* Detection of steroid 5 α -reductase 2 gene in male pseudohermaphroditism. *Nature*, 354: 159.
9. *Andersson, S. and Russell, D.W. (1990):* Structural and biochemical properties of cloned and expressed human rat steroid 5 α -reductase. *Proc. Natl. Acad. Sci. USA*, 87: 3640.
10. *Ando, S.; Giacchetto, C.; Beraldi, E.; Panno, M.L.; Carpino, A.; Sposato, G. and Lombardi, A. (1983a):* Testosterone and dihydrotestosterone seminal plasma levels in varicocele patients. *Andrologia*, 15: 374.
11. *Ando, S.; Giacchetto, C.; Colpic, G.; Panno, M.L.; Beraldi, E.; Lombardi, A. and Sposato, G. (1983b):* Plasma levels of 17-OH progesterone and testosterone in patients with varicocele. *Acta. Endocrinol (Copenhagen)*, 102: 463.

12. **Ando, S.; Giahetto, C. and Beraldi, E. (1985):** Progesterone, 17-OH progesterone, androstenedion and testosterone plasma levels in spermatoc venous blood of normal men and varicocele patients. *Horm. Metab. Res.*, 17: 99.
13. **Andreou, E.; Mahmoud, A.; Vermeulen, L.; Schoonjans, F. and Comhaire, F. (1995):** Comparison of different methods for the investigation of antisperm antibodies on spermatozoa, in seminal plasma and in seurm. *Hum. Reprod.*, 10: 125.
14. **Annoni, F.; Giovanni, M.C.; Francesco, M.M. and Lyciano, N. (1988):** Doppler examination in varicocele; A standard method of evaluation. *J. Androl.*, 1: 248.
15. **Aragona, C.; Bohnet, H.G. and Freisen, H.G. (1977):** Localization of prolactin binding in prostate and testis. *Acta. Endocrinol.*, 84:402.
16. **Awoniyi, C.A.; Sprando, R.L.; Santulli, R.; Chandrashekar, V.; Ewing, L.L. and Zirkin, B.R. (1990):** Restoration of spermatogenesis by exogenously administered testosterone in rats made azoospermic by hypophysectomy or withdrawal of luteinizing hormone alone, *endocrinology*, 127: 177.
17. **Ayodeji, O. and Baker, H.W.G. (1986):** Is there a specific abnormality of sperm morphology in men with varicocele?. *Fertil. Steril.*, 45: 839.
18. **Bacon, C.; McVicar, D.; Dortaldo, J.; Res, R.; Oshea, J. and Johnston, J. (1995):** *J. Exp. Med.*, 81: 399.
19. **Bandoh, R.; Yamano, S.; Kamada, M.; Daitoh, T. and Aono, T. (1992):** Effect of sperm immobilizing antibodies on the acrosome reaction of human spermatozoa. *Fertil. Steril.*, 57: 387.
20. **Bardin, C.W.; cheng, C.Y.; Mustow, N.A. and Gunsalus, G.L. (1994):** The Sertoli cell. In: "The Physiology of Reproduction", Knobil, E. and Neill, S. (eds.), Raven Press, New York, p. 1291.
21. **Bazan, J.F. (1990):** Structural and molecular evaluation of a cytokine receptor superfamily. *Proc. Natl. Acad. Sci. USA*, 87: 6934.
22. **Beagley, K.W.; Eldrige, H.; Lee, F.; Kiyono, H.; Everson, M.P.; Koopman, W.J.; Hirano, T.; Kishimoto, T. and McGhee, J.R. (1989):** Interleukins and IgA synthesis: Human and murine interleukin-6 induce high rate IgA secretion in IgA-committed B-cells. *J. Exp. Med.*, 169: 2133.

23. **Beck, E.M.; Schelgel, P.N. and Goldstein, M. (1992):** Intraoperative varicocele antomy: macroscopic and microscopic study. *J. Urol.*, 148: 1190.
24. **Behre, H.M.; Nieschlag, E. and Meschede, D. (1997):** Diseases of the Seminal Ducts In: "Male Reproductive Health and Dysfunction", Neischlag, E. and Behre, H.M. (eds.), Springer-Verlag, Berlin, Heidelberg. p. 163.
25. **Belanger, A.; Auclair, C.; Seguin, C.; Caron, S. and Labrie, F. (1981):** Prolactin stimulation of testicular steroid biosynthesis in the male rat. *J. Androl.*, 2: 80.
26. **Bigot, J.M. and Chatel, A. (1980):** The value of retrograde spermatic phlebography in varicocele. *Eur. Urol.*, 6: 301.
27. **Bigot, J.M.; Barret, F. and Helnon, C. (1982):** Phlebography of right spermatic vein in varicocele. In: *Varicocele and male infertility. (I)*. Ject, E.W. and Zeitler, E. (eds.). Springer-Verlag, Berlin, Heidelberg. p.19.
28. **Boockfor, F.R. and Schwarz, L.K. (1991):** Effects of interleukin-6, and tumour necrosis factor B-on transferrin release from Sertoli cells in culture. *endocrinology*, 129: 256.
29. **Boucher, D.; Grizard, G. Gaillard, G. and Pays, J. (1983):** Pituitary gonadal function in infertile men with varicocele. *Andrologia*, 15: 78.
30. **Boutros, M.F. (1983):** The varicocele: elevated serotonin and infertility. M. Sc. Thesis Supervised by Professor Dr. Shawky El-Haggar. Cario University. p. 89.
31. **Brown, J.S. (1976):** Varicoelectomy in the subfertile male: A ten years experiene with 295 cases. *Fertil. Steril.*, 27: 1046.
32. **Buch, J.P.; Tindall, D.J.; Rowley, D.R. and Lamb, D.J. (1991):** Sertoli cell structure and function in vivo and in vitro. In: "Infertility in the Male", 2nd ed., Lipshultz, L.I. and Howards, S.S. (eds.), Mosby Yearbook, St. Louis. p. 54.
33. **Caldamone, A.A.; Al-Juburi, A. and Cockett, A.T.K. (1980):** The varicocele; Elevated serotonin and infertility. *J. urol.*, 123: 683.
34. **Casano, R.; Orlando, C.; Caldini, A.L.; Barni, T.; Natali, A. and Serio, M. (1987):** Simultaneous measurement of seminal L-carnitine, α -1,4 glucosidase and glyceryl-phosphoryl-choline in azoospermic and oligospermic patients. *Fert. Steril.*, 47: 324.

35. **Castro-Magana, M.; Angulo, M.; Canas, J. and Uy, J. (1989):** Improvement of Leydig cell function in male adolescents after varicocelectomy. *J. Paediat.*, 115: 809.
36. **Castro-Magana, M.; Angulo, M. and Uy, J. (1991):** Elevated serum estradiol associated with increased androstenedione-testosterone ratio in adolescent males with varicocele and gynecomastia. *Fertil. Steril.*, 56: 515.
37. **Chakraborty, J.; Sinha Hikim, A.P. and Jhunjhunwala, J.S. (1985):** Stagnation of blood in the microcirculatory vessels in the testes of men with varicocele. *J. Androl.*, 6: 117.
38. **Chandrashekar, V. and Bartke, A. (1988):** Influence of endogenous prolactin on the luteinizing hormone stimulation of testicular steroidogenesis and the role of prolactin in adult male rats. *Steroids*, 51: 559.
39. **Chandrashekar, V. (1996):** Intratesticular factors in testicular endocrine function. In: "Handbook of endocrinology" (II), 2nd ed., George, H.G. and Harold, M.K. (eds.), Boca Raton, New York, London, Tokyo. p. 227.
40. **Chase, D.J. and Payne, A.H. (1985):** Prolactin involvement in regulation of testicular 5 α -reductase activity in the immature rat. *Biol. Reprod.*, 33: 637.
41. **Chen, Y.D.; Payne, A.H. and Kelch, K.P. (1976):** FSH stimulation of Leydig cell function in the hypophysectomized immature rat. *Proc. Soc. Exp. Biol. Med.*, 153: 473.
42. **Chen, Y.D.; Shaw, M.S. and Payne, A.H. (1977):** Steroid and FSH action on LH receptors and LH-sensitive testicular responsiveness during sexual maturation of the rat. *Mol. Cell. Endocrinol.*, 8: 291.
43. **Chen, L.; Mory, Y.; Zilberstein, A. and Revel, M. (1988):** Growth inhibition of human breast carcinoma and leukemia/lymphoma cell lines by recombinant interferon B2. *Proc. Natl. Acad. Sci. USA*, 85: 8073.
44. **Cheval, M.J. and Purcell, M.H. (1992):** Varicocelectomy: Incidence of external spermatic vein involvement in the clinical varicocele. *Urol.*, 29: 573.

45. **Chiou, R.K.; Anderson, J.C.; Wobig, R.K.; Rosinsky, D.E.; Matamoros, A.J.R.; Chen, W.S. and Taylor, R.H. (1997):** Colour Doppler Ultrasound criteria to diagnose varicocele. Correlation of a new scoring system with physical examination. *Urology*, 50(6): 953.
46. **Ciampani, T.; Fabbri, A.; Ciocca, D.R. and Dufau, M.L. (1992):** Growth hormone-releasing hormone is produced by rat Leydig cell in culture and acts as a positive regulator of Leydig cell function. *endocrinology*, 131: 2785.
47. **Clemente, C.D. (1985):** The urogenital system. In: "Gray's anatomy of the human body". 13th edition. Lea and Febiger, Philadelphia. p. 1550.
48. **Cockett, A.T.K.; Urry, R.L. and Dougherty, K.A. (1979):** The effect of varicocele on semen characteristics. *J. Urol.*, 121: 435.
49. **Cockett, A.T.K.; El-Juburi, A.; Altebarmakian, V.; Vergamin, R.F. and Caldamone, A.A. (1980):** The varicocele; A critical analysis of experimental and clinical data. *Trans. Am. Assoc. Genitourin. Surg.*, 71: 47.
50. **Cockett, A.T.K.; Takihara, H. and Cosentino, M.J. (1984):** The varicocele. *Fertil. Steril.*, 41: 5.
51. **Cockett, A.T.; Takihara, H.; Iwamura, M. and Koshiba, K. (1998):** Pathophysiology of clinical varicocele in infertile men. *Int. J. Urol.*, 5(2): 113.
52. **Cohen, M.S. (1979):** The effects of prostaglandins in subfertile men with varicocele. Presentation, Sixty-Fourth Annual Meeting, American Urological Association, New York, May 13.
53. **Cohen, S. and Yohhida, T. (1998):** Regulation of lymphokine function. *Ann., Ny. Acad. Sci.*, 332: 356.
54. **Comhaire, F. and Vermeular, A. (1974):** Varicocele: Cortisol and Catecholamines. *Fertil. Steril.*, 25: 88.
55. **Comhaire, F. and Vermeulen, A. (1975):** Plasma testosterone in patients with varicocele and sexual inadequacy. *J. Clin. Endocrinol. Metab.*, 40: 824.
56. **Comhaire, F.; Monteyne, R. and Kunnen, M. (1976):** The value of scrotal thermography as compared with selective retrograde venography in the internal spermatic vein for the diagnosis of subclinical varicocele. *Fertil. Steril.*, 27: 694.

57. **Comhaire, F.; Kunnen, M. and Hahoum, C. (1981):** Radiological anatomy of the internal spermatic veins in 200 retrograde venograms. *Int. J. Androl.*, 4: 379.
58. **Comhaire, F. and Vermeulen, A. (1982):** Hormonal testicular function in patients with varicocele. In: "Varicocele and Male Infertility, Recent Advances in Diagnosis and Therapy. Ject E.W. and Zeither, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 110.
59. **Comhaire, F. (1983):** Varicocele infertility: an enigma. In. *J. Androl.*, 6: 401.
60. **Comhaire, R.; Kunnen, M. and Simons, M. (1984):** Physiopathology of testicular dysfunction in varicocele. Does varicocele exist without reflux in the internal spermatic vein?. In: "Varicocele and Male Infertility", II, Glezerman, M. and Jetc, E.W. (eds.), Springer-Verlag, Berlin, Heidelberg, New York, Tokyo. p. 43.
61. **Comhaire, F.H.; Bosmans, E.; Ombelet, W.; Punjabi, U. and Schoonjans, F. (1994):** Cytokines in semen of normal men and of patients with andrological diseases. *Am. J. Reprod. Immunol.*, 31: 99.
62. **Comhaire, F. and Gerris, J. (1995):** Varicocele. In: "Male Infertility", Comhaire, .H. (ed.), Chapman and Hall medical. London, Glasgow, Weinheim, New York, Tokyo. p. 231.
63. **Comhaire, F.; Zalata, A. and Schoonjans, F. (1995):** Varicocele: indications for treatment. *International Journal of Andrology*, 18(2):67.
64. **Coolsaet, B.L. (1980):** The varicocele syndrome: Venography determining the optimal level for surgical management. *J. Urol.*, 124: 833.
65. **Cosentino, M.J.; Takiara, H. and cockett, A.T.K. (1982):** Phospholipase A2 in the semen of men with varicocele. Presented at Annual Meeting of the American Urological Association. Kansas City, Missouri.
66. **Cotran, R.S.; Kumar, V. and Collins, T. (1999):** Rubbins Pathologic Basis of Disease, 6th ed., W.B. Saunders Company, Chapter 7. p. 191.
67. **Cvitanic, O.A.; Cronan, J.J.; Sigman, M. and Landau, S.T. (1993):** Varicocele: Postoperative prevalence: A prospective study with Colour Doppler U.S. *Radiology*, 187: 711.

68. **de Kretser, D.M. and Kerr, J.B. (1994):** The cytology of the testis. In: *The physiology of Reproduction*, Knobil, E. and Neill, J.D. (Eds.), Raven Press, New York. p. 1177.
69. **Dennison, A.R. and Tibbs, D.J. (1986):** Varicocele and varicose veins compared: A basis for logical surgery. *Urology*, 28: 211.
70. **Desai, S.B.; Cohen, M.S. and Orkin, L.A. (1978):** Left spermatic vein prostaglandin F2 levels in subfertile men with varicocele. *Infertility*, 1: 59.
71. **Didolkar, A.K. and Roychowdhury, D. (1980):** Effect of prostaglandins A1, E2 and F2 on spermatogenesis in rats. *Andrologia*, 12: 135.
72. **Dintinger, T.; Gaillard, J.L.; Zwain, I.; Bouchamide, R. and Silberzahn, P. (1989):** Synthesis and aromatization of 19-Norandrogens in the stallion testis. *J. Steroid Biochem.*, 32: 537.
73. **Donohue, R.E. and Brown, J.S. (1969):** Blood gases and PH determinations in the internal spermatic veins of subfertile men with varicocele. *Fertil. Steril.*, 20: 365.
74. **Dorrington, J.H.; Roller, N.F. and Fritz, I.B. (1975):** Effects of follicle-stimulating hormone on cultures of Sertoli cell preparations. *Mol. Cell. Endocrinol.*, 3: 70.
75. **Dorrington, J.H.; Fritz, I.B. and Armstrong, D.T. (1976):** Site at which follicle stimulating hormone regulates estradiol-17-beta biosynthesis in Sertoli cell preparations in culture. *Mol. Cell. Endocrinol.*, 6: 117.
76. **Dorrington, J.H.; Fritz, I.B. and Armstrong, D.T. (1978):** Control of testicular estrogen synthesis. *Biol. Reprod.*, 18: 55.
77. **Dubin, L. and Amelar, R.D. (1970):** Varicocele size and results of varicocelectomy in selected subfertile men with varicocele. *Fert. Steril.*, 21: 606.
78. **Dubin, L. and Amelar, R.D. (1971):** Etiologic factors in 1294 consecutive cases of male infertility. *Fert. Steril.*, 22: 469.
79. **Dubin, L. and Amelar, R.D. (1975):** Varicocelectomy as therapy in male infertility, a study of 504 cases. *Fertil. Steril.*, 26: 217.
80. **Dubin, L. and Amelar, R.D. (1978):** Varicocele. *Urol. Clin. North. Am.*, 5: 563.

81. *Einer-Jensen, N. and Soofi, G. (1974)*: Decreased blood flow through rat testis after intra-testicular injection of PGF₂. Prostaglandins, 10: 377.
82. *El-Haggar, S.; Wageih, S.; El-Meleigy, A. and Mohamed, S. (1997)*: Role of scrotal scintigraphy in diagnosis of shunt-type varicocele (Unpublished data).
83. *El-Sibai, O.I.; Hafez, A.A. and El-Ashmawy, R.A. (1990)*: Role of angiotensin in pathogenesis of varicocele. Menofea Med. J., 3:1.
84. *Etriby, A.A.E.; Ibrahim, A.A.A.; Mahmoud, C. and El-Haggar, S. (1975)*: Subfertility and varicocele. I. venogram demonstrations of anastomosis sites in subfertile men. Fertil. Steril., 26: 1013.
85. *Fabbri, A.; Tinajero, J.C. and Dufau, M.L. (1990)*: Corticotropin-releasing factor is produced by rat Leydig cells and has a major local antireproductive role in the testis. Endocrinology, 127: 1541.
86. *Facchinetti, F.; Comitini, G.; Genazzani, A.; Bakalakis, C.; Genazzani, A.R. and Loche, S. (1987)*: Seminal fluid androgen levels in infertile patients. Int. J. Fertil., 32: 157.
87. *Farid, M.A. and Fayed, H.A. (1997)*: Laparoscopic varicocelectomy: An advantageous procedure in management of male infertility. Egypt. J. Androl. Reprod., 11(1): 61.
88. *Fayed, H.A. and Farid, M.A. (1996)*: External spermatic vein in varicocele patients. Incidence and Management. Egypt. J. Androl. Reprod., 10(2): 173.
89. *Fiorentino, D.F.; Zlotnik, A.; Mosmann, T.R.; Howard, M. and O'Garra, A. (1991)*: IL-10 inhibits cytokine production by activated macrophages. J. Immunol., 147: 3815.
90. *Fontana, D.; Bianchi, S.D.; Randone, D.F.; Bellina, M.; Rolle, L. and Fasolis, G. (1984)*: Doppler test and scrotal thermography in varicocele. In: "Varicocele and Male Infertility" (II), Glezerman, M. and Jech, E.W. (eds.), Springer-Verlag, Berlin. p. 60.
91. *Formanek, A.; Rusnak, B.; Zollkofer, C.; Castenda-Zuniga, W.R.; Narayan, P.; Gonzalez, R. and Amplatz, K. (1981)*: embolization of the spermatic vein for treatment of infertility. A new approach. Radiology, 139: 315.

92. **Frei, K.; Leist, T.P.; Meager, A.; Gallo, P.; Leppeit, D.; Zindernagel, R.M. and fontana, A. (1988):** Production of B-cell stimulatory factor and interferon γ in the central nervous system during viral meningitis and encephalitis. *J. Exp. Med.*, 168: 449.
93. **Gandy, H.M. and Peterson, R.E. (1968):** Measurement of testosterone and 17-ketosteroids in plasma by the double isotope dilution derivate technique. *J. Clin. Endocr.*, 28: 949.
94. **Girgis, S.M.; Abd El-Rahman, Y.; Awad, H.A.; Eisa, I.; Younan, N.; Mittawy, B.A. and El-Saleh, Q.A.M. (1981a):** Lactate and pyruvate levels in the testicular vein of subfertile males with varicocele as a test for the theory of underlying hypoxia. *Andrologia*, 13: 16.
95. **Girgis, S.M.; Abdalla, M.I.; Ibrahim, I.I.; Osman, M.I.; Mittawy, B.A.; El-Karaksy, A.; Bayad, M.A.B. and Abdella, A.E. (1981b):** Clinical hormonal studies of subfertile men with varicocele. *Arch. Androl.*, 6: 267.
96. **Girgis, S.M.; Gabrawy, A. and Fahmy, I.M. (1985):** Quantitative analysis of testicular biopsy in varicocele. M.D. Thesis Prof. Dr. Ibrahim Fahmy, P. 217.
97. **Givon, T.; Slavin, S.; Haran-Ghera, N.; Michalcviz, R. and Revel, M. (1992):** Antitumor effects of human recombinant interleukin-6 on acute myeloid leukemia in mice in cell cultures. *Blood*, 79: 2392.
98. **Glezerman, M.; Rakowszczyk, M.; Lunenfeld, B.; Berr, R. and Goldman, B. (1976):** Varicocele in oligospermic patients: Pathophysiology and results after ligation and division of the internal spermatic vein. *J. Urol.*, 115: 562.
99. **Glover, T.D.; Borratt, C.L.R.; Tyler, J.P.P. and Hennessey, J.F. (1990):** Structure and function of the male reproductive organs. In: "Human Male Fertility and Semen Analysis". Academic Pres, San Diego, New York, Boston, Sydney, Tokyo, Toronto. p. 11.
100. **Goldstein, M. (1992):** Microsurgical inguinal vaicocelectomy with delivery of the testis: An artery and lymphatic sparing technique. *J. Urol.*, 148: 1808.
101. **Golomb, J.; Nurit, V.; Zvi, T.; Homannai, Z.B. and Israel, Y. (1986):** Demonstration of antispermatozoal antibodies in varicocele related infertility with an enzyme linked immunosorbent assay. *Fertil. Steril.*, 45: 397.

102. **Gonda, R.L.; Karo, J.J.; Forte, R.A. and O'Donnell, K.T. (1987):** Diagnosis of subclinical varicocele in infertility. *Am. J. Radiol.*, 148:71.
103. **Gonzales, G.F. and Garcia-Hjarles, M.A. (1990):** Blood seminal serotonin levels in infertile men with varicocele. *Arch. Androl.*, 24(2): 193.
104. **Gonzalez, R.; Narayan, P.; Castaneda-Zuniga, W.R. and Amplatz, K. (1982):** Transvenous embolization of the internal spermatic veins for the treatment of varicocele scroti. *Urol. Clin. North Am.*, 9(1): 177.
105. **Gorelick, J.I. and Goldstein, M. (1993):** Loss of fertility in men with varicocele. *Fertil. Steril.*, 59: 613.
106. **Green, N.A. and Hill, J.T. (1981):** The anatomy of varicocele: the role of venography. In: "Advances in Diagnostic Urology", 1st ed., Schulman, C.C. (ed.) Springer-Verlag, Berlin, Heidelberg, New York. p. 41.
107. **Greenberg, S.H. (1977):** Varicocele and male fertility. *Fertil. Steril.*, 28: 699.
108. **Greenberg, S.H.; Lipshultz, L.I. and Wein, A.J. (1978):** Experience with 425 subfertile male patients. *J. Urol.*, 119: 507.
109. **Grillo-Lopez, A.J. (1971):** Primary right varicocele. *J. Urol.*, 105: 540.
110. **Grimek, H.J.; Nuti, L.S.; Nuti, K.M. and McShan, W.H. (1976):** Effect of neuraminidase treatment on the biological activity of highly purified ovine FSH and LH in hypophysectomized immature male rat. *Endocrinology*, 98: 105.
111. **Griner, P.F.; Mayewski, R.J.; Mushlin, A.I. and Greenland, P. (1981):** Selection and interpretation of diagnostic tests and procedures. *Ann. Intern. Med.*, 94: 555.
112. **Hadziselimovic, F.; Leibundgut, B.; Da Rugna, D. and Buser, M.W. (1986):** The value of testicular biopsy in patients with varicocele. *J. Urol.*, 135: 707.
113. **Hafiez, A.A.; Philpott, J.E. and Bartke, A. (1972):** The role of prolactin in the regulation of testicular function: the effect of prolactin and luteinizing hormone on 3 β -hydroxysteroid dehydrogenase activity in the testes of mice and rats. *J. Endocrinology*, 50: 619.
114. **Hall, P.F. (1988):** Testicular steroid synthesis: organization and regulation. In: "The physiology of Reproduction", Knobil, E. and Neill, S. (eds.), Raven Press, New York. p. 975.

-
115. **Hammond, G.L.; Ruukonen, A.; Kontturi, M.; Koskela, E. and Vihko, R. (1977):** The simultaneous radioimmunoassay of seven steroids in human spermatic and peripheral venous blood. *J. Clin. Endocrinol. Metab.*, 45: 16.
116. **Hampl, R.; Lachman, M.; Novak, Z.; Sulcova, J. and Starka, L. (1992):** Serum levels of steroid hormones in men with varicocele and oligospermia as compared to Normozoospermic men. *Exp. Clinic. Endocrinol.*, 100: 117.
117. **Haney, A.F.; Hughes, S.F. and Weinberg, J.P. (1992):** Lack of effect of tumor necrosis factor- α , interleukin-1- α , and interferon- γ on human sperm motility in vitro. *J. Androl.*, 13: 249.
118. **Hargreave, T.B. (1993):** Varicocele: A clinical enigma. *Br. J. Urol.*, 72: 401.
119. **Hargreave, T.B. (1994):** Varicocele. In: "Male infertility", 2nd ed., Hargreave, T.B. (ed.), Springer-Verlag, Berlin, Heidelberg., New York. p. 249.
120. **Haselberger, J.; Knebel, L. and Ludwig, G. (1982):** Long-term results after surgical treatment of an idiopathic varicocele. In: "Varicocele and male infertility". Ject, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin. p. 180.
121. **Hedger, M.P.; Robertson, D.M.; deKrester, D.M. and Risbridger, G.P. (1990):** The quantification of steroidogenesis-stimulating activity in testicular interstitial fluid by an in vitro bioassay employing adult rat Leydig cells. *Endocrinology*, 127: 1967.
122. **Heinz, H.A.; Vogenthaler, J. and Weissback, L. (1980):** Histological findings in testes with varicocele during childhood and their therapeutic consequences. *Eur. J. Ped.*, 133: 139.
123. **Helfgott, D.C.; May, L.T.; Sthoeger, Z.; Tamm, I. and Sehgal, P.B. (1987):** Bacterial lipopolysaccharide (endotoxin) enhances expression and secretion of B2 interferon by human fibroblasts. *J. Exp. Med.*, 166: 1300.
124. **Helle, M.; Brakenhoff, J.P.J.; DeGroot, E.R. and Aarden, L.A. (1988):** Interleukin-6 involved in interleukin-1 induced activities. *Eur. J. Immunol.*, 18: 957.
125. **Hendry, W.F.; Sommerville, I.F.; Hall, R.R. and Pugh, C.B. (1973):** Investigation and treatment of the subfertile male. *Br. J. Urol.*, 45: 684.
-

-
126. *Henricks, D.M.; Hoover, J.L.B.; Gimenez, L.W. and Grimes, L.W. (1988):* A study of the source of estradiol-17 β in the bull. *Horm. Metab. Res.*, 20: 494.
127. *Herrera, M.A.; DiSegni, R.; Kaye, K.W.; Castaneda-Zuniga, W.R.; Ercole, C.; Hunter, D.W.; Yedlicka, J.W.; Castaneda, F. and Amplatz, K. (1992):* Embolization of the internal spermatic vein with mechanical devices for the treatment of varicocele. In: "Interventional radiology". Vol. I, 2nd ed., Castaneda-Zuniga, W.R. and Tadavarthy, S.M. (eds), Williams and Wilkins, Baltimore, Maryland. p. 101.
128. *Hib, J. and Oscar, P. (1978):* Effects of prostaglandins and indomethacin on rat: epididymal responses to norepinephrine and acetyl choline. *Arch. Androl.*, 1: 43.
129. *Hib, J.; Ponzio, R.O. and Vilar, O. (1979):* Effect of chronic treatment with prostaglandin E2 on male rat infertility. *Andrologia*, 11: 326.
130. *Hill, J.A.; Cohen, J. and Anderson, D.J. (1989):* The effects of lymphokines and monokines on human sperm fertilizing ability in the zona-free hamster egg penetration test. *Am. J. Obstet. Gynecol.*, 160: 1154.
131. *Hinting, A.; Comhaire, F. and Schoonjans, F. (1988):* Capacity of objectively assessed sperm motility characteristics in differentiating between semen of fertile and subfertile men. *Fertil. Steril.*, 50: 635.
132. *Hirano, T.; Tasikawa, K.; Harada, H.; Taga, T.; Watanabe, Y.; Matsuda, T.; Kashiwamura, S.I.; Nakajima, K.; Koyama, K.; Iwamatsu, A.; Tsuansawa, S.; Sakiyama, F.; Matsui, H.; Takahara, Y.; Taniguchi, T. and Kishimoto, T. (1986):* Complementary DNA for a novel human interleukin (BSF-2) that induces B lymphocytes to produce immunoglobulin. *Nature*, 324: 73.
133. *Hirano, T.; Akira, S.; Taga, T. and Kishimoto, T. (1990):* Biological and clinical aspects of interleukin-6. *Immunol. Today*, 11: 443.
134. *Hirsh, A.V.; Cameron, K.M.; Tyler, J.P.; Simpson, J. and Pryor, J.P. (1980a):* The Doppler assessment of varicocele and internal spermatic vein reflux in infertile men. *Br. J. Urol.*, 52: 50.
135. *Hirsh, A.V.; Kellett, M.J.; Robertson, G. and Pryor, J.P. (1980b):* Doppler flow studies, venography and thermography in the evaluation of varicocele of fertile and subfertile men. *Br. J. Urol.*, 52: 560.
-

136. **Hofmann, N.; Hilscher, B.; Passia, D.; Haider, S.G. and Hilscher, W. (1984):** Histological and enzyme-histochemical studies of varicocele orchopathy. In "Varicocele and male infertility" (II) 1st ed., Glezerman, M. and Ject, E.W. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 32.
137. **Horii, Y.; Maraguchi, A.; Iwano, M. and Matsuda, T. (1989):** Involvement of IL-6 in surgical proliferation glomerulonephritis. *J. Immunol.*, 143: 39-49.
138. **Horton, E.W. (1972):** Prostaglandins. In: "Monographs on Endocrinology", Horton E.W. (ed.), Springer-Verlag, Berlin. p. 38.
139. **Houssiau, F.A.; Schandene, L. and Stevens, M. (1995):** *J. Immunol.*, 154: 2514.
140. **Howards, S.S. (1992):** Subclinical varicocele. *Fertil. Steril.*, 57: 725.
141. **Howell, G.; Pham, P.; Taylor, D.; Foxwell and Feldman, M. (1991):** Interleukin-4 induces interleukin-6 production by endothelial cells: Synergy with interferon- γ . *Eur. J. Immunol.*, 21: 97.
142. **Hsu, H.S.; Wei, Y.H. and Chang, L.S. (1995):** Defective mitochondrial oxidative phosphorylation in varicocele bearing testes. *Urol.*, 46(4): 545.
143. **Hudson, R.W.; Crawford, V.A. and McKay, D.E. (1981):** The gonadotropin response of men with varicocele to a four-hour infusion of gonadotropin-releasing hormone. *Fertil. Steril.*, 36: 633.
144. **Hudson, R.W.; Hayes, K.A.; Crawford, V.A. and McKay, D.E. (1983):** Seminal plasma testosterone and dihydrotestosterone levels in men with varicocele. *Int. J. Androl.*, 6: 135.
145. **Hudson, R.W.; Perez-Marrero, R.A.; Crawford, V.A. and McKay, D.E. (1985):** Hormonal parameters of men with varicoceles before and after varicocelectomy. *Fertil. Steril.*, 43: 905.
146. **Hudson, R.W.; Perez-Marrero, R.A.; Crawford, V.A. and McKay, D.E. (1986):** Hormonal parameters in incidental varicocele and those causing infertility. *Fertil. Steril.*, 45: 692.
147. **Hudson, R.W. (1988):** The endocrinology of varicocele. *Fertil. Steril.*, 49: 199.
148. **Hudson, R.W. (1996):** Free sex steroid and sex hormone-binding globulin levels in oligozoospermic men with varicocele. *Fert. Steril.*, 66(2): 299.

149. **Hussenet, F.; Dousset, B.; Cordonnier, J.L.; Jacob, C.; Foliguet, B.; Grignon, G. and Nabet, P. (1993):** Tumour necrosis factor alpha and interleukin-2 in normal and infected human seminal fluid. *Hum. Reprod.*, 8: 409.
150. **Ibrahim, I.I.; Abdalla, M.I.; Girgis, S.M.; Osman, M.I.; Bayad, M.A.B.; El-Karakasy, A. and Hafez, E.S.E. (1983):** FSH, LH, E2, progesterone and testosterone in peripheral blood, spermatic vein and semen in subfertile men with varicocele. *Arch. Androl.*, 10: 173.
151. **Ito, H.; Fuse, H.; Minagawa, H.; Kawamura, K.; Murakami, M. and Shimazaki, J. (1982):** Internal spermatic vein prostaglandins in varicocele patients. *Fertil. Steril.*, 37: 218.
152. **Ivanissevich, O. (1960):** Left varicocele due to reflux, experience with 4470 operative cases in 42 years. *J. Int. Coll. Surg.*, 34: 742. Quoted by Hargreave, T.B. (1993): Varicocele. A clinical enigma. *Br. J. urol.*, 72: 401.
153. **Ject, E.W. and Brandl, D. (1982):** Varicocele operation and endocrine parameters. In: "Varicocele and Male Infertility", Recent Advances in Diagnosis and Therapy, Ject, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 106.
154. **Jegou, B. (1992):** The Sertoli cell. In: "The Testes", de Kretser, D.M. (ed.), Bailliere's Clin. Endocrinol. Metab. Bailliere Tindall, London, Vol. (6). p. 273.
155. **Johnsen, S.G. and Agger, P. (1978):** Quantitative evaluation of testicular biopsies before and after operation for varicocele. *Fertil. Steril.*, 29: 58.
156. **Kass, E.J.; chandra, R.S. and Belman, A.B. (1987):** Testicular histology in the adolescent with a varicocele. *Pediatrics*, 79: 996.
157. **Kass, E.J.; Freitas, J.E. and Bour, J.B. (1988):** Pituitary-gonadal function in adolescents with a varicocele. *J. Urol.*, 139: 207.
158. **Kass, E.J. (1990):** Evaluation and management of the adolescent with a varicocele. *AUA update Ser.*, Vol. IX, Lesson, 12: 90.
159. **Kay, R.; Alexander, N.J. and Baugham, W.L. (1979):** Induced varicocele in Rhesus Monkey's. *Fertil. Steril.*, 31: 195.
160. **Kishimoto, T.; Akira, S. and Taga, T. (1992):** Interleukin-6 and its receptor: a paradigm for cytokines. *Science*, 258: 593.

161. **Knuth, U.A.; Yeung, C.H. and Nieschlag, E. (1987):** Computerized semen analysis: objective measurement of semen characteristics is biased by subjective parameter settings. *Fert. Steril.*, 58: 118.
162. **Kohase, M.; Henriksen, D.; Mya, L.T.; Vilcek, J. and Sehgal, P.B. (1986):** Induction of B2-interferon by tumor necrosis factor; A homeostatic mechanism in the control of cell proliferation. *Cell. (Cambridge, Mass)*, 45: 659.
163. **Koumans, K.; Steeno, O.; Heyns, W. and Michielsens, J.P. (1969):** Dehydroepiandrosterone sulfate, androsterone sulfate and corticoids in spermatic vein blood of patients with left varicocele. *Andrologia*, 1: 87.
164. **Leeuwenberg, J.F.M.; Von Asmuth, E.J.V.; Jeuhomme, T.M.A. and Burrman, W.A. (1990):** INF- γ regulates the expression of the adhesion molecule EKAM-1 and IL-6 production by human endothelial cells in vitro. *J. Immunol.*, 145: 2100.
165. **Levitt, S.; Gill, B.; Katlowiz, N.; Kagon, S. and Reda, E. (1987):** Routine intraoperative postligation venography in the treatment of the pediatric varicocele. *J. Urol.*, 137: 716.
166. **Lewin, L.M.; Shalev, D.P.; Weissenberg, R. and Soffer, Y. (1981):** Carnitine and acylcarnitines in semen from azoospermic patients. *Fertil. Steril.*, 36: 214.
167. **Lewis, R.W. and Harrison, R.M. (1970):** Contact scrotal thermography. Use in the infertile man. *fertil. Steril.*, 21: 558.
168. **Lieberman, S. and Prasad, V.V.K. (1990):** Heterodox notions on pathways of steroidogenesis. *endocr. Rev.*, 11: 469.
169. **Lima, S.S.; Castro, M.P. and Costa, O. (1978):** A new method for the treatment of varicocele. *Andrologia*, 10: 103.
170. **Lindholmer, C.; Thulin, L. and Eliason, R. (1973):** Concentrations of cortisol and renin in the internal spermatic vein of men with varicocele. *Andrology*, 5: 21.
171. **Lipshultz, L.I. and Witt, M.A. (1992):** Infertility in the male. In: "Infertility. A practical guide for the physician". 3rd ed., Hammond, G.M. and Tabert, L.M. (eds.), Blackwell Scientific Publication, Oxford, London, Edinburgh. p. 26.
172. **Lome, L.G. and Ross, L. (1977):** Varicoelectomy and infertility. *Urology*, 9: 416.

173. **Lotem, J.; Shabo, Y. and Sachs, L. (1989):** Clonal variation in susceptibility to differentiation by different proein inducers in the myeloid leukemia cell line. *Leukemia*, 3: 804.
174. **Lotz, M.; Jirik, F.; Kabouridis, R.; Tsoukas, C.; Hirano, T. and Kishimoto, T. (1988):** BSF-2/IL-6 is a co-stimulant for human thymocytes and T-lymphocytes *J. Exp. Med.*, 167: 1253.
175. **Ludwig, G. (1982):** Pathogenesis of varicocele. In: "Varicocele and Male Infertility" (I), 1st ed., Ject. E.W. and Zeitle, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 6.
176. **Luster, A.D. (1998):** *N. Engl. J. Med.*, 338: 436.
177. **Lyon, R.P.; Marshall, S. and Scott, M.P. (1982):** Varicocele in childhood and adolescence: Implication in adulthood fertility. *Urology*, 19: 64-1.
178. **MacLeod, J. and Hotchkiss, R.S. (1941):** The effect of hyperpyrexia upon spermatozoa counts in men. *Endokrinologie*, 28: 780. Quoted by Turek, P.J. and Lipshultz, L.I. (1995): The varicocele controversies I. Etiology and Pathophysiology AUA update ser., Vol. XIV, Lesson, 13: 106.
179. **MacLeod, J. (1965):** Seminal cytology in the presence of varicocele. *Fertil. Steril.*, 16: 735.
180. **Madhwa Raj, H.G. and Dym, M. (1976):** The effects of selective withdrawal of FSH or LH on spermatogenesis in the immature rat, *Biol. Reprod.*, 14: 489.
181. **Marks, J.L.; McHahon, R. and Lipshultz, L.I. (1986):** Predictive parameters of successful varicocele repair. *J. Urol.*, 136: 609.
182. **Marmar, J.L.; Zeiger, L.S.; DeBenediets, T.J. and Praiss, D.E. (1985):** Comprehensive scrotal flow and scan technique for detection of varicocele. *Urology*, 25: 505.
183. **Marmar, J.L. and Kim, Y. (1985):** The management of varicocele by microdissection of the spermatic cord at the external inguinal ring. *Fertil. Steril.*, 43: 583.
184. **Marmar, J.L. and Kim, Y. (1994):** Subinguinal microsurgical varicolectomy: A technical critique and statistical analysis of semen and pregnancy data. *J. Urol.*, 152: 1127.
185. **Marsman, J.W.P. and Schats, R. (1994):** Review: The subclinical varicocele debate. *Hum. Reprod.*, 9: 1.

-
186. **Marsman, J.W.P. (1985):** Clinical versus subclincial varicocele. Venographic findings and improvement of fertility after embolization. *Radiology*, 155: 635.
187. **Matsumoto, A.M. (1989):** Hormonal control of spermatogenesis. In: "The testis", 2nd ed., Burger, H. and de Krester, D.M. (eds.), Raven Press, New York. p. 181.
188. **May, L.T.; Santhanam, U.; Tatter, S.B.; Helfgott, D.C.; Ray, A.; Ghrayeb, J. and Sehgal, P.B. (1988):** Phosphorylation of secreted forms of human B2-interferon/hepatocyte-stimulating factor/interleukin-6. *Biochem. Biophys. Res. Common*, 152: 1144.
189. **McClure, R.D. and Hricak, H. (1986):** Scrotal ultrasound in the infertile man. Detection of subclinical unilateral and bilateral varicocele. *J. Urol.*, 135: 711.
190. **McClure, R.D.; Khaw, D.; Jarvi, K. and Heriack, H. (1991):** Subclinical varicocele: The effectiveness of varicocelectomy. *J. Urol.*, 145: 789.
191. **McFadden, M.R. and Mehan, D.J. (1978):** Testicular biopsies in 101 cases of varicocele. *J. Urol.*, 119: 372.
192. **McGee, D.W.; Beagley, K.W.; Aicher, W.K. and McGee, J.R. (1992):** Transforming growth factor-B enhances interleukin-6 secretion by intestinal epithelial cells. *Immunology*, 87: 7.
193. **McGill, R.; Tukey, J.W. and Larsen, W.A. (1978):** Variations of box plots. *The American Statistician*, 32: 12.
194. **McLachlan, R.I.; Wreford, N.G.; Tsonis, C.; deKrester, D.M. and Roberston, D.M. (1994):** Testosterone effects on spermatogenesis in the gonadotropin-releasing hormone-immunized rat. *Biol. Reprod.*, 50: 271.
195. **Merritt, C.R.B. (1987):** Doppler colour flow imaging. *J. Clin. Ultrasound*, 15: 591.
196. **Metz, C.E. (1978):** Basic principles of ROC analysis. *Sem. Nucl. Med.*, 8: 283.
197. **Mieusset, R.; Bujan, L.; Mondinat, L.A.; Mansat, A.; Pontonnier, F. and Grandjean, H. (1987):** Association of scrotal hyperthermia with impaired spermatogenesis in infertile men. *Fertil. Steril.*, 48: 1006.

198. **Miles, S.A.; Rezai, A.R. and Salazar-Gonzales, J.F. (1990):** AIDs kaposi sarcoma-derived cells produce and respond to interleukin-6. *Proc. Natl. Acad. Sci. USA.*, 87: 4068.
199. **Miossec, P.; Briolay, J.; Deehant, J.; Wijdenes, J.; Martines-Valez, H. and Banchereou, J. (1992):** Inhibition of the production of pro-inflammatory cytokines and immunoglobulins by interleukin-4 in an ex vivo model of rheumatoid synovitis. *Arthritis. Rheum.*, 35: 874.
200. **Mischel, D.R. and Dajavan, V. (1991):** Evaluation of the infertile couple. In: "Infertility, contraception and reproduction". 3rd ed., Mischel, D.R.; Dajavan, V. and Lobo, R.A. (eds.), Blackwell Scientific Publication. Boston, Oxford, London, Edinburgh. p. 557.
201. **Miska, W. and Mahmoud, M. (1993):** Determination of soluble interleukin-2 receptor in human seminal plasma. *Arch. Andro.*, 30: 23.
202. **Monteyne, R. and Comhaire, F. (1978):** The thermographic characteristics of varicocele: An analysis of 65 positive registrations. *Br. J. Urol.*, 50: 118.
203. **Mortimer, D. (1994):** Introduction. In: "Practical Laboratory Andrology", Mortimer, D. (ed.), Oxford University Press. New York. p. 3.
204. **Motalliotakis, I.; Kiriakou, D.; Fragolul; I.; Sifakis, S.; Eliopoulos, G. and Koumantakis, E. (1998):** Interleukin-6 in seminal plama of fertile and infertile men. *Arch. Androl.*, 41(1): 43.
205. **Musto, N.; Hafez, A.A. and Bartke, A. (1972):** Prolactin increases 17 α -hydroxysteroid dehydrogenase activity in the testis. *Endocrinology*, 91: 1106.
206. **Nabata, T.; Morimoto, S.; Koh, E.; Shiraishi, T. and Ogihara, T. (1990):** Interleukin-6 stimulates c-mye expression and proliferation of cultured vascular smooth muscle cells. *Biochem. Int.*, 20: 445.
207. **Nagler, H.M.; Tomashefsky, P. and Zippe, C.D. (1988):** Microvascular hemodynamic observations in experimental varicocele. Paper presenetd at the American Urologic Association Meeting, Boston, 1988. In: Nieschlag, E.; Behre, H.M.; Meschede, D. and Kamischke, A. (1997): disorders at the testicular level. In; Nieschlag, E. and Behre, H.M. (eds.), *Andrology*, Springer. p. 133.
208. **Nagler, H.M. and Zippe, C. (1991):** Varicocele Current conceps and treatment. In: "Infertility in the male", 2nd ed. Lipshutz, L.I. and Howards, S.S. (eds.), Mosby Year Book Inc., p. 313.

-
209. **Nagler, H.M. and Biase, J.N. (1994):** Surgical treatment for varicocele. In: "Management of impotence and infertility", 1st ed., Whitehead, E.D.; and Nagler, H. (eds.), J. B. Lippincott, Philadelphia. p. 219.
210. **Nagler, H.M.; Luntz, R.K. and Maryinis, F.G. (1997):** Varicocele. In: "Infertility in the male", 3rd ed., Lipshultz, L.I. and Howards, S.S. (eds.), Mosby, St. Louis, Baltimore, Boston. p. 336.
211. **Nakhla, A.M.; Mather, J.P.; Hanne, P.A. and Bardin, C.W. (1984):** Estrogen and androgen receptors in Sertoli, Leydig, myoid and epithelial cells; effects of time in culture and cell density. *Endocrinology*, 115: 121.
212. **Narayan, P.; Amlatz, K. and Gonzalez, R. (1981):** Varicocele and male subfertility. *Fertil. Steril.*, 36: 92.
213. **Nayfeh, S.N.; Coffey, J.C.; Hansson, V. and Fench, F.S. (1975):** Maturational changes in testicular steroidogenesis: hormonal regulation of 5 α -reductase. *J. Steroid Biochem.*, 6: 329.
214. **Netto-Junior, N.R.; Lemos, G.C. and DeGoes, G.M. (1977):** Varicocele. Relation between anoxia and hypospermatogenesis. *Int. J. Fertil.*, 22: 174.
215. **Nierman, H.; Harahap, A.T. and Kovary, P.M. (1982):** Hormone levels and sperm count in patients with varicocele. In: "Varicocele and Male Infertility", Recent Advances in Diagnosis and Therapy, Jecht, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 98.
216. **Nistal, M. and Paniagua, R. (1984):** Varicocele. In: "Testicular and epididymal pathology", Manuel Nistal and Ricardo Paniagua (eds.), Thieme-Starton Inc., New York. p. 201.
217. **Okuyama, M.; Nakamura, M.; Namiki, M.; Takeyama, M.; Utsunomiya, M.; Fujioka, H.; Itatani, H.; Matsuda, M.; Matsumoto, K. and Sonoda, T. (1988):** Surgical repair of varicocele at puberty: preventive treatment for fertility improvement. *J. Urol.*, 139: 562.
218. **Oshinsky, G.S.; Rodrigue, Z.M.V. and Mellinger, B.C. (1993):** Varicocele-related infertility is not associated with increased sperm-bound antibody. *J. Urol.*, 150: 871.
-

219. **Palomo, A. (1949):** A radical cure of varicocele by a new technique. *J. Urol.* 61: 604. Quoted by Hargreave, T.B. (1994): Varicocoele. In: "Male infertility", 2nd ed., Hargreave, T.B. (Ed.), Springer-Verlag, London. p. 249.
220. **Parikh, F.R.; Kamat, S.A.; Kodwaney, G.G. and Balaiah, D. (1996):** Computer assisted semen analysis parameters in men with varicocele: is surgery helpful? *Fertil. Steril.*, 66(3): 440.
221. **Paschke, R.; Schulze Bertelsbeck, D.; Tsalimalma, K. and Neischalg, E. (1994):** Association of sperm antibodies with other autoantibodies in infertile men. *Am. J. Reprod. Immunol.*, 32:88.
222. **Paulson, R.J.; Bernstein, G.S.; Marrs, R.P. and Lobo, R.A. (1986):** Idiopathic oligospermia and peripheral androgen metabolism. *Fertil. Steril.*, 46: 480.
223. **Payne, A.H.; chase, D.J. and O'Shaughnessy, P.J. (1982):** Regulation of steroidogenesis in Leydig cells. in "Cellular Regulation of Secretion and Release", Conn, P.M. (ed.), Academic Press, New York. p. 355.
224. **Peng, B.C.H.; Tomashefsky, P. and Nagler, H.M. (1990):** The cofactor effect, varicocele and infertility. *Fertil. Steril.*, 54: 143.
225. **Perrin, P.; Rollet, J. and Durand, L. (1980):** The Doppler stethoscope in the diagnosis of subclinical varicocele. *Br. J. Urol.*, 52: 390.
226. **Petros, J.A.; Andriole, G.L.; Middleton, W.D. and Picus, D.A. (1991):** Correlation of testicular Colour Doppler Ultrasonography, Physical examination and venography in the detection of left varicoceles in men with infertility. *J. Urol.*, 145: 785.
227. **Plymate, S.R.; Nagao, R.R.; Muller, C.H. and Paulsen, C.A. (1987):** The use of sperm penetration assay in evaluation of men with varicocele. *Fertil. Steril.*, 47: 680.
228. **Pollanen, P.; Von Euler, M. and Soder, O. (1990):** Testicular immunoregulatory factors. *J. Reprod. Immunol.*, 18: 51.
229. **Prescott, L.M.; Harely, J.P. and Klein, D.A. (1999):** Microbiology, 4th ed., W.C.B. Mc Graw-Hill, Companies, Inc. USA Chapter 31. p.627.
230. **Pryor, J.L. and Howards, S.S. (1987):** Varicocele. *Urol. Clin. North. Am.*, 14(3); 499.

231. **Raesside, J.L.; Renaud, R.L. and Friendship, R.M. (1988):** Differences in aromatase activity between Leydig cells from the scrotal and abdominal testis in the naturally unilateral-cryptorchid boar. *Biol. Reprod.*, 39: 566.
232. **Re, M.; Iannitell, M. and Cerasaro, A. (1983):** Histochemical study of glycogen and phosphorylase activity on bilateral biopsies of oligospermic men with varicocele. *Arch. Androl.*, 10(1); 79.
233. **Rege, N.; Phadke, A.; Bhatt, J.; Khatri, N.; Sheth, A.; Joshi, U. and Vaidya, R. (1979):** Serum gonadotropins and testosterone in infertile patients with varicocele. *Fertil. Steril.*, 31: 413.
234. **Renaud, J.C.; Vink, A. and Van Snick, J. (1989):** IL-1 and IL-6 in CTL induction accessory signals in murine cytolytic T-cell responses. Dual requirement for IL-1 and IL-6. *J. Immunol.*, 143: 1894.
235. **Riedel, P. (1982):** Radiologic anatomy of the left testicular vein. In: "Varicocele and male infertility" (I), 1st ed., Jecht, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 49.
236. **Riedy, M.C. and Stewart, C.C. (1992):** Inhibitory role of interleukin-6 in macrophage proliferation. *J. Leukocyte Biol.*, 52: 125.
237. **Rivalora, M.A.; Podesta, E.J.; Chemes, H.E. and Calandra, R.S. (1975):** Androgen metabolism and concentration in the seminiferous tubules at different stages of development. *J. Steroid. Bioch.*, 6: 365.
238. **Rodriguez-Rigau, L.J.; Weiss, d.B.; Zukerman, Z.; Grotjan, H.E.; Smoth, K.D. and Steinbege, E. (1978):** A possible mechanism for the detrimental effect of varicocele on testicular function in man. *Fertil. Steril.*, 30: 577.
239. **Rodriguez-Rigau, L.J.; Smith, K.D. and Steinberger, E. (1981):** Varicocele and the morphology of spermatozoa. *Fertil. Steril.*, 35: 54.
240. **Rosenberg, S.A.; Longo, D.L. and Lotze, T.M. (1990):** Principles and applications of biologic therapy. In: "Cancer principles and practice of oncology" (I), 3rd ed., Devita, V.T.; Hellman, S. and Rosenberg, S.A. (eds.), J.B. Lippincott Co., Philadelphia, Grand Rapids, New York.
241. **Rubin, R.T.; Poland, R.E. and Tower, B.B. (1976):** Prolactin related testosterone secretion in normal adult men. *J. Clin. Endocrinol. Metab.*, 42: 112.

-
242. **Russell, L.D.; Corbin, T.J.; Borg, K.E.; DeFranca, L.R.; Grasso, P. and Bartke, A. (1993):** Recombinant human follicle-stimulating hormone is capable of exerting a biological effect in the adult hypophysectomized rat by reducing the numbers of degenerating germ cells. *Endocrinology*, 133: 2062.
243. **Ryan, P.L.; Friendship, R.M. and Raeside, J.L. (1986):** Impaired estrogen production by Leydig cells of the naturally retained testis in unilaterally cryptorchid boars and stallions. *J. Androl.*, 7: 100.
244. **Saez, J.m.; Sanchez, P.; Berthelon, M.C. and Avallet, O. (1989):** Regulation of pig Leydig cell aromatase activity by gonadotropins and Sertoli cells. *Biol. Reprod.*, 41: 813.
245. **Saez, J.M. (1994):** Leydig cells: endocrine, paracrine and autocrine regulation. *endocrine Rev.*, 15: 574.
246. **Samuels, L.T.; Bussman, L.; Matsumoto, K. and Huseby, R.A. (1975):** Organization of androgen biosynthesis in the testis. *J. Steroid. Biochem.*, 6: 292.
247. **Sawczuk, I.S.; Burbige, K.A. and hensle, T.W. (1985):** A symptomatic varicocele in an infant. *Clin. Pediat.*, 24: 285.
248. **Sayfan, J. and Adam, Y.G. (1978):** Intraoperative internal spermatic vein phlebography in the subfertile male with varicocele. *fertil. Steril.*, 29: 669.
249. **Sayfan, J.; Adam, G. and Soffer, Y. (1980):** A new entity in varicocele subfertility: The "Cremasteric reflux". *Fertil. Steril.*, 33(1): 88.
250. **Sayfan, J.; Halevy, A.; Oland, J. and Nathan, H. (1984):** Varicocele and left renal vein compression. *Fertil. Steril.*, 41: 411.
251. **Saypol, D.C.; Howards, S.S.; Turner, T.T. et al. (1981):** Influence of surgically induced varicocele on testicular blood flow, temperature, and histology in adult rats and dogs. *J. Clin. Invest.*, 68: 39. Quoted by Pryor, J.L. and Howards, S.S. (1987): Varicocele. *Urol. Clin. North. Am.*, 14(3): 499.
252. **Schelgel, P.N. (1995):** Surgical anatomy. In: "Surgery of male infertility", 1st ed., Goldstein, M. (ed.), G.B. Suander, Philadelphia, London, Toronto. p. 3.
-

-
253. **Schiff, I.; Wilson, E.; Newton, R.; Shane, J.; Kates, R.; Ryan, K.J. and Naftolin, F. (1976):** Serum Luteinizing hormone, follicle stimulating hormone, and testosterone response to gonadotropin releasing factor in males with varicocele. *Fertil. Steril.*, 27: 1059.
254. **Schindler, R.; Mancilla, J.; Endres, S.; Ghorbani, Clark, S.C. and Dinarillo, C.A. (1990):** Correlations and interactions in the production of interleukin-6 (IL-6), IL-1 and tumor necrosis factor (TNF) in human blood mononuclear cells: IL-6 supresses IL-1 and TNF. *Blood*, 75: 40.
255. **Scholler, R.; Nahoul, K.; Castanier, M.; Rotman, J. and Salat-Baroux, J. (1984):** Testicular secretion of conjugated and unconjugated steroids in normal adults and in patients with varicocele. Base-line levels and time course response to hCG administration. *J. Steroid. Biochem.*, 20: 203.
256. **Seeburg, P.H.; Mason, A.J.; Stewart, T.A. and Nikolics, K. (1987):** The mammalian GnRH gene and its pivotal role in reproduction. *Recent Prog. Horm. Res.*, 43: 69.
257. **Segenreich, E. and Shmueli, J. (1997):** Correlation between semen parameters and retrograde flow into the pampiniform plexus before and after varicocelectomy. *Eur. Urol.*, 32: 3, 310.
258. **Sehgal, P.B.; Helfgott, D.C.; Santhanam, U.; tatter, S.B.; Galarick, R.H.; Ghyeb, J. and May, L.T. (1988):** Regulation of the acute phase and immune responses in viral disease: Enhanced expression of the B2-interferon/hepatocyte-stimulating factor/interleukin-6 gene in virus-infected human fibroblasts. *J. Exp. Med.*, 167: 1951.
259. **Sehgal, P.B.; Walther, Z. and Tamm, I. (1987):** Rapid enhancement of B2-IFN-BSF-2 gene expression in human fibroblasts by diacylglycerols and the calcium inophore A23187. *Proc. Natl. Acad. Sci. USA.*, 48: 3633.
260. **Setchell, B.P. and Brooks, D.E. (1988):** Anatomy, vasculature, innervaiion and fluids of the male reproductive tract. In: "The physiology of reproduction", Knobil, E. and Neill, J. (eds.), Raven Press, New York. p. 753.
261. **Seyferth, W.; Richter, E.I. and Gross-Vorholt, R. (1982):** Technique of retrograde phlebography of the internal spermatic vein. In: "Varicocele and male infertility" (I), 1st ed., Jecht, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p.44.
-

262. **Shabo, Y.; Lotem, J. and Sachs, L. (1989):** Auto-regulation of interleukin-6 and granulocyte macrophage colony stimulating factor in the differentiation of myeloid leukemic cells. *Mol. Cell Biol.*, 9: 4109.
263. **Shafik, A. (1983):** venous tension in cord veins. II After varicocele correction. *J. Urol.*, 129: 749.
264. **Shafik, A. (1984):** New concepts in pathogenesis and treatment of varicocele. In: "Varicocele and male infertility" (II) 1st ed., Glezerman, M. and Jecht, E.W. (eds.), Springer-Verlag, Berlin, heidelberg, New York. p. 5.
265. **Shafik, A.; Moftah, A.; Olfat, S.; Mohi-El-Din, M. and El-Sayed, A. (1990):** Testicular veins: anatomy and role in varicocelogenesis and other pathologic conditions. *Urology*, 35: 175.
266. **Sharpe, R.M. (1984):** Intratesticular factors controlling testicular function. *Biol. Reprod.*, 30: 29.
267. **Sharpe, R.M. and Cooper, I. (1987):** Comparison of the effects on purified Leydig cells of four hormones (Oxytocin, vasopressin, opiates and LHRH) with suggested paracrine roles in the testis. *J. Endocrinol.*, 113: 89.
268. **Sharpe, R.M. (1992):** Editorial: Monitoring of spermatogenesis in man-measurement of Sertoli cell or germ cell-secreted proteins in semen or blood. *Int. J. Androl.*, 15: 201.
269. **Shimoya, K.; Matsuzaki, N.; Tsutsui, T.; Taniguchi, T.; Saji F. and Tanizawa, O. (1993):** Detection of interleukin-8 (IL-8) in seminal plasma and elevated IL-8 in seminal plasma of infertile patients with leukospermia. *Fertil. Steril.*, 59: 885.
270. **Silber, S.J. (1989):** Role of epididymis in sperm maturation. *Urology*, 23: 47.
271. **Singer, R.; Sagiv, M.; Bruchis, S.; Barnet, M.; Kaufman, H. and Servadio, C. (1987):** Total and free testosterone and estradiol in human semen. *Int. J. Fertil.*, 32: 145.
272. **Skinner, M.K. (1991):** Cell-cell interactions in the testis. *Endocr. Rev.*, 12: 45.
273. **Skinner, M.K. (1993):** Sertoli cell-peritubular myoid cell interactions. In: "The Sertoli cell", Russell, L.D. and Griswald, M.D. (eds.), Cache River Press, Clearwater, FL., p. 478.

274. **Soffer, Y.; Ron-El, R.; saufan and Caspi, E. (1983):** Spermatic vein ligation in varicocele: pronosis and associated male and female infertility factors. *Fertil. Steril.*, 40: 353.
275. **Sofikitis, N.V.; Miyagawa, I. and Andrighetti, S. (1996):** Determinal effect of left varicocele on the reproductive capacity of the early haploid male gamete. *J. Urol.*, 156(1): 267.
276. **Speroff, L. and Ramwell, P.M. (1970):** Prostaglandins in reproductive physiology. *Am. J. Obstet. Gynec.*, 108: 111.
277. **Steckel, J.; Dicker, A.P. and Goldstein, M. (1993):** Relationship between varicocele size and response to varicocelectomy. *J. Urol.*, 149: 769.
278. **Steen, O.; Koumans, J. and DeMoor, P. (1976):** Adrenal cortical hormones in the spermatic vein of 95 patients with left varicocele. *Andrologia*, 8: 101.
279. **Steen, O.; Knops, J.; Declerck, L.; Adimoelja, A. and Van de Voorde, H. (1976):** Prevention of fertility disorders by detection and treatment of varicocele at school and college age. *Androl.*, 8: 47.
280. **Swerdlhoff, R.S. and Walsh, P.C. (1975):** Pituitary and gonadal hormones in patients with variocoele. *Fertil. Steril.*, 26: 1006.
281. **Syed, V.; Gerard, N.; Kaipia, A. et al. (1993):** Identification, Ontogeny and regulation of an inteleukin-6 (IL-6) like factor in the rat testis. *Endocrinology*, 132: 293.
282. **Tadashi, M.; Horii, Y. and Yoshida, O. (1993):** Should the testicular artery be preserved at varicocelectomy?. *J. Urol.*, 143: 1023.
283. **Taga, T.; Kawanishi, T.T.; Hardy, R.R.; Hirano, T. and Kishimoto, T. (1987):** receptors for B-cell stimulatory factor 2 (BSF-2): Quantitation specifically, distribution, and regulation of their expression. *J. Exp. Med.*, 166: 967.
284. **Takeyama, M.; Honjoh, M.; Kodama, M.; Sakaguchi, H.; Koh, E.; Kondoh, N.; Fujioka, H.; Nakamura, M.; Namiki, M. and Okuyama, A. (1990):** testicular steroids in spermatic and peripheral veins after single injection of hCG in patents with varicocele. *Arch. Androl.*, 24(2): 207.
285. **Talal, A.; Salwa, M.E. and Hassan, F. (1998):** Colour Doppler Ultrasound. Modified Scoring System for Diagnosis and Grading of Varicocele. *The Egypt Journal of Rdaiology and Nuc. Med.*, 29(2): 179.

286. **Tauber, R. and Johnsen, N. (1994):** Antegrade scrotal sclerotherapy for the treatment of varicocele. Technique and late results. *J. Urol.*, 151: 386.
287. **Tcholakian, R.K. and Steinberger, A. (1979):** In vitro metabolism of testosterone by cultured Sertoli cell and the effect of FSH. *Steroids*, 33: 495.
288. **Terquem, A. and Dadoune, J.P. (1981):** Morphological findings in varicocele: an ultrastructural study of 30 bilateral testicular biopsies. *Int. J. Androl.*, 4: 515.
289. **Thomas, A.J. and Geisinger, M.A. (1990):** Current management of varicocele. *urol. C.N. Am.*, 17(4): 893.
290. **Tierney, W.J.; Daly, I.W. and Abbatiello, E.R. (1979):** The effect of prostaglandin E, and prostaglandin F on spermatogenesis in rats. *Int. J. Fertil.*, 24: 206.
291. **Tinajero, J.C.; Fabbri, A.; Ciocca, D.R. and Dufau, M.L. (1993):** Serotonin secretion from rat Leydig cells, *Endocrinology*, 133: 3026.
292. **Tinga, d.J.; Jager, S.; bruijnen, C.L.; Kremer, J. and Mensink, H.J. (1984):** Factors related to semen improvement and fertility after varicocele operation. *Fertil. Steril.*, 41: 404.
293. **Tosato, G.; Tanner, J.; Jones, K.D.; Revel, M. and Pike, S.E. (1990):** Identification of interleukin-6 as an autocrine growth factor for Epstein-Barr Virus-immortalized B-cells. *J. Virol.*, 64: 3033.
294. **Tsai-Morris, C.H.; Aquilano, D.R. and Dufau, M.L. (1985):** Cellular localisation of rat testicular aromatase activity during development. *Endocrinology*, 116: 38.
295. **Tsong, S.D.; Phillip, D.M.; Bardin, C.W.; Halmi, N.; Liotta, A.J.; Margioris, A. and Krieger, D.T. (1982):** ACTH and beta-endorphin related peptides are present in multiple sites in the reproductive tract of the male rat. *Endocrinology*, 110: 2204.
296. **Tsutsul, K. and Ishll, S. (1980):** Hormonal regulation of follicle-stimulating hormone receptors in the testes of Japanese quail. *J. Endocrinol.*, 85: 511.
297. **Tukey, J.W. (1977):** Exploratory data analysis. Addison-Wesley Publishing Company. Reading, Mass.
298. **Turek, P.J. and Lipshultz, L.I. (1995):** The varicocele controversies I. Etiology and pathophysiology. *AUA update series*, Vol. XIV, 13: 106.

-
299. **Turner, T.T. (1983):** Varicocele: Still an enigma. *J. Urol.*, 129: 695.
300. **Ulker, V.; Garibyan, H. and Kurth, K.H. (1997):** Comparison of inguinal and laparoscopic approaches in the treatment of varicocele. *Int. Urol. Nephrol.*, 29(1): 71.
301. **Valenca, M.M. and Negro-Vilar, A. (1986):** Proopiomelano-cortin derived peptides in testicular interstitial fluid: characterization and changes in secretion after human chorionic gonadotropin or leutinizing hormone-releasing hormone analog treatment. *Endocrinology*, 118: 32.
302. **Van Damme, J.; Opdenakker, G.; Simpson, R.J.; Rubira, M.R.; Cayphas, S.; Vink, A.; Billiau, A. and Van Snick, J. (1987):** Identification of the human 26-KD protein, interferon B2, as a cell hybridoma/plasmacytoma growth factor induced by interleukin-1 and tumour necrosis factor. *J. Exp. Med.*, 165: 914.
303. **Van Damme, J.; Schaafsma, M.R.; Fibbe, W.E.; Falkenburg, J.H.; Opdenakker, G. and Billiau, A. (1989):** Simultaneous production of interleukin-6, interferon-beta and colony-stimulating activity by fibroblasts after viral and bacterial infection. *Eur. J. Immunol.*, 19: 163.
304. **Van der Molen, H.; Brinkman, B.O.; de Jong, F.H. and rommerts, F.F.G. (1981):** Testicular oestrogens. *J. Endocrinol.*, 88: 33.
305. **Van Snick, J. (1990):** Interleukin-6: An overview. *Annu. Rev. Immunol.*, 8: 253.
306. **Verstoppen, G.R. and Steeno, O.P. (1977):** Varicocele and the pathogenesis of the associated subfertility. A review of the various theories. II. Results of Surgery. *Andrologia*, 9: 293.
307. **Verstoppen, G.R. and Steeno, O.P. (1978):** Varicocele and the pathogenesis of the associated subfertility. A review of the various theories: III: Theories concerning the deleterious effects of varicocele on fertility. *Andrologia*, 10: 85.
308. **Vink, A.; Coulie, P.G.; Warnier, G.; Renauld, J.C.; Stevens, M.; Donckers, P. and Van Snick, J. (1990):** Mouse plasmacytoma growth in vivo. Enhancement by Interleukin-6 and inhibition by antibodies directed against IL-6 or its receptor. *J. Exp. Med.*, 172: 997.
309. **Vollmar, A.M.; Friedrich, A. and Schultz, r. (1988):** Atrial natriuretic peptide material in rat testis. *J. Androl.*, 11: 471.
-

310. **Wallijn, E. and Desmet, R. (1978):** Hydrocele: a frequently overlooked complication after high ligation of the spermatic vein for varicocele. *Int. J. Androl.*, 1: 411.
311. **Walther, Z.; May, L.T. and Sehgal, P.B. (1988):** Transcriptional regulation of the interferon-B2/B cell differentiation factor BSF-2/hepatocyte-stimulating factor gene in human fibroblasts by other cytokines. *J. Immunol.*, 140: 974.
312. **Weissbach, L.; The Len, M. and Adolphs, H.D. (1981):** Treatment of idiopathic varicocele by transfemoral testicular vein occlusion. *J. urol.*, 126: 354.
313. **Weuesten, J.J.A.M.; Smals, A.G.H.; Hofman, J.A.; Kloppenborg, P.W.C. and Benraad, T.J. (1987):** Early time sequence in pregnenolone metabolism to testosterone in homogenates of human rat testis. *Endocrinology*, 120: 1919.
314. **Wheatley, J.K.; Fajman, W.A. and Witten, F.R. (1982):** Clinical experience with the radio-isotope varicocele scan as a screening method for the detection of subclinical varicocele. *J. Urol.*, 128: 57.
315. **Williams, L.P.; Warwick, R. and Mary, D. (1989):** Gray's anatomy, 3rd ed. p. 774, 818, 1424.
316. **Wilson, J.D. (1978):** Sexual differentiation. *Annu. Rev. Physiol.*, 40: 279.
317. **Winkelbauer, F.W.; Ammann, M.E.; Karnel, F. and Lammer, J. (1994):** Doppler sonography of varicocele: Long-term follow-up after venography and transcatheter sclerotherapy. *J. Ultrasound Med.*, 13: 953.
318. **Wishahi, M.M. (1991):** Detailed anatomy of the internal spermatic vein and the ovarian vein, human cadaver study and operative spermatic venography. Clinical aspects. *J. Urol.*, 145: 780.
319. **Witt, M.A. and Lipshultz, L.I. (1993):** Varicocele: A progressive or static lesion. *Urology*, 42(5): 541.
320. **Wokalek, H. (1982):** The varicocele; clinical aspects. In: "Varicocele and male infertility". (I) 1st ed., Jecht, E.W. and Zeitler, E. (eds.), Springer-Verlag, Berlin, Heidelberg, New York. p. 13.
321. **World Health Organization (1985):** World Health Organization Task Force on the diagnosis and treatment of infertility. Comparison among different methods for the diagnosis of varicocele. *Fertil. Steril.*, 43: 575.

322. *World Health Organization (1987)*: WHO Laboratory Manual for the Examination of Human Semen and Sperm-Cervical Mucus Interaction. 2nd ed., Cambridge University Press, Cambridge.
323. *World Health Organization (1992)*: The influence of varicocele on parameters of fertility in a large group of men presenting to infertility clinics. *Fert. Steril.*, 57: 1289.
324. *Yee, c.; Biondi, A.; Wang, X.H.; Iscove, N.n.; de Sousa, J.; Aarden, L.A.; Wong, G.G.; Clark, S.C.; Messner, H.A. and Minder, M.D. (1989)*: A possible autocrine role for interleukin-6 in two lymphoma cell lines. *Blood*, 74: 798.
325. *Zacut, D.; Shimonovitz, S.; Barak, V.; Ever-Hadani, P.; Ben Chetrit, A. and Ron, M. (1993)*: High level of cytokines in ejaculate men with low sperm motility. Abstracts of the scientific oral and poster sessions. The American Fertility Society Conjointly with the Canadian Fertility and Andrology Society. *Fertil. Steril.*, Program supplement, s44-s45.
326. *Zakhary, M.S. (1984)*: Prostaglandin F_{2α} level in the internal spermatic vein blood, peripheral blood and semen of infertile males with varicocele. M.Sc. Thesis Supervised by Prof. Dr. Shawky El-Haggar. Cairo University. p. 92.
327. *Zalata, A.; Hafez, T.; Van Hoecke, M.J. and Comhaire, F. (1995a)*: Evaluation of B-endorphin and interleukin-6 in seminal plasma of patients with certain andrological diseases. *Hum. Reprod.*, 10: 3161.
328. *Zalata, A.; Hafez, T.; Verdonck, L.; Vermeulen, L. and Comhaire, F. (1995b)*: Androgens in seminal plasma: markers of the surface epithelium of the male reproductive tract. *Int. J. Androl.*, 18: 271.
329. *Zalata, A.; Hafez, T. and Comhaire, F. (1995c)*: Evaluation of the role of reactive oxygen species in male infertility. *Human Reprod.*, 10(6): 1444.
330. *Zaontz, M.R. and Firlit, C.F. (1987)*: Use of venography as an aid in varicocelectomy. *J. Urol.*, 138: 1041.
331. *Zhang, Y.; Lin, J.X. and Vilcek, J. (1988)*: Synthesis of interleukin-6 (Interferon-B2/B cell stimulatory factor-2) in human fibroblasts is triggered by an increase in intracellular cyclic AMP. *J. Chen.*, 263: 6177.

332. *Zipf, W.B.; Payne, A.H. and Kelch, R.P. (1978):* Prolactin, growth hormone and luteinizing hormone in the maintenance of testicular luteinizing hormone receptors. *Endocrinology*, 103: 595.
333. *Zirkin, B.R.; Santulli, R.; Awoniyi, C.A. and Ewing, L.L. (1989):* Maintenance of advanced spermatogenic cells in the adult rat testis: quantitative relationship to testosterone concentration within the testis. *Endocrinology*, 124: 3043.
334. *Zorgniotti, A.W. and MacLeod, J. (1973):* Studies in temperature, human semen quality and varicocele. *Fertil. Steril.*, 24: 854.
335. *Zorgniotti, A.W. and Sealfon, A.I. (1984):* Scrotal hypothermia: new treatment for poor semen. *Urology*, 19: 636.
336. *Zweig, M.M. and Campbell, G. (1993):* Receiver-Operating characteristic (ROC) plots: a fundamental evaluation tool in clinical medicine. *Clin. Chem.*, 39: 561.