

RESULTS

Among 470 outpatient females complaining of vaginal discharge and/or pruritis vulvae and examined clinically and microscopically by wet smear preparation, 135 (28.7%) gave positive results for T.V. Of those 135 positive cases, 90 were included in the treatment protocol.

Important clinical data in the 470 patients complaining of vaginal discharge and/or pruritus vulvae are shown in Tables I, II, III.

Table I: Age distribution among 470 patients with vaginal discharge and/or pruritus vulvae:

Age group	Number of patients	Number of positive cases
Below 21 years	49	5 (10.20%)
21 - 30 years	182	49 (26.90%)
31 - 40 years	188	79 (42.02%)
41 - 50 years	51	2 (3.90%)
Total	470	135 (28.72%)

This table shows that the incidence of T.V. was highest between 30 and 40 years.

Table II: Parity distribution among 470 patients with vaginal discharge and/or pruritus vulvae.

Parity	Number of patients	Number of positive cases
P₀	65	6 (9.23%)
P₁	35	5 (14.29%)
P₂	50	11 (22.00%)
P₃	95	26 (27.37%)
P₄	90	32 (35.55%)
P₅ or more	135	55 (40.7%)
Total	470	135 (28.72%)

This table shows that incidence of T.V. increased with parity.

Table III: Symptoms and signs among 470 patients with vaginal discharge and/or pruritus vulvae.

Symptoms and signs	No. of patients	No. and % of patients with T.V. out of 470 patients	Per cent to 135 patients with T.V.
1- Discharge	272 (57.9%)	101 (21.49%)	74.81%
White	194 (41.28%)	70 (14.89%)	51.85%
Malodorous	140 (29.79%)	35 (7.45%)	25.93%
Greyish	60 (12.76%)	29 (6.17%)	21.48%
Frothy	85 (18.08%)	19 (4.04%)	14.07%
2- Dyspareunia	150 (31.91%)	46 (9.79%)	34.07%
3- Pruritus	215 (45.74%)	36 (7.66%)	26.67%
4- Dysuria	60 (12.77%)	32 (6.81%)	23.70%
5- Strawberry			
Cervix	9 (1.91%)	9 (1.91%)	6.67%

This table shows that the main complaint of patients with T.V. was discharge followed by dyspareunia, pruritus and dysuria.

**Table IV: Results of treatment with single dose Metronidazole
after 4 weeks, 3 months and one year.**

Follow up Results	After 4 weeks	After 3 months	After one year
No. of cases	30	27	27
Negative wet smear	27 (90.0%)	21 (77.8%)	17 (62.90%)
Positive wet smear	3 (10.0%)	6 (22.2%)	10 (37.03%)
Clinical symptoms	8 (26.7%)	9 (33.3%)	14 (51.80%)
Resistant cases	2 (6.7%)	0 (0.0%)	0 (0.00%)
Reinfection	0 (0.0%)	6 (22.2%)	10 (37.03%)

This table shows that the parasitological cure rate after treatment with single dose of Metronidazole (90%) after 4 weeks; (77.8%) after 3 months and (62.9%) after 1 year. The two resistant cases were treated by SolcoTrichovac.

Table V: Side effects of single dose Metronidazole treatment (30 patients).

Side effects	No. and % of cases
Vomiting	1 (3.3%)
Nausea	7 (23.3%)
Glossitis	1 (3.3%)
Abdominal Cramps	3 (10.0%)
Rash	1 (3.3%)
Diarrhoea	3 (10.0%)
Metallic taste	4 (13.3%)
Total	17 (56.7%)

This table shows that the side effects of Metronidazole were usually mild except in one patient. She had severe attack of vomiting 15 minutes after swallowing the drug. Diarrhoea occurred in the same patient complained of nausea.

Table VI: Results of treatment with single dose Tinidazole after 4 weeks, 3 months and 1 year.

Follow up Results	After 4 weeks	After 3 months	After one year
No. of cases	30	29	29
Negative wet smear	29 (96.7%)	23 (79.3%)	19 (65.5%)
Positive wet smear	1 (3.3%)	6 (20.7%)	10 (34.5%)
Clinical symptoms	7 (23.3%)	10 (34.5%)	12 (41.4%)
Resistant cases	1 (3.3%)	0 (0.0%)	0 (0.0%)
Reinfection	0 (0.0%)	6 (20.7%)	13 (44.8%)

This table shows that the parasitological cure rate after single dose Tinidazole, (96.7%) after 4 weeks (79.3%) after 3 months and (65.5%) after 1 year. The only resistant case to Tinidazole was treated by Solco-Trichovac.

Table VII: Side effects with single dose Tinidazole treatment (30 patients).

Side effects	No. and % of cases
Vomiting	1 (3.33%)
Nausea	7 (23.33%)
Abdominal cramps	4 (13.33%)
Diarrhoea	2 (6.67%)
Dizziness	1 (3.33%)
Glossitis	1 (3.33%)
Total	16 (53.33%)

This table shows that the side effects of Tinidazole were usually mild.

Table (VIII): Comparison between the side effects of Metronidazole and Tinidazole single dose.

Side effects	Metronidazole (30 patients)	Tinidazole (30 patients)
Vomiting	1 (3.3%)	1 (3.3%)
Nausea	7 (23.3%)	7 (23.3%)
Abdominal cramps	3 (10.0%)	4 (13.3%)
Diarrhoea	3 (10.0%)	2 (6.7%)
Metallic taste	4 (13.3%)	0 (0.0%)
Glossitis	1 (3.3%)	1 (3.3%)
Dizziness	0 (0.0%)	1 (3.3%)
Rash	1 (3.3%)	0 (0.0%)
Total	17 (56.7%)	16 (53.3%)

This table shows that no statistically significant difference between the side effects of Metronidazole and Tinidazole ($P > 0.05$)

N.B. In Metronidazole group diarrhoea occurred in the same patients complained of nausea.

**Table IX: Results of treatment with SolcoTrichovac
after 4 weeks, 3 months and 1 year.**

Results	Follow up	After 4 weeks	After 3 months	After one year
No. of cases		30	30	30
Negative wet smear		22 (73.3%)	25 (83.3%)	28 (93.3%)
Positive wet smear		8 (26.7%)	5 (16.7%)	2 (6.6%)
Clinical symptoms		10 (33.3%)	5 (16.7%)	2 (6.6%)
Resistant cases		0 (0.0%)	2 (6.6%)	2 (6.6%)
Reinfection		0 (0.0%)	0 (0.0%)	0 (0.0%)

This table shows that the parasitological cure after treatment with SolcoTrichovac was 37.3% after 4 weeks, 83.3% after 3 months and 93.3% after 1 year.

Table X: Side effects of SolcoTrichovac (30 patients).

Side effects	No. of cases
Redness at the injection site	3 (10.00%)
Dryness of the mouth	2 (6.67%)
Increased vaginal discharge	1 (3.30%)
Total	6 (20.00%)

This table shows that the side effects of Solco-Trichovac are usually mild.

Table XI: Comparison of the results of three methods of treatment after 4 weeks.

Drug used	Negative wet smear	Positive wet smear	Total
Metronidazole (single dose)	27 (90%)	3 (10%)	30
Tinidazole (single dose)	29 (96.7%)	1 (3.3%)	30
SolcoTrichovac	22 (73.3%)	8 (26.7%)	30
Total	78	12	90

This table shows that there was no statistically significant difference between the three treatment modalities after one month ($P > 0.05$).

Table XII: Comparison of the results of three methods of treatment after 3 months.

Drug used	Negative wet smear	Positive wet smear	Total
Metronidazole (single dose)	21 (77.8%)	6 (22.2%)	27
Tinidazole (single dose)	23 (79.3%)	6 (20.7%)	29
Solcotrichovac	25 (83.3%)	5 (16.7%)	30
Total	69	17	86

This table shows that there was no statistically significant difference between the three treatment modalities after three months ($p > 0.05$).

Table XIII: Comparison of the results of three methods of treatment after one year.

Drug used	Negative	Positive	Total
	Wet smear	wet smear	
Metronidazole (single dose)	17 (62.9%)	10 (37.03%)	27
Tinidazole (single dose)	19 (65.5%)	10 (34.5%)	29
SolcoTrichovac	28 (93.3%)	2 (6.6%)	30
Total	64	22	86

This table shows that

- P between Metronidazole and Tinidazole > 0.05 , statistically insignificant.
- P between Metronidazole and SolcoTrichovac < 0.05 , statistically significant.
- P between Tinidazole and SolcoTrichovac < 0.05 , statistically significant.

Table XIV: Incidence of reinfection with three methods of treatment.

Drug used	No. of cases	Reinfection No. and %
Metronidazole (single dose)	27	10 (37.03%)
Tinidazole (single dose)	29	13 (44.80%)
SolcoTrichovac	28	0 (0.00%)

This table shows that:

- P between the reinfection rate of Metronidazole and Tinidazole > 0.05 .
- P between the reinfection rate of Metronidazole and SolcoTrichovac < 0.05 .
- P between the reinfection rate of Tinidazole and SolcoTrichovac < 0.05 .

No reinfection was occurred by using SolcoTrichovac therapy even in 13 cases treated by SolcoTrichovac after reinfection following Metronidazole (5 cases) and Tinidazole (8 cases) were cure.

The details of positive cases of T.V. are shown in the following appendix.

Appendix for positive cases of T.V.

Case No.	Age, year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
1	20	P ₂	discharge, dysuria	Frothy discharge	Metronidazole	-ve	-ve	-ve	Nausea
2	26	P ₅	discharge	white discharge	Metronidazole	-ve	-ve	+ve	Glossitis
3	27	P ₅	dysuria, dyspareunia	white discharge	Metronidazole	-ve	+ve	+ve	"Treated" by SolcoTrichovac
			discharge.						
4	27	P ₀	dyspareunia, pruritus	white discharge	Metronidazole	-ve	-ve	+ve	"Treated" by SolcoTrichovac
5	27	P ₃	discharge	frothy discharge	Metronidazole	Not included in the study			
6	27	P ₄	discharge	white, Malodorous discharge	Metronidazole	Not included in the study			
7	27	P ₃	discharge, dyspareunia	Malodorous discharge	Metronidazole	Not included in the study			Metallic taste
8	27	P ₅	discharge, dysuria	white discharge	Metronidazole	-ve	-ve	+ve	Rash
9	27	P ₀	dyspareunia, pruritus	strawberry cervix	Metronidazole	Not included in the study			
10	28	P ₃	discharge	white, malodorous	Metronidazole	-ve	+ve	+ve	Abdominal cramps
11	28	P ₅	discharge, pruritus	white, discharge	Metronidazole	+ve	Took SolcoTrichovac		
12	28	P ₅	discharge, pruritus	Malodorous discharge	Metronidazole	-ve	-ve	+ve	Nausea, diarrhoea
13	28	P ₃	discharge	white discharge	Metronidazole	Not included in the study			
14	28	P ₁	dyspareunia, dysuria	white discharge	Metronidazole	-ve	-ve	+ve	"Treated by SolcoTrichovac"

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Perity Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
15	28	P ₅	discharge, pruritus	white discharge	Metronidazole	-ve	-ve	Abdominal cramps.
16	29	P ₄	discharge dysuria	white malodorous	Metronidazole	Not included in the study		
17	20	P ₃	dyspareunia	white discharge	Metronidazole	Not included in the study		
18	20	P ₂	discharge, pruritus	white discharge	Metronidazole	-ve	-ve	
19	20	P ₅	discharge, dysuria	frothy discharge	Metronidazole	-ve	-ve	Nausea, diarrhoea
20	30	P ₁	pruritus, dyspareunia	white discharge	Metronidazole	Not included in the study		
21	30	P ₄	discharge dyspareunia	Malodorous discharge	Metronidazole	Not included in the study		
22	30	P ₅	discharge	frothy discharge	Metronidazole	-ve	-ve	Metallic taste
23	30	P ₄	discharge	white discharge	Metronidazole	-ve	-ve	
24	30	P ₃	pruritus, dyspareunia	white discharge	Metronidazole	-ve	-ve	
25	30	P ₅	discharge, dysuria	strawberry cervix	Metronidazole	-ve	+ve	Nausea
26	30	P ₅	discharge	white, malodorous	Metronidazole	Not included in the study		
27	31	P ₅	discharge, dyspareunia	strawberry cervix	Metronidazole	-ve	-ve	Nausea, diarrhoea
28	31	P ₅	dysuria, pruritus	frothy discharge	Metronidazole	Not included in the study		
29	32	P ₅	discharge	white discharge	Metronidazole	+ve	Took SolcoTrichovac	

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
30	32	P ₃	pruritus, dysuria	white discharge	Metronidazole	-ve	-ve	-ve	
31	34	P ₄	discharge	white discharge	Metronidazole	Not included in the study			
32	35	P ₄	discharge, dyspareunia	white discharge	Metronidazole	Not included in the study			
33	35	P ₅	pruritus, dysuria	Malodorous discharge	Metronidazole	-ve	-ve	-ve	Nausea
34	35	P ₃	discharge	strawberry cervix	Metronidazole	-ve	-ve	-ve	Metallic Taste
35	35	P ₃	discharge, dyspareunia	white discharge	Metronidazole	Not included in the study			
36	35	P ₄	discharge	white discharge	Metronidazole	Not included in the study			Nausea
37	35	P ₂	dyspareunia	white discharge	Metronidazole	+ve (severe attack of vomiting)			severe attack of vomiting
38	35	P ₄	Pruritis dysuria	Malodorous discharge	Metronidazole	-ve	-ve	-ve	Abdominal cramps
39	35	P ₃	discharge	white discharge	Metronidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
40	35	P ₄	discharge	Malodorous discharge	Metronidazole	Not included in the study			
41	38	P ₅	dysuria, pruritus	white discharge	Metronidazole	Not included in the study			
42	38	P ₀	dyspareunia dysuria	white discharge	Metronidazole	Not included in the study			
43	40	P ₅	pruritus	white discharge	Metronidazole	-ve	-ve	-ve	Nausea
44	40	P ₃	discharge	white discharge	Metronidazole	-ve	-ve	-ve	

Appendix for positive cases of T.V. (cont'd).

Case No.	Age	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
45	40	P ₂	discharge	Malodorous discharge	Metronidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
46	40	P ₃	discharge, dyspareunia	frothy discharge	Metronidazole	Not included in the study			
47	40	P ₄	discharge	white discharge	Metronidazole	-ve	-ve	-ve	
48	40	P ₅	dysuria, pruritus	white discharge	Metronidazole	-ve	-ve	-ve	Metallic taste
49	40	P ₅	discharge, dyspareunia	white discharge	Metronidazole	-ve	-ve	-ve	
50	10	P ₄	discharge	white discharge	Tinidazole	Not included in the study			
51	20	P ₃	discharge, dyspareunia	Malodorous discharge	Tinidazole	-ve	-ve	-ve	Nausea
52	20	P ₄	pruritus	frothy discharge	Tinidazole	-ve	-ve	-ve	Nausea
53	22	P ₁	discharge, dyspareunia	white discharge	Tinidazole	-ve	-ve	-ve	Glossitis
54	24	P ₃	discharge	white discharge	Tinidazole	Not included in the study			
55	24	P ₄	dysuria, pruritus	white discharge	Tinidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
56	25	P ₅	discharge, dyspareunia	strawberry cervix	Tinidazole	-ve	-ve	+ve	"Treated by SolcoTrichovac"
57	25	P ₅	discharge	white discharge	Tinidazole	-ve	-ve	-ve	Abdominal cramps
58	25	P ₅	dysuria, pruritus	white discharge	Tinidazole	Not included in the study			
59	25	P ₃	pruritus	white discharge	Tinidazole	-ve	-ve	-ve	Nausea

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
80	25	P ₄	discharge, dyspareunia	white discharge	Tinidazole	-ve	+ve	+ve	Diarrhoea
81	25	P ₀	dyspareunia	Malodorous	discharge Tinidazole	Not included in the study	Not included in the study	Not included in the study	
82	25	P ₅	dysuria, pruritus	Malodorous	discharge Tinidazole	Not included in the study	Not included in the study	Not included in the study	
83	25	P ₂	discharge	Malodorous	discharge Tinidazole	-ve	-ve	-ve	Nausea
84	25	P ₅	discharge	Malodorous	discharge Tinidazole	+ve	Took SolcoTrichovac		
85	30	P ₄	discharge, dyspareunia	white discharge	Tinidazole	-ve	-ve	-ve	Dizziness
86	30	P ₄	discharge, dyspareunia	frothy discharge	Tinidazole	-ve	-ve	-ve	Abdominal cramps
87	32	P ₅	discharge, dysuria	white discharge	Tinidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
88	32	P ₃	discharge	white discharge	Tinidazole	-ve	-ve	-ve	Nausea
89	32	P ₅	discharge, dysuria	frothy discharge	Tinidazole	Not included in the study	Not included in the study	Not included in the study	
70	32	P ₂	discharge, pruritus	Malodorous	discharge Tinidazole	-ve	-ve	+ve	"Treated by SolcoTrichovac"
71	35	P ₃	discharge, dysuria	Malodorous	discharge Tinidazole	-ve	-ve	-ve	Nausea
72	35	P ₅	discharge, dyspareunia	white discharge	Tinidazole	-ve	-ve	+ve	"Treated by SolcoTrichovac"
73	35	P ₄	discharge	white discharge	Tinidazole	Not included in the study	Not included in the study	Not included in the study	
74	35	P ₀	pruritus	Malodorous	discharge Tinidazole	-ve	-ve	-ve	Nausea

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
75	35	P ₂	dyspareunia	white discharge	Tinidazole	-ve	-ve	-ve	Abdominal cramps
76	35	P ₃	discharge	white discharge	Tinidazole	-ve	-ve	+ve	"Treated by SolcoTrichovac"
77	35	P ₅	discharge, dysuria	frothy discharge	Tinidazole	Not included in the study	Not included in the study		
78	35	P ₅	discharge	strawberry cervix	Tinidazole	Not included in the study	Not included in the study		
79	35	P ₃	dyspareunia, pruritus	white discharge	Tinidazole	-ve	-ve	-ve	Diarrhoea
			discharge						
80	38	P ₄	discharge	white discharge	Tinidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
81	35	P ₅	discharge, dyspareunia	frothy discharge	Tinidazole	-ve	-ve	-ve	Abdominal cramps
82	35	P ₅	discharge, dysuria	white discharge	Tinidazole	Not included in the study	Not included in the study		
83	38	P ₅	discharge, dyspareunia	white discharge	Tinidazole	-ve	-ve	-ve	Nausea
84	38	P ₁	discharge, dyspareunia	frothy discharge	Tinidazole	-ve	-ve	-ve	
85	40	P ₅	discharge, dysuria	frothy discharge	Tinidazole	-ve	-ve	-ve	Vomiting
86	40	P ₅	discharge, pruritus	Malodorous discharge	Tinidazole	Not included in the study	Not included in the study		
87	40	P ₅	discharge	Malodorous discharge	Tinidazole	-ve	+ve	+ve	"Treated by SolcoTrichovac"
88	40	P ₄	discharge dysuria	white discharge	Tinidazole	-ve	-ve	-ve	Maternal tests
89	40	P ₅	discharge	strawberry cervix	Tinidazole	-ve	-ve	-ve	
90	45	P ₅	discharge, dysuria	white discharge	Tinidazole	-ve	+ve	+ve	

Appendix for positive cases of T.V. (cont'd).

Case No.	Age	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
91	18	P ₅	discharge, dyspareunia	white discharge	SolcoTrichovac	-ve	-ve	-ve	
92	22	P ₃	discharge dyspareunia	frothy discharge	SolcoTrichovac	-ve	-ve	-ve	
93	25	P ₁	discharge	white discharge	SolcoTrichovac	-ve	-ve	-ve	Redness at the site of injection
94	25	P ₀	dyspareunia, pruritus	frothy discharge	SolcoTrichovac	Not included in the study			
95	25	P ₄	dysuria, pruritus	white discharge	SolcoTrichovac	+ve	+ve	-ve	
96	25	P ₃	discharge	white discharge	SolcoTrichovac	-ve	-ve	-ve	
97	30	P ₅	discharge	white discharge	SolcoTrichovac	+ve	-ve	-ve	
98	30	P ₄	discharge, dysuria	strawberry cervix	SolcoTrichovac	Not included in the study			
99	30	P ₄	discharge, dysuria	Malodorous discharge	SolcoTrichovac	+ve	-ve	-ve	
100	30	P ₄	discharge	Malodorous discharge	SolcoTrichovac	Not included in the study			
101	30	P ₂	discharge, dyspareunia	Malodorous discharge	SolcoTrichovac	-ve	-ve	-ve	
102	32	P ₅	discharge	frothy discharge	SolcoTrichovac	+ve	+ve	+ve	
103	32	P ₃	discharge, dysuria	white discharge	SolcoTrichovac	Not included in the study			
104	32	P ₂	discharge, dyspareunia	white discharge	SolcoTrichovac	-ve	-ve	-ve	

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months 1 year	Side effects
105	35	P ₅	discharge	frothy discharge	SolcoTrichovac	+ve	-ve	
106	35	P ₄	discharge, dyspareunia	frothy discharge	SolcoTrichovac	Not included in the study		
107	35	P ₅	discharge	white discharge	SolcoTrichovac	-ve	-ve	Redness at the site of injection
108	35	P ₅	discharge	white discharge	SolcoTrichovac	Not included in the study		
109	35	P ₃	dysuria, dyspareunia	Malodorous discharge	SolcoTrichovac	-ve	-ve	
110	35	P ₄	dysuria, pruritus	white discharge	SolcoTrichovac	Not included in the study		
111	35	P ₅	discharge	white discharge	SolcoTrichovac	Not included in the study		
112	35	P ₃	discharge	white discharge	SolcoTrichovac	-ve	-ve	dryness of mouth
113	35	P ₅	discharge, dyspareunia	white discharge	SolcoTrichovac	+ve	+ve	
114	35	P ₄	discharge	Malodorous discharge	SolcoTrichovac	-ve	-ve	
115	35	P ₅	discharge, dysuria	strawberry cervix	SolcoTrichovac	-ve	-ve	
116	35	P ₄	discharge, pruritus	white discharge	SolcoTrichovac	Not included in the study		
117	35	P ₅	discharge, dyspareunia	white discharge	SolcoTrichovac	Not included in the study		
118	36	P ₅	discharge	white discharge	SolcoTrichovac	-ve	-ve	
119	36	P ₅	discharge	white discharge	SolcoTrichovac	+ve	+ve	

Appendix for positive cases of T.V. (cont'd).

Case No.	Age year	Parity	Symptoms	Signs	Drug used	After 4 weeks	After 3 months	After 1 year	Side effects
120	38	P ₄	pruritus, dyspareunia	frothy discharge	SolcoTrichovac	-ve	-ve	-ve	
121	38	P ₅	discharge dyspareunia	white discharge	SolcoTrichovac	+ve	-ve	-ve	
122	38	P ₅	pruritus, dyspareunia	white discharge	SolcoTrichovac	-ve	+ve	+ve	
123	38	P ₃	discharge	frothy discharge	SolcoTrichovac	-ve	-ve	-ve	Redness at the site of injection
124	38	P ₅	discharge, dysuria	white discharge	SolcoTrichovac	-ve	-ve	-ve	
125	40	P ₅	discharge	white discharge	SolcoTrichovac	Not included	ind the study		
126	40	P ₄	discharge	white discharge	SolcoTrichovac	-ve	-ve	-ve	
127	40	P ₅	discharge dyspareunia	Malodorous discharge	SolcoTrichovac	Not included	ind the study		
128	40	P ₃	discharge dyspareunia	Malodorous discharge	SolcoTrichovac	Not included	ind the study		
129	40	P ₅	discharge dyspareunia	white discharge	SolcoTrichovac	-ve	-ve	-ve	
130	40	P ₄	pruritus	Malodorous discharge	SolcoTrichovac	Not included	ind the study		
131	40	P ₄	discharge, dyspareunia	white discharge	SolcoTrichovac	-ve	-ve	-ve	
132	40	P ₅	discharge pruritus	frothy discharge	SolcoTrichovac	-ve	-ve	-ve	
133	40	P ₂	discharge, dysuria	Malodorous discharge	SolcoTrichovac	-ve	-ve	-ve	dryness of mouth.
134	40	P ₃	discharge dyspareunia	white discharge	SolcoTrichovac	Not included	ind the study		
135	48	P ₅	discharge dyspareunia	white discharge	SolcoTrichovac	-ve	-ve	-ve	increased vaginal discharge