

REFERENCES

- Allen, E. and Butler, S.(1946): Studies of the origin and treatment of recurrent trichomonas vaginitis Am. J. Obstet. Gynecol., 51 : 387 - 392.
- Amsel, R., Totten, P.A., Spigel, C.A., Chen, K.C.S. et al. (1983): Nonspecific vaginitis. Diagnostic criteria and Microbial and Epidemiologic associations. Am. J. Med., 74 : 14-22.
- Bandtlow, K. (1971): Quoted from "Vaginal discharge". Thesis submitted for partial fulfilment of Master Degree in Obstetrics and Gynaecology. By: Ali, Sh. M. and Badawi, A.H. (1981), Faculty of Medicine, Cairo University. p. 60.
- Bard, D.S. (1982): Trichomonas vaginalis. In: Infectious Diseases in Obstetrics and Gynaecology. Editor: Monif, G.R.G., Harper and Row publishers, Philadelphia. p-p. 286-298.
- Berggren, O.(1969): Association of carcinoma of the uterine cervix and trichomonas vaginalis infestations. Am. J. Obstet. Gynecol., 105 : 166-168.

- Bergsjö, P., Koller, D. and Kolstad, P. (1963): The vascular pattern of trichomonas vaginalis cervicitis. Acta.Cytol., 7: 292-294.
- Borten, M. and Friedman, E.A.(1978): Duration of colposcopic changes associated with trichomonas vaginitis. Obstet. Gynecol., 51 : 111 - 113.
- Bramley, H.M., Dixon, R.A. and Jones, B.M. (1981): Hemophilus vaginalis in a family planning clinic population. Br. J. Vener. Dis., 57 : 62 - 66.
- Brewer, J.I., Halpern, B. and Thomas, G. (1957): Haemophilus vaginalis vaginitis. Am. J. Obstet. Gynecol., 74 : 834 - 842.
- Brown, W.J. (1976): Quoted by Brown, W.J. (1978): Normal flora of the vagina, Microbial ecology of the normal vagina. In: The Human Vagina. Editors: Hafez, E.S.E. and Evans, T.N., North-Holland Publishing Company. Amsterdam. p. 413.
- Brown, W.J. (1978): Microbial ecology of the normal vagina. In: The Human Vagina. Editors: Hafez, E.S.E. and Evans, T.N., North-Holland publishing company Amsterdam. p. 407.

- Bump, R.C., Zuspan, F.P., Buesching III, W.J., Ayers, L.W. and Stephens, T.J. (1984): The prevalence, Six-month persistence and predictive values of laboratory indicators of bacterial vaginosis in asymptomatic women. *Am. J. Obstet. Gynecol.*, 150: 917 - 924.
- Burch, T.A., Reese, C.W. and Reardon, L.V. (1959): Epidemiological studies on human trichomoniasis. *Am. J. Trop. Med. Hyg.*, 8 :312-316.
- Burkman, R.T. (1980): Intrauterine contraceptive devices use and the risk of pelvic inflammatory disease. *Am. J. Obstet. Gynecol.*, 138: 861 - 864.
- Carney, F.E. (1973): *Haemophilus vaginalis* Septicaemia. *Obstet. Gynecol.*, 41 : 78 - 79.
- Carroll, C.J., Hurley, R. and Stanley, V.C. (1973): Criteria for diagnosis of candida vulvovaginitis in pregnant women. *Br. J. Obstet. Gynaecol.*, 80 : 258 - 263.
- Catterall, R.D. and Nicol, C.S. (1960): Is trichomonal infestation a venereal disease? *Br. Med. J.*, 1 : 1177 - 1178.

- Chen, K.C.S., Forsyth, P.S., Buchanan, T.M. and Holmes, K.K., (1979): Amine content of vaginal fluid from untreated and treated patients with non-specific vaginitis. J. clin. Invest., 63: 828 - 835.
- Christian, R.T., Miller, N.F., Ludovici, P.P. and Riley, G.M. (1963): A study of trichomonas vaginalis in human cell culture. Am. J. Obstet. Gynecol., 85 : 947 - 958.
- Cosar, C. and Julou, L. (1959): Quoted by Gardner, H.L. (1981): Trichomoniasis. In: Benign Diseases of the vulva and vagina. Second edition . Editors.: Gardner, H.L. and Kaufman, R.H. G.K. Hall Medical publishers, Boston, Massachusetts. p. 263.
- Criswell, B.S., Ladwig, L.L., Gardner, H.L. et al., (1969): Haemophilus vaginalis vaginitis by inoculation from culture. Obstet. Gynecol., 33: 195 - 199.
- Criswell, B.S., Stenback, W.A., Black, S.H. and Gardner, H.L. (1972): Fine structure of Haemophilus vaginalis. J. Bacteriol., 109 : 930-932.
- Csonka, G.W. (1971): Trichomonal vaginitis treated with one dose of metronidazole. Br. J. Vener. Dis., 47 : 456 - 458.

Cunningham, F.G. and Mickal, A. (1982): Quoted from :

Current Obstetric and Gynaecologic diagnosis and treatment. Fourth edition. Editors: Benson, R.C. with associate authors. Middle east edition. Beirut, Lebanon. Los Altos, California. p. 337.

Curtis, E.M. and Pine, L. (1981): Actinomyces in the vaginas of women with and without intrauterine contraceptive devices. Am. J. Obstet. Gynecol., 140 : 880 - 884.

Dashow, E.E. and Llorens, A.S. (1977): Resistant gonococcal infection from an intrauterine contraceptive device. Am. J. Obstet. Gynecol., 128 : 230.

De Carneri, I. and Dire, F. (1970): Vaginal trichomoniasis and precancerous states of the cervix. A preliminary report., Br. J. Obstet. Gynaecol., 77 : 1016 - 1018.

De Costa, E.J. (1969): Infections of the vagina and vulva. Clin. Obstet. Gynecol., 12 : 198 - 201.

Delaha, E.C., Curtin, J.A., Stevens, G. and Osborne, H.J. (1964): Incidence and significance of Haemophilus vaginalis in nonspecific vaginitis. Am. J. obstet. Gynecol., 89 : 996 - 999.

- Deming, J.E. (1955): Quoted by Gardner, H.L. (1981):
Haemophilus vaginalis vaginitis. In :
Benign Diseases of the vulva and vagina.
Second editon. Editors: Gardner, H.L.
and Kaufman, R.H. G.K. Hall Medical publ-
ishers. Boston, Massachusetts. p. 276.
- De Sousa, H.M. and Van Uden, N. (1960): The mode of
infection and reinfection in yeast vulvo-
vaginitis. Am. J. Obstet. Gynecol., 80 :
1096 - 1100.
- Diddle, A.W. (1967): Trichomonas vaginalis. Resistance
to metronidazole Am. J. Obstet. Gynecol.,
98 : 583 - 585.
- Diddle, A.W., Gardner, W.H., Williamson, P.J. and O'Connor,
K.A. (1969): Oral contraceptive medications
and vulvovaginal candidiasis. Obstet.
Gynecol., 34 : 373 - 377.
- Dische, F.E., Burt, L.J.M., Davidson, N.J.H. and Puntam-
bekar, M.S. (1974): Tubo-ovarian actinomy-
cosis associated with intrauterine contrac-
eptive devices. Br. J. Obstet. Gynaecol.,
81 : 724 - 728.

Doderlein, A. (1892): Quoted by Kistner, R.W. (1978):

physiology of the vagina In: The Human vagina. Editors: Hafez, E.S.E. and Evans, T.N. North Holland publishing company. Amsterdam. p. 109.

Donne, A. (1836): Quoted by Gardner, H.L. (1981): Tricho-

moniaiasis. In.: Benign Diseases of the Vulva and Vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H. G.K. Hall Medical publishers. Boston, Massachusetts, p. 243.

Drew, N.C. (1981): Genital and pelvic actinomycosis. Br. J; Obstet. Gynaecol., 88 : 776 - 777.

Duguid, H.L.D., Parratt, D. and Traynor, R. (1980): Actinomyces like organisms in cervical smears from women using intrauterine contraceptive devices. Br. Med. J., 281 : 534-537.

Dukes, C.D. and Tettenbaum, I.S. (1955): Quoted by Gardner, H.L. (1981): Candidiasis. In: Benign Diseases of The Vulva and Vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., C.K. Hall Medical publishers. Boston, Massachusetts. p. 220.

- Dunkelberg, W.E. (1965): Diagnosis of *Haemophilus vaginalis* vaginitis by gram-stained smears. Am. J. Obstet. Gynecol., 91 : 998 - 1000.
- Dunkelberg, W.E. and Mc Veigh, I. (1969): Quoted by Gardner, H.L. (1981): *Haemophilus vaginalis* vaginitis. In: *Benign Diseases of The Vulva and Vagina*. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical Publishers. Boston, Massachusetts. p. 274.
- Eddie, D.A.S. (1968): The laboratory diagnosis of vaginal infection caused by trichomonas and candida species. J. Med. Microbiol., 1 : 153-160.
- Edmunds, P.N. (1960 a): *Haemophilus vaginalis* Morphology, cultural characters and viability. J. Pathol. Bacteriol., 79 : 273 - 284.
- Edmunds, P.N. (1960 b) : The growth requirement of *Haemophilus vaginalis*. J. Pathol. Bacteriol., 80: 325 - 335.
- Edmunds, P.N. (1962): The biochemical, serological and haemagglutinating reactions of *Haemophilus vaginalis*. J. Pathol. Bacteriol., 84 : 411-420.
- Eschenbach, D.A. (1983): Vaginal infection: Clin. Obstet. Gynecol., 26 : 186 - 202.

Eschenbach, D.A., Buchanan, T.M., Pollock, H.M. et al.
(1975): polymicrobial etiology of acute
pelvic inflammatory disease. N. Engl. J.
Med., 293: 166 - 167.

Eschenbach, D.A., Harnisch, J.P. and Holmes, K.K. (1977):
Pathogenesis of acute pelvic inflammatory
disease. Role of contraception and other
risk factors. Am. J. Obstet. Gynecol.,
128 : 838-849.

Fahmy, K., Ismail, H.M. and E.L. Nagar, E.A. (1984):
Vaginal candidiasis with pregnancy. Thesis
submitted for partial fulfilment of Master
Degree in Obstetrics and Gynaecology. Benha
Faculty of Medicine, Zagazig University.
p. 99.

Fahmy, K., Abd-elrazik, M., Ismail, H.M., Sammour, M.B.
and Assaf, I. (1985): Actinomyces like
organisms with intrauterine contraceptive
devices. J. Egypt. Society. Obstet. Gynaecol.
vol. XI, No. 1 : 13 - 21.

Faulkner, W.L. and Ory, H.W. (1976): Intrauterine contr-
ceptive devices and acute pelvic inflamm-
atory disease. JAMA., 235 : 1851 - 1853.

- Fiscina, B., Oster, G.K., Oster, G. and Swanson, J. (1973):
Gonococcicidal action of copper in vitro.
Am. J. Obstet. Gynecol., 116 : 86-90.
- Fleury, F.J. (1981): Adult vaginitis. Clin. Obstet.
Gynecol., 24: 407 - 434.
- Fleury, F.J., Van Bergen, W.S., Prentice, R.L. et al.,
(1977): Single dose of two grams metroni-
dazole for trichomonas vaginalis infection.
Am. J. Obstet. Gynecol., 128 : 320 - 322.
- Food and Drug Administration (1975): Quoted by Gardner,
H.L. (1981): Trichomoniasis. In: Benign
Diseases of the vulva and vagina. Second
edition. Editors, Gardner, H.L. and Kauf-
man, R.H. G.K. Hall Medical publishers.
Boston, Massachusetts. p. 263.
- Frick, J. (1971): Quoted from J. Egypt. Society Obstet.
Gynaecol., vol. I. May. 1975; p: 22.
- Gardner, H.L. (1981) a) : Candidiasis. In: Benign Diseases
of the Vulva and Vagina. Second edition.
Editors: Gardner, H.L. and Kaufman, R.H.,
G.K. Hall Medical Publishers. Boston,
Massachusetts, p-p. 217 - 238.

Gardner, H.L. and Dukes, C.D. (1955): *Haemophilus vaginalis* Vaginitis. Am. J. Obstet. Gynecol., 69 : 962 - 976.

Gardner, H.L. and Dukes, C.D. (1956): Quoted by Gardner, H.L. (1981): In: *Benign Diseases of the Vulva and Vagina*. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts p. 263.

Gardner, H.L., Dampeer, T.K. and Dukes, C.D. (1957): The prevalence of vaginitis. Am. J. Obstet. Gynecol., 73 : 1080 - 1085.

Gardner, H.L. and Dukes, C.D. (1959): Quoted by Gardner, H.L. (1981): *Haemophilus vaginalis* vaginitis In: *Benign Diseases of the vulva and vagina*. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical Publishers. Boston Massachusetts. p p. 283.

Gardner, H.L. (1981) a): *Candidiasis*. In: *Benign Diseases of the Vulva and Vagina*. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical Publishers. Boston, Massachusetts, p-p. 217 - 238.

Gardner, H.L. (1981 b): Trichomoniasis. In: Benign Diseases of the vulva and vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical Publishers Boston, Massachusetts, p.p. 243 - 266.

Gardner, H.L. (1981 c): Haemophilus vaginalis vaginitis. In: Benign Diseases of the vulva and Vagina. second edition. Editirs: Gardner, H.L. and Kaufman, R.H., G.K. Hall medical publishers. Boston, Massachusetts, p-p. 273-291.

Gilpin, C.A. (1967): Quoted by Gardner, H.L. (1981): Candi- diasis. In: Benign Diseases of the Vulva and Vagina. Second edition. Editiors: Gar- nder, H.L. and Kaufman, R.H. G.K. Hall Medical Publishers. Boston, Massachusetts. p. 219.

Gold, W. et al. (1955): Quoted by Gardner, H.L. (1981): Candidiasis IN: Benign Diseases of the vulva and Vagina. Second editonn. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts. p. 232.

Hazen, E.L. and Brown, R. (1950): Quoted by Gardner, H.L. (1981): In: Benign Diseases of the vulva and vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts. p. 231.

Hesseltine, H.C. (1937): Biologic and clinical importance of vulvovaginal mycosis. Am. J. Obstet. Gynecol., 34 : 855 - 865.

Hesseltine, H.C. (1959): Quoted by Mead, P.H.B. (1982): Candida albicans. In: Infectious Diseases in Obstetrics and Gynecology. Editor: Monif, G.R.G., Harper and Row Publishers. Philadelphia. p. 330.

Hesseltine, H.C., Wolters, S.L. and Campbell, A.J. (1942): Quoted by Gardner, H.L. (1981): from: Benign Diseases of the vulva and vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical Publishers. Boston, Massachusetts. p. 247.

Hildick-Smith, G., Blank, H. and Sarkany, I. (1964): In: Benign Diseases of the vulva and vagina Second edition (1981): Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts. p. 223.

- Hilton, A.L. and Warnock, D.W. (1975): Vaginal candidiasis and the role of the digestive tract as a source of infection. Br. J. Obstet. Gynaecol., 82 : 922 - 926.
- Hughes, H.E., Gordon, A.M. and Barr, G.T.D. (1966): Clinical and laboratory studies on vaginal trichomoniasis. Br. J. Obstet. Gynaecol., 73: 821-823.
- Hunter, C.A. and Long, K.R. (1958) : A study of the microbiological flora of the vagina. Am. J. Obstet. Gynecol., 75 : 865 - 871.
- Hurley, R., Leask, B.G.S., Faktor, J.A. and de Fonseka, C.I. (1973): Incidence and distribution of yeast species and of trichomonas vaginalis in the vagina of pregnant women. Br. J. Obstet. Gynaecol., 80 : 252 - 257.
- Hurley, R., Stanley, V.C., Leask, B.G.S. et al. (1974): Quoted by Brown, W.J. (1978): Microbial ecology of the normal vagina. In: The Human vagina. editors: Hafez, E.S.E. and Evans, T.N., North-Holland Publishing company. Amsterdam. p. 412.
- Jackson, T.L. and Spain, W.T. (1968): Oral contraceptive medications and vulvovaginal candidiasis. Am. J. Obstet. Gynecol., 101 : 1134 - 1135.

- Jirovec, O. (1968): *Trichomonas vaginalis* and trichomoniasis. *Advan. Parasitol.*, 6 : 117-120.
- Josey, W.E., Mc Kenzie, W.J. and Lambe, D.W. (1976): *Corynebacterium vaginale* in women with leukorrhea. *Am. J. Obstet. Gynecol.*, 126: 574-578.
- Kahn, H.S. and Tyler, C.W. (1975): IUD related Hospitalizations. *JAMA.*, 234 : 53 - 56.
- Kahn, H.S. and Tyler, C.W. (1975): IUD related Mortalities *JAMA.*, 234 : 57 - 59.
- Karnaky, K.J. (1937): Quoted from : *Benign Diseases of the vulva and vagina*. Second edition(1981): Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts. p. 254.
- Karpevskaya, O.G. (1971): Quoted by Gardner, H.L. (1981) : *Haemophilus vaginalis* vaginitis. In: *Benign Diseases of the vulva and Vagina*. Second edition. Editors: Gardner, H.L. and Kaufman, R.H. , G.K. Hall Medical Publishers. Boston, Massachusetts. p. 277 .
- Kaufman, D.W., Shapiro, S., Rosenberg, L. et al. (1980): Intrauterine contraceptive device use and pelvic inflammatory disease. *Am. J. Obstet. Gynecol.*, 136 : 159 - 162.

- Lee, L. and Schmale, J.D. (1973): Ampicillin therapy for *Haemophilus vaginalis* vaginitis. Am. J. Obstet. Gynecol., 115 : 786 - 788.
- Leopold, S. (1953): Quoted from: Benign Diseases of the Vulva and Vagina. Second edition (1981): Editors: Gardner, H.L. and Kaufman R.H., G.K. Hall Medical publishers. Boston Massachusetts. p. 274.
- Levison, M.E., Trestman, I., Quach, R. et al., (1979): Quantitative bacteriology of the vaginal flora in vaginitis. Am. J. Obstet. Gynecol., 133 : 139 - 144.
- Lewis, J.F. and O'Brien, S.M. (1969): Incidence of *Haemophilus vaginalis*. Am. J. Obstet. Gynecol., 103 : 843 - 845.
- Lewis, J.F., O'Brien, S.M., Ural, U.M. and Burkes, T. (1972) : *Corynebacterium vaginale* vaginitis. Am. J. Obstet. Gynecol., 112 : 87-90.
- Lindner, J.G.E.M., Plantema, F.H.F. and Heogkamp-Kerstanje, J.A.A. (1978): Quantitative studies of the vaginal flora of healthy women and of obstetric and gynaecological patients. J. Med. Microbiol., 11 : 233 - 241.

- Loh, W.P. and Baker, E.E., (1955): Quoted from : Benign Diseases of the vulva and Vagina. Second edition (1981): Editors: Gardner, H.L. and Kaufman, R.H.; G.K. Hall Medical Publishers. Boston, Massachusetts. p.220.
- Luff, R.D. and Gupta, P.K. (1977): Actinomycetes like organisms in wearers of intrauterine devices. Am. J. Obstet. Gynecol., 129: 476-477.
- Luff, R.D., Gupta, P.K., Spence, M.R. and Frost, J.K. (1978): Pelvic actinomycosis and intrauterine device. Am. J. clin. Pathol., 69 : 581-586.
- Malouf, M. , Fortier, M., Morin, G. et al. (1981): Treatment of Haemophilus vaginalis vaginitis. Obstet. Gynecol., 57 : 711 - 714.
- Masteron, G., Henderson, J.N., Napier, I. and Moffett, M. (1976): Vaginal candidosis. Br., Med. J., 1 : 712 - 713.
- Mc Cormack, W.M., Hayes, C.H. and Rosner, B. (1977): Vaginal colonization with corynebacterium vaginale. J. Infect. Dis., 136 : 740.-742.
- Mc Lennan, M.T., Smith, J.M. and Mc Lennan, CH.E. (1972): Diagnosis of vaginal mycosis and trichomoniasis. Obstet. Gynecol., 40 : 231-234.

- Mead, PH.B. (1982): *Candida albicans*. In : Infectious Diseases in Obstetrics and Gynaecology. Editor: Monif, G.R.G., Harper and Row publishers. Philadelphia p-p. 323 - 342.
- Mead , PH. B., Beecham, J.R. and Maesk, J.V.S. (1976): Incidence of infections associated with the intrauterine contraceptive device in an isolated community. *Am. J. Obstet . Gynecol.*, 125 : 79 - 86.
- Meisels, A. (1969): Dysplasia and carcinoma of the uterine cervix. A correlated cytologic and histologic study with special emphasis on vaginal microbiology. *Acta. Cytol.*, 13 : 224-226.
- Melody, G.F. (1961): *Trichomonas vaginitis* in depressed women. *Am. J. Obstet. Gynecol.*, 82:521.
- Michael, F. and Thomas, A. (1975): *Trichomonas vaginitis*. *Clin. Obstet. Gynecol.*, 18 : 73 - 76.
- Miles, R.R., Olsen, L. and Rogers, A. (1977): Recurrent vaginal candidiasis. *JAMA.*, 238: 1836-1837.
- Mishell, D.R., Bell, J.H., Good , R.G. et al. (1966): A bacteriologic study of the endometrial cavity. *Am. J. Obstet. Gynecol.*, 96 : 119 - 126.

- Monif, G.R.G. and Baer, H. (1974): *Haemophilus vaginalis* septicaemia. *Am. J. Obstet. Gynecol.*, 120: 1041 - 1045.
- Monif, G.R.G. (1982): Quoted from: *Infectious Diseases in Obstetrics and Gynaecology*. Editor: Monif, G.R.G. (1982). Harper and Row publishers. Philadelphia. P.P. 589-592.
- Moore, S.F. and Simpson, J.W. (1954): The emotional component in trichomonas vaginitis. *Am. J. Obstet. Gynecol.*, 68 : 974 - 975.
- Morris, C.A. and Morris, D.F. (1967): Normal vaginal microbiology of women of childbearing age in relation to the use of oral contraceptives and vaginal tampons. *J.Clin. Pathol.* 20 : 636 - 640.
- Nagesha, C.N., Ananthakrishna, N.C. and Suloohana, P. (1970): Clinical and laboratory studies on vaginal trichomoniasis. *Am. J. Obstet. Gynecol.*, 106 : 933 - 935.
- Naguib, S.M., Comstock, G.W. and Davis, H.J. (1966) : Epidemiologic study of trichomoniasis in normal women. *Obstet. Gynecol.*, 27 : 607 - 610. 610.

- Nevak, E.R., Jones, G.S. and Jones, H.W. (1975): Quoted from
Nevak's textbook of Gynaecology. Ninth edition.
Baltimore, Williams and Wilkins. p. 621.
- O'Brien, P.K., Roth-Moye, L.A. and Davis, B.P. (1981) :
Pseudosulfur granules associated with intra-
uterine contraceptive devices. Am. J. Clin.
Pathol., 75 : 822 - 825.
- Ohm, M.J. and Galask, R.P. (1975): Bacterial flora of the
cervix from 100 pre hysterectomy patients.
Am. J. Obstet. Gynecol., 122 : 683 - 687.
- Oriel, J.D., Partridge, B.M., Denny, M.J. et al. (1972):
General yeast infections. Br. Med. J., 4 :
761 - 767.
- Osborne, N.G., Wright, R.G. and Grubin, L. (1979): A
comparative study of premenopausal women
with postmenopausal women. Am. J. Obstet.
Gynecol., 135 : 195 - 197.
- Osser, S., Liedholm, p. and Sjöberg, N.O. (1980): Risk of
pelvic inflammatory disease among users of
intrauterine devices. Am. J. Obstet. Gynecol., 138 : 864 - 867.
- Park, C.H., Fauber, M. and Cook C.B. (1968): Identification
of Haemophilus vaginalis. Am. J. Clin. Pathol.,
49 : 590 - 592.

- Patten, S.F., Hughes, C.P. and Reagan, J.W. (1963): Quoted
by Bard, D.S. (1982): *Trichomonas vaginalis*.
in *Infectious Diseases in Obstetrics and*
Gynaecology. Manif, G.R.G., Harper and Row
Publishers, Philadelphia. p. 290.
- Peeters, F., Snauwaert, R., Segers, J. et al., (1972) :
Observations on candidal vaginitis. *Am.*
J. Obstet. Gynecol., 112 : 80 -86.
- Perl, G. (1965): Metronidazole treatment of trichomoniasis
in pregnancy. *Obstet. Gynecol.*, 25 : 273.
- Perl, G. (1972): Errors in the diagnosis of trichomonas
vaginalis infection as observed among 1199
patients. *Obstet. Gynecol.*, 39 : 7-9.
- Peterson, W.F., Stauch, J.E. and Ryder, C.D., (1966) :
Metronidazole in pregnancy. *Am. J. Obstet.*
Gynecol., 94 : 343 - 344.
- Petitti, D.B., Yamamoto, D. and Mergens, N. (1983) :
Factors associated with actinomyces like
organisms on Pap. smear in users of intra-
uterine devices. *Am. J. Obstet. Gynecol.*,
145 : 338 - 341.
- Pfau, A. and Sacks, T. (1977): The bacterial flora of the
vaginal vestibule, urethra and vagina
in normal premenopausal women. *J. of Urology*,
118 : 292 - 295.

- Pheifer, T.A., Persy, P.S., Darfee, M.A. et al. (1978):
Nonspecific vaginitis, Role of *Haemophilus vaginalis* and treatment with metronidazole.
N. Engl. J. Med., 298 : 1429 - 1434.
- Preost, J.M., Maes -Deckx, F.M. Nelis, M.O. et al. (1972):
Miconazole in the treatment of mycotic vulvovaginitis. Am. J. Obstet. Gynecol., 112 :
688 - 691.
- Purdon, A., Hanna, J.H. , Donald, M. et al. (1984): An
evaluation of single dose metronidazole
treatment for *Gardnerella vaginalis* vaginitis.
Obstet. Gynecol., 64 : 271 - 274.
- Ray, J.L. and Maughan, G.M. (1956): Quoted by Gardner,
H.L. (1981): In: Benign Diseases of the
Vulva and Vagina. Second edition. Editors:
Gardner, H.L. and Kaufman, R.H., G.K. Hall
Medical Publishers. Boston, Massachusetts.
P. 283.
- Redmond, D.L. and Kotcher, E. (1963): Comparison of cultural
and immunofluorescent procedures in the identification of *Haemophilus vaginalis*. J. Gen. Microbiol., 33 : 89 - 92.
- Rodgers, E.B. (1972): Vulvovaginal papillomas and trichomonas vaginalis. Obstet. Gynecol., 40 : 327-333.

- Rehatiner, J.J. (1966): Relationship of candida albicans to the genital and anorectal tracts. Br. J. Vener. Dis., 42 : 197 - 202.
- Rehatiner, J.J. and Grimble, A. (1970): Candidiasis. Br. J. Obstet. Gynaecol., 77 : 1013 - 1015.
- Sanders, CH.C., Sanders, W.E. and Pergnant, J.E. (1982): Toxic shock syndrome. An ecologic imbalance within the genital microflora of women. Am. J. Obstet. Gynecol., 142 : 977 - 981.
- Sands, R.X. (1966): Pregnancy, trichomoniasis and metronidazole. Am. J. Obstet. Gynecol., 94 : 350-352.
- Schulkind, M.L., Adler, W.H. , Altemier, W.A. et al. (1972): Quoted by Mead, PH.B. (1982): Candida albicans. In: Infectious Diseases in Obstetrics and Gynaecology. Harper and Row Publishers. Philadelphia. p. 326.
- Scott-Gray, M. (1964): Metronidazole in obstetric practice. Br. J. Obstet. Gynaecol., 71 : 82.
- Scott, Gray, M. (1968): Quoted from: Nevak's Textbook of Gynaecology. Ninth edition (1975). Editors: Nevak, E.R., Jones, G.A. and Jones, H.W. p. 401.

- Seeling, M.S. (1966): The role of antibiotics in pathogenesis of candida infections. Am. J. Med., 40 : 887 - 890.
- Shanker, S. and Munro, R. (1982): Sensitivity of *Gardnrella vaginalis* to metabolites of metronidazole and tinidazole. Lancet., 1 : 167.
- Silverman, M. and Okun, R. (1971): Oxytetracycline-nystatin in the prevention of candidal vaginitis. Am. J. Obstet. Gynecol., 111: 398 - 404.
- Smith, R.F. and Dunkelberg, W.F. (1977): Inhibition of *corynebacterium vaginale* by metronidazole. Sex. Transm. Dis., 4 : 20.
- Spence, M.R., Gupta, P.K., Frost, J.K. et al. (1978): Cytologic detection and clinical significance of *actinomyces Israellii* in women using intrauterine devices. Am. J. Obstet. Gynecol., 131 : 295 - 298.
- Sykes, G.S. and Shelley, G. (1981): *Actinomyces* like structures and their association with intra-uterine contraceptive devices, pelvic infection and abnormal cervical cytology. Br. J. Obstet. Gynaecol., 88 : 934-937.

- Targum, S.D. and Wright, N.H. (1974): Association of the intrauterine device and pelvic inflammatory disease. A retrospective pilot study. Am. J. Epidemiol., 100 : 262 - 271.
- Tatum, H.J., Schmidt, F.H., Phillips, D. et al. (1975): The dalkon shield controversy. Structural and Bacteriological studies of IUD tails. JAMA., 231 : 711 - 717.
- Taylor, E.S., Mc Millan, J.H., Greer, B.E. et al., (1975): The intrauterine device and tuboovarian abscess. Am. J. Obstet. Gynecol., 123:338-341.
- Timonen, S., Salo, O.P. Meyer, B. et al. (1966): Vaginal mycosis. Acta-Obstet. et Gynec. Scandinav., 45 : 232 - 247.
- Vickerstaff, J.M. and Cole, B.C. (1969): Characterization of Haemophilus vaginalis, corynebacterium cervicis and related bacteria. J. Microbiol., 15 : 587 - 589.
- Wahab, S.A. Al-Taieb, S., Senity, A. et al. (1985): Effect of copper T. intrauterine device on vaginocervical flora. J. Egypt. Society of Obstet. Gynaecol., Vol. XI No. I Jan (1985): 89 - 94.

Wallenburg, H.C.S. and Wladimiroff, J.W. (1976): Recurrence of vulvovaginal candidosis during pregnancy. Comparison of miconazole vs Nystatin treatment. Obstet. Gynecol., 48 : 491-493.

Walsh, H., Hildebrandt, R.J. and Prystowsky, H. (1965): Oral contraceptives and candidiasis. Am. J. Obstet. Gynecol., 93 : 904 - 907.

Walsh, H. , Hildebrandt, R.J. and Prystowsky, H. (1968): Oral contraceptives and candidiasis. Am. J. Obstet. Gynecol., 101 : 991 - 993.

Watt, B.E., Goldacre, M.J. Loudon, N.S. et al. (1981): Vaginal flora and intrauterine devices. Br. J. Obstet. Gynaecol., 88 : 588 - 590.

Westrom, L., Bengtsson, L.P. and Mardh, P.A. (1976) : The risk of pelvic inflammatory disease in women using intrauterine devices as compared to non users. Lancet, 2 : 221 - 224.

Wilbanks, G.D. and Carter, B. (1963): Vaginitis emphysematosa. Report of 4 patients. Obstet. Gynecol., 22 : 301 - 309.

Willson, J.R., Bollinger, G.C. and Ledger, W.J. (1964):

The effect of an intrauterine contraceptive device on the bacterial flora of endometrial cavity. Am. J. Obstet. Gynecol., 90 :726 - 739.

Witkin, S.S., Yu, I.R. and Ledger, W.J. (1983): Inhibition

of candida albicans - induced lymphocyte proliferation by lymphocytes and sera from women with recurrent vaginitis. Am. J. Obstet. Gynecol., 147 : 809- 811.

Witwer, M.W.,

Farmer, M.F. et al. (1977): Extensive

actinomycosis associated with an intrauterine contraceptive device. Am. J. Obstet. Gynecol., 128 : 913 - 914.

Wurch, T. and Lutz, A. (1955): Quoted by Gardner, H. L.

(1981): In: Benign Diseases of the vulva and vagina. Second edition. Editors: Gardner, H.L. and Kaufman, R.H., G.K. Hall Medical publishers. Boston, Massachusetts. p. 274.

Zinneman, K. and Turner, G.C. (1963): The taxonomic position

of Haemophilus vaginalis. J. Pathol. Bacteriol. 85 : 213 - 214.

Zweifel, P. (1877): Quoted by Kistner, R.W. (1978) :
Physiology of the vagina. In: The Human
Vagina. Editors: Hafez, E.S.E. and Evans,
T.N. North -Holland Publishing company.
Amsterdam. p. 109.