


REFERENCES



REFERENCES

- *Ackland, J.F. and Schwartz, N.B. (1991):* Developmental changes in inhibin and follicle stimulating hormone in female and male rats. Proceeding of the 73rd Annual meeting of the Endocrine Society, Washington, D.C., Abstr. 1085.
- *Adey W.R. (1990):* "Non linear electrodynamics in cell membrane transductive coupling", in: "Membrane transport and information storage", Vol. 4, Aloia, R.C., Curtain, C.C., and Cordon L.M., Eds., Wiley-Liss, New York, 1.
- *Akerstedt T. ; Arnetz, B.; Ficca, G.; Paulsson, L.E. and Kallner, A. (1999):* A 50 HZ electromagnetic field impairs sleep. J. Sleep Res., 8 (1): 77 .
- *Amate P. ; Panaiagua, R.; Nistal, M. and Martin, A. (1986):* Mitosis in adult human leydig cells. Cell tissue Res., 243: 219 .
- *Antonopoulos A. ; Yang, B.; Stamm, A.; Heller, W.D. and Obe, G. (1995):* Cytological effects of 50 Hz electromagnetic fields on human lymphocytes in vitro. Mutat Res., 346 (3): 151 .
- *Babson AL.:(1991)* The IMMULITE automated immunoassay system J . clinic immunoassay;14:83 .
- *Bagatell C.J. ; Bremner, W.J. and Clark, I.J. (1991):* Estradiol, but not idhydrotestosterone, mediates the direct pitutary suppression of gonadotropin scretion induced by testosterone administration to men. Proceedings of the 73rd Annual Meeting of the Endocrine society, Washington, D.C. Abstr., 857.

- **Bavis D.; Armstrong B.G.; Deadman J. and Theriault G. (1996):**
The question of health effects from exposure to electro magnetic field
Occupational and Environmental Medicine, 53: 17
- **Becker R.R.; Gunsalus G.L.; Musto N.A. and Bardin C.W. (1984):** The epididymis contributes minimally to serum androgen binding protein in the rat: A whole body Kinetic study. Endocrinology, 114: 2354.
- **Benhamed M.; Morera A.M.; Chauvin D.C. and Perett E. (1986):**
Is somadomedin-C a mediating factor between Sertoli and leydig cells? Fourth International workshop on Molecular and cellular Endocrinology and the testis Capri, Italy, P.55.
- **Berezin M. and Karasik A. (1995):** Familial prolactinoma. Clin. Endocrinal, 42: 483
- **Bonhomme-Favire L.; Mace A.; Bezie Y.; Marion S.; Bindoula G.; Frenois, N. and Bizi, E. (1998):** Alterations of biological parameters in mice chronically exposed to low-frequency (50 Hz) electromagnetic fields. bioelectromagnetics. 53:17
- **Bouchard P.; Gagnon C.; Phillips D.M. and Bardin C.W. (1980):**
The localization of protein carboxylmethylase in Sperms tails. J. Cell Biol., 86: 417.
- **Buch J.P.; Tindall D.J. and Rowley D.R. (1991):** Sertoli cell structure and function in vivo and in vitro in: Lipshultz LI and howards SS (eds.) Infertility in the male 2nd ST. Louis, Mosby, Year book, P. 54.

- *Burger H.G.; Dekrestser D.M. and Hudson B. (1976):* Spermatogenesis and its endocrinal control in human semen fertility regulation in men. Edited by Hafez ESE. The CV Mosby Com., Saint Louis.
- *Burgos M.H.; Vitatie-Calpe R. and Acki A. (1970):* Fine structure of the testis and its functional significance. In the testis vol., 1 edited by Johnonsen, Games and Van. Demark, Academic Press, New York and London.
- *Burris A.S.; Rodbard H.W.; Winters S.J. and Sherins R.J. (1988):* Gonadotrophin therapy in men with isolated hypogonodotropic hypogonadism: the response to human chorionic gonadotropin is predicted by initial testicular size. J. Clin. Endocrinol. Metab., 66: 1144.
- *Busittil A.; Orr S. and Hargreave T.B. (1983):* Histopathology. In: Male infertility by Hargreave, T.B. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, P. 112.
- *Carpenter D.O. and Ayrapetyan S. (1994):* Biological effects of electric and magnetic fields (sources and mechanisms). Academic Press, P. 29.

- *Chappel S.C.; Ulloa-Aguirre A. and Coutiforis C. (1983):* Biosynthesis and secretion of follicle stimulating hormone. *Endocr. Rev.*, 4: 179.
- *Clermont, Y. (1963):* The cycle of the seminiferous epithelium in man. *Am. J. Anat.*, 112: 35.
- *Clermont Y. (1972):* Kinetics of spermatogenesis in mammals: Seminiferous epithelium cycle and spermatogonial renewal. *Physiol. Rev.*, 52: 198.
- *Clermont Y. and Leblond C.P. (1985):* Spermatogenesis of man, monkey and other mammals as shown by the "periodic acid schiff technique". *Am. J. Anat.*, 96: 229.
- *Clifton D.K. and Bremner W.J. (1983):* The effect of testicular irradiation on spermatogenesis in man. *J. Androl.*, 4: 387.
- *Cridland N.A. (1993):* Electromagnetic fields and cancer. Rep. No. NRPB-R256, National Radiological Protection Board, Chilton, Didcot, Oxon, UK.
- *Dahl K.D.; Bicsak T.A. and Hsueh A.J.W. (1988):* Naturally occurring antihormones: Secretion of FSH antagonists by women treated with a GnRH analog. *Science*, 239: 72.

- **Davis T.F.; Katikineni M.; Chan V.; Dufau M.L. and Catt K. (1980):** Lactogenic receptor regulation in hormone stimulated sterodiogenic cells. *Nature (London)*, 283: 863.
- **De Bruyn L. and de Jager L. (1994):** Electric exposure and evidence of stress in mice. *Environ. Res.*, 65 (1): 149.
- **De Vita R.; Cavallo D.; Raganella L.; Eleuteri P.; Grollino M.G. and Calugi A. (1995):** Effects of 50 Hz magnetic fields on mouse spermatogenesis monitored by flow cytometric analysis. *Bioelectromagnetics*, 16(5): 330.
- **Dekrester D.M. and Robertson D.M. (1989):** Lactogenic receptor regulation in hormone stimulated sterodiogenic cells. *Nature*, 283: 863.
- **Dekrester D.M. and Robertson D.M. (1989):** The isolation and physiology of inhibin and related proteins. *Biol. Reprod.*, 40: 33.
- **Demoulin A.; Amin H.K. and Hunter W.M. (1979):** Human pituitary follicle stimulating hormone: Distribution, plasma clearance and urinary excretion as determined by radioimmunoassay. *J. Clin. Endocrinol. Metab.*, 48: 307.
- **Deno D.W. and Carpenter D.O. (1994):** Sources and characteristics of electric and magnetic field in the environment. In: *Biological effects of electric and magnetic fields (sources and mechanisms)*. Academic Press Chapter, 1, P. 4.
- **Dufou M.L.; Nozu K.; Dehejia A. and Garcia Vela A. (1982):** Biological activity and target cell actions of luteinizing hormone,

- Mottam, Zonisi and Piva . (eds): Seronosymposium, Pituitary Hormones and related peptides. New York, Academic, PP. 118.
- **Fawcett D.W. and Bedford J.M. (eds.) (1979):** The spermatozoon (Maturation, surface properties and comparative aspects). Urban and Schwarzenberg. Baltimore, Quoted from Glover et al. (1990), P. 83.
 - **Fedorowski A. and Steciwko A. (1998):** Biological effects of non ionizing electromagnetic radiation. Med. Pr., 49 (1): 93
 - **Feyching M and Ahlbom A. (1993):** Magnetic fields and cancer in children residing near Swedish high voltage power lines. Am J Epidemiol. 138,467.
 - **Finkelstein J.S.; Whitcob R.W.; Lond Cope C. and Crowley W.F. (1991):** Sex steroid control of gonadotropin secretion in the human male: I. Effects of testosterone administration in normal and gonadotropin-releasing hormone-deficient men. J. Clin. Endocrinol. Metab., 73: 609.
 - **Florig H.K. and Hoburg J.F. (1991):** Electric and magnetic field exposure associated with electric blankets. Rep. EPRI TR-100180. Electric power research institute, Palo Alto, CA.
 - **Foregacs Z.; Thuroczy G.; Paksy K. and Szabo L.D. (1998):** Effect of sinusoidal 50 Hz mangetic field on the testosterone production of mouse primary leydig cell culture. Bioelectromagnetics, 19 (7): 429
 - **Franchimont, P.; Demoulin, A. and Bourguigon, J.P. (1986):** Regulation of gonadotropin secretion, in Santen, R.J., Swerdloff, R.S. Male sexual dysfuntion: Diagnosis and Management of (eds):

hypogonadism, Infertility and importance. New York, Marcel Dekker, PP. 101.

- **Free M.J.; Kaune W.T.; Phillips R.D. and Cheng H.C. (1981):** Endocrinal effects of strong 60 Hz electric fields on rats. Bioelectromagnetic, 2(2): 105 .
- **Furuya H.; Aikawa H.; Hagino T.; Yoshida T. and Sakabe K. (1998):** Flow cytometric analysis of the effects of 50 Hz magnetic fields on mouse spermatogenesis. Nippon Eiseigaku Zasshi, 53 (2): 420 .
- **Gamberale F. (1992):** Physiological and psychological effects of exposure to extremely low frequency electric and magnetic fields on humans. Scan. J. Work Environ. Health, 16: 51 .
- **Gauger J.R. (1984):** "Household appliance magnetic field survey", IIT Res. Inst. Rep. No. E06549-3, U.S. Naval Electron. Syst. Command, Washington, DC.
- **Gibbons B.H. and Gibbons I.R. (1980):** Calcium induced quiescence in reactivated seaurchin sperm. J. Cell. Biol., 84: 13.
- **Glover T.D.; Barratt C.L.R.; Tyler J.P.P. and Hennessey J.F. (1990):** Structure and function of the male reproductive organs. In Human male fertility and semen analysis. Glover TD (ed). Academic Press, Hart Court Brace Jovanovich, Publishers. London, SanDigo, New York, Boston, Sydney, Tokyo, Toronto.
- **Goodman E.M.; Greenebaum B. and Marron M.T. (1995):** Effects of electromagnetic fields on molecules and cells. Int. Rev. Cytol., 158: 279 .

- **Grandolfo M. (1993):** Extremely low frequency electromagnetic fields: environmental exposure levels, epidemiological studies and risk assessment. 1st congress of the european Bioelectromagnetics association. (Current concepts of Bioelectromagnetics).
- **Gross K.M.; Berger R.E. and Bremner W.J. (1986):** Increased frequency of pulsatile luteinizing hormone-releasing hormone administration selectively decreases follicle stimulating hormone levels in men with idiopathic azoospermia. Fertil. Steril., 45: 392.
- **Hackman R .M.; and Graves H .B.;(1981):**Corticosterone level in mice exposed to high intensity electric fields.behavioral and neural biology,32,201-
- **Haes D.L. and Fitzgerald M.R. (1995):** Video display terminal very low frequency measurements. The need for protocols in assessing VDT user "dose". Health Physics, 68: 572-
- **Handelsman D.J. and Stara S. (1985):** Testicular size: the effects of agingmalnutrition, and illness. J. Androl., 6: 144
- **Hansson M; Tindall D.J. and Rowley D.R. (1975):** Structure and function of the male reproductive organs. Am. J. Ant, 18(8) 584-594.
- **Heller C.G. and Clermont Y. (1964):** Kinetics of the germinal epithelium in man. Recent. Prog. Hormones Res., 20: 545.
- **Hendee W.R. and Boteler J.C. (1994):** The question of health effects from exposure to electromagnetic fields. Health Phys., 66 (2): 127.

- **Hinsenkamp M. (1997):** Cartilage differentiation and bone health (meeting abstract), congress for electricity and magnetism in biology and medicine. 8 - 13 June, Bologna, Italy.
- **Hulbert A.; Metcalfe J.C. and Robin Hesketh (1998):** Biological responses to electromagnetic fields. *FASEB J.*, 12: 395 .
- **Ivanova L.A. and Kartashev A.G. (1991):** The effect of alternating electric field of industrial frequency on testicles of white mice. *Fiziol. Zh.*, 37 (6): 71 .
- **Izrael M. (1980):** Changes in arterial elasticity after high frequency electromagnetic field irradiation. *Probl. Khig.*, 5: 22 .
- **Jandova A.; Hurych, J.; Nedbalova, M.; Trojan, S.; Dohnalova, A.; Cocek A.; Pokorny, J. and Trkal, V. (1999):** Effects of sinusoidal magnetic field on adherence inhibition of leucocytes: preliminary results. *Bioelectrochem. Bioenerg.*, 48 (2): 317 .
- **Johnson S.G. (1970):** Testicular biopsy score count-a method for registration of spermatogenesis in human tests: normal values and results in 335 hypogonadal males. *Hormones*, 1: 2. .
- **Joseph D.R.; Hall S.H. and French F.S. (1986):** Rat androgen binding protein: Structure of the gene, mRNA and protein. First international symposium on binding proteins: Steroid Hormones, Lyons, France, P1.
- **Kato M.; Honma K.; Shigemitsu T. and Shiga Y. (1994):** Circulatory polarized, sinusoidal, 50 Hz magnetic field exposure does not influence plasma testosterone levels of rats. *Bioelectromagnetics*, 15 (6): 513 .

- **Kerr J.B. and De Krester D.M. (1981):** The cytology of the human testis. In the testis, H. Burger and D Dekrester (eds). Raven Press, New York, PP. 171.
- **Khan S.A.; Soder O.; Sayed V. and Ritzen M. (1986):** Secretion of interleukin-1 by the rat testis. Fourth international workshop on Molecular and cellular endocrinology of the testis Capri Italy, P. 91.
- **Kokoreva L.V.; Chuvpilo T.A. and Pustynnikova A.M. (1998):** Effect of a constant high intensity magnetic field on reproductive functions in male rats. Kosm Biol. Aviakosm Med., 24 (1): 28 .
- **Kowalczuk C.I.; Robbins L.; Thomas J.M. and Saunders R.D. (1995):** Dominant lethal studies in male mice after exposure to a 50Hz magnetic field. Mutal Res., 328(2): 229 .
- **Krause N. (1986):** Exposed of people to static and time variable magnetic field in technology, medicine research and public life, dosimetric aspects, in biological effects of static and ELF magnetic fields ed., J.H. Bernhardt (Munich: MMV Medizin) PP, 57. .
- **Kroecker G.; Parkinson D.; Vriend J. and Peeling J. (1996):** Neurochemical effects of static magnetic field exposure. Surg. Neurol., 45 (1): 62 .
- **Lindbohm M.L.; Hietanen M.; Kyyronen P.; Sallmen M.; Von Nadelstadh P.; Taskinen H.; Pekkarinen M.; Ylikoski M. and Hemminki K. (1992):** Magnetic fields of video display terminals and spontaneous abortion. American Journal of Epidemiology, 136: 1041-

- **Linnet M. S.; Hatch E.; and Kleinerman R.A (1997):** Residential exposure to magnetic fields and acute lymphoblastic leukemia in children. The new England Journal of Medicine Vol. 337, No. 1
- **Lipsultz L.I.; Murthy L. and Tindall D.J. (1982):** Characterization of human sertoli cells in vitro. J. Clin. Endocrinol. Metab., 55: 228.
- **Lokhmatova S.A. (1993):** An ultrastructural analysis of the testes in mice subjected to long-term exposure to a 17-kHz electrical field. Radiobiologiya, 33 (3): 342.
- **Lovely R.H.; Creim J.A.; Kaune W.T.; Miller M.C.; Phillips R.D. and Anderson L.E. (1993):** Non-ionizing Electromagnetic fields and cancer: a review oncology Hntingt, 1 0 (4): 563-570. Bioelectromagnetics, 13, 351.
- **Malyshkin, I.N. (1996):** The interrelationship of changes in the vascular bed fo the testes of the status of the spermogram in the pathogenesis of infertility. Lik. Sprava. (10-12): 132.
- **Margonato V.; Veicsteinas A.; Conti R.; Nicolini P. and Cerretelli P. (1993):** Biologic effects of prolonged exposure to ELF electromagnetic fields in rats. I. 50 Hz electric fields. Bioelectromagnetics, 14 (5): 479.
- **Matsumoto A.M. (1989):** Hormonal control of spermatogenesis in: Burger, HG and Krester DM (eds). The testis, 2nd ed. Raven Press, New York, PP. 181.
- **Matsumoto A.M.; Paulsen C.A. and Bremner W.J. (1986):** Stimulation of sperm production by human luteinizing hormone in

- gonadotropin-suppressed normal men. *J. Clin. Endocrinol. Metab.*, 59: 882.
- **McLachlan R.I.; Matsumoto A.M.; Burger H.G.; de Kretser D.M. and Bremner W.J. (1988):** Relative roles of follicle stimulating hormone and luteinizing hormone in the control of inhibin secretion in normal men. *J. Clin. Invest.*, 82: 880.
 - **McLaren A. (1983):** Studies on mouse germ cells inside and outside the gonad. *J. Exp. Zool.*, 228: 167
 - **McMahan S.; Ericson J. and Meyer J. (1993):** Residential proximity to high-voltage transmission lines and depressive symptomatology, in: *Electrical and magnetism in biology and medicine*, Blank, M., Ed., San Francisco Press, San Francisco, CA, 453.
 - **Medhamurthy R.; Culler M.D.; Gay V.L.; Negro-Vilar A. and Plant T.M. (1991):** Evidence that inhibin play a major role in the regulation of follicle stimulating hormone in the fully adult male monkey. *Endocrinology*, 129: 389.
 - **Miller S.C.; Bowman B.M. and Knowland H.G. (1983):** Structure, cytochemistry endocytic activity and immunoglobulin (Fe) receptors of rat testicular interstitial-tissue macrophages. *Am. J. Anat.*, 168: 1
 - **Mohri H. and Yanagimashi R. (1980):** Characteristics of motor apparatus in testicular epididymal and ejaculated spermatozoa. *Exp. Cell Res.*, 127: 191.

- **Moulder J.E. (1998):** Power-frequency fields and cancer. Crit. Rev. Biomed. Eng., 26 (1-2): 1 .
- **Nagoa R.R.; Plymate S.R.; Berger R.E. and Perin E.B. (1986):** Comparison of gonadal function between fertile and infertile men with varicoceles. Fertil. Steril., 46: 930.
- **Nair I.; Morgan M.G.; and Folrig H.K. (1989):** Biological effects of power frequency electric and magnetic fields, report, No. OTA-BP-E-53, Office of technology assessment, U.S. government Printing office, Washington, DC.
- **Naor Z. (1993):** Mechanism of action of GnRH upon gonadotropin release and synthesis. In: Brundo Lunenfeld and Vaclav insler (eds) GnRH Nalaogues. The parthernon Publishing group LTD, New York, PP. 27 .
- **Narra V.R.; Howell R.W.; Goddu S.M. and Rao D.V. (1996):** Effects of a 1.5-Tesla static magnetic field on spermatogenesis and embryogenesis in mice. Invest. Radiol., 31 (9): 586 .
- **Niehaus M.; Bruggemeyer H.; Behre H.M. and Lerchl A. (1997):** Growth retardation, testicular stimulation, and increased melatonin synthesis by weak magnetic fields (50 Hz) in Djungarian hamsters, Phodopus sungorus. Biochem. Biophys. Res. Commun., 29, 234 (3): 707 .
- **Orgebin- Crist, M.G.V.; Danzo B.J. and Davies J. (1975):** Endocrine control of the development and maintenance of sperm fertilizing ability in the epididymis Greep Ro, Astwood EB (eds):

- **Petra P.H.; Titani K. and Walsh K. (1986):** Purification and chemical characterization of SBP, the sex steroid binding protein of plasma. First international, symposium on Binding proteins. Steroid Hormones, Lyons, France, P1.
- **Pira E.; Zanetti c. and Saia B. (1994):** Carcinogenic risk of extremely-low-frequency electromagnetic fields: state of the art. Med. Lav., 85 (6): 447 .
- **Portier C.J. and Wolfe M.S. (1998):** Assessment of health effects from exposure to power line frequency electric and magnetic fields working group report, National Institute of Environmental health sciences, NIH Publication No. 98-3981, P. 3.
- **Quinlan wj .; Petrondas D .; Lebda N .; Pettit S .; Michaelson S M .; (1985)** biological effect of electromagnetic field, bioelectromagnetics, 6(4):381389.
- **Ramirez E.; Monteagudo J.L.; Garcia-Garcia M. and Delgado J.M.R. (1983):** Oviposition and development of drosophila modified by magnetic fields. Bioelectromagnetics, 4: 315.
- **Richard S.J. (1995):** The testis. In Baxter DJ, Frohman, AL (eds): Endocrinology and Metabolism, 16: PP 907.
- **Ritzen E.M.; Hansson V. and French F.S. (1981):** The sertoli cell. In: Burger H, deKrester DM, eds. The testis New York: Raven Press, 171 .

- **Robertson D.M.; Tsonis C.G.; Melachlan R.I. and Baird D.T. (1988):** Comparison of inhibin immunological and in vitro biological activities in human serum. *J. Clin. Endocrinol. Metab.*, 67: 438.
- **Rommerts F.F.G. (1988):** How much androgen is required for maintenance of spermatogenesis. *J. Endocrinol.*, 116:1.
- **Roselli G.E. and Resko J.A. (1984):** Androgens regulate brain aromatase activity in adult male rats through a receptor mechanism. *Endocrinology*, 114:1.
- **Russell L.D. and Peterson R.N. (1985):** Sertoli cell function: morphological and functional correlates. *Int. Rev. Cytol.*, 94: 177.
- **Salvatore J.R.; Weitberg A.B.; and Mehta S. (1996):** Non-ionizing Electromagnetic fields and cancer: a review oncology Hntingt, 1 0 (4): 563.
- **Sar M.; Lubahn D.B.; French F.S. and Wilson E.M. (1990):** Immunohistochemical localization of the androgen receptor in rat and human tissues. *Endocrinology*, 127: 3180.
- **Savitz D.A.; Boyle C.A. and Holmgreen P. (1994):** *Am. J. Ind. Med.*, 25, 165.
- **Savitz DA; Wachtel H; Barnes FA. (1988):** Case-Control study of childhood cancer and exposure to 60-Hz magnetic fields. *Am J Epidemiol.* 128,169.
- **Schulze W. and Rehder U. (1984):** Organization and morphogenesis of the human seminiferous epithelium. *Cell Tissue Res.*, 237: 395.

- **Selmaoui B.; Bogdan A.; Auzeby A.; Lambrozo J. and Touitou Y. (1996):** Acute exposure to 50 Hz magnetic field does not affect hematologic or immunologic functions in healthy young men: a circadian study. *Bioelectromagnetics*, 17 (5): 364-71.
- **Selmaoui B.; Lambrozo J. and Touitou Y. (1997):** Endocrine functions in young men exposed for one night to a 50 Hz magnetic field. A circadian study of pituitary, thyroid and adrenocortical hormones. *Life Sci.*, 61 (5): 473-81.
- **Setchell B.P. (1982):** Spermatogenesis and spermatozoa. In: *Reproduction in mammals*, book 2. Austin CR, Short RV (eds.). Cambridge University Press, Cambridge, P. 63.
- **Sharpe R.M. (1987):** Testosterone and spermatogenesis. *J. Endocrinol.*, 113:1.
- **Sharpe R.M. (1989):** Follicle stimulating hormone and spermatogenesis in the adult male. *J. Endocrinol.*, 121: 405.
- **Shimonaka M.; Inouye S.; Shimasaki S. and Ling N. (1991):** Follistatin binds to both activin and inhibin through the common beta subunit. *Endocrinology*, 128: 3313.
- **Sienkiwicz Z.J.; Cridland N.A.; Kowalczyk C.I. and Saunders R.D. (1993):** Biological effects of electromagnetic fields and radiation, in: *The review of radio science: 1990-1992*, Stone, W.R., and Hyde, G., Eds. Oxford Univ. Press, Oxford, UK, 737.
- **Silber S.J. and Johnson L. (1998):** Are spermatid injections of any clinical value? ROSNI and ROSI revisited. *Human Reproduction* Vol. 13, No. 3, PP. 509-511.

- **Silber S.J. and Rodriguez-Rigau L.J. (1981):** Quantitative analysis of testicular biopsy: determination of partial obstruction and prediction of sperm count after surgery for obstruction. *Fertil. Steril.*, 36: 480
- **Skakkebaek N. and Heller C. (1973):** Quantification of human seminiferous epithelium. *J. Reprod. Fertil.*, 32: 379
- **Sliney D.H. and Patterson R.M. (1992):** International radiation protection association proceedings, volume I, P. 925-928, 17-22 May.
- **Smith E.P.; Dickson B.A. and Chernauek S.D. (1990):** Insulin like growth factor binding protein-3 secretion from cultured rat Sertoli cells: Dual regulation by follicle stimulating hormone and insulin like growth factor-1. *Endocrinology*, 127.
- **Tablado L.; Perez-Sanchez F. and Soler C. (1996):** Is sperm motility maturation affected by static magnetic fields? *Environ. Health Perspect.*, 104 (11): 1212
- **Takahashi J.; Higashi Y.; LaNasa J.A.; Winters S.J.; Oshima H. and Troen P. (1982):** Studies of the human testis: XVII. Gonadotropin regulation of intratesticular testosterone and estradiol in infertile men. *J. Clin. Endocrinol. Metab.*, 55: 1073.
- **Takeda H.; Chodak G.; Mutchnik S. and Chang C. (1990):** Immunohistochemical localization of the androgen receptors with mono-and polyclonal antibodies to androgen receptor. *J. Endocrinol.*, 126: 17.
- **Tenforde T.S. (1986a):** Magnetic field applications in modern technology and medicine, In: *Biological effects of static and*

extremely-low-frequency magnetic fields. Bernhardt, J.H., Ed., MMV Medizin Verlag, Munich, Germany, 23.

- *Tenforde T.S. (1986b)*: Interaction of ELF magnetic fields with living matter, in: Handbook of biological effects of electromagnetic radiation, Polk C., and Postow E., Eds., CRC Press Boca Raton, FL, 197.
- *Tenforde T.S. (1990)*: Biological responses to static and time-varying magnetic fields, in: Extremely low frequency electromagnetic fields: The question of cancer, Wilson B.W., Stevens R.G., and Anderson L.E., Eds., Battele Press, Columbus, OH, 291.
- *Trainer T.D. (1992)*: Histopathology for pathologists. In Stephen S. Sternberg Ed. Raven Press, Ltd., New York, 39: 731
- *Trzeciak H.I.; Grzesik J.; Bortel M.; Kuska R.; Duda D.; Michnik J. and Malecki A. (1993)*: Nonionizing radiation and electromagnetic fields Offentl. Bioelectromagnetic 14, 287.
- *Ueno S. (1996)*: Biological effects of magnetic and electromagnetic fields, Plenum Press, 53 (8-9): 409
- *Urban R.J.; Beitins I. and Veldhuis J.D. (1991)*: Metabolic clearance of human follicle. Stimulating hormone assessed by radioimmunoassay, immunoradiometric assay, and in vitro sertoli cells bioassay. J. Clin. Endocrinol. Metab., 73: 818.
- *Valberg P. A. (1996)*: Electric magnetic fields (EMF): what we know about the health effects? Int Arch Occup Environ Health , 68: 6, P 448

- **Wildt L.; Hausler A.; Marshall G.; Hutchison J.S.; Plant T.M.; Belchetz P.E. and Knobil E. (1981):** Frequency and amplitude of gonadotropin-releasing hormone stimulation and gonadotropin secretion in the rhesus monkey. *Endocrinology*, 109: 376.
- **Wilkinson C.W. (1989):** The adrenal cortex. In: Patton, H., Fuchs, A.; Hille, B.; Scher, A. and Steiner, R. (eds) *Text book of physiology* W.B. Saunders Company Volume 2, PP. 1501.
- **Wilson B.W.; Matt K.S.; Morris J.E.; Sasser L.B.; Miller D.L. and Anderson L.E. (1999):** Effects of 60 Hz magnetic field exposure on the pineal and hypothalamic-pituitary-gonadal axis in the Siberian hamster (*phodopus sungorus*). *Bioelectromagnetics*, 20 (4): 224.
- **Witschi E. (1984):** Migration of the germ cells of human embryos from the yolk sac to the primitive gonadal fold. *Carnegi Inst Wash Contrib Embryol.*, 209: 67.
- **Wood A.W.; Armstrong S.M.; Sait M.L.; Devine L. and Martin M.J. (1998):** Changes in human plasma melatonin profiles in response to 50 Hz magnetic field exposure. *J. Pineal Res.*, 25 (2): 116.
- **Wu F.C.W. (1994):** Endocrinology of male infertility. In: *Male infertility*, second edition By: TB Hargreave, Spring-Verlag, New York, P. 191.
- **Yellon S.M. and Truong H.N. (1998):** Melatonin rhythm onset in the adult siberian hamster: influence of photoperiod but not 60-Hz magnetic field exposure on melatonin content in the pineal gland and in circulation. *J. Biol. Rhythms*. 13 (1): 52.