

REFERENCES

REFERENCES

Abadir D.R. (1982):

Combination of topical 5-fluorouracil with cryotherapy for treatment of actinic keratoses.

J.Dermatol. surg. Oncol. 9:403-6 .

Abdel-Fattah, A.; Aboul-Enein, M.N.; Wassel, G.M. and El-Manshaw, B.S. (1982):

An approach to the treatment of vitiligo by Khellin
Dermatologica; 165: 136.

Abdel-Fattah, A.; Badawy, N.; El-Sayed, M. and El-Gammal, A. (1991):

"Local treatment of vitiligo with natural plant products".

Ain Shams University, Cairo unpublished data (personal communication). Quoted from (comparative therapeutic trial for the treatment of vitiligo by topical Aloe vera and others)

M.D thesis by Abdel-Ghaffar M. Faculty of Medicine Mansura University.

Africk, J. and Fulton, J. (1971):

"Treatment of vitiligo with topical trimethyl psoralen and sunlight". Br. J. Dermatol., 84: 151-156.

Alt, T.H. (1987):

Therapeutic facial dermabrasion. In: Skin surgery. Edited by, E. Epstein and E.E.Jr. 6th edition, W.B. Saunders Company, Philadelphia, London, Toronto, P. 327.

Aston, S.J. and Thome, C.H. (1991):

Aesthetic surgery of aging face. In: Plastic surgery. Edited by J.W. Smith and S.J. Aston, 4th edition, Little Brown Company, Boston, Toronto, London, P. 616.

Austin, H.W. and Weston, G.W. (1992):

Rejuvenation of the aging mouth. Clinics in Plast. Surgery, 19: 511.

Ayres, III, S. (1970):

Dermabrasion and superficial chemosurgery. In: Current dermatologic management edited by S. Maddin and T.H. Brown, the C.V. Mosby, Company, Saint Louis, P. 6.

- Bataille V., Cunningham D., Mansi J.; and Martimer P. (1996):**
Inflammation of solar keratoses following systemic 5-fluorouracil.
Br. J.Dermatol, 135:478 – 80.
- Bennett R.G (1988):**
Fundamentals of cutaneous surgery St. louis: Mosby, 627-701.
- Bewley A.P., Bracka A., Staughton R.C et al.,(1994):**
Extramammary Paget's disease of the scrotum: treatment with topical 5-fluorouracil and plastic surgery.
Br. J.Dermatol, 131:445 – 6.
- Bleehen, S.S.; Ebling, F.J.G. and Champion, R.H. (1992):**
Disorders of skin colour. In: Textbook of Dermatology. Eds. Champion, R.; Burton, J.L. and Ebling, F. Blackwell Scientific Publ. London Boston, Paris, 5th ed. Vol. 3, P. 1561.
- Boeroma, B.R.; Westerhof, W. and Bos, J.D. (1995):**
Repigmentation in vitiligo vulgaris by autologous minigrafting: results in nineteen patients. J. Am. Acad. Dermatol., 33 (6): 990-995.
- Carter, D.M. and Jegasothy, B.V. (1976):**
Alopecia areata and Down syndrome.
Arch. Derm., 112: 1397.
- Breza T., Taylor R., and Eaglestein, W.H. (1977):**
Non-inflammatory destruction of actinic keratoses by fluorouracil.
Arch. Dermatol. 122:1256-8.
- Canman, C.E., Lawrence, T.S., Shewach, D.S., Tang, H.Y ; and Maybaum, J. (1993):**
Resistance to fluoro deoxyuridine induced DAN damage and cytotoxicity correlates with an elevation of deoxyuridine triphosphate.
Cancer Res. 53:5219- 5224.
- Chabner, B.A. (1995):**
Cytidine analogues in cancer chemotherapy: principles and practice, 2nd ed. (Chabner, B.A and Longo, D.L., eds), J.B. Lippincott co., Philadelphia, (in press).

Clayton, R. (1977):

A double-blind trial of 0.05% clobetasol propionate in the treatment of vitiligo.
Br. J. Dermatol., 96: 71-73.

Chu, E., and Allegra, C.J. (1995):

Antimetabolites, in, cancer chemotherapy : principles and practice, 2nd ed. (Chabner, B.A and Longo, D.L., eds.) J.B lippincott co., philadelphia, (inpress).

Cohen, B.H. (1988):

Prevention of post dermabrasion milia.
J. Dermatol. Surg. Oncol., 14: 1301.

Caleman, W.P. (1991):

Surgical notes, dermabrasion and hypertrophic scars.
Int. J. of Dermatol., 30: 629.

Danenberg, P.V shea, L.C.C., and Danenberg, K. (1990):

Effect of 5-fluorouracil substitution on the self-splicing activity of tetrahymena ribosomal RNA. Cancer Res. 50: 1757-1753.

Dickinson, J.T. (1972):

Dermabrasion-present day concepts. In: Plastic and reconstructive surgery of the face and neck. Edited by J. Conley and J.J. Dickinson, Vol. I, Georg Thieme verlag stuttgart, New York, Pittsburgh, P. 43.

Dillaha, C.J.; Jansen, G.T.; Honeycutt, W.M. et al. (1965):

Further studies with topical 5-fluorouracil. Arch. Dermatol., 92:410-17.

Djawari D. (1986):

Fluorouracil treatment on condyloma accuminata.
ZHautkr, 61:463-9 .

Domonkos, A.N.; Arnold, H.L. and Odem, R.B. 2000):

Vitiligo. In: Andrew's diseases of the skin. 9th ed. Saunders Company, Philadelphia, London, Toronto, P. 1065.

Drucker, C.R.; Hymes, S.R. and Jordon, R.E. (1991):

Vitiligo. In: Immunologic diseases of the skin (eds), Jordon, R.E.; P.: 419.

Du vivier A., (1982):

Topical cytostatic drugs in the treatment of skin cancer.
Clin. Exp. Dermatol., 7:89-92.

El-Akhras, A.; Eyada, M.; Abdel-Hamid, A.E.; Fawaz, N. and Yossif, N. (1995):

Complement activity in vitiligo. Egypt J. Derm. & Vener., 15: 12.

Epstein, E. (1962):

Dermabrasion. In: Skin surgery 2nd edition, Henry Kimpton, London, P. 243.

Epstein, E. (1986):

Present status of dermabrasion. J. A.M.A., 206: 607.

Falabella, R. (1983):

Repigmentation of segmental vitiligo by autologous minigrafting.

J. Am. Acad. Dermatol., 9 (4): 514-521.

Falabella, R. (1988):

Treatment of localized vitiligo by autologous minigrafting.

Arch. Dermatol., 124: 1649-1655.

Farrior, R.T. (1985):

Dermabrasion in facial surgery. Laryngoscope, 95: 534.

Fewkes, J.L.; Cheney, M.L. and Pollack, C.V. (1992):

Dermabrasion. In: Illustrated atlas of cutaneous surgery. J.B. Lippincott company, Philadelphia and Gower Medical Publishing, New York, London, P. 26.

Feldman L.D. and Jaffer A. (1985):

Fluorouracil-associated palmar-plantar erythrodysesthesia syndrome.

JAMA, 254:3479.

Gauthier, Y. and Surleve-Bazille, J.E. (1992):

Autologous grafting with non cultured melanocytes: A simplified methods for treatment of depigmented lesions.

J. Am. Acad. Dermatol., 26: 191-94.

Ghoz, M.M. (1996):

Vitiligo: treatment by topical application of 5-fluorouracil cream following dermabrasion.

Egypt J. Derm. & Ven., 161 (2): 79-83.

Goette D.K and Odom R.B. (1977):

Allergic contact dermatitis of topical fluorouracil.

Arch. Dermatol., 113:1058-6.

Goette D.K (1981):

Topical therapy with 5-fluorouracil Areview.

J.Am.Acad. Dermatol; 4:633-49.

Goldes J.A. and Kao G.F (1996):

Premalignant lesions. In: Roenigk R.K., Roenigk H.H., eds.

Dermatologic surgery, 2nd ed.. New York: Marcel Dekker, 439-63.

Good man and Gil man's (1996):

Texbook of the pharmacological Basis of therapeutics 9th ed./

Joel G.Hardman, Alfred Goodman; Gilman; Lee E. Limbird.
P:1247.

Grimes, P. (1993):

Vitiligo an overview of therapeutic approaches. Dermatol.,
11:325.

Guillaume J.C. Carp E., Rougier P. et al., (1988):

Effects secondaries Cutané- muqueux des perfusins continues
de 5-fluorouracile: 12 observations.

Ann. Deermatol. Vénéréol. 115-1167-9.

Hank, C.W.; O'Brian, J.J. and Solow, E.B. (1985 a):

Laboratory evaluation of skin refrigerants used in
dermabrasion. J. Dermatol. Surg. Oncol., 11: 45.

Hank, G.W.; Roenigk, H.H. and Pinskj, J.B. (1985 b):

Complication of dermabrasion resulting from excessively cold
skin refrigerate. J. Dermatol. Surg. Oncol., 11: 896.

Hobif, T.P. (1985):

Clinical dermatology: A colour guide to diagnosis and therapy.

The C.V. Mosby Company, St. Louis, Toronto, P. 110.

Hrushesky W.J. (1976):

Serpentine supravenuous 5-fluorouracil (NSC-19893) hyperpigmentation. Cancer Treat Rep. 60-639.

Hrushesky, W.J. (1980):

Unusual pigmentary changes associated with 5-fluorouracil therapy. Cutis., 26: 181-82.

Hugo (1978):

Videotape discussion of dermabrasion procedure. In: Symposium on surgery of the aging face. Edited by D. Goulion and E.H. Courtiss. The C.V. Mosby Company St. Louis, P. 190.

Iverson, P.C. (1947):

Surgical removal of traumatic tattoos of the face. J. Plast. Reconst. Surg., 2: 427.

Jansen G.T. (1983):

Commentary: use of topical of 5-fluorouracil. Arch. Dermatol; 119:784-5.

Johnson, W.C. (1991):

Facial scarring and dermabrasion. In: Aesthetic dermatology. Edited by L.C. Parish and G.P. Lask, McGraw-Hill, INC, New York, San Francisco, St. Louis, Sydney, P. 117.

Kandil, E. (1970a):

Treatment of localized vitiligo with intradermal injections of triamcinolone acetonide. Dermatologica, 140: 195.

Kandil, E. (1970b):

Vitiligo response to 0.2 betamethazone 17-valerate in flexible collodion. Dermatologica, 141: 277.

Klaus, S.N. and Winkelman, R.K. (1965):

Pigment changes induced in hairless mice by dimethylbenzanthrance. J. Invest. Dermatol., 45: 160-67.

Knulst A.C. De la Faille H.B. and Van Vloten W.A. (1995):

Topical 5-fluorouracil in the treatment of Darrier's disease. Br. J. Dermatol., 133:463-6.

Koga, M. (1988):

Epidermal grafting using the tops of suction blisters in the treatment of vitiligo.
Arch. Dermatol., 124: 1656-1658.

Koranda, F.C. (1989):

Dermabrasion. In: Facial scars incision, revision & camouflage. Edited by J.R. Thomas and G.R. Halt. The C.V. Mosby Company, St. Louis, P. 133.

Krebs H.B (1987):

The use of topical 5-fluorouracil in the treatment of genital condylomata Obstet. Gynecol. Clin. N.Am. 14:559-68.

Kurtin, A. (1953):

Corrective surgical planing of skin new technique for treatment of acne scar and other skin defects.
Arch. Dermatol., 68: 389.

Lerner, A.B. and Nordlund, J.J. (1978):

Vitiligo, what is it? Is it important? JAMA, 239: 1183.

Lerner, A.B.; Halaban, R.; Klaus, S. and Moellman, G.E. (1987):

Transplantation of human melanocytes.
J. Invest. Dermatol., 89: 219-224.

Lewis R.G. and Bendle B.J. (1971):

Erythroplasia of Queyrate: Treatment with topical 5-fluorouracil.
Can. Med. Assoc. 104-148-9.

Lewis J.R. (1973):

Dermabrasion. In: Atals of plastic surgery. 1st edition. Brown company. U.S.A. P.14.

Lu,Z. Zhang, R., and Diasio, R.B. (1993):

Dihydropyrimidine dehydrogenase activity in human peripheral blood mononuclear cells and liver: population characteristics newly identified deficient patients, and clinical implication in 5-fluorouracil chemotherapy.
Cancer Res. 53: 5433-5438.

Mandy, S.H. (1983):

A new primary wound dressing made of polyethylene oxide gel. *J. Dermatol. Surg. Oncol.*, 9: 153.

Marchini, G. (1989):

Microdermabrasion paper presented for XI congress of cosmetic medicine (Rome, 18-19 March).

Mauro, D.J. De Riel, J.K; Tallarida, R.J.; and Sirover, M.A. (1993):

Mechonisms of excision of 5-fluorouracil by uracil DNA glycosylase in normal humman cells. *Mol. Pharmacol* 43:854-857.

McEvitt, W.C. (1950):

Treatment of acne pits by abrasion with sand paper. *J.A.M.A.*, 142: 647.

Mosher, D.B.; Fitzpatrick, T.B.; Ortonne, J.P. and Hori, Y. (1987):

Disorders of pigmentation. In: *Dermatology in general medicine*. Eds.: Fitzpatrick, T.B. et al., 3rd ed. Vol. 1, McGraw-Hill Book Comp. New York, P. 810.

Mosher, T.B.; Fitzpatrick, T.B.; Horiy and Ortonne, J.P. (1993):

Disorders of pigmentation. In: *Dermatology in general medicine* Eds.: Fitzpatrick, T.B. et al., 4th ed., Vol. 1 McGraw Hill Inc. New York London, Paris, P. 923.

Murphy, G.F. (1995):

Vitiligo. In: *Dermatopathology. A practical guide to common disorders*. WB Saunders Co. London Toronto Tokyo, P. 318.

Muto, M.; Furumoto, H.; Ohmura, A. and Asagami, C. (1995):

Successful treatment of vitiligo with a sex steroid-thyroid hormone mixture. *J. Dermatol.*, 22 (10): 770-772 (Abs.).

Nordlund, J.J.; Halder, R.M. and Grimes, P. (1993):

Managemnt of vitiligo. *Dermatol. Clin.*, 11 (1): 27-33.

O'Brien, J.J. (1987):

Dermabrasion. In: *Fundamental of aesthetic plastic surgery*. Edited by S.A. Sohn. Williams Wilkins Baltimor, London, Los Angelos, Sydney, P. 187.

- Orenberg E.K., Miller B.H., Greenway T. et al. (1992):**
The effect of intralesional 5-fluorouracil therapeutic implant MPI 5003 for treatment of basal cell carcinoma.
J. Am. Acad. Dermatol. 77:723-8.
- Orentreich, N. (1972):**
Dermabrasion. In: The unfavourable result in plastic surgery.
Edited by R.M. Goldwyn, Little Brown, Boston, P. 25.
- Orentreich, D. and Orentreich, N. (1987):**
Acne scar revision update. J. of Dermatologic Clinics, 5: 359.
- Ortel, B.; Tanew, A. and Honigsmann, H. (1988):**
Treatment of vitiligo with khellin and UVA.
J. Am. Acad. Derm., 18 (4): 693-701.
- Ortonne, J.P.; Macdonald, D.M.; Micoud, A. et al. (1979):**
PUVA-induced repigmentation of vitiligo: A histochemical (split dopa) and ultrastructural study. Br. J. Dermatol., 101: 1-12.
- Parrish, J.A.; Fitzpatrick, T.B.; Christopher, S. and Pathak, M.A. (1976):**
Photochemotherapy of vitiligo.
Arch. Derm., 112: 1531.
- Pearlman D.L (1991):**
Weekly pulse dosing: effective and comfortable topical 5-fluorouracil treatment of multiple facial actinic keratoses.
J.Am. Acad. Dermatol. 25: 665-7.
- Prussick R., Thibault A., Turner M.L. (1993):**
Recall of cutaneous Toxicity from 5-fluorouracil.
Arch. Dermatol. 129:644-5.
- Rattner, H. and Rein, C.R. (1955):**
Treatment of acne scars by dermabrasion. J.A.M.A., 26: 1299.
- Rees, T.O. (1980):**
Chemabrasion and dermabrasion. In: Aesthetic plastic surgery.
Edited by T.D. Rees and S.J. Aston. Vol. II. WB Saunders Company, Philadelphia London, Toronto, P. 749.

- Robbins, N. and Kurtin, A. (1988):**
Father of ambulatory dermabrasion.
Surg. Oncol., 14: 425.
- Roenigk, H.H. (1985):**
Dermabrasion: state of the art. J. Dermatol. Surg. Oncol., 11:
306.
- Roenigk, H.H. (1989):**
Dermabrasion. In: Dermatologic surgery principles and
practice. Edited by R.K. Roenigk and H.H. Roenigk, Marcel
Dekker Inc., New York, P. 59.
- Rook A., wilkinson D.S. and Ebling F.J.G. (1998):**
Textbook of dermatology, Oxford, England, Blackwell
scientific p. 3477-3583.
- Schlang H.A. (1977):**
Inflammation of malignant skin involvement with 5-
fluorouracil.
JAMA, 238:1722.
- Seuff H., Reine I.D., Matthies C. et al., (1988):**
Topical 5-fluorouracil solution in the treatment of warts-
clinical experience and percutaneous absorption.
Br. J.Dermatol. 118: 409-14.
- Spira, M. (1977):**
Treatment of acne pitting and scarring.
J. Plast. Reconst. Surg., 60: 38.
- Stal, S.; Hamilton, S. and Spira, M. (1987):**
Surgical treatment of acne scars. Clinics in plast. Surg., 14:
261.
- Stegman, S.J.; Tromovitch, T.A. and Glogau, R.G. (1990):**
Dermabrasion. In: Cosmetic dermatologic surgery. 2nd edition,
year book medical publisher, INC, Chicago, London, Boca
Raton, P. 59.
- Stephen, O.; Kovacs, (1998):**
Vitiligo: Continuing medical Education.
J. Am. Acad. Dermatol., 38: 647-66.

Sturm H.M. (1979):

Bowen's disease and 5-fluorouracil.
J. Am. Acad. Dermatol. 1:513-22.

Szekeres, E. and Morvay, M. (1985):

Repigmentation of vitiligo macules treated topically with
efudix cream.
Dermatologica, 171: 55.

Tennstedt D. and Iachapelle J.M. (1987):

Allergic contact dermatitis to 5-fluorouracil.
Contact Dermatitis, 16:279-80.

Tsuji, T. and Hamada, T. (1983):

Topically administered fluorouracil in vitiligo.
Arch. Dermatol., 119: 722.

Ueki H. and Namba M. (1980):

Arzneimitteloxanthem durch ein neues 5- fluorourazilderivat.
Hautarzt, 31:207-8. Quoted from Rook textbook of
dermatology 6th edition 1998 p. 3477.

Vukelja S.J. Lombardo R.A., James W.D. et al., (1989):

Pyridoxine for the palmar-plantar erythrodysesthesia syndrome.
Ann. Intern. Med. III: 688-9.

Vukelja S.J. Bonner M.W, McCollough M et al., (1991):

Unusual serpentine hyperpigmentation associated with
systemic 5-fluorouracil.
J.Am. Acad. Dermatol, 25:905-8.

Yarborough, J.M. (1993):

Dermabrasion. In: Dermatology. Edited by S.L. Moschella and
H.J. Hurley 3rd edition, Vol. IV, WB Saunders Company,
Philadelphia, London, Toronto, P. 2478.