

REFERENCES

REFERENCES

(A)

- 1- Adejwvon, C.A.; Segal, S.J.; Foundes, A. and Sanchez, F.A. (1982): Comparative prolactin profiles in IUCD users and non IUCD users. Contraception 6: 613-618.
- 2- Archer, O.F. (1980): Physiology of prolactin clinical obstet. Gynecol. 2: 325-335.
- 3- Aubert, M.L.; Grumbach, M.M. and Kaplan, S.L. (1974): Heterologous Radioimmunoassay for plasma human prolactin, values in normal subjects, puberty, pregnancy, and in pituitary disorders. Acta Endocrinol., 79: 460-470.
- 4- Aubert, M.L.; Grumbach, M.M. and Kalpan, S.L. (1975): The ontogenesis of human fetal hormones. III. prolactin. J. Clin. Invest., 56: 155-161.

- 5- Aubert, J.M.; Boria, M.C., Stone, M.L. and Reyniak, J.V. (1977): Assessment of human chorionic gonadotropin (HCG) levels during luteal phase in women using intrauterine contraceptive devices. *Contraception*. 15: 557-561.

(B)

- 6- Badawi, M.; Bila, S.; L'Hermite, M.; Perz-Lopez, F. and Robyn, C. (1974): Comparative evaluation of Radioimmunoassay methods for human prolactin using Anti-ovine and antihuman prolactin sera. *IAEASM*. 177: 87-91.
- 7- Beeling, C.G.; Cederguist, L.L. and Fuchs, F. (1976): Demonstration of gonadotropin during the second half of the cycle in women using IUCDs. *Am. J. Obstet. Gynecol.*, 125: 855-857.
- 8- Ben-David, M. and Schenker, J.G. (1982): Human ovarian receptors to human prolactin implications in infertility. *Fertil. Steril.*, 2: 182-186.

- 9- Bigazzi, M.; Pollicino, G. and Nardi, E. (1979):
Is human decidua a specialized endocrine
gland. J. Clin. Endocrinol. Metab., 49:
847-850.
- 10- Buckman, U.T. and Peake, G.T. (1973): Estrogen
potentiation of phenothiazine-induced prolac-
tin secretion in man. J. Clin. Endocrinol.
Metab., 39: 977-979.
- (C)
- 11- Carlson, H.F.; Jacobs, L.S. and Daughaday, W.H.
(1973): Growth hormone, thyrotropin and
prolactin responses to thyrotropin-releasing
hormone following Diethylstilbestrol pre-
treatment J. Clin. Endocrinol. Metab.,
37: 488-492.
- 12- Change, C.C. and Tatum, H.J. (1970): A study
of the antifertility of intrauterine copper.
Contraception, 1: 265-272.
- 13- Change, R.J. (1978): Normal and abnormal PRL
metabolism. Clinical Obstet. Gynecol. 21:
125-137.

14- Chaudhuri, G. (1971): Intrauterine device:
Possible role of prostaglandin. Lancet,
2: 480-482.

15- Coutinho, E.M.; Neves, M.; Castro, E.; Landesman,
R. and Saxena B. (1982): Presence of HCG
in plasma of women wearing IUCDs or treated
by ovulation inhibiting drugs. Contraceptive
delivery system. 3: 176-180.

(D)

16- Daly, D.; Maslar, I. and Riddick, D. (1983):
PRL production during in vitro decidualiza-
tion of proliferative endometrium. Am.
J. Obstet. Gynecol., 145: 672-675.

17- Daly, D.C.; Walters, C.A.; Prior, J.C.; Kuslis,
S.T.; Chapitis, J.; Andreoli, J. and Riddick,
D.H. (1984): Prolactin production from
proliferative phase leiomyoma. Am. J. Obstet.
Gynecol., 8: 1059-1063.

- 18- Daly, D.C. and Riddick, D.M. (1984): The pituitary: physiology and disorders in infertile women. In: Infertility Diagnosis and Management. ed. Aiman J., Springer-Verlag INC. New York p,p. 54, 58, 70, 71.
- 19- Daunter, B. and Elstein, M. (1973): Serum levels of copper, caeruloplasmin and caeruloplasmin oxidase activity in women using copper-containing intrauterine devices and in women taking combined oral contraceptives. obstet. Gynecol. 80: 644-647.
- 20- David, E.A.; Gary, B.S. and Louis, K.G. (1979): Intrauterine Devices and Their Complications. Med. Pub. Divisions, Boston, p-p., 3-18.
- 21- DE-Rivera, J.L.; Lai, S. and Ettigi, P. (1976): Effect of acute and chronic neuroleptic therapy on serum prolactin levels in men and women of different age groups. Clin. Endocrinol., 5: 273-275.

(E)

- 22- Edwards, C.R.W.; Forsyth, I.A. and Besser, G.M.
(1971): Amenorrhoea glactorrhoea and primary
hypothyroid with high circulating levels
of prolactin. Br. Med. J., 3: 462-464.
- 23- Ehara, Y.; Siler, T.; Vanderberg, G.; Sinha,
Y.N. and Yen, S.S.C. (1973): Circulating
prolactin levels during the menstrual cycle:
Episodic release and diurnal variation.
Am. J. Obstet. Gynecol., 117: 962-970.
- 24- Ehara, Y.; Yen, S.S.C. and Siler, T.M. (1975):
Serum prolactin levels during puberty.
Am. J. Obstet. Gynecol., 121: 995-998.
- 25- El-Etreby, M.F. and Gumzel, P. (1974): Sex
hormones. Effects on prolactin cells in
the Rat, Dog, Monkey and men. Acta
Endocrinol., 76 [Suppl. 189]: 1-4.

(F)

- 26- Fahmy, B.M. (1983): The population problem and family planning in Egypt, The Social Research center of the Egyptian Family planning Association and the state information service Cairo, p. 9.
- 27- Fortuny, A.; Pujol-Amat, P.; Calaf, J.; Mackinman, P.C.B. and Robyn, C. (1973): Plasma level of LH, FSH and prolactin in women during and after insertion of IUCD. J. Reprod. Fertil., 35: 628-629.
- 28- Fraioli, F.; Paolicci, D.; Dondero, F.; Spera, G. and Isidori, A. (1980): Prolactin secreting adenoma in man and the role of prolactin in spermatogenesis. J. Endocrinol. Invest., 3: 155-159.
- 29- Franks, S.; Murray, M.A.F.; Jegquier, A.M.; Steel, S.J.; Nabarro, J.D.N. and Jacobs, H.S. (1975): Incidence and significance of hyperprolactinemic women with amenorrhoea. Clin. Endocrinol., 4: 597-607.

- 30- Franks, S.; Jacobs, H.S. and Nabbarro, J.D. (1976): Prolactin concentrations in patients with acromegaly: Clinical significance and response to surgery. Clin. Endocrinol., 5: 63-69.
- 31- Franks, S.; Nabbro, J.D. and Jacobs, H.S. (1977): Prevalence and presentation of hyperprolactinaemia in patients with "functionless" pituitary tumours. Lancet, 1: 778-780.
- 32- Franks, S. (1984): Prolactin in Endocrine Disorders. Ed. Donald, R.A. Marcel Dekker INC. New York p-p. 304-307.
- 33- Frantz, A.G. (1979): Control of prolactin secretion in Endocrinology, Volume (1). eds. Degroot, L.J.; Odell, W.D., Cahill, G.F., Martini, L., Potts, J.T., Nelson, D.H., Steinberger, E. and Winegrad, A. Grune and Stratton, INC. New York, p-p. 159-161.
- 34- Friesen, H.; Guyda, H. and Hwang, P. (1972): Functional evaluation of prolactin secretion. J. Clin. Invest., 51: 706-710.

(G)

35- Gautvik, K.M.; Weintraub, B.D. and Graeber, C.T. (1973): Serum prolactin and TSH: Effects of nursing. J. Clin. Endocrinol. Metab. 37: 135-138.

36- Giampietro, O.; Ramacciotti, C. and Mossi, G. (1984): Normoprolactinemia galactorrhoea in a fertile woman with a copper IUCD. Acta Obstet. Gynecol., 1: 23-25.

37- Gibbs, D.M. and Neill, J.D. (1978): Dopamine levels in hypophyseal stalk blood in the rat are sufficient to inhibit prolactin secretion in vivo. Endocrinology, 102: 1895-1900.

38- Glass, M.R.; Show, R.W.; Butt, W.R.; Edwards, R.L. and London, D.R. (1975): An abnormality of estrogen, feedback in amenorrhoea-galactorrhoea. Br. Med. J., 11: 274-275.

38- Golander, A.; Hurley, T.; Barrett, J. and Handwerger, S. (1979): Synthesis of prolactin by human decidua in vitro. J. Endocrinol. 82: 263-267.

- 39- Goldstuk, N.D. (1982): The IUCD in nulliporous women with special reference to Multiload copper 250 "Mini" and "Short" IUCDs. Br. J. Obstet. Gynecol. 4: 54-57.
- 40- Gonzelez, A.A.; Revilla, M.C. and Aznar, I.T. (1983): Fine structure of oviduct epithelium in women with IUCDS. Contraceptive delivery system. 3: 184-185.
- 41- Gorden, J.S.; Wuc, H. and Mikhalil, G. (1979): Daily plasma prolactin in various gynecologic endocrinopathies. Fertil. Steril., 31: 385-393.
- 42- Granner, D.K. (1985): Prolactin in Harpers Review of Biochemistry. Eds. Martin, D.W., Mayes, P.A., Rodwell, V.W. and Granner, D.K. lange medical pub. California p-p. 520-521.
- 43- Green, K. and Hagenfeldt, K. (1975): Prostoglandins in the human endometrium. Am. J. Obstet. Gynecol., 122: 611-615.

44- Greenspan, F.S. and Forsham, P.H. (1983):
Prolactin in Basic and Clinical Endocrinology. Lange Medical Pub. Califon'a p-p/
46-47.

45- Gump, D.W.; Mead, P.B.; Horton, E.L.; Lamborn,
K.R. and Forsyth, B.R. (1975): IUCD and
increased serum immunoglobulins levels
Obstet. Gynecol., 41: 259-263.

46- Gwee, H.M. and Mashiter, K. (1978): A24. hour
Radioimmunoassay for human prolactin.
J. Endocrinol., 77: 423-425.

(H)

47- Hagenfeldt, K. (1972): Intrauterine contraception
with the copper T device. Contraception,
6: 37-54.

48- Hagenfeldt, K. (1976): The mode of action of
medicated IUCDs. J. Repord. Fertil. 25:
117-132.

- 49- Hagenfeldt, K.; Landgren, B.M.; Edstrom, K.
and Johamnisson, E. (1977): Biochemical
and morphological changes in the human
endometrium induced by the progestasert
device. Contraception, 16: 183-186.
- 50- Hamberger, L. and Lindblom, B. (1982): Role
of prostaglandin in the mechanism of action
of copper IUCDs. Contraceptive delivery
system, 3: 179-181.
- 51- Hassan, E.O.; Foda, S.; Pathalla, M.; El-Samaa,
M.; Hassan, F.R. and Mobarak, M.B. (1984):
The IUCD: How it work. Med. Bull. Egyptian
Fertil. Care Society, 21: 3-4.
- 52- Hasson, H.M. (1982): Uterine goemetry and IUCD
design. Br. J. obstet. Gynecol., 4: 1-10.
- 53- Hatcher, R.A.; Guest, F.; Stewart, F.; Stewart,
G.K.; Trussell, J. and Frank, E. (1984-1985):
IUCD in contraceptive Technology. Irvington,
Pub. INC. New York. P. 79.

- 54- Hefnawi, F.; Kandil, O.; Askalani, H. and Serour, G. (1975): Influence of copper IUCD and lippes loop on sperm migration in human cervical mucous. *Contraception*, 11: 541-547.
- 55- Henawi, F. (1979): Advances in fertility control. in *Recent advances*, 13, *obstet. Gynecol.* Ed. Stallworthy J. and Bourne, G. Pub. Churcill Livingston INC. Edinburgh, p-p. 47-66.
- 56- Hillier, K. and Kasonde, J.M. (1976): Prostaglandin E and F concentrations in human endometrium after insertion of IUCD. *Lancet*, 1: 15-16.
- 57- Holub, W.R.; Reyner, F.C. and Forman, G.H. (1971): Increased levels of serum immunoglobulins G and M in women using IUCDs. *Am. J. Obstet. Gynecol.*, 110: 362-365.
- 58- Hopkins, C.R. and Farquhar, M.Q. (1973): Hormone secretion by cells dissociated from Rat anterior pituitaries. *J. Cell. Biol.*, 59: 276-280.

59- Horm, H.; Finkelstein, M.; Ben-David, M.; Salzberger, M.; Chowers, I.; Ben-Assuly, S. and Bell, J. (1975): Possible effect of IUCD on galactorrhoea in women. Contraception, 12: 419-424.

60- Hwang, P.; Guyda, H. and Friesen, H. (1972): Purification of human prolactin. J. Biol. Chem., 247: 1955-1959.

(J)

61- Jacobs, L.S.; Snyder, P.J. and Wilber, J.F. (1971): Increased serum prolactin after administration of synthetic thyrothropin releasing hormone (TRH) in man. J. Clin. Endocrinol. Metab., 33: 996-998.

62- Jacobs, H.S.; Franks, S.; Murray, M.A.F.; Hull, M.G.R.; Steal, S.J. and Nabbarro, J.D.N. (1976): Clinical and endocrine features of hyperprolactinemia amenorrhoea. Clin. Endocrinol., 5: 439-454.

63- Jacobs, H.S. (1981): Management of prolactin secreting pituitary tumours in progress in obstetrics and Gynaecology Vol. 1 ed. Studd. J. Charchill livingstone INC USA. p-p. 263-276.

64- Johannisson, F.; Landgren, B.M. and Hagenfeldt, K. (1977): The effect of intrauterine progesterone on the DNA. Content in isolated human endometrial cells. Acta cytol., 21: 441-445.

(K)

65- Kato, Y.; Nakai, Y. and Immura, H. (1974): Effect of 5-Hydroxy tryptophan (5-HTP) on plasma prolactin levels in man. J. Clin. Endocrinol. Metab., 38: 695-698.

66- Keller, D.W. (1984): Clinical Infertility. Appleton-Century-crofts. U.S.A., p,p. 51, 139.

- 67- Keye, W.R.; Yuen, B.H.; Knopj, R.F. and Jaffe, R.B. (1976): Amenorrhoea, hyperprolactinemia and pituitary enlargement secondary to primary hypothyroidism. Obstet. Gynecol., 6: 697-702.
- 68- Klein, T.A. and Mishell, D.E. (1977): Absence of circulating chorionic gonadotropin in wearers of IUCDs. Am. J. Obstet. Gynecol., 129: 626-628.
- 69- Kleinberg, D.L. and Frantz, A.G. (1971): Human prolactin measurmeent in plasma by in vitro Bioassay. J. Clin. Invest., 50: 1557-1559.
- 70- Kleinberg, D.L.; Noel, G.L. and Frantz, A.G. (1971): Chlorpromazine stimulation and L-Dopa suppression of plasma prolactin in man. J. Clin. Endocrinol. Metab., 33: 873-875.
- 71- Kleinberg, D.L.; Noel, G.L. and Frantz, A.G. (1977): Galactorrhoea: A study of 235 cases including 48 with pituitary tumours. N. Engl. J. Med., 296: 589-600.

- 72- Kreiger, D.T.; Howanitz, P.J. and Prantz, A.G.
(1976): Absence of nocturnal elevation
of plasma prolactin concentrations in
cushing's disease. J. Clin. Endocrinol.
Metab., 42: 260-263.

(L)

- 73- Lai, S.; Delovega, C.E. and Sourkes, T.L. (1973):
Effect of Apomorphine on growth hormone,
prolactin, luteinizing hormone and follicle-
stimulating hormone levels in human serum.
J. Clin. Endocrinol. Metab., 37: 719-722.

- 74- Landesman, R.; Coutinho, E.M. and Saxena, B.B.
(1979): Detection of human chorionic gonado-
tropin in blood regularly bleeding women
using copper IUCDs. Fertil. Steril., 27:
1062-1064.

- 75- Leblance, H.; Lachelin, G.C.L. and Abu-Padil,
S. (1976): Effects of dopamine infusion
on pituitary hormone secretion in humans
J. Clin. Endocrinol. Metab., 43: 668-671.

76- Lemon, P.W. (1973): Actions of Divalent Metal Ions on Prolactin Secretion in Human Prolactin. Eds. Postels, J.L. and Robyn, C. Excerpta medica Foundation, Amsterdam, p-p. 140-141.

77- Liskin, L. and Fox, G. (1982): IUCDs an appropriate contraceptives for many women. Population Reports series B, 4: 103-128.

(M)

78- Macleod, R.M. and Lehmyer, J.E. (1974): Proc. Soc. Exp. Biol. Med., quoted from Quigely M.M. and Haney, A.F. (1980): evaluation of hyperprolactinemia. Clinical Obstet. Gynecol. 2: 237-348.

79- Macleod, R.M. (1976): Regulation of prolactin secretion. In Frontiers in Neuroendocrinology, Vol. 4. eds. Martini, L. and Ganong, W.F., Churchill Livingstone New York. P. 169.

- 80- Malarkey, W.B. and Beck, P. (1975): 24-hour prolactin profiles in normal and disease states: Failure of thyroxine to modify prolactin secretion. J. Clin. Endocrinol. Metab., 40: 708-709.
- 81- Manautou, M.J.; Aznar, R.; Maqueo, M. and Pharriss, B.B. (1974): Uterine therapeutic system for long term contraception. Fertil. Steril., 25: 922-927.
- 82- Maslar, L.A. and Riddick, D.H. (1979): Prolactin production by human endometrium during the normal menstrual cycle. Am. J. Obstet. Gynecol., 135: 741-743.
- 83- Mcneilly, A.S.; Thorner, M.O. and Volans, G. (1974): Metaclopramide and prolactin. Br. Med. J., 2: 729-731.
- 84- Mehrotra, P.K. and Srivastava, K. (1982): Role of leukocytes and plasminogen activators in IUCD mechanism, effect of anti-inflammatory agents. Contraceptive Delivery system, 3: 180-181.

- 85- Mendelson, W.B.; Jacobs, L.S. and Reichman, J.D. (1975): Suppression of sleep-related prolactin secretion and enhancement of sleep-related growth hormone secretion. J. Clin. Invest., 56: 970-972.
- 86- Metha, S.; Power, V.; Joshi, J.; Kora, S.; Rajani, U.; Virhav, K.D.; Raikar, R.S. and Sheth, A.R. (1977): Serum prolactin level in women using copper IUCDs. Contraception 15: 327-334.
- 87- Micic, S.; Svenstoup, B. and Neilson, J. (1979): Treatment of hyperprolactinemia luteal insufficiency with bromocriptine. Acta Obstet. Gynecol. 58: 379-381.
- 88- Mishell, D.R. and Roy, S. (1982): Copper IUCD event rates following insertion 4 to 8 weeks postpartum. Am. J. Obstet. Gynecol., 143: 29-35.

- 89- Miyabo, S.; Asato, T. and Mizushima, N. (1977):

Prolactin and growth hormone responses to psychological stress in normal and neurotic subjects. J. Clin. Endocrinol. Metab., 44: 947-950.

- 90- Myatt, L.; Bray, M.A.; Gardon, D. and Marley, J. (1975):

Macrophages on IUCDs produce prostaglandins. Nature, 257: 227-229.

(N)

- 91- Nakano, R. and Yagi, S. (1983):

Feedback mechanism in sulpiride-induced hyperprolactinemia. Br. J. Obstet. Gynecol., 90: 350-354.

- 92- Newton, J.R. (1982):

Copper IUCDs, evaluation for long term use. Br. J. Obstet. Gynecol., 4: 20-31.

- 93- Noel, G.L.; Suth, H.K. and Stone, G. (1972):

Human prolactin and growth hormone release during surgery and other conditions of stress. J. Clin. Endocrinol. Metab., 35: 840-845.

- 94- Noel, G.L.; Dimond, R.C. and Wartofsky, L. (1974):

Studies of PRL and TSH secretion by continuous infusion of small amounts of thyrotropin-releasing hormone (TRH). J. Clin. Endocrinol. Metab., 39: 6-9.

- 95- Noel, G.L.; Suh, H.K. and Frantz, A.G. (1974):

PRL release during nursing and breast stimulation in postpartum and non-post partum subjects. J. Clin. Endocrinol. Metab., 38: 413-415.

- 96- Mutting, E. and Muller, M. (1975): The effect

of copper IUCD during the early stages of pregnancy in the Rabbit. Fertil. Steril., 26: 338-342.

(O)

- 97- Oster, G.K. (1972): Chemical reactions of the

copper IUCDs. Fertil. Steril., 1: 18-23.

(P)

- 98- Parker, D.C., Rossman, L.G. and Vanderlaan, E.F. (1973): Sleep related Nyctohemeral and briefly episodic variation in human plasma prolactin concentrations. J. Clin. Endocrinol. Metab., 36: 1119-1121.
- 99- Pepperell, R.J. (1981): Prolactin and reproduction fertil. Steril. 3: 267-274.
- 100- Poindexter, A.N.; Buttram, V.C.; Besch, P.K. and Lash, B. (1977): Circulating prolactin levels. Normal females. Int. J. Fertil., 22: 1-5.
- 101- Pointdexter, A.N.; Buttram, V.C.; Besch, P. and Smith, R.G. (1979): Prolactin receptors in the ovary. Fertil. Steril., 31: 273-277.

(Q)

- 102- Quigley, M.M. and Haney, A.F. (1980): Evaluation of hyperprolactinemia. Clinical Obstet. Gynecol., 2: 337-348.

(R)

103- Rakoff, J.S.; Siler, T.M. and Sinka, Y.N. (1973):

Prolactin and growth hormone release in response to sequential stimulation by Arginine and synthtic TRF. J. Clin. Endocrinol. Metab., 37: 641-644.

104- Ransom, W.T.; Champman, M. and Chull, G.K. (1979):

Serum PRL concentrations related to copper or inert (IUCDs) in women. Contraception 5: 441-446.

105- Rapoport, B.; Refetoff, S. and Fang, V.S. (1973):

Suppression of serum thyrotropin (TSH) by L-Dopa in chronic hypothyroidism: Interrelationships in the regulation of TSH and prolactin secretion. J. Clin. Endocrinal Metab., 36: 256-260.

106- Reda, A.M. and Kandil, O. (1982): Effect of

copper IUCDs on sperm transport in the human oviduct contraceptive delivery system 3: 177-178.

- 107- Refetof, S.; Fang, V.S. and Rapoport, B. (1974):

Interrelationships in the regulation of TSH and prolactin secretion in man: Effects of L-Dopa, TRH and Thyroid hormone in various combinations. J. Clin. Endocrinol. Metab., 38: 450-455.

- 108- Re, R.N.; Kourides, I.A. and Ridgway, E.C. (1976):

The effect of glucocorticoid administration on human pituitary secretion of thyrotropin and prolactin. J. Clin. Endocrinol. Metab., 43: 338-342.

- 109- Riddle, O.; Bates, R.W. and Dykshorn, S. (1933):

Am. J. Physiol. Quoted from Frantz, A.G. (1979): Endocrinology. Volume 1. Eds. Degroot, L.J., Cahill, G.F., Odell, W.D., Martini, L., Potts, J.T., Nelson, D.H., Steinberger, E. and Winergrad, A.I. Grune & Stratton, INC. New York. P. 153.

- 110- Rosado, A.; Hicks, J.J.; Aznar, R. and Mercado, E. (1974):

Intrauterine contraception with the progesterone. T-device. Contraception, 9: 39-42.

(S)

111- Sassin, J.F.; Frantz, A.G. and Kapen, S. (1973):

The nocturnal rise of human prolactin is dependent on sleep. J. Clin. Endocrinol. Metab., 37: 436-438.

112- Schmidt-Gallwitz, M. and Saxena, B.B. (1975):

Radiomimmunoassay of human PRL. Acta Endocrinol., 80: 262-264.

113- Schultz, K.D.; Geriger, W.; Delpoza, E. and

Kunzig, H.J. (1978): Pattern of sexual steroids and gonadotrophic hormones during prolactin inhibition in normally cycling women. Am. J. Obstet. Gynecol., 132: 561-566.

114- Scommegna, A.; Pandya, G.N.; Christ, M., Lee,

A.W. and Cohen, M.R. (1970): Intrauterine administration of progesterone by a slow releasing device. Fertil. Steril., 21: 201-205.

115- Segal, S.; Polishuk, W.Z. and Ben-David, M.

(1976): Hyperprolactinemic male infertility. Fertil. Steril., 27: 1425-1428.

- 116- Shaar, C.J. and Clemens, J.A. (1974): The role of catecholamines in the release of anterior pituitary prolactin in vitro. *Endocrinology*, 95: 1202-1204.
- 117- Shearman, R.P. (1983): Inappropriate hyperprolactinemia and secondary amenorrhoea. In program in obstetric and Gynaecology volume 3. ed. John studd. Churchill Livigstone INC. USA. p-p. 257-266.
- 118- Shome, B. and Parlow, A.F. (1977): Human pituitary prolactin. The entire linear aminoacids sequence *J. Clin. Endocrinol. Metab.*, 45: 1112-1116.
- 119- Sinha, Y.N.; Selly, F.W. and Lewis, U.J. (1973): Ahomologus Radioimmunoassay for human prolactin. *J. Clin. Endocrinol. Metab.*, 36: 509-516.
- 120- Smythe, G.A.; Compton, P. and Lazarus, L. (1975): The stimulation of human prolactin secretion by 3-Iodo-L-Tyrosine. *J. Clin. Endocrimol. Metab.*, 40: 714-716.

- 121- Snowden, R. (1982): General assessment of the Multiload Cu 250 IUCD. Br. J. Obstet. Gynecol., 4: 58-66.
- 122- Sowers, J.R.; McCallum, R.W. and Hershman, J.M. (1976): Comparison of Metoclopramide with other dynamic tests of prolactin secretion. J. Clin. Endocrinol. Metab., 43: 679-681.
- 123- Sowers, J.R.; Carlson, H.F. and Brautbar, N. (1977): Effect of dexamethasone on prolactin and TSH responses to TRH and Metochlopramide in man. J. Clin. Endocrinol. Metab., 44: 237-240.
- 124- Spellacy, W.N.; Buhi, W.C. and Birk, S.A. (1975): Stimulated prolactin levels in women using medroxy progesterone acetate or and IUCD for contraception. Fertil. Steril., 26: 970-972.
- 125- Spellacy, W.N.; Mahan, C.S.; Buhi, W.C. and Dumbaugh, V.S. (1978): Plasma prolactin levels and contraception: oral contraception and IUCDs. Contraception, 17: 71-77.

126- Stearms, E.L., Winter, J.S.D. and Faiman, C.

(1973): Effects of coitus on gonadotropin, prolactin and sex steroid levels in man. J. Clin. Endocrinol. Metab., 37: 687-690.

127- Stricker, S. and Grueter, F. (1928): C.R. Soc.

Biol. Quoted from Frantz, A.G. (1979): Endocrinology Vol. 1. eds. Degroot, L.J., Cahill, G.F., Odell, W.D., Martini, L., Potts, J.T., Nelson, D.H., Steinberger, E. and Winegrad, A.I. Grune of Stration, INC. New York. P. 153.

128- Studd, J. (1983): Intrauterine devices in:

Progress In Obstet. Gynecol. Vol 3. Churchill-Livingstone London P. 296.

(T)

129- Takahara, J.; Arimura, A. and Schally, A.V.

(1974): Suppression of prolactin release by a purified procine PIF. Preparation and catecholamines infused into a Rat hypophyseal portal vessel. Endocrinology, 95: 462-463.

130- Tatum, H.J. (1972): Intrauterine contracetpion.

Am. J. Obstet. Gynecol., 112: 1000-1023.

131- Tatum, H.J. (1973): Metalic copper as an intra-

uterine contraceptive agent. Am. J. obstect.

Gynecol. 117: 602-608.

132- Tatum, H.J.; Schmidt, F.H. and Jain, A.K. (1976):

Management and outcome of pregnancies assoc-

iated with copper T IUCD. Am. J. Obstet.

Gynecol. 126: 869-879.

133- Tatum, H.J. (1977): Clinical aspects of IUCDs.

Fertil. Steril., 28: 3-28.

134- Thiery, M. (1982): Copper IUCDs. Contraceptive.

Delivery System, 3: 241-242.

135- Thomsen, R.J. (1982): An Atlas of Intrauterine

Contraception. Hemisphere Pub. Corporation,

London. p-p. 1-5.

- 136- Tillson, S.A.; Marian, M.; Mudson, R.; Wong, P.; Pharriss, B.; Aznar, R. and Martinez-Manautoui, J. (1975): The effect of intra-uterine progesterone on the hypothalamic hypophyseal ovarian axis in humans. *Contraception*, 11: 179-182.
- 137- Tolis, G.; Hickey, J. and Gugda, H. (1975): Effects of morphine on serum growth hormone, cortisol, prolactin and thyroid stimulating hormone in man. *J. Clin. Endocrinol. Metab.*, 41: 797-802.
- 138- Tomita, K.; Mccoshen, J.A., Fernandez, C.S. and Tyson, J.E. (1982): Immunologic and biologic characteristics of human decidual prolactin. *Am. J. Obstet. Gynecol.*, 142: 420-442.
- 139- Tyson, J.E.; Hwang, P. and Guyda, H. (1972): Studies of prolactin secretion in human pregnancy. *Am. J. Obstet. Gynecol.* 113: 14-18.

(V)

140- Vanos, W.A.A.; Rhemsey, P.E.R.; Bomert, L. and Aartsem, E.J. (1974): Presented at 8th world congress on fertility and sterility. November 3-9. Buenos Aires Argentina quoted from David, E.A., Gary, B.S. and Louis, K.G. (1979): IUCD and their complicaition. Med. Pub. Divisions, Boston, P. 10.

141- Vekemans, M. and Robyn, C. (1975): Influence of age on serum prolectin levels in women and men. Br. Med. J., 4: 738-440.

142- Voagt, J.L. and Meites, J. (1973): Proc. Soc. Exp. Biol. Med. quoted from Quigley M.M. and Haney A.F. (1980): Evaluation of hyperprolactinemia. Clinical. Obstet. Gynecol. 2: 337-348.

(W)

143- Walters, C.A.; Daly, D.C.; Chapitis, J.; Kuslis, S.T.; Porior, J.C., Kusmik, W.F. and Riddick, D.H. (1983): Human myometrium: A new potential source of prolactin. Am. J. Obstet. Gynecol., 6: 639-644.

- 144- Wan, L.S.; Hsu, Y.C.; Ganguly, M. and Bigelow, B. (1977): Effects of progestasert on the menstrual pattern, ovarian steroids and endometrium, *contraception*, 16: 417-420.
- 145- Weiss, R.R.; Frantz, A.G. and Macri, J.N. (1977): Prolactin and human placental lactogen changes in maternal serum and amniotic fluid in Mid-trimester induced abortions *Am. J. Obstet. Gynecol.*, 129: 9-13.
- 146- Wenof, M.; Aubert, J.M. and Reyniak, J.V. (1979): Serum prolactin levels in short-term and long-term use of inert plastic and copper IUCDs. *Contraception*, 19: 21-27.
- 147- Whittsel, J. and Johnsson, G. (1979): Adenylate cyclase from human decidua. *Am. J. Obstet. Gynecol.*, 133: 479.
- 148- Winter, A.J.; Colston, C. and Macdonald, P.C. (1975): Fetal plasma prolactin levels. *J. Clin. Endocrinol. Metab.*, 41: 626-630.

- 149- Wise, J.; Morris, M.A. and Handwerger, S. (1980):
Measurment of prolactin. Clinical Obstet.
Gynecol. 2: 315-324.

(Y)

- 150- Yarkoni, S.; Polishuk, W.Z.; Spitz, I.M. and
Ben-David, M. (1977): Inhibitory effect
of hyperprolactinemia on induction of ovula-
tion of gonadotropins. Fertil. Steril.,
28: 772-775.

- 151- Yen, S.S.C.; Ehara, Y. and Siler, T.M. (1974):
Augmentation of prolactin secretion by
Estrogen in Hypogonadal women. J. Clin.
Invest., 53: 652-656.

(Z)

- 152- Zacur, H.A.; Foster, G.A. and Tyson, J.E. (1976):
Multifactoral regulation of prolactin secre-
tion. Lancet, 21: 410-412.
- 153- Zipper, J.A.; Tatum, H.J.; Pastene, L.; Medel,
M. and Rivera, M. (1976): Metallic copper
as an intrauterine contraceptive agert.
Am. J. Obstet. Gynecol. 105: 1274-1278.

- 154- Zipper, J.; Medel, M. and Prager, R. (1969):
Suppression of fertility by intrauterine
copper and zine in Rabbits. Am. J. Obstet.
Gynecol. 105: 529-533.
- 155- Zipper, J.; Edelman, D.A. and Goldsmith, A.
(1977): An over view of IUCD reserch and
implications for the future. Int. J. Obstet.
Gynecol., 15: 73-77.