

REFERENCES

REFERENCES

A

- 1- Abdella, T.N.; Sibai, B.M.; Hays, J.M., Jr. and Anderson, G.D. (1984) :

Relationship of hypertensive disease to abruptio placentae. Am. J. Obstet. Gynecol., 63 : 365-370.

- 2- Alanen, A., and Lassila, O. (1982) :

Deficient natural killer cell function in preeclampsia. Obstet. Gynecol., 60 : 631-635.

- 3- Assali, N.S.; Holm, L.W., and Parker, H.R. (1964) :

Systemic and regional hemodynamic alterations in toxemia. Circulation, 30 : 53-58.

B

- 4- Balasch, J.; Mirapeix, E.; Borche, L.; Vives, J., and Merlo, J.G. (1981) :

Further evidence against preeclampsia as an immune complex disease. Am. J. Obstet. Gynecol., 58 : 435-437.

- 5- Battroff, M.B.; Songu-Mize, E., and Hoon, T. (1986) :

Na^+/K^+ ATPase inhibition of digitalis-like factors in neonates. Fed. Proc., 45 : 651-656.

- 6- Beely, L. (1981) :
Adverse effects of drugs in later pregnancy.
Clinics in Obstet. & Gynecol., 2 : 286.
- 7- Bellar, F.R., and Uszynski, M. (1974) :
Disseminated intravascular coagulation in
pregnancy. Clinical Obstet. Gynecol., 17 : 250-59.
- 8- Besch, H.R., Jr; Hufferd, S.; Lake, M.; Nurwito, R. and
Watanabe, A.M. (1976) :
False elevation of apparent digoxin levels in
plasma of premature infants. Clin. Chem., 22 : 1168-
72.
- 9- Beyers, A.D.; Spruyt, L.L.; Seifart, H.I.; Kriegler, A.;
Parkin, D.P., and Van Jaarsveld, P.P. (1983) :
Endogenous digoxin-like material therapy. S. Afr.
Med. J., 64 : 42.
- 10- Beyer, A.D.; Odendaal, H.J.; Spruyt, L.L., and Parkin D.P.
(1984) :
The possible role of endogenous digitalis like
substance in the causation of preeclampsia. S. Afr.
Med. J., 65 : 883-885.
- 11- Bianchi, G.; Foxu, D.; Francesco, G.F.; Giovanetti, A.M. and
Pagetti, D. (1974) :
Blood pressure changes produced by kidney cross
transplantation between spontaneously hypertensive

rats and normotensive rats. Clin. Sci. Mol. Med.,
47 : 435-438.

12- Blaustein, M.P. (1977) :

Sodium ions, calcium ions, blood pressure
regulation and hypertension a reassessment and a
hypothesis. Am. J. Physiol., 232 (3) : c 165-173.

13- Bodem, G. and Dengler, H.J. (1978) :

Cardiac glycosides, International Boehringer-
Mannheim, Symposia (Editros), Springer Verlag,
Quoted from Basic and Clinical Pharmacology, Third
edition, Edited by Bertram, G.; Katzung, M.D.,
Appleton & Lange (1987).

14- Bond, A.L.; August, P.; Druzin, M.L.; Atlas, S.A.; Sealey,
J.E.; and Laragh, J.H. (1989) :

Atrial natriuretic factor in normal and
hypertensive pregnancy. Am. J. Obstet. Gynecol.,
160 : 1112-1116.

15- Bonner, J. (1978) :

Hemostatic function and coagulopathy during
pregnancy. In Wynn R. (ed.) : Obstetrics and
Gynecology Annual; New York, Appleton, P. 1985.

16- Borst, J.G.G. and Borst de Geus, A. (1963) :

Hypertension explained by staling's theory of
circulatory homeostasis. Lancet 1; 667-682.

- 17- Brunner, H.R. and Gravras, H. (1980) :

Vascular damage in hypertension. Quoted from Pritchard, J.A. and Mac Donald, P.C.; Williams Obstetric, Nw York : Appleton, Century, Crofts, New York, 525-560.

- 18- Buckalew, V.W., Jr, and Gruber, K.A. (1984) :

Natriuretic hormone. Ann. Rev. Physiol., 46 : 343-358.

C

- 19- Carretti, N.; Chiaramonte, P.; Pasini, C.; Zanetti, M., and Fagiolo, M. (1974) :

First International Symposium on Immunology in Obstetrics and Gynecology, Eds. Centaro A., and Carretti N., Amsterdam, Excerpta, Medico, P. 221.

- 20- Chesley, L.C. and Daffus, G.M. (1971) :

Preeclampsia and renal function. Obstet. Gynecol., 38 : 1-5.

- 21- Chesley, L.C. (1975) :

The renin, angiotensin in pregnancy. J. Report. Med., 15 : 173.

- 22- Chesley, L.C. (1978) :

Hypertensive Disorders in Pregnancy. : Appleton Century-Crofts, New York, P. 14, p. 302, 482.

- 23- Coopland, A.; Alkjaersig, N. and Fletchev, A.J. (1969) :
Reduction in plasma factor XIII concentration
during pregnancy. J. Lab. Clin. Med., 73 : 144-151.

D

- 24- Dahl, L.K.; Knudsen, K.O., and Iwai, J. (1969) :
Humoral transmission of hypertension : evidence
from parabiosis. Circ. Res. 24, 25 (Suppl. 1) : 121-
133.
- 25- Dahl, L.K., and Heine, M. (1975) :
Primary role of renal homografts is setting chronic
blood pressure level in rats. Circ. Res., 36 : 692-
696.
- 26- Daniel, W. (1983) :
Biostatistics, In : A Foundation for analysis in
the health science 3rd edn. John Wiley and Sons,
New York, pp. 185-210.
- 27- Davison, J.; Lindheimer, M.D. (1987) :
Hypertension and pregnancy. In Schrier, R.W.;
Cottschalk, C.W. (eds.) : Diseases of the kidney,
4th ed. Boston, Little, Brown, Boston. Quoted from
Hypertension in Pregnancy Medical Clinics of North
America, Vol. 71, No. 5 (1987).

- 28- De Wardner, H.E.; Mac Gregor, G.A. (1980) :
Dahl's hypothesis that a circulating substance may
be responsible for a sustained rise in arterial
pressure : its possible role in essential
hypertension. *Kidney Int.*, 18 : 1-9.
- 29- De Wardner, H.D. (1982) :
The natriuretic hormone. *Ann. Clin. Biochem.*, 19 :
137-140.
- 30- De Wardner, H.E., and Mac Gregor, G.A. (1982) :
The natriuretic hormone and essential hypertension.
Lancet, 26 : 1450-1454.
- 31- De Wolf, F.; Robertson, W.B. and Borosen, I. (1975) :
The ultrastructure of acute arteriosclerosis in
hypertensive pregnancy. *Am. J. Obstet. Gynecol.*,
123 : 164-169. Quoted from *Williams Obstetrics*
Seventeenth Edition Appleton-Century Crofts. New
York.
- 32- Duenhoelter, J.H.; Jimenez, J.M. and Baumann, G. (1975) :
Pregnancy performance in patients under fifteen
years of age. *Obstet. Gynecol.*, 46 : 49-53.

E

- 33- Ellis, C.N., and Julius, S. (1973) :
Role of central blood volume in hyperkinetic border-
line hypertension. *Br. Heart. J.*, 35 : 450-455.

- 34- Epstein, M.; Bricker, N.S.; Bourgoignie, J.J. (1978) :
Presence of a natriuretic factor in urine of normal
men undergoing water immersion. *Kidney Int.*, 13 :
152-158.

F

- 35- Fisher, K.A.; Luger, A. and Spargo, B.H. (1981) :
Hypertension in pregnancy : clinical pathologic
correlation and late prognosis. *Medicine*, 60 : 267-
2.
- 36- Fox, H. (1982) :
Do the morphological abnormalities found in
preeclampsia have an immunological basis. In
Mahmoud Sammour, Malcolm, Symonds, Fredrick Zuspan
Nabil El-Tomi, 249.
- 37- Francis, L., and Abel (1982) :
Heart and circulation from basic physiology for the
health sciences second edition edited by Ewald, E.;
Schlukert, Little Brown and Company.
- 38- Frank, E.; Hyttem, (1981) :
Pregnancy Induced Hypertension in Twin Pregnancy,
91 : 3.
- 39- Frederick, P. and Zuspan, M.D. (1984) :
Hypertension and renal disease in pregnancy.
Clinical Obstet. Gynecol., 27 : 797-799.

- 40- Fuchen, H.; Nakabayashi, M. and Satohk, S. (1980) :

Urinary fibrinolysis in toxemia of pregnancy. Acta Obstet. Gynecol. Scand., 59 : 499-502.

G

- 41- Gallery, E.D.; Ross, M.; Grigg, R., and Bean, C. (1985) :

Are the renal function changes of human pregnancy caused by prostacyclin ? Prostaglandins Dec., 30 (6) : 1019-1029.

- 42- Galton, M.; Merrit, K.; Beller, F.K. (1971) :

Coagulation studies on peripheral circulation of patients with toxemia of pregnancy. A study for evaluation of DIC in toxemia. J. Reprod. Med., 6 : 89-94.

- 43- Gant, N.F.; Daley, G.L.; Chand, S.; Whalley, P.J., and MacDonald, P.C. (1973) :

A study of angiotensin II pressor response throughout primigravid pregnancy. J. Clinic. Invest., 52 : 2682.

- 44- Gant, N.F. and Worley, J. (1980) :

Hypertension in Pregnancy Concepts and Management. Appleton-Century-Crofts, New York, P. 525-556.

- 45- Gant, N.F. and Pritchard, J.A. (1984) :

Pregnancy induced hypertension. Semin Nephrol., 4 : 260-271.

- 46- Graves, S.W.; Brown, B. and Valdes, R.Jr. (1983) :
Endogenous digoxin-like substance measured in patients with renal impairment. *Annals of Internal Medicine*, 99 : 604-608.
- 47- Graves, S.W.; Valdes, R.; Brown, B.A.; Knight, A.B. and Craig, H.R. (1984) :
Endogenous digoxin-immuno reactive substance in human pregnancies. *J. Clin. Endocrinol. Metab.*, 58: 748-751.
- 48- Graves, W., and William, G.H. (1984) :
An endogenous ouabain-like factor associated with hypertensive pregnant women. *J. of Clinical Endocrinology and Metabolism*, 59 : 1070-1074.
- 49- Greenway, D.C., and Nanji, A.A. (1985) :
Falsely increased results for digoxin in sera from patients with liver disease : ten immunoassay kits compared. *Clin. Chem.*, 31 : 1078-1079.
- 50- Gruber, K.A.; Whitaker, J.A. and Buckalew, W.M., Jr. (1980):
Endogenous digitalis-like substance in plasma of volume-expanded dogs. *Nature*, 287 : 743-745.
- 51- Gruber, K.A.; Rudel, I.I., and Bulact, B.C. (1982) :
Increased circulating levels of an endogenous digoxin-like factor in hypertensive monkey. *Hypertension*, 4 : 348-354.

- 52- Gusdon, J.P., Jr; Vardaman, M.; Buckalew, Jr., and Hennessy, J.F. (1984) :

A digoxin-like immunoreactive substance in preeclampsia. Am. J. Obstet. & Gynecol., 150 : 83-85.

H

- 53- Haddy, F.J., and Overbeck, H.W. (1976) :

The role of humoral agents in volume expanded hypertension. Life Sci., 19 : 935-948.

- 54- Haddy, F.J. (1981) :

What is the link between vascular smooth muscle. Sodium pump and hypertension ? Clin. Exp. Hyper., 3: 179-182.

- 55- Hamlyn, J.M.; Ringel, R.; Schaeffer, J.; Levinson, P.D.; Hamilton, B.P.; Kowarski, A.A. and Blaustein, M.P. (1982) :

A circulating inhibitor of $(Na^+ + K^+)$ ATPase associated with essential hypertension. Nature, 300 : 650-652.

- 56- Hanson, M.; Kiessling, R.; and Anderson, E. (1981) :

Quoted from Alanen, A. and Lassila, D. : Deficient natural killer cell function in preeclampsia. Eur. J. Immunol., 60 : 631-635.

- 57- Hirai, N.; Yanaihara, T.; Nakayama, T.; Ishibashi, M. and Yamaji, T. (1988) :

Plasma level of atrial natriuretic peptide during normal pregnancy and in pregnancy complicated by hypertension. Am. J. Obstet. Gynaecol., 159 : 27-31.

K

- 58-Kasper, C.K.; Hoag, M.S.; Aggeler, P.M., and Stone, S. (1964) :

Blood clotting factors in pregnancy, factor VIII concentration in normal and AHF-deficient women. Obstet. Gynecol., 24 : 242-245.

- 59- Kaunitz, A.M.; Hughes, J.M.; Grimes, D.A.; Smith, J.C.; Rochat, R.W.; and Kafrissen, M.E. (1985) :

Causes of maternal mortality in the United States. J. of the American College of Obstetricians Gynecologists, 65 : 605-616.

- 60- Katzung, B.G. and Parmley, W.W. (1987) :

Cardiac glycosides and other drugs used in the treatment of congestive heart failure. Quoted from basic and clinical pharmacology third edition edited by Bertram G. Katzung, Appleton, Lange, Los Altos, California, pp. 138-150.

- 61- Kawabe, K.; Watanebe, T.X.; Shiono, K.; Sokabe, I.I. (1979):
Influence of blood pressure on renal isografts
between spontaneously hypertensive and normotensive
rats utilizing the F. hybrids Jap. Heart J., 20 :
886-894.
- 62- Kelly, J.G.; Naidu, R.K. and O'Malley, K. (1981) :
Evidence for a circulating sodium transport
inhibitor in essential hypertension. Br. Med. J.,
282, P. 1241.
- 63- Klingmuller, D.; Weiler, E., and Kramer, H.J. (1982) :
Digoxin-like natriuretic activity in the urine of
salt-loaded healthy subjects. Klin Wochenschr., 60:
1249-1253. Quoted from Ann. Rev. Physiol., 1984, 46
: 343-358.
- 64- Kojima, I.; Yoshihara, S., and Ogata, E. (1982) :
Involvement of endogenous digitalis-like substance
in genesis of deoxycorticosterone-salt substance.
Life Sci., 30 : 1775-1781.
- 65- Kramer, H.J. (1981) :
Natriuretic hormone a circulating inhibitor of
sodium and potassium-activated adenosine
triphosphatase. Klin. Wochenschr., 59 : 1225-1230.
Quoted from Phelps S.J.; Cochran E.B.; Gonzalez-
Ruiz A.; Tolley E.A.; Hammond K.D. and Sibai B.M.

(1988) : The influence of gestational age and preeclampsia on the presence and magnitude of serum endogenous digoxin-like immunoreactive substances. Am. J. Obstet. Gynecol., 158 : 34-39.

- 65- Kuhnert, B.R.; Kuhnert, P.M.; Murray, B.A. and Sokal, R.J.
(1977) :

Na/K and Mg-ATPase activity in the placenta and in maternal and cord erythrocytes of preeclamptic patients. Am. J. Obstet. Gynecol., 127 : 56-60.

L

- 67- Laragh, J.H. (1962) :

Interrelationships between angiotensin norepinephrine, epinephrin, aldosterone secretion and electrolyte metabolism in man. Circulation, 25:203-209.

- 68- Lichtstein, D. and Samuelov, S. (1982) :

Membrane potential changes induced by the oubain-like compound extracted from mammalian brain. Proc. Natl. Acad. Sci. USA, 79 : 1453-1456. Quoted from S. Afr. Med. J., 19, Endogenous digoxin like material.

- 69- Lindheimer, G.E.; Davison, J.M. and Katz, A.L. (1985) :
Pathophysiology and management of hypertension
during pregnancy. Proc. EDTA - ERA, 22 : 823. Quoted
from Medical Clinics of North America, (71); 5 :
1031-1043.
- 70- Lindheimer, G.E. and Katz, A.L. (1985) :
Hypertension in pregnancy. N. Engl. J. Med., 31 :
675-679.
- 71- Lundin, S.; Folkow, B. and Rippe, B. (1981) :
Central blood volume in spontaneously hypertensive
rate. Acta Physiol. Scand., 112 : 257-262.

M

- 72- Mac Gregor, G.A.; Fenton, S.; Alughband-Zadeh, J.; Markandu,
N.; Roulson, J.E., and De Wardener, H.E. (1981) :
Evidence for raised concentration of a circulatory
sodium transport inhibitor in essential
hypertension. B.M.J., 282 : 1355-1357.
- 73- Milsom, I.; Hedner, J., and Hedner, T. (1988) :
Plasma atrial natriuretic peptide (ANP) and
maternal hemodynamic changes during normal
pregnancy. Acta Obstet. Gynecol. Scand., 67 : 717-
722.

74-Miyamoto, S.; Shimokawa, H.; Sumioki, H., and Nakano, H.

(1989) :

Physiologic role of endogenous human atrial natriuretic peptide in preeclamptic pregnancies. Am. J. Obstet. Gynecol., 160 : 155-159.

75-Morris, R.H.; Vassalli, P.; Beller, F.K. and Mac Clusky,

R.T. (1964) :

Immuno-fluorescent studies of renal biopsies in the diagnosis of toxemia of pregnancy. J. Obstet. Gynecol., 24 : 32-36. Quoted from Medical Complications during pregnancy, Burrow, G.N. and Ferris, T.F. (1982) Second Edition.

N

76-Noresson, E.; Rickstein, S.E., and Thoren, P. (1979) :

Left atrial pressure in normotensive and spontaneously hypertensive rats. Acta. Physiol. Scand., 107 : 9-12.

P

77- Page, E.W., and Christianson, R. (1976) :

The impact of mean arterial pressure in the middle trimester upon the outcome of pregnancy. Am. J. Obstet. Gynecol., 125 : 740-745.

- 78- Phelps, S.J.; Kamper, G.A.; and Bottorff, M.B. (1987) :
Effects of age and serum creatinine on endogenous
digoxin-like substances in neonates, infants, and
children. *J. Pediatr.*, 110 : 136-139.
- 79- Phelps, S.J.; Cochran, E.B.; Gonzalez-Ruiz, A.; Tolley,
E.A.; Hammond, K.D., and Sibai, B.M. (1988) :
The influence of gestational age and preeclampsia
on the presence and magnitude of serum endogenous
digoxin-like immunoreactive substance(s). *Am. J.*
Obstet. Gynecol., 158 : 34-39.
- 80- Plunkett, W.C.; Hutchins, P.M.; Gruber, K.A., and Bukalew,
V.M. (1982) :
Evidence for a vascular sensitizing factor in
plasma of saline-loaded dogs. *Hypertension*, 4 : 581-
585.
- 81- Poston, I.; Wilkinson, S.P.; Sewell, R.; Williams, R. (1979)
Inhibition of leucocyte sodium transport during
mineralocorticoid escape. *Clin. Science.*, 58-59.
- 82- Pritchard, J.A. (1975) :
Standardized treatment of 154 cases of eclampsia.
Am. J. Obstet. Gynecol., 123 : 543-547.
- 83- Prithcard, J.A.; Cunningham, F.G., and Mason, R.A. (1976) :
Coagulation change in eclampsia, their frequency

and pathogenesis. Am. J. Obstet. Gynecol., 124 :
855-859.

84- Pritchard, J.A. and MacDonald, P.C. (1976) :

Acquired coagulation defect in William's Obstetrics
15th edition. New York. Appleton Century Crofts,
New York, pp. 525-560.

85- Pritchard, J.A. and MacDonald, P.C. (1980) :

William's Obstetrics 16th edition. Appleton Century
Crofts. New York.

86- Pritchard, J.A.; MacDonald, P.C. and Gant, N.E. (1985) :

Hypertensive disorder of pregnancy in William's
Obstetric, New York. Appleton Century Crofts.

R

87- Redman, C.W.; Bodmer, J.G.; Bodmer, W.F.; Beilin, L.J., and
Bonnar, J. (1978) :

HIA antigen in severe preeclampsia. Lancet. Aug.
19:2 (8086) : 397-399.

88- Redman, C.W.G. (1980) :

Treatment of hypertension in pregnancy. Kidney
Int., 18 : 267-269.

89- Russell, Roman, De Alvarez (1983) :

Preeclampsia Eclampsia and Renal Disease in

Pregnancy. Clinical Obstet. and Gynecol., Vol. 21,
No. (3), P. 881-905.

S

- 90- Safar, M.E.; London, G.M.; Levenson, J.A.; Simon, A. and
Chau, N.P. (1979) :

Rapid dextran infusion in essential hypertension.
Hypertension, 1 : 615-623.

- 91- Schreiber, V.; Kolbel, F.; Stepan, J.; Gregorova, I. and
Pribyl, T. (1981) :

Digoxin-like immunoreactivity in the serum of rats
with cardiac overload. J. Mol. Cell. Cardiol., 13 :
107-110.

- 92- Schreiber, V.; Stepan, J.; Gregorova, I., and Krejcikova, J.
(1981) :

Crossed digoxin immunoreactivity in chromatographic
fractions of rat adrenal extract. Biochem.
Pharmacol., 30 : 805-806. Quoted from S.A. Med. J.,
Vol. 64, 1983, P. 42.

- 93- Schwartz, A.; Lindenmayer, G.E.; Allen, J.C. (1975) :

The sodium-potassium adenosine triphosphatase
pharmacological physiological, and biochemical
aspects. Pharmacol. Rev., 27 : 3.

- 94- Sherman, and Locke (1960) :
Quoted from cardiac disorders. Szekely, P. and
Snaith, L., Clinics in Obstet. & Gynecol., 2 : 270
(1977).
- 95- Sibai, B.M.; Anderson, G.D. and McCubbin, J.H. (1983) :
Eclampsia II. Clinical significance of laboratory
finding. Obstet. Gynecol., 59 : 153.
Pregnancy outcome in 211 patients with mild chronic
hypertension. Obstet. Gynecol. May, 61 (5); 571-
576.
- 96- Sibai, B.M.; Anderson, G.D. and McCubbin, J.H. (1986) :
Eclampsia in Goldstein P.J. (ed.) and neurological
disorders of pregnancy mount kisco, New York :
Future Publishing Co., 1-18.
Abdella, T.N., and Anderson, G.D.
- 97- Smith, T.W. (1973) :
Digitalis glycosides (2). N. Engl. J. Med., 288 :
719-742.
- 98- Szekely, P. Snaithl (1977) :
Cardiac disorders. Quoted from Clinics in Obstet.
Gynecol., 2 : 270.

T

- 99- Talledo, O.E.; Chesley, L.C., and Zuspan, F.P. (1968) :
Renin-angiotensin system in normal and toxemic pregnancies III differential sensitivity of angiotensin II and nor epinephrine in toxemia of pregnancy. Am. J. Obstet. Gynecol., 100 : 218-221.
- 100- Tranquilli, A.L.; Mazzanti, L.; Bertoli, E.; Romaninic Cli (1988) :
Obstet. Gyn., 71 (4) : 627.
- 101- Trippodo, N.C.; Yamamoto, J., and Frolich, F.D. (1981) :
Whole body venous capacity and effective total tissue compliance in Hypertension, 3 : 104-111.

V

- 102- Valdes, R., Jr.; Graves, S.W. and Knight, A.B. (1985) :
Endogenous digoxin immuno activity is elevated in hypertensive pregnancy. Prog. Clin. Biol. Res., 192: 229-232.
- 103- Valdes, R., Jr.; Graves, S.W.; Brown, B.A., and Landt, M. (1983) :
Endogenous substance in new born infant causing false positive digoxin measurement. J. Pediatr., 102 : 947-950.

W

- 104- Wardener, H.E., and MacGregor, G.A. (1982) :

The natriuretic hormone and essential hypertension.
Lancet, June, 26 : 1450-1454.

- 105- Wardener, H.E., and MacGregor, G.A. (1980) :

Dahl's hypothesis that a natriuretic substance may
be responsible for a sustained rise in arterial
pressure. Its possible role in essential
hypertension. Kidney Int., 18 : 1-9.

- 106- Weir, R.J.; Fraser, R.; Lever, A.F.; Morton, J.J.; Browne,
J.J.; Kraszewski, A.; McIlwaine, G.M.; Robertson, J.I.S. and
Tree, M. (1973) :

Plasma renin, renin substrate, angiotensin II, and
aldosterone in hypertensive disease of pregnancy.
Lancet, 1 : 291-294.

- 107- Weishaar, R.E. (1983) :

The effect of several cardiotonic agent on key sub-
cellular processes involved in the regulation of
myocardial contractility implication for mechanism
of action. Drug. Dev. Res., 3 : 517.

- 108- Withering, W. (1980) :

An account of the foxglove. Quoted from Clinical
pharmacology D.R. Lourence, P.N. Bunnebb, Fifth

edition, Eds. D.R. Lourence and Bennett, P.N.;
Churchill Livingstone, Great Britain, pp. 644-694.

Y

- 109- Young, D.S.; Plsianer, I.C. and Gibberman, V. (1975) :
Effects of drugs on clinical laboratory tests.
Clin. Chem., 21 : ID-432D. Quoted from Annal of
Int. Med. (1983) : 199 : 604-608.