

REFERENCES

REFERENCES

- A -

- * *Anderson A.B. and Turnbull A.C. (1969)* : Relationship between length of gestation and cervical dilatation, Uterine contractility and other factors during pregnancy. Am. J. Obstet. Gynecol. 105 : 1207.
- * *Anonymous (1991)* : Misoprostol and legal medical abortion (editorial), Lancet, 338 : 1241 - 1242.
- * *Atienza M.F., Burkman R. T. and King T.N. (1980)*, forces associated with cervical dilation at suction abortion ; Qualitative and quantitative data in studies completed with a force - sensing instrument. In : Naftolin F., Stubblefield P.G. (eds). Dilatation of the uterine cervix. New York : Raven Press, PP. 343 - 50.
- * *Atrash H.K. and Rowland Hogue C.J. (1990)*: The effect of pregnancy termination on future reproduction. Baillière's clinic. Obstet. & Gynecol. 4, (2) : 391 - 405.
- * *Aubeny E. & Baalieu E.E. (1991)* : Contragestation with RU 486 and an orally active prostaglandin. C.R.Acad. Sci III, 312 : 539 - 46.

- B -

- * *Baird D.T., Norman J.E., Thong K.I. and Glasier A.F. (1992)* Misoprostol, Mifepristone and abortion. Lancet, 339 : 313.
- * *Barbosa R, and Arilha M. (1993)*, The Brazilian experience with Cytotec. Stud. Fam. Plann., 24 : 236.

- * **Bertaccini G. and Caruzzi G. (1987).** Prostaglandins and peptic disease: state of the art. Prostaglandins. 33 (suppl.), 1-15.
- * **Binkin N.J. (1986):** Trends in induced legal abortion, Morbidity and Mortality. Clinic. Obstet. Gynecol. 13 (1) : 83 - 93.
- * **Bishop E.H. (1964):** Pelvic scoring for elective induction obstet. and Gynecol, 24 : 266 - 268.
- * **Blumenthal P.D. (1988) :** Prospect comparison of Dilapan and Laminaria for pretreatment of the cervix in second trimester induction abortion. Obstet. Gynecol; 72 : 243 - 6.
- * **Blumenthal P. D. and Ramanusks R. (1990):** Randomized trial Dilapan and Laminaria as cervical ripening agents before induction of Labor. Obstet. Gynecol. 75 : 365 - 368.
- * **Bokström H., Bryman I., Norström A. and Platz Christensen J.J. (1995):** Dilapan tent - gemeprost regimen Vs. combinations of extraamniotic Rivanol - Laminaria / Lamicel and oxytocin for second trimester abortion - Int. J. Gynecol. Obstet, 48 : 69 - 74.
- * **Bokström H. and Wqvist, N. (1989):** Preoperative dilatation of the cervix at legal abortion with a synthetic fast - swelling hygroscopic tent. Acta. Obstet, Gynecol. Scand. 68 : 313 - 318.
- * **Bokström, H. and Wqvist, N. (1995):** Prostaglandin release from human cervical tissue in the first trimester of pregnancy after preoperative with hygroscopic tents. Prostaglandins, 50 : 179 - 188.

- * **Borgida, A.E., Rodis J.F., Hanlon, W., Craffey, A., Ciarleglio, L. and Compbell, W.A. (1995):** Second trimester abortion by intramuscular 15 - methyl - Prostaglandin F₂α or intravaginal Prostaglandin E₂ suppositories: A randomized trial. *Obstet. Gynecol.* 85 : 697 - 700.
- * **Breeme, K. and Nilsson, B. (1984):** Prediction of time delivery interval from start of contraction in induced labor: A life table analysis approach. *Int. J. Gynecol. Obstet.* 22 : 225.
- * **Brenner, W.E. (1979):** Abortion of early midtrimester pregnancy with commercially available prostaglandins. In Zatuchni, G.I., Sciarra, J.J. and Speidel J.J. (eds), pregnancy termination, Procedures, Safety and New developments, PP.: 218-233- Hagerstown: Harper and Row.
- * **Browne, J.C.M. and Dixon, G. (1980):** Induction of Labor, Browne's antenatal care 11th. ed; the english language book. Society and Churchil Living stone.
- * **Browns, P., Fisk, M.M., Edmonds. D.K. and Rodeck C.H. (1991):** Preinduction cervical assessment by Bishop's score and trans vaginal Ultra sound, *Eur. J. Obst. and Gynecol. Reprod. Biol.*, 40 : 17.
- * **Bryman. I., Granberg, S. and Norström, A. (1988):** Reduced incidence of postoperative endometritis by the use of Laminaria tents in connection with first trimester abortion. *Acta. Obstet. Gynecol. Scand.* 67 : 323 - 325.

- * **Bugalho A., Bique, C., Almeida, L. and Bergström S. (1993):** Pregnancy Interruption by Vaginal Misoprostol. Gynecol. Obst. Invest., 36 : 226 - 229.
- * **Bugalho, A., Bique, C. Machungo, F. and Faúndes, A. (1994):** Induction of labor with intravaginal misoprostol in intrauterine fetal death. Am. J. Obstet. Gynecol. 17(2) : 538 - 541.
- * **Burnett, J.E. (1966):** Preinduction scoring. An objective approach to induction of labor. Gynecol, 28 : 479.
- * **Bygdeman, M. (1984):** The use of prostaglandins and their analogues for abortion. Clin. Obstet. Gynecol., 11 : 573 - 84.
- * **Bygdeman, M. (1990):** Non. Invasive methods for termination of second trimester Pregnancy. Ballière's Clinic. Obstet. Gynecol., 4 (2) PP. : 351 - 359.
- * **Bygdeman, M. and Swahn, M.L., (1990) :** Uterine contractility during pregnancy and the effect of abortifacient drugs. Bailliére's clinic. Obstet. Gynecol. 4 (20) : 249 - 261.
- * **Bygdeman, M., Gréen, K.K. and Bremme K. (1979):** Research in the use of prostaglandin analogue. In Zatuchni, G.I., Sciarra, J.J. and Speidel, J.J. (eds). Pregnancy termination, Procedures, Safety and new developments. PP.: 234 - 240. Hagerstown : Harper & Row.
- * **Bygdeman, M., Christensen N.J. Green, K. and Lundström V. (1980):** Midtrimester abortion by vaginal administration of 9 deoxo - 16, 16-dimethyl, methylene PGE₂. Contraception, 22 : 153 - 164.

- C -

- * **Calder A.A. (1980):** Pharmacological management to the unripe cervix in the human. In Naftolin, F. and Stubblefield, P.G. (eds) Dilatation of the uterine cervix, New York, Raven Press, P. 317.
- * **Cameron, I.T. Michie, A.F. and Baird D.T. (1987):** Prostaglandin induced pregnancy termination: further studies using gemeprost vaginal pessaries in the early second trimester contraception, 34 : 111 - 117.
- * **Camposperez, G. A. Margulies, M., Ortega, I. and Voto, L.S. (1991):** Induction of labour with misoprostol PGE₁ analogue: A comparative study. Proc. Second Eur. Congr. on prostaglandins in Reproduction, The Hague, April, 30 - May, 3.
- * **Carlson, L.A. And Olsson A. G. (1979);** (PGE₁ in ischemic peripheral vascular disease in practical applications of prostaglandins. In advances in prostaglandin Research (S.M.M. Karim ed.) University Park Press, Baltimore, Maryland. P. 39-51.
- * **Cates W. Jr., Schulz, K.F. Gold. J. and Tyler. C.W.Jr. (1979):** Complications of surgical evacuation procedures for abortions after 12 weeks gestation. In Zatuchni, G.I., Sciarra, J.J. Spiedel, J.J. (eds). Pregnancy termination Procedures, Safety and New developments. PP. 206 - 217, Hagerstown : Harper and Row.
- * **Centers for disease Control: Abortion surveillance (1990),** quoted from Grimes, D.A. (1992): Surgical management of abortion. Telinde's operative Gynecology 7th. ed. J.B. Lippincott company Philadelphia, New York, London, Hagerstown, PP.: 317-342.

- C -

- * **Calder A.A. (1980):** Pharmacological management to the unripe cervix in the human. In Naftolin, F. and Stubblefield, P.G. (eds) Dilatation of the uterine cervix, New York, Raven Press, P. 317.
- * **Cameron, I.T. Michie, A.F. and Baird D.T. (1987):** Prostaglandin induced pregnancy termination: further studies using gemeprost vaginal pessaries in the early second trimester contraception, 34 : 111 - 117.
- * **Camposperez, G. A. Margulies, M., Ortega, I. and Voto, L.S. (1991):** Induction of labour with misoprostol PGE₁, analogue: A comparative study. Proc. Second Eur. Congr. on prostaglandins in Reproduction, The Hague, April, 30 - May, 3.
- * **Carlson, L.A. And Olsson A. G. (1979);** (PGE₁ in ischemic peripheral vascular disease in practical applications of prostaglandins. In advances in prostaglandin Research (S.M.M. Karim ed.) University Park Press, Baltimore, Maryland. P. 39-51.
- * **Cates W. Jr., Schulz, K.F. Gold. J. and Tyler. C.W.Jr. (1979):** Complications of surgical evacuation procedures for abortions after 12 weeks gestation. In Zatuchni, G.I., Sciarra, J.J. Spiedel, J.J. (eds). Pregnancy termination Procedures, Safety and New developments. PP. 206 - 217, Hagerstown : Harper and Row.
- * **Centers for disease Control: Abortion surveillance (1990),** quoted from Grimes, D.A. (1992): Surgical management of abortion. Telinde's operative Gynecology 7th. ed. J.B. Lippincott company Philadelphia, New York, London, Hagerstown, PP.: 317-342.

- * *Chavpil, M., Droegemueller, W., Meyer, T., Macsalka, R., Stoy V. and Suciú T., (1982):* New Synthetic Laminaria. *Obstet. Gynecol.*, 60 : 729.
- * *Christensen N. J. and Gréen, K. (1983):* Bioconversion of arachidonic acid in human pregnant reproductive tissue. *Biochemical Medicine*, 30:162 - 180.
- * *Chuck, F. J. and Huffoker, B.J. (1995):* Labor induction with intravaginal misoprostol versus intracervical prostaglandin E₂ gel: Randomized comparison - *Am. J. Obstet. Gynecol*, 173 : 1137-42.
- * *Coelho, H. L.L., Misago, C. Fonseca, W., Souza, D.S.C. and Araujo, J.M.L. (1991):* Selling abortifacients over the counter in pharmacies in Fortaleza, Brazil, *Lancet*, 338 : 247.
- * *Coeytaux, F.M. (1988):* Induced abortion in Sub-saharan Africa: what we do and donot know. *Stud. Fam. Planing*, 19 : 181 - 190.
- * *Collins, P.W. (1990):* Misoprostol: discovery, development, and clinical applications, *Med. Res, Rev.*, 10, 149 - 172.
- * *Collins, P.W. Pappo, R. and Dajani, E.Z. (1985):* Chemistry and Synthetic development of misoprostol. *Dig. Dis. Sci.*, 30 : 114S - 117S.
- * *Corson A. (1985):* Morbidity and Mortality from second trimester abortions, *J.Reprod. Med.* 1985, 30 : 505 -14.

- * *Costa, S.H. and vessey, M.P. (1993):* Misoprostol and illegal abortion in Rio de Janeiro, Brazil. *Lancet*, 341 : 1258 - 1201.
- * *Craft, I., Evans, D.V., Richfield, L.B. and Yovich, J. (1979):* Extra amniotic prostaglandin E₂ in gel for induced abortion. In Zatuchni G.I., Sciarra, J.J. and Spiedel J.J. (eds). *Pregnancy termination, Procedures, Safety and New - developments* PP.: 421 - 249 . Hagerstown : Harper and Row.
- * *Creinin, M. D., and Darney, P.D. (1993):* Methotrexate and misoprostol for early abortion. *Contraception*: 48 : 339 - 47..
- * *Crump, W.J. (1987):* Bishop's score and labor duration. A new look south. *Med. J.* 80 : 1294.

- D -

- * *Danforth, D.N. (1947):* The fibrous nature of the human cervix and its relation to the isthmic segment in gravid and non-gravid Uteri: *Am. J. Obstet. Gynecol*, 53 : 541 - 557.
- * *Danforth, D.N. (1983):* The morphology of the human cervix *Clin. Obstet. Gynecol.* 26 : 7-13.
- * *Danforth, D. N. and Evanston M.D. (1954):* The distribution and functional activity of the cervical musculature. *Am. J. Obstet. and Gynecol.*, 68 : 1261 - 1271.
- * *Danforth, D. N, Veis, A., Breen, M., Weinstein, H.G., Buckingham, J.C. and Manalo, P. (1974):* The effect of pregnancy and labor on the human cervix: changes in collagen, glycoproteins, and glycosaminoglycans, *Am. J. Obstet, Gynecol*, 120 : 641 - 651.

- * *Darney, P.D. (1986):* Preparation of the cervix: Hydrophilic and Prostaglandin dilators. Clinic. in Obstet. and Gynecol. 13, (1). W.B. Saunders company (eds).
 - * *Darny, P.D. and Dorward, K. (1987):* Cervical dilatation before first - trimester elective abortion: A controlled comparison of meteneprost, Laminaria and Hypan. Obstet. Gynecol. 70 : 397 - 400.
 - * *Dhall, K, Grover, V. & Mahendrusk, (1986):* Prelabor status evaluation and course of labor, Asia oceanio. J. Obstet. Gynecol, 12 : 25.
 - * *Duenhoelter, J. H. and Gant, N.F. (1975):* Complicantions following prostaglandin F₂ α induced abortion. Obstet. Gynecol. 46 : 247 - 250.
- E -
- * *El Refaey, H. and Templeton, A. (1994.a):* Early abortion induction by a combination of mifepristone and oral misoprostol: Comparison between two dose regimens of misoprostol and their effect on blood pressure, Br. J. Obstet. Gynecol. 101 : 792 - 6.
 - * *El-Refaeey H. and Templeton A. (1994. b) :* Early induction of abortion by acombination of oral mifepristone and misoprostol adminstered by the vaginal route. Contraception, 49 : 111 - 114.
 - * *El-Refaeey, H. and Templeton, A, (1995):* Induction of abortion in the second trimester by a combination of misoprostol and mifepristone : Arandomized comparison between two misoprostol regimens. Hum. Rep., 10 : 475 - 478.

- * *El-Refaey, H., Hinshaw, K. and Templeton, A. (1993):* The abortifacient effect of misoprostol in the second trimester. Hum. Rep. 8,1744-1746.
 - * *El-Refaey, H., Calder, L, Wheatley, D, N. and Templeton, A. (1994);* Cervical priming with prostaglandin E₁ analogues gemeprost and misoprostol. Lancet, 343 : 1207 - 1209.
 - * *Embrey M. R, (1970) :* Induction of abortion by prostaglandin E₁ and E₂. Br. Med. J. ii, 258 - 260.
 - * *Euler, A.R., Leodolter, S., Huber, J., et al (1989):* Arbaprostil's [15 (R) - 15 - methyl PG E₂] effects on intrauterine pressure in the non-Pregnant and Pregnant human female - a report of four clinical trials. Prostaglandins Leucot, Essent, Fatty Acids, 38 : 91-98.
- F -
- * *Faûndes, A., Santos, L.C., Carvalho, M. and Gras, C. (1996):* Post - abortion complication after interruption of pregnancy with misoprostol contraception, 12 : 1-9.
 - * *Fields H. (1966):* Induction of lober. Am. J. Obstet and Gynecol, 95 : 426.
 - * *Flower, R.J., Blackwell, C. J. (1976):* The importance of phospholipase A₂ in prostaglandin bioynthesis, Biochem, Pharmacol, 25 : 285.

- * *Fonseca, W., Alencar, A.J.C. Mota, F.S.B. and Coelho, H. L.L. (1991):* Misoprostol and congenital malformation, Lancet, 338 : 56.
- * *Francome, C. and Savage, W.D. (1992) :* Gynaecologists, abortion practice, Br. J. Obstet. Gynaecol. 99 : 153 - 157.
- * *Friedman, E.A., Niswander, K.R. Bayonet Rivera, N. P. and Sachtleben, M.R. (1966):* Relation of prelabor evaluation to inducibility and course of labour. Obstet. Gynaecol., 28 : 495.
- * *Friedman, E.A. Niswander, K.R., Bayonet Rivera, N. P. and sachtleben, M.R. (1967):* Prelabor status evaluation and weighted score. Obstet. Gynaecol. 29 : 539.
- * *Fuentes, A. and williams, M. (1995):* Cervical assessment. Clinical. Obstet & Gynaecol. 28 : 224 - 231.

- G -

- * *Garris, R.E. and Kirkwood, C.F. (1989) :* Misoprostol a prostaglandin E₁ analogue. Clin. Pharm. 8 : 627 - 44.
- * *Gleicher, N., Midwall, J., Hokberger, G. and Jaffin, H. (1979):* Eisnmenger's syndrome and pregnancy. Obstet. Survey : 34 : 721 - 741.
- * *Gréen, K., Bygdeman, M., Toppozada, M. and wqvist, N. 0 (1974):* The role of prostaglandin F₂ α in human Parturition. Endogenous Plasma levels of 15 - Keto - 13, 14 di hydro PG F₂ α during labor, Am, J. Obstet and Gynecol., 120 : 25 - 31.

- * **Greer, K., Drvota : V., Vesterqvist, O. (1989)** : Pronounced reduction of in vivo prostacyclin synthesis in humans of acetaminophen (Paracetamol), Prostaglandins, 37 : 311.
- * **Grimes, D.A. (1992)**: Surgical Management of abortoin. Tedlinde's operative Gynecology 7th. ed. J.B. Lippincott company, Philadelphia, New York, London, Hagers town, PP. : 317 - 342.
- * **Grimes, D. A. and Cates, W.C. (1979)**: Complications from legally induced abortion. A Review. Obstet. Gynecol. Surv, 34 : 177 - 191.
- * **Grimes, D.A. Hulka, J. E. & McCutchen, M,E. (1980)** : Midtrimester abortion by dilation and evacuation versus intraamniotic instillation of prostaglandin $F_2\alpha$: Arandomized clinical trial. Am. J. Obstet. Gynecol., 137 : 785 - 90.
- * **Grimes, D.A., Ray, I.G., Middleton, C.J. (1987)** : Lamicel versus Laminaria for cervical dilatation before early second - trimester abortion: Arandomized clinical trial. Obstet. Gynecol. 69 : 887.
- * **Gryglewski., R. J., Korbut, R., Oetkiewicz, A., Splawinski, J., Wojtaszerk, B. and Swies, J. (1979)**: Lungs as a generator of prostacyclin - hypothesis on physiological significance. Arch Pharmacol. 304 : 45.

- H -

- * **Hambery, M. (1974)**: Quantitative Studies on Prostaglandin Synthesis in man. 3 excretion of the major metabolites of prostaglandins $F_1\alpha$ and $F_2\alpha$ during pregnancy. Life Sciences, 14 : 247 - 249.

- * *Harrison, R.F., Flynn, M, and Craft, I. (1977):* Assessment of factors constituting an inducibility. *Obstet. Gynecol.*, 49 : 290.
- * *Henshaw, R.C., (1990) :* Induced abortion : A world review, *Fam. Plann. Perspect*, 22 : 76 - 89.
- * *Herczeg, J. (1990):* Pretreatment of the cervix prior to surgical evacuation of the uterus in the late first and early second trimester of pregnancy. *Ballière's clinical Obstet & Gynecol.* 4 (2) : 307 - 325.
- * *Hern, W.M. (1994):* Laminaria versus Dilapan osmotic cervical dilators for outpatient dilation and evacuation abortion: Randomized cohort comparison of 1001 Patients. *Am. J. Obstet. Gynecol*, 171 : 1324 - 8.
- * *Herting, R.L. and Nissen, C.H. (1986) :* Over view misoprostol clinical experience. *Dig. Dis. Sci.* 31, 47 - 54.
- * *Hill, N.C.W. and Mackenzie, I.Z. (1989) :* 2308 second trimester terminations using extra amniotic or intraamniotic prostaglandin E₂. An analysis of efficiency and complications. *Br. J. Obstet. Gynaecol.*, 96: 1424 - 31.
- * *Hinshaw, K, El-Refoey, H., Rispin, R. and Templeton, A.A. (1995) :* Midtrimester termination for fetal abnormality : advantages of a new regimen using mifepristone and misoprostol. *Br. J. Obstet. Gynaecol.*, 102 : 559 - 560.

- * **Howie, P.W. (1995)** : Dewhurst's Text book of Obstet and Gynecol. for postgraduate. 5th. Ed. 1995, Vol. 1, Chapter 12. Abortion and ectopic pregnancy.
- * **Hudetz, A.G. and Monos, E. (1985)** : Avesicoelastic model of mechanically induced and spontaneous contractions of vascular smooth muscle. Acta Physiologica. Hungarica 65 : 109 - 123.
- * **Hugesdon, P.E. (1952)**: The fibro muscular structure of the cervix and its changes during pregnancy and labor, J. Obstet. Gynaecol, Br. Commonw., 59 - 763.

- I -

- * **Iyengar, S., Contreras, P.C., Mick, S.J., Bremer, M.E. and Mckearn, J. P. (1991)**: Immune modifying effects of misoprostol and natural Prostaglandins. Br. J. Rheumatol., 30 : 71 - 74.

- J -

- * **Johnstone F.D, Boyd. IE., McArthy, T.G., McClire Brown T.G. (1974)** : The diameter of the uterine isthmus during the menstrual cycle, Pregnancy and the Puerperium. J. Obstet. Gynaecol. Br. Common wealth, 81 : 558 - 562.
- * **Jürgensen, U. and Christensen, N. J. (1989)**: (Cervagem / Dilapan for Preoperative cervical dilatation to vacuum aspiration for termination of first trimester Pregnancy. Contraception, 40 , 241.

- K -

- * **Kalar, P.A., Litherland, D., Sallomi, D.F., Critchley, H.O.D., Falcones. G.F., and Holmes, A.M. (1989):** Cardiac stand still induced by Prostaglandin pessaries. *Lancet*; i : 1460 - 1461.
- * **Karim, S.M.M (1971):** Effects of oral administration of postaglandins E_2 and $F_2\alpha$ on the human uterus. *J. Obstet. Gynaecol. Br.Comm W.* 78 : 289 - 93.
- * **Karim, S.M.M. and Filshie, G.M. (1970) :** Therapeutic abortion using PG $F_2\alpha$. *Lancet*; i : 157 - 159.
- * **Kase, N.G., Weingold, A.B. and Gershenson, D.M. (1990) :** Principles and Practice of Clin. Gynecology., 2nd. Ed. by Churchill Livingstone P. 92 : 110.
- * **Kazzi, G.M., Bottoms, S.F., and Rosen, M.G. (1982) :** Efficacy and safety of Laminaria digitata for preinduction ripening of the cervix, *Obstet. Gynecol.* 60 : 4.
- * **Keirse, M.J.N.C., Mitchell, M. D and Turbull, A.C. (1977) :** Changes in prostaglandin F and 13, 14 - dihydro - 15 - Keto prostaglandin F. concentrations in amniotic fluid at the onset of and during Labour. *Br. J. of Obstet and Gynaecol*; 84 : 743 - 746.
- * **Kline, S.B. Meng, H. and Munsick, R.A. (1995):** Cervical dilation from Laminaria tents and synthetic osmotic dilators used for 6 hours before abortion, *Obstet. Gynecol.*, 80 : 931 - 5.

- * *Krammer, J. and O'Brien, W.F. (1995):* Mechanical methods of cervical ripening; Clinical Obstet and Gynecol. Vol: 38;2 : 280 - 286.

- L -

- * *Lanage, A.P., Secher, N.J., Westergard, J. G. and stavgard, I (1983):* Prelabor evaluation of inducibility, Obstet. Gynecol., 60 : 137.
- * *Leppert, P.C. (1992) :* Cervical softening, effacement and dilatation : A complex biochemical cascade. J. Maternal and fetal. Med. 1:213-223.
- * *Leppert, P.C.(1995) :* Anatomy and physiology of cervical ripening. Clinical Obstet. Gynecol; 38 (2):269-279
- * *Leppert, P.C., and Yu, S.Y., (1991):* Three dimensional structures of uterine elastic fibres : Scanning electron microscopic studies. Connective Tissue Res., 26: 15-31.
- * *Lewis, R. B. and schulman, J.D.(1973):* Influence of acetylsalicylic acid, an inhibitor of prostaglandin synthesis on the duration of human gestation and labour. Lancet, ii : 1159
- * *Liggins, G.C. (1978):* Ripening of the cervix. In Oliver, T.K. and Kirschbaum, T.K. (eds).New york, sem. perinatol, 2:261

- * **Lindell, G. and Flam, F.(1995)** : Management of uterine perforations in connection with legal abortions. Acta, Obstet Gynecol. Scand, 74:373-5.
- * **Lockwood, C.J. (1991)** : Fetal fibronectin in cervical and vaginal secretions as a predictor of preterm labor, N.Engl. J.Med., 325:669-674.
- * **Lowensohn, R. and Ballard, Ch.A. (1974)**: Cervicovaginal fistula : An apparent increased incidence with prostaglandin F₂α Am. J. Obstet .Gynecol, 119 : 1057 - 1061.

- M -

- * **Margulies, M.Camposperez, G.A. and voto, L.S (1992)** : Misoprostol to induce labour. Lancet, 339:64
- * **Margulies, M., Voto, L.S., Catuzzi, P. and Urangaimaz, F. (1991)**: Induccion del trabajode partocon un analogo de la PGE₁ . Prensa. Med. Argent, 78: 9-13, Quoted from Bugalho et al (1993).
- * **McInnes, D.R., Naftolin, F., Van Der Rest, M., (1980)**: Cervical changes in pregnant woman. In Naftolin, F., and Stubblefield PG.(eds.) Dilatation of the uterine cervix.Newyork, Raven Press, P:181
- * **Miramoto, T., Arai, K., Hirakawa, S., Nagai, Y. (1982)**: Immunohistochemical studies on collagen types in the uterine cervix in pregnant and non pregnant state. Am. J. Obstet .Gynecol. 156:138-144.

- * *Mitchell, B.F., Challis, J.K.G. and Lukash, L. (1987)* : Progesterone synthesis by human amnion, chorion and decidua at term. *Am.J.Obstet Gynecol*, 157 :349
- * *Moberg, P.J. (1976)* : Uterine perforation in connection with vacuum aspiration for legal abortion. *Int. J. Gynaecol. Obstet.* 14 :77-80.
- * *Molin, A. (1993)*: Risk of damage to the cervix by dilatation for first trimester induced abortion by suction aspiration. *Gynecol. Obst. Invent* .35:152-154.
- * *Moran M., Mozes, M.F., Maddux, M.S. et al (1990)*: Prevention of acute graft rejection by prostaglandin E 1 analogue, misoprostol, in renal - transplant recipients treated with cyclosporine and prednisone. *N.Engl. J. Med*; 322:1183-1188.
- * *Munsick, R.A. (1993)* : Pregnancy termination . In Copeland, L.J., ed. text book of Gynecology. Philadelphia : W.B.Saunders, 189-203.

- N -

- * *Najak, Z. Hillier, K. and Karim, S.M.M.(1970)* : The action of prostaglandins on the human isolated non pregnant cervix. *J. Obstet. Gynecol. Br. Commow.*, 77:701.
- * *Neto, C.M., Leao, C.J., Baretto, E., Ken. J. G and De Aquino, M.M.(1987)* : Use of misoprostol for labor induction in still birth. *Rev. Paul Med.* 105: 325-8 .

-
- * *Norman. J.E., Thong, K.J. and Baird, D.T.(1991)*: Uterine contractility and induction of abortion in early pregnancy by misoprostol and mifepristone. *Lancet*, 338:1233.
 - * *Norström, A., Bryman, I. and Hansson, H.A. (1988)* : Cervical dilation by Lamicel before first trimester abortion : a clinical and experimental study. *Br. J. Obstet.Gynecol.*,95:372-376.
 - * *Nugteren, D.H. and Hazelhof, E. (1973)* : Isolation and properties of intermediate in prostaglandin biosynthesis. *Biochem. Biophys. Acta* 326:448.
 - * *Nugteren, D.H., Beerthins, R.K. and Von Drop, D.A. (1966)*: The enzymatic conversion of all cis, 8-11-14 ecosatrienoic acid into PGE1. *Recueil des travaux chimiques des pays - Bas* 85:405-419.

- O -

- * *Olson, D.M. and Zakarts T. (1993)* : Intrauterine tissue prostaglandin synthesis: Regulatory mechanisms seminars. *Reprod. Endocrin.*, 11:234.
- * *Ölund, A., Jonasson, A., Kindahl, H., Fianu, S., and Larsson, B. (1984)*: The effect of cervical dilatation by Laminaria on the plasma level of 15- Keto 13,14- Dihydro PGF₂α; *Contraception* 30:23-27

- P -

- * *Peterson H.B.,Grimes, D.A., Cates, W.Jr. and Rubin, G.L.(1981)*: Comparative risk of death from induced abortion at ≤ weeks gestation performed with local versus general anaesthesia. *Am.J. Obstet. Gynecol*; 763-768.

-
- * *Platz- christensen, J.J., Nielsen, S. and Hamberger, L.(1995)* : Is Misoprostol the drug of choice for induced cervical ripening in early pregnancy termination ? Acta Obstet. Gynecol. Scand, 74:809-812.
 - * *Propping, D., Stubblefield, P.G., Golub. J. and Zuckerman, J.(1977):* Uterine rupture following midtrimester abortion by Laminaria, prostaglandin $F_{2\alpha}$ and oxytocin : report of two case. Am.J.Obstet Gynecol., 128 : 689-690.
- R -
- * *Rabe, T., Basse, H., Thuro, H., Kiesel, L., Runnebaum, B.(1987):*Action of the PGE_1 methyl analogue misoprostol on the pregnant human uterus in the first trimester. Geburtshilfe Frauenheilkd, 47:324-31.
 - * *Ramwell, P.W., Foegh, M., Loeb, K. and Leovey, E.M.K.(1980):* synthesis and metabolism of prostaglandins, prostacyclins and thromboxane the arachidonic acid cascade, seminars, Perinatol, 3:3.
 - * *Rashbaum, W.K., Gates, E.J., Jones, J., Goldman, B., Morris, A. and Lyman, W.(1995)* : Placenta accreta encountered during dilation and evacuation in the second trimester. Obstet. Gynecol. 85 (5):701-703.
 - * *Ratnam, S.S. and Prasad, R.M.V (1990)* : Medical management of abnormal pregnancy. Bailliere's Clin. Obstet . Gynecol. 4,361-374.
 - * *Robinson, G., Filshie, G.M., cooper, J.C, cust, M. and Macleod, F.(1991)* : Acomparative study of Dilapan, Cervagem and Laminaria for preparation of the cervix prior to termination of first - trimester pregnancy. XIII World Congress of Gynaecol. & Obstet. (FIGO), Singapore Poster No. 1586.

- * **Robins, J. & Mann, L.J.(1976)** : Second generation prostaglandins : Midtrimester pregnancy termination by intramuscular injection of 15-methylanalogue of prostaglandin $F_{2\alpha}$. Fertil. Steril, 27:104-109.
 - * **Rodger, M.W. and Baird, D.T. (1990)**: Pretreatment with mifepristone (RU 486) reduces interval between prostaglandin administration and expulsion in second trimester abortion, Br.J.Obstet Gynaecol, 97: 41-45.
- S -
- * **Samuelsson, B., Dahlen, S.E., Lindgren, J.A., Rouzer, C.A. and serhan, C.N.(1987)** : Leukotriens and Lipoxins : structure, biosynthesis and biological effects, Science ; 237 :1171.
 - * **Sadler, R.Z., Knutzen, V.K., Milano, Ch. M. and Gleicher, N.(1979)**: uterine rupture with the use of vaginal prostaglandin E_2 suppositories Am.J.Obstet. Gynecol., 134: 348-349.
 - * **Sanchez-Ramos, L., Kaunitz, A.M. and Connor, P.M.(1992)**: Hygroscopic cervical dilators and prostaglandin E_2 gel for preinduction cervical ripening. Arandomized, prospective comparison, J. Reprod.Med., 37:355-359.
 - * **Sanchez-Ramos, A., Kaunitz, A.M., Delvalle, G.O., Delka, I., Donna, P.A. and Briones, R.N.C.(1993)**: Labour induction with the prostaglandin E analogue, misoprostol versus oxytocin : Arandomized trial, Obstet. Gynecol., 91:332.

-
- * *Schaff, E.A., Wortman, M., Eisinger, S.H. and Franks, P.(1996):* Methotrexate and Misoprostol when surgical abortion fails. *Obstet. Gynecol*, 87:450-2
 - * *Schönhöfer, P.S.(1991) :* Misuse of misoprostol as an abortifacient may induce malformation, *Lancet*, 337:1534-1535.
 - * *Silvestre, L., Dubois C., Renault, M., Rezvani, Y., Baulieu, E.E. and Ulmann, A. (1990):* Voluntary interruption of pregnancy with mifepristone (RU 486) and prostaglandin analogue. *N.Engl. J. Med.*, 322:645-648.
 - * *Smith, A. M. (1975) :* Rupture of uterus during prostaglandin induced abortion. *Br. Med. J.* 1 : 205.
 - * *Speroff, L., Glass, R.H., Kase, N.G (1989) :* Prostaglandins clinical gynecology endocrinology and infertility . 4 th.ed. williams and Wilkins, 351:352.
 - * *Struijk, C.B., Berthwis, R.K., Pabon, H.J. (1966) :* Specificity in the enzyme conversion of polysaturated fatty acids into prostaglandins *Recl. Trav. Chem. Pays Bas* 85:1233.
 - * *Steyn, D.W. and Pienaar. (1993) :* Midtrimesteric termination of pregnancy - a randomized controlled trial of two prostaglandin regimens : *S.Afr. Med. J.* 83 (10) : 737-8.
 - * *Swiet, M. (1992) :* Heart disease, high - risk pregnancy edited by Calder, A.A. and Dunlop.W.PP.139-164.

- T -

- * *Tatum, H.J. (1992):* Contraception and Family palnning . Obstet .Gynecol. diagnosis and treatment, edited by Martin, L. Pernoll. P. 685.
- * *Thong, K.J.and Baird, D.T. (1993) :* Induction of second trimester abortion with mifepristone and gemeprost. Br.J.Obstet.Gynaecol. 100:758-761.
- * *Thong, K. J., Dewar, M. and Baird, D.T (1992 a):* What do women want during medical abortion, Contraception, 46:435-452.
- * *Thongk.J., Robertson, A.J. and Baird, D.T. (1992 b) :* A retrospective study of 932 second trimester terminations using gemeprost (16,16,dimethyl trans Δ_2 - PGE1 methylester). Prostaglandins, 44:65-74.
- * *Tietze, (1981) :* Second trimester abortion : a global view. In Berger, G.S. Brenner, W.E and Keith, L.G .(eds.) second trimester abortion, PP.,1-11 Boston : John Wright.
- * *Toppozada, M.K. and Ismail, A.A.A.(1990):* Intrauterine administration of drugs for termination of pregnancy in the second trimester, Baillier's Clinical Obstet. Gynecal 4(2):327-349.
- * *Toppozada, M.K.,Anwar, M.Y.M., Hassan H.A., El Gazaerly, W.S.(1997):* oral or vaginal misoprostol for induction of labor, International Journal. Gynaecol. Obstet., 56:135-139.

- T -

- * **Tatum, H.J. (1992):** Contraception and Family palnning . Obstet .Gynecol. diagnosis and treatment, edited by Martin, L. Pernoll. P. 685.
- * **Thong, K.J.and Baird, D.T. (1993) :** Induction of second trimester abortion with mifepristone and gemeprost. Br.J.Obstet.Gynaecol. 100:758-761.
- * **Thong, K. J., Dewar, M. and Baird, D.T (1992 a):** What do women want during medical abortion, Contraception, 46:435-452.
- * **Thongk.J., Robertson, A.J. and Baird, D.T. (1992 b) :** A retrospective study of 932 second trimester terminations using gemeprost (16,16,dimethyl trans Δ_2 - PGE1 methylester). Prostaglandins, 44:65-74.
- * **Tietze, (1981) :** Second trimester abortion : a global view. In Berger, G.S. Brenner, W.E and Keith, L.G .(eds.) second trimester abortion, PP.,1-11 Boston : John Wright.
- * **Toppozada, M.K. and Ismail, A.A.A.(1990):** Intrauterine administration of drugs for termination of pregnancy in the second trimester, Baillier's Clinical Obstet. Gynecal 4(2):327-349.
- * **Toppozada, M.K.,Anwar, M.Y.M., Hassan H.A., El Gazaerly, W.S.(1997):** oral or vaginal misoprostol for induction of labor, International Journal. Gynaecol. Obstet., 56:135-139.

- * *Toppozada, M., Bygdeman, M. and Wiqvist, N.(1971)* : Induction by intraamniotic administration of prostaglandin $F_2\alpha$. *Contraception*, 4: 293-303.

- U -

- * *Uldbjerg, N. AND Ulmsten, U. (1990)* : The physiology of cervical ripening and cervical dilatation and the effect of abortifacient drugs *Bailliere's Clinical Obstet. Gynecol.* 4: 263-282.
- * *Uldbjerg, N., Ulmsten, U. and Ekman, G.(1987)* : The physiology role of eicosanoids in controlling the form and function of the cervix.,In Hillier (ed.) *Eicosanoids and Reproduction*, PP.163-183. Lancaster : M.T.P.Press.
- * *Ulmann, a., Silvestre, L., Chemama, L., Rezvani, Y., Renault,M., Aguilleaume, C.J. and Bavlieu, E.E. (1992)*: Medical termination of early pregnancy with mifepristone (RU 496). followed by a prostaglandin analogue *Acta, Obstet. Gynecol. Scand* 71:278-283.

- V -

- * *Vergote, I., Oeyen. L., Deschrijver, D and Uytten Broeck, F.(1982)*: uterine rupture due to 15- methyl prostaglandin $F_2\alpha$. *Lancet*, ii, 1402.

- W -

- * *Webster, D., Penny, G.C. and Templeton, A. (1996)* : Acomparision of 600 and 200 mg mifepristone prior to second trimester abortion with the prostaglandin misoprostol. *Br. J.Obstet. Gynaecol.* 103, pp. 706-709.

- * *Weir, M.R., Klassen, D.K., Hall, P.S. et al (1991)* : Minimisation of indomethacin - induced reduction in renal function by misoprostol. L. Clin. Pharmacol, 31,729-735.
- * *Wells, E. C. and Hulka, L.F.(1989)* : Cervical dilation : A comparison of Lamicel and Dilapan. Am. J. Obstet Gynecol, 161: 1124-6.
- * *Wentz A.C., Thompson, B.H. and King T.M. (1973)* : Posterior cervical rupture following prostaglandin induced midtrimester abortion Am.J.Obstet. Gynecol., 115:1107-1110.
- * *Wheeler, R.G. and Schneider, K. (1983)*: Properties and safety of cervical dilators. Am.J. Obstet. Gynecol., 146 :597.
- * *WHO prostaglandin Task force (1983)* : Termination of second trimester pregnancy with a long acting vaginal pessary containing 15 methyl PGF₂ α methyl ester. Int. J. Gynecol. Obstet 21:159-165.
- * *Wiener, J.J. and Evans, A.S.(1990)*: Uterine rupture in midtrimester abortion. A complication of gemeprost vaginal pessaries and oxytocin Br. J. Obstet. Gynaecol, 97:1061-1062.
- * *William's obstetrics (1994)*: Vol.1, ed. 19, P.679, chapter (31).
- * *Winikoff, B., Sivin, I., Coyaji, K.J., Cabezas, E., Bilian, X., Sujuan, G., Ming Kum, d., Krishno, V.R.,Eschen, A and Ellertson, Ch. (1997)*: Safety, efficacy and acceptability of medical abortion in China, Cuba and India : A comparative trial of mifepristone misoprostol versus surgical abortion. AM. J. Obstet .Gynecol. 176:431-7.

* *Wiqvist, N., Bygdeman, M. and Toppozada, M. (1971)*: Induction of abortion by intravenous administration of prostaglandin $F_2\alpha$. *Acta Obstet. Gynecol. Scand.*, 50:381-389.

* *Wiqvist, N., Beguin, F., Bygdeman, M., Fernström, I. and Toppozada, M. (1972)*: Induction of abortion by extraamniotic prostaglandin administration. *Prostaglandin*, 1:37-53.

- Z -

* *Zinner, M.J., Rypins, E., Martin, L. R. et al (1989)*: Misoprostol versus antacid titration for preventing stress ulcers in postoperative surgical, I.C.U. patients. *Ann. Surg.*, 210:590-595.

* *Zlatrik, F. J., Burmeister, L.F., Feddersen, D.A. and Broun, R.C. (1989)* : Radiological appearance of the upper cervical canal in women with a history of premature delivery. *J.Reprod. Med.*, 34:525-530.