

REFERENCES

- Abbas, M.M.S.: Determination of intestinal parasites among Cairo inhabitants. M.Sc. Thesis, Parasitology, Faculty of Med., Ain Shams University, Egypt, 1985.
- Ahmed, L.; El-Shenawy, R., and Hussein, M.N.: Prevalence of giardia lamblia in Egyptian children suffering from diarrhoea. J. Egypt. Soc. Parasitol.; 14: 283-288, 1984.
- Ajdukiewicz, A.B.; Youngs, G.R., and Bouchier, I.A.D.: Nodular lymphoid hyperplasia with hypogammaglobulinemia. Gut, 13: 589-595, 1972.
- Al-Dabagh, M.A.; Shaheen, A.S.; Zeki, L.A., and Abdalla, M.: Giardiasis in a group of pre-school age children in Iraq. J. Fac. Med. Baghdad, 9: 73-83, 1967.
- Aldeen, W.E.; Hale, D.; Robison, A.J.; Carrol, K.: Evol. Of ELISA assay for det. of G.lamblia in fecal specimens. Diagn. Microbiol. Infect. Dis.; Feb.; 21(2): 77-9, 1995.
- Allen, A.V.H., and Ridley, D.S.: Further observations on the formol ether technique for faecal parasites. J. Clin. Path., 23: 545-546, 1970.
- Alp, M.H., and Hislop, I.G.: The effect of giardia lamblia infestation on the gastro-intestinal tract. Aust. Ann. Med.; 18: 233-237, 1969.

- al-Tukhi, M.H.; Ackers, J.P.; al-Ahdal, M.N.; Taha, M.A. and Peters, M.: ELISA for detection of anti-giardia specific IgM. *J. Trop. Med. Hyg.*, Dec.; 96(6): 333-6, 1993.
- Ambrose, N.S.; Hutchinson, S., and Tejan, J.: Folate deficiency due to giardiasis. *J.R. Soc. Med.*; 82(1): 48-49, 1989.
- Ament, M.E., and Rubin, C.E.: Relation of giardiasis to abnormal intestinal structure and function in gastro-intestinal immunodeficiency syndrome. *Gastroenterol.*; 62: 216-226, 1972.
- Ament, M.E.; Ochs, H.D. and Davis, D.D.: Structure and function of the gastro-intestinal tract in primary immunodeficiency syndromes: a study of 39 patients. *Med.*; 52: 248-277, 1973.
- Anand, B.S.: Giardiasis: Pathogenesis of diarrhea and malabsorption. *World Pediatr. Child Care*; 3: 221-225, 1991.
- Anderson, M.L. and Griffith, D.G.: Intestinal giardiasis associated with ocular manifestation. *J. Clin. Gastroenterol.*; 7(2): 69-172, 1985.
- Anderson, T.; Foresell, J., and Stemer, G.: Outbreak of giardiasis: effect of a new antflagellate drug, Tinidazole. *Brit. Med. J.*; 2: 449-451, 1972.
- Andrews, R.F. and Hewlett, E.L.: Protection against infection with giardia lamblia by milk containing antibody to giardia. *J. Infect. Dis.*; 143: 242-246, 1981.
-

- Ansari, M.A.R.: An epitome of the present state of our knowledge of the parasitic duodenal flagellate of man. *Giardia intestinalis* (Laml, 1859). *Pakist. J. Hlth.*; 4: 131, 1954.
- Antia, F.P.; Desai, H.G.; Jecjebhoy, K.M.; Kane, M.P. and Borker, A.U.: Giardiasis in adults, incidence, symptomatology and absorption studies. *Ind. J. Med. Sci.*; 20: 271-477, 1966.
- Ash, L.R. and Orihel, T.C.: In *Parasites: A guide to laboratory procedures and indentification*. ASCP Press, American Society of Clinical Pathologists, Chicago, 33-34, 1987.
- Askenase, P.W.; Bursztajn, S.; Gershon, M.D., and Gershon, R.K.: T-cell dependent mast cell degranulation and release of serotonin in murine delayed - type hypersensitivity. *J. Exp. Med.*; 152: 1358-1374, 1980.
- Avcameus, S., and Uriel, S.: Methode de marquaze d'anti-genes et d'anticorps avec des enfefmes et son application en immunodiffusion. *C.R. Acad. Sci*; 262: 2543-2545, 1966.
- Barbezat, G.O.; Bowie, M.D.; Kaschula, R.O.C. and Rasen, J.D.L.: Studies on the small intestinal mucosa of children with protein calori malnutrition. *South am. Med. J.*; 41: 1031-1036, 1967.
-

- Barbieri, D.; De Brito, T.; Hoshino, S.; Nascimento, O.S.; Campos, J.V.M.; Quarentu, C., and Marcondes, E.: Giardiasis in childhood. Absorption test and biochemistry, histochemistry, light and electron microscopy of jejunal mucosa. *Arch. Dis. Child.*; 45: 466-472, 1970.
- Barbour, A.G.; Nichols, C.R., and Fukushima, T.: An outbreak of giardiasis in a group of campers. *Am. J. Trop. Med. Hyg.*; 25: 384-389, 1976.
- Bassily, S.; Farid, A.; Mikhail, J.W.; Kent, D.C., and Leham, J.S.: The treatment of giardia lamblia infection with mepacrine, metronidazole and furazolidine. *J. Trop. Med. Hyg.*; 73: 15-18, 1970.
- Bavier, S.: Flagellated parasites. In: *Bavier's Textbook of parasitology*, 3rd ed., P.400, 1987.
- Beal, C.B.; Viens, P.; Grant, R.G.L., and Hughes, J.M.: A new technique for sampling duodenal contents. *Am. J. Trop. Med. Hyg.*; 19: 349-352, 1970.
- Beaver, P.C.; Jung, R.C., and Cupp, E.W.: *Clinical parasitology*, 9th edition, Lea and Febiger, Philadelphia, P.:45, 1984.
- Belding, D.L.: *Textbook of parasitology*, 3rd ed. Appleton Century Crofts, New York, P.: 123-137, 408-421, 1965.
-

- Belosevic, M., and Faubert, G.M.: Temporal study of acquired resistance in infections of mice with giardia lamblia. *Parasitol.*; 87: 517-524, 1983.
- Bemrick, W.J. and Elrondsen, S.L. (1988): Giardiasis: Is it really a zoonosis? *Parsitol. Today*; 4(3): 69-71.
- Bines, J.E.; Walker, W.A.: Advances in inflammatory bowel disease. *Curr Opinion Pediatr.*; 1:48-56, 1989.
- Bingham, A.K.; Jaroll, E.L., and Meyer, E.A.: Giardia Spp.: Physical factors of excystation in vitro and excystation vs eosin exclusion as determinants of viability. *Exp. Parasitol.*; 47: 281-291, 1979.
- Black, R.E.; Dykes, A.C.; Sinclair, S.P., and Wells, J.G.: Giardiasis in day - care centers: evidence of person to person transmission. *Pediatr.*; 60: 486-91, 1977.
- Blagg, W.; Schloegel, E.L.; Mansour, N.S. and Khalaf, G.I.: A new concentration technique for demonstration of protozoan and helminth eggs in faeces. *Am. J. Trop. Med. Hyg.*; 4: 23-28, 1955.
- Blenkinsopp, W.K.; Gibson, J.A., and Haffenden, C.P.: Giardiasis and severe jejunal abnormality. *Lancet*, 4: 994, 1978.
- Boeck, W.C.: On the longevity of human intestinal protozoan cysts. *Am. J. Hyg.*; 1: 527-540, 1921.
-

- Boghdadi, A.M.: Giardiasis in Egypt. Ph.D. Thesis Parasitology, Faculty of Medicine, Cairo University, Egypt, 1986.
- Britz, L., and Krause, W.: Studies of the incidence of intestinal parasites in children in schools in Leipzig. *Ztschr. F. Arztl. Fortbildung*, 59: 906, 1965.
- Brodsky, R.E; Spencer, H.C. Jr., and Schultz, H.C.: Giardiasis in American travellers to Soviet Union. *J. Infect. Dis.*; 130: 319-23, 1974.
- Brown, E.H.: *Giardia lamblia*. The incidence and results of infestation of children in residual nurseries. *Arch. Dis. Child.*; 13: 119-128, 1948.
- Brown, W.R.; Butterfield, D.; Savage, D., and Tada, T.: Clinical, microbiological and immunological studies in patients with immunoglobulin deficiencies and gastro-intestinal disorders. *Gut*, 13: 441-449, 1973.
- Brown, W.R.; Lansford, C.L., and Hornbrock, M.: Serum immunoglobulin E (IgE) concentrations in patients with gastro-intestinal disorders. *Am. J. Dig. Dis.*, 18: 641-645, 1986.
- Budiansky, E.: Aspectos clinicos de giardiasis intestinal cronica na infancia. *Hosp. Rio de Janiro*, 46: 55, 1954.
- Burke, J.A.: Giardiasis in childhood. *Am. J. Dis. Child*; 129: 1304-1310, 1975.
-

- Burke, J.A.: The clinical and laboratory diagnosis of giardiasis. CRC. Crit. Rev. Clin. Lab. Sci.; 8: 373-391, 1977
- Carswell, F.; Gibson, A.A.M. and McAllister, T.A.: Giardiasis and coeliac disease. Arch. Dis. Child.; 48: 414-418, 1973.
- Cerva, L.: Resistance cyst lamblia intestinalis. Vuci Faktorum. Ceskoslov. Parasit. Prague.; 2: 17, 1955.
- Chabasse, D.; Pollet, E.; D'Hilaire, I.; Goethals, G. And Robert, R.: Treatment of giardiasis with tinidazole. Bull. Soc. Pathol. Exot. Filiales, 71: 446-450, 1978.
- Chadwick, C.S.; McEntegart, M.G. and Nairn, R.C.: Fluorochromes protein tracer, a trial of new fluorochlormes and the development of an alternative to fluorescein. Immun, 1: 315, 1958.
- Chandler, A.C.: Introduction to parasitology, 9th ed, John Wiley and Sons Inc., New York, P.: 122-125, 1956.
- Chavez, B.; Knaippe, F.; Gonzalez - Mariscal, L., and Martinez - Palmo, A.: Giardia lamblia: Electrophysiology and ultrastructure of cytopathology in cultured epithelial cells. Exp. Parasitol., 61: 379-389, 1990.
- Chenau, U.A.: Presence of giardia intestinalis in gall bladder. Semana. Med., 107: 146. Quoted from Trop. Dis. Bull., 52: 1198, 1955.

- Chester, A.C.; MacMurray, F.G.; Restifo, M.D., et al.: Giardiasis as a chronic disease. *Dig. Dis. Sci.*; 30: 215-218, 1985.
- Coombs, R.R.A. and Gell, P.G.H.: Classification of allergic reactions responsible for clinical hypersensitivity and disease. *Clinical aspects of immunology*. 3rd ed., Blackwell, Oxford, P.: 761-781, 1975.
- Coons, A.H.: Histo-chemistry with labelled antibody. *Int. Rev. Cytol.*; 5: 1, 1956.
- Coons, A.H.; Greech, H.J., and Jones, R.N.: Immunological properties of an antibody containing a fluorescent group. *Proc. Soc. Exp. Biol. Med.*; 47: 200, 1941.
- Coons, A.H.; Greech, H.J.; Jones, R.N., and Berlinger, E.: The demonstration of pneumococci antigen in tissues by the use of fluorescent antibody. *J. Immunol.*, 45: 159, 1942.
- Court, J.M., and Anderson, C.M.: The pathogenesis of giardia lamblia in children. *Med. J. Aust.*; 46: 436-438, 1959.
- Coutelan, F.; Cochet, C., and Biguet, J.: Frequency of giardia intestinalis infection in children of two to six years in North of France. *Bull. Soc. Path. Exot.*, 42: 103, 1949.
- Croft, J.C.; Murphy, T., and Nelson, J.K.: Furazol and quinacrine: Comparative study of therapy for giardiasis in children. *Am. J. Dis. Child.*, 135: 164-166, 1981.

- Croft, J.C. and Nelson, J.D.: Diagnosis of giardiasis by counter immunoelectrophoresis of faeces. *J. Infect. Dis.*, 142: 499-504, 1982.
- Craig, C.F., and Faust, E.C.: Giardiasis. *Clinical parasitology*. Lea and Febiger, Philadelphia. P.:142-147, 1953.
- Croun, C.F.: Water borne outbreaks of giardiasis. In: water borne transmission of giardiasis by Jakabowski, W., Hoff JC, eds., Washington, DC: US Environmental Protection Agency. P.: 127-149, 1979.
- ✓ Cuca - Cabadaief, L.; Crigorescuzoido, P., and Bulucea, D.: Semnificatia valorea diagnostica a cozinofilled sanguine in lambliaza. *Microbiologia Parazit. Epidem.*, 15: 359-364, 1970.
- Danciger, M., and Lopez, M.: Numbers of giardia in the faeces of infected children. *Am. J. Trop. Med. Hyg.*; 24: 237-242, 1975.
- Davis, R.B. and Hibler, C.P.: Animal reservoir and cross species transmission of Giardia. In: waterborn transmission of Giardisis, W. Joubowki and J.C. Hoff (eds.). Environmental Protection Agency 600019-79-001, P.104-116, 1979
- De Muro, P.: Clinical aspects of giardiasis. *Acta. Med. Scand.*, 99: 78-91, 1939.

- Dean, D.A.; Wistar, R., and Murrell, K.D.: Combined in vitro effects of rat antibody and neutrophilic leukocytes on schistosoma mansoni. Am. J. Trop. Med. Hyg., 23: 420-428, 1974.
- Deelder, A.M., and Streefkerk, J.G.: S. mansoni: Comparison of the immunoperoxidase techniques, DASS and ELISA for human diagnosis. Exp. Parasitol., 41: 133-140, 1975.
- denHollander, N.; Riley, D., and Befus, D.: Immunology of giardiasis. Parasitol.; Today, 4(5): 124-131, 1991.
- Deschiens, R.: Trav. Labor. Parasit.. fac. Med. Paris. Quoted from Haiba, M.H.: Further study on the susceptibility of murines to human giardiasis. Ztser. F. Parasit., 17: 339, ¹⁹²¹1956.
- Doput, H.L. and Sullivan, P.S.: Giardiasis: the clinical spectrum, diagnosis and therapy. Pediatr. Infect. Dis. (Suppl) 5:S131-S138. UI:86120661, 1986.
- Dykes, A.C.; Ruebush, T.H. H.; Gorelkin, L.; Lushbaugh, W.B.; U[shur, J.K. and Cherry, J.D.: Extra-intestinal amebiasis in infancy: Report of three patients and epidemiologic investigations of their families. Pediatrics; 65: 799-803, 1980.

- El-Gholmy, A.; Khalifa, A.S.; Rifaat, M.; Salem, S.A. and Moustafa, S.: Parasitic infestation in Egyptian infants and children. *J. Trop. Med. Hyg.*; 71: 216, 1968.
- El-Masry, N.A.; Farid, Z., and Miner, W.F.: Treatment of giardiasis with tinidazole. *Am. J. Trop. Med. Hyg.*, 27: 201-202, 1978.
- El-Naggar, B.; Gaafar, S., and Shoman, A.: Relationship between giardia lamblia infection and blood grouping among children. *J. Egypt. Soc. Parasitol.*; 14: 155, 1984.
- El-Serougi, A.O.; Fawzy, A.F.A. and Sarwat, M.A.: The relation between intestinal trouble and parasitic infection in Cairo. *J. Egypt. Soc. Parasitol.*; 20(2): 615-619, 1990
- El-Zawahry, M.M.: A health survey in Egyptian Nubia, 1963. Part I: Objectives and design of survey and epidemiological features of parasitosis. *J. Egypt. Publ. Hlth. Ass.*, 39: 313, 1964.
- Ellner, J.J., and Mahmoud, A.A.F.: Killing of schistosomula of schistosoma mansoni by normal human monocytes. *J. Immunol.*, 123: 949-951, 1979.
- Engvall, E., and Perlmann, P.: Enzyme - linked immunosorbent assay (ELISA). Quantitative assay of immunoglobulin G. *Immunochem.*, 8: 871-874, 1971.
-

- Engvall, E., and Perlmann, P.: Enzyme - linked immunosorbent assay, ELISA. III. Quantification of specific antibodies by enzyme labelled anti-immunoglobulin in antigen - coated tubes. *J. Immunol.*, 109: 129-135, 1972
- Erlandsen, S.L., and Meyer, E.A.: *Giardia and giardiasis. Biology, pathogenesis and epidemiology.* Plenum Press. New York and London, P.: 185-218, 1984.
- Erlich, J.H., Anders, R.F.; Roberts - Thomson, I.C.; Schrader, J.W., and Mitchell, C.F.: An examination of differences in serum antibody specificities and hypersensitivity reaction as contributing factors to chronic infection with the experimental protozoan parasite, *giardia muris* in mice. *Aust. J. Exp. Bull. Med. Sci.*, 61: 599-615, 1983.
- Farahmandian, I.; Sheiban, F., and Sanati, A.: Evaluation of the effect of a single dose of tindiazole (Fasigyn) in giardiasis. *J. Trop. Med. Hyg.*, 81: 139-140, 1978.
- Farid, Z., El-Masry, N.A.; Miner, W.F., and Hassan, A.: Tinidazole in treatment of giardiasis. *Lancet*, 2: 721, 1974.
- Faust, E.C. and Russell, P.F.: In Craig and Faust clinical parasitology. 7th ed. Philidelphia, Lea and Febiger, P.: 65, 1964.

- Faust, E.C.; Russell, P.F. and Jung, R.E.: The flagellate protozoa.
In Craig and Faust clinical parasitology, 8th ed. Henry
Kimpton, London, P.: 64, 1974.
- Faust, E.C.; Russell, P.F., and Jung, R.C.: Craig and Faust
clinical parasitology, 8th ed., Lea and Febiger, Philadelphia,
P.:43, 1976.
- Fayad, M.E.; El-Khattib, A.A.; Abd - Elkader, S. And Sabry, H.:
Parasitic infections among children attending the
gastroenterology clinic in King Faisal Hospital, Holly Mecca
Saudi Arabia. Sci. Med. J. Cai. Synd.; 4(4): 63-70, 1992.
- Ferguson, A.M., McCluve, J.P., and Townley, R.R.W.:
Intraepithelial lymphocyte counts in small intestinal biopsies
from children with diarrhoea. Acta. Pediatr. Scand.; 65:
541-546, 1976.
- Ferguson, A.M.: Intraepithelial lymphocytes of the small intestine.
Gut, 19: 921-937, 1977.
- Finegold, S.M.: Metronidazole. Ann. Int. Med.; 93: 585-587,
1980.
- Finelli, I., and Rotoli, B.: Localization of giardia in the biliary
tract. Acta. Med. Italica., 18: 227, 1963.
- Fossati, C.: Intestinal parasitic infections in children in Benghazi,
Libua. Giorn. Malattie Infect. Parasit., 16: 521, 1964.
-

- Goldman, M.: Use of fluorescen tagged antibody to identify cultures of *E. histolytica* and *E. coli*. *Am. J. Hyg.*, 59: 318, 1954.
- Goldman, P.: Metronidazole, proven benefits and potential risks. *Johns Hopkins Med. J.*, 147: 1-9, 1980.
- Goldsmid, J.M., and Davis, N.: Diagnosis of parasitic infections of the small intestine by enterotest duodenal capsule. *Med. J. Aust.*, 1: 519-520, 1978.
- Gottstein, B.; Eckert, J., and Fey, H.: Serological differentiation between *echinococcus granulosus* and *E.multilocularis* in man. *Z. Para-Sitenk*, 69: 347-356, 1983.
- Green, E.L.; Miles, M.A. and Warhurst, D.C.: Immunodiagnostic detection of giardia antigen in faeces by a rapid visual enzyme - linked immunosorbent assay. *Lancet*, 28: 691. 1985.
- Gupta, R.K., and Mehta, S.: Giardiasis in children: A study of pancreatic function. *Ind. J. Med. Res.*; 61: 743-8, 1973
- Habib, F.S.M.: *Giardia lamblia* and cryptosporiodosis as a possible causes of diarrhoea in children. M.Sc. Thesis, Parastiology, Faculty of medicine, Ain Shams University, Egypt, 1985.

- Halstead, S.B., and Sadun, E.H.: Alimentary hypersensitivity induced by *Giardia lamblia*. Report of a case of acute meat intolerance. *Ann. Int. Med.*, 62: 564-569, 1965.
- Homrick, J.J.; Moore, G.W.: Giardiasis causing urticaria in a child. *Am. J. Dis. Child*; 137: 761-763, 1983.
- Haralabidis, S.T.H.: Immunodiagnosis of giardiasis by ELISA and studies cross reactivity between the anti-*giardia lamblia* antibodies and some heterologous parasitic antigens and fractions. *Ann. Trop. Med. Parasitol.*; 78(3): 295-300, 1984.
- Harris, R.H., and Mitchell, J.H.: Chronic urticaria due to *giardia lamblia*. *Arch. Dermatol. Syphilol.*, 59: 587-589, 1949.
- Harter, L.; Frost, F., and Jakubowski, W.: *Giardia* prevalence among 1-3 years old children in two Washington state countries. *Am. J. Publ. Hlth.*, 72: 386-388, 1982.
- Hartong, W.A.; Courley, W.K., and Arvanitakis, C.: Giardiasis: clinical spectrum and functional structural abnormalities of the small intestinal mucosa. *Gastroenterol.*, 77: 61-69, 1979.
- Hass, J., and Bucken, E.W.: Zum Krankheitswert der lambdian infection. (Appraisal of the importance of *giardia intestinalis* as a pathogen): *Dtsch. Med. Wachr.*, 92:1967.

Contd

- Hassan, M.M.; Farghaly, A.M.; Dorwish, R.A.; Shovkrany, N.; el-Hayawan, I.A.; Nassar, A.K.: Detection of *G.lamblia* antigen in stool samples before and after treatment. *J. Egypt Soc. Parasitol.*, Apr.; 25(1): 175-82, 1995.
- Healy, G.R.: The presence and absence of giardia lamblia in studies on parasite prevalence in the U.S.A. In: waterborne transmission of gairdiosis, by Jakabowski, W., Hoff, J.C., eds. Washington, D.C. US Environmental Protection Agency, P.: 92-103, 1979.
- Hermans, P.E.; Diaz -Buxo, J.A., and Stobo, J.D.: Idiopathic late - onset immunoglobulin deficiency. Clinical observations in 50 patients. *Am. J. Med.*, 61: 221-237, 1976.
- Hewelett, E.L.; Andrews, J.S.; Ruffier, J and Schoefer, F.W.: Experimental infection of monogrel dogs with *G.lamblia* cysts and cultured trophozoites. *J. Infect. Dis.*, 145: 89-93, 1981.
- Hopkins, R.M.; Deplazes, P.; Meloni, B.P.; Reynoldson, J.A. and Thompson, R.C.A.: A field and laboratory evaluation of a commercial ELISA for the detection of *Giardia* corproantigens in humans and dogs. *Trans. Roy. Soc. Trop. Med. Hyg.*; 87: 39-41, 1993.

Hoskins, L.C.; Winawer, S.Y.; Broit,am. S.A., Gottlieb, L.S. and Zamcheck, N.: Clinical giardiasis and intestinal malabsorption. *Gastroenterol.*, 53: 265-279, 1967.

Hossain, M.M., Ljungstrom, I; Class, R.I., Lundin, L.; Stoll, B.J., and Huldt, G.: Amoebiasis and giardiasis in Bangladesh: Parasitological and serological studies. *Trans. R. Soc. Trop. Med. Hyg.*, 77: 552-554, 1983.

37 Hugenot, R., Delons, S., and fulcrand, G.: Traitment d'lambliae intestinale par un antibiotique non- resorbable le sulfate de paramomycine, *Prese Med.*, 68: 430-440, 1960.

Hughes, W.S.; Cerda, J.J.; Holtzapple, P., and Brooks, F.P.: Primary hypogammaglobulinemia and malabsorption. *Ann. Intern. Med.*, 74: 903-910, 1971.

Hutchinson, J.G.; Johnston, N.M.; Plevy, M.V.; Thankkhiew, I., and Aidney, C.: Clinical trial of mebendazole, a broad spectrum antihelminthic. *Brit. Med. J.*, 2: 309-310, 1975.

Isselbacher, K.J.: Giardiasis. *Principles. Int. Med.*, 7: 887, 1980.

Iyngkaram, N., Lee, I.C., and Robinson, M.J.: Single dose treatment with tiberol of giardia lamblia infection in children. *Scand. J. Infect. Dis.*; 10: 243-246, 1978.

- Jelinek, T.; Peyer, L.G.; Loscher, T.; Nothdroft, H.D.: Evaluation of an antigen- capture ELISA for the detect of *Giardia lamblia* antigen in stool. *Z. Gastroenterol.*, Apr.; 34(4): 237-40, 1996.
- Jokipii, A.M.M., and Jokipi, L.: Comparison of four dosage schedules in treatment of giardiasis with metronidazole. *Infect.*, 6: 92-94, 1978a.
- Jokipii, A.M.M., and Jokipi, L.: Comparative evluation of two dosage of tinidazole in the treatment of giardiasis. *Am. J. Trop. Med. Hyg.*, 27: 758-761, 1978b.
- Jokipii, A.M.M., and Jokipi, L.: Serum IgG, IgA, IgM and IgD in giardiasis: The most severely ill patients have little IgD. *J. Infect.*, 5: 189-193, 1982.
- Jokipii, K and Jokipii, A.M.M.: Giardiasis. In: *Infectious Diseases and Medical Microbiology*. Edited by Braude A.I., Davis C.E. and Fierer, J., 2nd edition, W.B. Saunders Company, 928-931, 1986.
- Joklick, W.R.; Willet, H.P., and Amos, D.B.: *Giardia lamblia*. *Zinsser Microbiology*, Appleton Century. Crofts. New York, 2nd, P.: 1437-1438, 1980.

- Kamath, K.R., and Murugasu, R.: A comparative study of four methods for detecting giardia lamblia in children with diarrhoeal disease and malabsorption. *Gastroenterol.*, 66: 16-21, 1974.
- Kasim, A.A., and El-Helu, M.A.: Giardiasis in Saudi Arabia. *Acta. Trop.*, 40: 155-158, 1983.
- Katsampes, C.P.; McCoord, A.B., and Phillips, W.A.: Vitamin A absorption test in cases of giardiasis. *Am. J. Dis. Child.*, 67: 189-193, 1944.
- Kavousi, S.: Giardiasis in infancy and childhood: a prospective study of 160 cases with comparison of quinacrine (atebricine) and metronidazole (Flagyl). *Am. J. Trop. Med. Hyg.*, 28: 19-23, 1979.
- Keystone, J.S., Krajolen, S., and Warren, M.R.: Person to person transmission of giardia lamblia in day - care nurseries. *Canad. Med. Ass. J.*; 119: 241-8, 1978.
- Khalil, H.M.; Abdel Ghaffar, F.M.; Bishara, S.A.; Soffar, S.A.; Khalil, N.M., and Riad, S.A.: Evaluation of some direct diagnostic methods in intestinal parasitic infections. *J. Egypt soc. Parasitol.*; 20(2): 789-792; 1990.
- Kidney, W., and Holland, P.D.J.: Giardiasis in children. *J. Int. Med. Ass.*, 60: 375- 381, 1967.
-

- Knox, D.L. and King, J. Jr.: Retinal arteritis, iridocyclitis and giardiasis. *Ophthalmology*; 89: 1303-1308, 1982.
- Kotcher, E.; Miranda, M.; Esquivel, R., Penachavarria, A.; Donohugh, D.L.; Baldizon, C.; Acosta, A., and Apuy, J.L.: Intestinal malabsorption and helminthic and protozoan infections of the small intestine. *Gastroenterol.*, 50: 366-371, 1966.
- Lambl, W.: Mikroskopische untersuchungen der darmexcrete. *Vierlelij ahrsschrift fur die proktische heilkunde* (Prag), 61: 1-58, 1859.
- Lehrer, R.I.: The fungicidal mechanisms of human monocytes. I. Evidence for myeloperoxidase - linked and myeloperoxidase - independent candidacidal mechanisms. *J. Clin. Invest.*; 55: 338-346, 1975.
- Leon - Barua, R.: The possible role of intestinal bacterial flora in the genesis of diarrhoea and malabsorption associated with parasitosis. *Gastroenterol.*, 55: 559, 1968.
- Lerman, S.J., and Walker, R.A.: Treatment of giardiasis: literature review and recommendations. *Clin. Pediatr.*, 7: 409-414, 1982.
- Levinson, J.D. and Nastro, L.J.: Giardiasis with total villous atrophy. *Gastroenterol.*; 74: 271-5, 1978.

- Marshall, J.B.; Kelley, D.H., and Voge, K.A.: Giardiasis: diagnosis by endoscopic brush cytology of the duodenum. *Am. J. Gastroenterol.*; 79: 517-519, 1984.
- Masukawa, T., and Griest, K.: *Giardia lamblia* infection mimicking pancreatic carcinoma: a case report. *Acta. Cyt.*; 29(5): 908-909; 1985.
- Mayrhofer, G.: Thymus - dependent and thymus - independent subpopulations of intestinal intraepithelial lymphocytes. A granular subpopulation of probable bone marrow origin and relationship to mucosal mast cells. *Blood*, 55: 532-535, 1980.
- McGraith, B.; Browne, S.G.; Gilles, H.M. and Reid, H.A.: *Clinical tropical diseases*, London, Blackwell Scientific Publ., P. 24,
- McLaughlan, P.; Stanworth D.R.; Webster, A.D., and Asherson, G.L.: Serum IgE in immune deficiency disorders. *Clin. Exp. Immunol.*, 16: 375-381, 1974.
- McMillan, A., and McNeillage, G.J.C.: Comparison of the sensitivity of microscopy and culture in the laboratory diagnosis of intestinal protozoal infections. *J. Clin. Path.*; 37: 809-811, 1984.
- Meyer, F.A.: *Giardia lamblia* isolation and exenic cultivation. *Exp. Parasitol.*; 27: 179-183, 1976.
-

Meyer, E.A., and Radulescu, S.: Giardia and giardiasis. Advantage. Parasitol.; 17: 1, 1979.

Meyer, E.A., and Jarroll, E.L.: Giardiasis. Am. J. Epidemiol., 3: 1, 1980.

Meyer, E.A.; Erlondsen, S.L. and Rodulescu, S.: Animal models for giardiasis. In: Giardia and giardiasis, S.L. Erlandsen and E.A. Meyer (eds.), Plenum Press New York, p.:233-240, 1984.

Moore, G.T., Cross, W.M.; McGuire, D., et al.: Epidemic giardiasis at a ski resort. N. Engl. J. Med.; 281: 402-407, 1969.

~~Moore, G.T.; Crgoss, W.M.; McGuire, D.; Mollohan, C.S.; Gleason, N.N.; Healy, G.R. and Newton, L.H.: Epidemic giardiasis at Ski resort. North Eng. J. Med., 281: 402-407, 1969.~~

~~Moocos, W.M.: A study of the clinico-parasitological manifestations of amoebiasis. M.D Thesis parasitology, Faculty of Medicine, Alexandria University, Egypt, 1958.~~

Morecki, R., and Parker, J.G.: Ultrastructural studies of the human giardia lamblia and subjacent jejunal mucosa in a subject with steatorrhoea. Gastroenterol.; 52: 151, 1967.

- Morrow, A.L.; Revers, R.R.; West, M.S.; Guerrero, L.; Ruiz - Palacios, G.M.; Pickering, A.L.: Protection against infection with *G.lamblia* by breast feeding in a cohort of Mexican infants and children. *J. Pediatr.*; 121: 363-370, 1992.
- Murphy, M.S. and Walker, W.A.: Celiac disease. *Pediatr. Rev.*; 12: 325-330, 1991.
- Murphy, T.V.; and Nelson, J.D.: Five vs ten das' therapy with furazolidone for giardiasis. *Am. J. Dis. Child.*, 137: 267-270, 1983.
- Nagaty, H.F.; El-Gindy, M.S., and Rifaat, M.A.: A parasitological survey of the inhabitants of the Barnasht area, Giza Province, Egypt, U.A.R., in 1959. *J. Egypt. Med. Ass.*, 44: 68, 1961.
- Nagaty, H.F.; Rifaat, M.A., and El-Gindy, M.S.: Medical parasitology. Cairo, Anglo- Egyptian Bookshop, P.: 122-24, 1961.
- Nair, K.P.; Sharma, M.P.; Mitchal, S., and Tandon, B.N.: Comparative evaluation of diagnostic methods in giardiasis. *Ind. J. Med. Res.*, 66: 417, 1977.
- Nairn, R.C.: Fluorescent protein tracing. Livingstone, 2nd ed., Edinburgh and London, P.: 136-39, 1977.
-

- Nairn, R.C.; Fraser, K.E., and Chadwick, C.S.: The histological localization of renin with fluorescent antibody. *Brit. J. Exp. Path.*, 40: 155, 1964.
- Nakane, P.K., and Pierce, G.B.: Enzyme labelled antibodies: preparation and application for the localization of antigens. *J. Histochem. Cytochem.*, 14: 929-931, 1966.
- Nash, P.H.: Giardiasis. *Canad. Med. Ass. J.*; 115: 18-19, 1976.
- Nash, T.E.; Herrington, D.A., and Levine, M.M.: Usefulness of an enzyme linked immunosorbent assay for detection of giardia antigen in faeces. *J. Clin. Microbiol.*; 25(7): 1169-1171, 1987.
- Nash, T.E.; Herrington, D.A., Levine, M.M., John, T.C., and Merritt, J.W.: Antigenic variation of giardia lamblia in experimental human infections. *J. Immunol.*; 144(11): 4362-4369, 1990b
- Nash, T.H.; Banks, S.M.; Alling, D.W.; Merritt, J.W.Jr. and Conrad, J.T.: Frequency of variant antigens in giardia lamblia. *Exp. Parasitol.*; 71: 415-421, 1990a.
- Olabuenaga, S.E.; Gardoni, R.I.; Segura, E.L.; Fiera, N.E., and Bracco, M.M.E.: Antibody - dependent cytolysis of Trypanosoma cruzi by human polymorphonuclear leukocytes. *Cell. Immunol.*, 45: 85-93, 1979.

- Olmos, A.; Oyarce, R.; Domk, G.; Bull, F.; Biel, F., and Tovejon, G.: Algunos aspectos clinicos fisiopatologicos de la lamblasis (giardiasis). Estudio en pacientes adultos. Bull. Child. Parasit., 23: 48-56, 1968.
- Omar, E.A.: Prevalence of common intestinal infections and the factors affecting it among the students of the various levels of education in Alexandria. M. Ph. Thesis, High Institute of Public Health, Alexandria University, Egypt, 1973.
- Ormiston, G.; Taytor, J., and Wilson, G.S.: Enteritis in a nursery home associated with giardia lamblia. Brit. Med. J., 2: 151-154, 1942.
- Ouchterlogy, O., and Nilson, L.A.: Immunodiffusion and immunoelectrophoresis, Chap. 19 Vol. 1. Immunochemistry. Handbook of Experimental Immunology. 3rd ed. Edited by Weir, d.M. Blackwell Scientific Publications. Oxford, London, Edinburgh, Melbourne, P.:19, 1978.
- Ouchterlony, O., and Nilsson, L.A.: Immunodiffusion and immunoelectrophoresis. Chap. 19 in: Handbook of Experimental Immunology. Weir, D.M., Blackwell, P.:344-445, 1973.
- Ouchterlony, O.: Antigen antibody reaction in gels. IV. types of reactions in coordinated systems of diffusion. Acta. Pathol. Microbiol. Scan., 32: 231-240, 1953.
-

- Oudin, J.: Methode d'analyse immunochemique par precipitation specifique gelifie. C.R. Acad. Sci., 222: 115, 1964.
- Overton, R.W., and Hertko, E.J.: Giardiasis: report of a case with intermittent fever of 11 years duration. J. Am. Med. Ass., 185: 1040-41, 1963.
- Owen, R.L.; Allen, I., and Stevens, D.P.: Intraepithelial trapping of giardia in macrophages in Peyer's patches of normal and nude mice. An intestinal defence and antigen processing mechanisms. Gastroenterol.; 78: 1232, 1980.
- Owen, R.L.; Nemanic, P.C., and Stevens, D.P.: Ultrastructural observations in giardiasis in a murine model. I. Intestinal distribution, attachment and relationship to the immune system of Giardia muris. Gastroenterol., 79: 757, 1979.
- Oyernide, J.P.; Ogumbi, O., and Alonge, A.A.: Age and sex distribution of infections with E. histolytica and giardia intestinalis in the Lagos population. Int. J. Epidem., 6: 231-234, 1977.
- Paine, T.F., and Gluck, F.W.: A puzzling case of giardiasis. J.A.M.A.; 236: 2525-2426, 1976.
- Palmer, R.C.: Giardiasis: manifestations and diagnosis. J.A.M.A.; 237: 1078, 1977.

- Palomino, H.; Perez, C.; Donckaster, R.; Sapunar, J.; Gabor, M.;
Atias, A.; Parodi, V., and Narbona, I.: Ensayo terapeutico
concentration cinco medicamentos en lamblisis. Bol. Chil.
Parasit., 25: 52-56, 1970.
- Palumbo, P.J.; Scudamore, H.H., and Thompson, J.H.: relationship
of infestation with giardia lamblia to intestinal
malabsorption syndromes. Proc. Myoclinic, 37: 589-598,
1962.
- Paulsen, O.: Blood group A and giardiasis. Lancet, 5: 894, 1977.
- Payne, F.J.; Atchley, F.O.; Wasley, M.A. and Wenning, M.E.:
The association of giardia lamblia with disease. J. Parasitol.,
46: 742, 1960.
- Periani, R.; Rigatuso, C.; Vanella, L.; Lubetkin, A.; Gaido, N.;
Tomasini, O.; Gonzalez, H.; Petrazzini, E.; Lanz, M. And
Elena, J.: Biliary giardiasis in children. Semara med., 123:
1135, 1963.
- Petersen, H: Giardiasis (lamblisis). Scand. J. Gastroenterol., 7: 1-
44, 1972b.
- Phillips, S.C.; Mildvan, D.; Gelb, A.M. and White, M.C.: Sexual
transmission of enteric protozoa and heminths in a venereal
disease clinic population. North Eng. J. Med.; 305: 604--6,
1981.
-

-
- Pickering and Engerlkirk, P.G.: Giardia lamblia. *Pediatr. Clin. North. Am.*; 35: 565, 1988.
- Pickering, L.K. and Engelkirk, P.G.: Giardia lamblia. *Pediatr. Clin. North. Am.*; 35: 565-577, 1988.
- Pickering, L.K.; Woodward, W.E.; Dupont, H.L.; Sullivan, P.: Occurrence of giardia lamblia in children in day care centers. *J. Pediatr.*; 522-526. UI:84164250, 1984.
- Popovic, O.; Pendic, B and Baljin, A.: Giardiasis. Local immune defense and responses. *Eur. J. Clin. Invest.*; 4: 380, 1974a.
- Popovic, O.; Pendic, B.; Paljin, A.; Andrejevic, M., and Tropkotic, D.: Giardiasis, local immune defence and responses. *Europe. J. Clin. Infect.*, 4: 380, 1974b.
- Radulescu, S., and Meyer, E.A.: Opsonization in vitro of giardia lamblia trophozoites. *Infect. Immun.*, 32: 852-856, 1981.
- Radulescu, S.; Lancu, I.; Simionescu, O., and Meyer, E.A.: Serum antibodies in giardiasis. *J. Clin. Pathol.*; 29: 863, 1976.
- Read, C.P.: The vetebrate small intestine as environment for parasitic helminths. *Rice. Instrument. Pamplet.*, 37: 494, 1950. Quoted from Chandler, A.C.: *Introduction to parasitology*, 9th ed., John Wiley and Sons. Inc., New York, P.: 122-125, 1950.
-

- Rentdorff, R.C.: The experimental transmission of human intestinal protozoan parasites. II. *Giardia lamblia* cysts given in capsules. *Am. J. Hyg.*, 59: 209-220, 1954.
- Ridley, M.J., and Ridley, D.S.: Serum antibodies and jejunal histology in giardiasis associated with malabsorption. *J. Clin. Pathol.*, 29: 30-34, 1976.
- Rifaat, M.A., and Monsy, T.A.: *Giardia intestinalis*. In manual of medical parasitology. Scientific book centre, Cairo, P.:249, 1970.
- Rifaat, M.A., and Nagaty, H.F.: The incidence of intestinal parasitic infections among the inhabitants of Cairo. *J. Egypt. Med. Ass.*, 41: 164-73, 1958.
- Rifaat, M.A.; Khalil, H.M., El-Gindy, M.S., and Nagaty, H.F.: Incidence of intestinal parasites among inhabitants of Mersa Matrouh and Siwa oasis. *J. Trop. Med. Hyg.*, 68: 257, 1965.
- Riggs, J.L.; Dupuis, K.W.; Nakamura, K., and Spath, D.P.: Detection of *giardia lamblia* by immunofluorescence. *Appl. Microbiol.*, 45: 698-700, 1983.
- Riggs, J.L.; Sciwald, R.J.; Burckhalter, J.H.; Down, C.M., and Metclaf, T.G.: Isothiocyanate compounds as fluorescent labelling agents for immune serum. *Am. J. Pathol.*; 34: 1081, 1958.
-

- Rizk, M.K., and Antionios, S.N.: Incidence, clinical picture and treatment of giardiasis in childhood. *J. Egypt. Soc. Parasitol.*; 13: 385-389, 1983.
- Roberts - Thomson, I.C.; Grove, D.I.; Stevens, D.P., and Warren, K.S.: Suppression of giardiasis during the intestinal phase of trichinosis. *Gut*, 17: 953-958, 1976.
- Roberts - Thomson, I.C., and Mitchell, G.F.: Giardiasis in mice. I. Prolonged infections in certain mouse strains and hypothyroid (nude) mice. *Gastroenterol.*, 75: 42-46, 1978.
- Roberts - Thomson, I.C., and Anders, R.F.: Serum antibodies in adults with giardiasis. *Gastroenterol.*, 80: 1262, 1981.
- Roberts - Thomson, I.C.; Mitchell, G.F.; Anders, R.F.; Tait, B.D.; Kerlin, P.; Ker - Grant, A.; and Cavanagh, P.: Genetic studies in human and murine giardiasis. *Gut*, 21: 397, 1980.
- Roberts - Thomson, I.C.; Anders, R.F., and Bathal, P.S.: Granulomatous hepatitis and cholangitis associated with giardiasis. *Gastroenterol.*, 83: 480-483, 1982.
- Rosenthal, P., and Liebman, W.M.: Comparative study of stool examinations, duodenal aspiration and pediatric entero-test for giardiasis in children. *J. Pediat.*, 96: 278-279, 1980.

- Rosoff, J.D., Sanders, C.A.; Sonnad, S.S.; Delay, P.R.; Hadley, W.K.; Vincenzi, F.F.; Yajko, D.M. and O'Hanley, P.D.: Stool diagnosis of giardiasis using a commercially available enzyme immunoassay to detect giardia - specific antigen 65 (GSA). *J. Clin. Microbiol.*; 27(9): 1997-2002, 1989.
- Rossi - Espagnet, A., and Piccardo, M.G.: Observations on the morphology of giardia intestinalis studied by electron microscopy. *Riv. Di. Parassit. Rome*, 18: 213-17, 1957.
- Sagero, E.; Blanco, E.; Fragoso, T., and Castaneda, C.: Duodenal intubation with secretin stimulus of diagnosis of giardiasis. *Arch. Dis. Child.*; 52: 505-507, 1977.
- Salem, S.A.; Azab, M.E.; Soffar, S.A.; Bishara, S.A. and El-Kadery, A.A.: A study of adhesive organelles of giardia intestinalis. *J. Egypt. Soc. Parasitol.*; 20(1): 203-207, 1990a.
- Salem, S.A.; Mohamed, N.H.; Azab, M.E.; Soffar, S.A.; El-Kadery, A.A. and Sabry, N.M.: A survey for enteroparasites in Menoufia governorate. Egypt with special reference to strongyloides stercoralis. *J. Egypt. Soc. Parasitol.*; 20(1): 335-344, 1990b.
- Sauvite, W.C., and Faust, E.C.: The probabilit of detecting intestinal protozoa by successive stool examinations. *Am. J. Trop. Med.*, 22: 131-6, 1992.
-

- Schmerin, M.J.; Jones, T.C.; and Klein, H.: Giardiasis: association with homosexuality. *Ann. Int. Med.*, 88: 801-3, 1978.
- Sealy, D.P., and Schuman, S.H.: Endemic giardiasis and day care. *Pediat.*, 72(2): 154-158, 1983.
- Sheffield, H.G., and Bjorvatn, B.: Ultrastructural of the cyst of giardia lamblia. *Am. J. Trop. Med. Hyg.*, 26: 23-30, 1977.
- Sheffield, H.G.: The ultrastructural aspects of giardia: in EPA symposium on waterborne transmission of giardiasis. By Jakubowski, W., and Hoff, J.C. (eds). Cincinnati, O.H. EPA publication 600/9-79-001, P.:9-21, 1978.
- Sherif, A.F.; Abdou, A.H., and El-Sawii, F.: Incidence of parasitic infections among school children in Alexandria. *The Alexand. Med. J.*, 7: 483, 1961.
- Shetty, N.; Narasimha, M.; Raghuveer, T.S.; Elliott, E.; Farthing, M.J.G. and Macaden, R.: Intestinal amoebiasis and giardiasis in Southern Indian infants and children. *Trans. R. Soc. Trop. Med. Hyg.*; 84: 382-384, 1990.
- Smith, P.D.: Giardia lamblia. In: parasitic infections in the compromised host. Editors, Walzer, P.D., and Genta, R.M.; Mercel Dekker Inc., New York and Basel, P.:343-384, 1989.

- Smith, P.D.; Gillin, F.D.; Borwn, W.R., and Nash, T.E.: IgG antibody to giardia lamblia detected by enzyme - linked immunosorbent assay. *Gastroenterol.*, 80: 1476-1480, 1981.
- Smith, P.D.; Gillin, F.D.; Spira, W.M., and Nash, T.E.: Chronic giardiasis studies on drug sensitivity, toxin production and host immune response. *Gastroenterol.*; 83: 797-803, 1982.
- Sokal, R.J.; Lichtenstein, P.K., and Farrell, M.K.: Quinacrine hydrochloride - induced yellow discoloration of the skin in children. *Pediatrics*; 69: 23-233, 1982.
- Solomons, N.W: Giardiasis: Nutritional implications. *Rev. Infect. Dis.*; 4: 859-869, 1982.
- Sterling, C.R.; Kutob, R.M.; Gizinskiz M.J.; Verastequi, M., and Stetzenbach: Giardia detection using monoclonal antibodies recognizing determinations of in vitro derived cysts, in: Wallis, P., and Hammond, B. (Eds): *In advances in Giardia research* University of Calgary Press, 1987
- Sterner, G.; Forsell, J., and Lantorp, K.: Outbreak of giardia lamblia infections in a tourist group, treatment with tinidazole. *Infect.*, 1: 133-136, 1973.
- Stevens, D.P., and Frank, D.M.: Local immunity in murine giardiasis. Is milk protective at the expense of the maternal gut? *Trans. Ass. Am. Physians.*, 91: 268-272, 1978.

- Stevens, D.P.: Giardiasis: Host - pathogen biology. *Rev. Infect. Dis.*; 4: 851-858, 1982.
- Stibbs, H.H.: Monoclonal antibody based enzyme immunoassay for giardia lamblia antigen in human stool. *J. Clin. Microbiol.*; 27 (11): 2582-2588, 1989.
- Stiles, : (1915) Quoted from Craig and Faust's clinical parasitology. 8th ed., Philadelphia, Lea and Febiger, P.:44, 1970.
- Strickland, R.G.; Husby, G.; Black, W.C., and Williams, R.C.: Peripheral blood and intestinal lymphocyte subpopulations in Crohn's disease. *Gut*, 16: 846-853, 1975.
- Sullivan, P.B.; Marsh, M.N.; Philips, M.B., et al.: Prevalence and treatment of giardiasis in chronic diarrhea and malnutrition. *Arch. Dis. Child.*; 65: 304-306, 1990.
- Sun, T.: The diagnosis of giardiasis. *Am. J. Surg. Pathol.*; 4: 265-271, 1980.
- Sutton, D.L. and Kamath, K.P.: Giardiasis with protein losing enteropathy. *J. Pediatr. Gastroenterol. Nutr.*; 4(1): 56-59, 1985.
- Tandros, M.B.: Parasitological, mensural and nutritional studies on 300 Egyptian school children in Giza Province (Part I). *J. Egypt. Soc. Parasitol.*, 2 & 3: 41-56, 1973.
-

- Tadros, M.B.: Therapy of giardiasis in children with tinidazole oral single dose. *J. Egypt. Soc. Parasitol.*, 9: 467-471, 1979.
- Taylor, G.D. and Wnman, W.M.: Human immune response to giardia lamblia infection. *J. Infect. Dis.*; 155:137-140, 1987.
- Tewari, S.G., and Tandon, B.N.: Functional and histological changes of small intestine in patients with giardia lamblia infestation. *Ind. J. Med. Res.*, 62: 689-695, 1974.
- Thomas, G.E.; Goldsmid, J.M., and Wicks, A.C.B.: Use of the enterotest duodenal capsule in the diagnosis of giardiasis. *S. Afr. Med. J.*, 48: 2219-2220, 1974.
- Thomas, M.E.M.: Observations upon the effects of mepacrine and other substances on giardia intestinalis. *Parasitol.*, 42: 262-268, 1953.
- Thompson, A.; Roland, R.; Hecker, R.; Gibson, G.F. and Reid, D.P.: Immunoglobulin - bearing cells in giardiasis. *J. Clin. Pathol.*, 30: 292-294, 1977.
- Tomkins, A.M.; Wright, S.G.; Drasar, B.S., and James, W.P.T.: Colonization of jejunum by enterobacteria and malabsorption in patients with giardiasis. *Gut*, 17: 397, 1976.
- Tronca, M.: Erythromycin in the treatment of intestinal giardiasis. *G. Malattie Infect. Parasit.*, 8: 459-460. Quoted from Meyer, E.A. and Radeluscu, S.: Giardia and giardiasis. *Advantage. Parasitol.*, 17: 26, 1976.
-

- Underdown, B.J.; Roberts - Thomson, I.C.; Anders, R.F. and Witchell, C.F.: Giardiasis in mice. Studies on the characteristics of chronic infection in C311/11C mice. *J. Immunol.*, 126: 669-672, 1981.
- Ungar, B.L.P.; Yolken, R.H.; Nash, T.E. and Quinn, T.C.: Enzyme - linked immunosorbent assay for the detection of giardia lamblia in faecal specimens. *J. Infect. Dis.*; 149: 90-97, 1984.
- Ungar, B.L.P.; Yolken, R.H.; Nash, T.E., and Quinn, T.C.: Enzyme linked immunosorbent assay for the detection of giardia lamblia in fecal specimens. *J. Infect. Dis.*; 149: 90-97, 1984.
- Vane Wecman, B.K., and Schurrs, A.H.W.M.: Immunoassay using antigen - enzyme conjugates. *FEBS. Letters*, 15: 232-236, 1971.
- Van Wecman, B.K.; and Schurrs, A.H.W.M.: Immunoassay using hapten - enzume conjugates. *FEBS. Letters*, 24: 77-81, 1972.
- Veghelyi, P.: Coeliac disease initiated by giardiasis. *Am. J. Dis. Child.*, 57: 894-899, 1939.
- Veghelyi, P.V., and Lancos, F.J.: Avitaminosis A in giardiasis. *Am. J. Dis. Child.*, 78: 257-259, 1949.
-

- Vegheyli, P.: Giardiasis with special reference to absorption of fat. *Am. J. Dis. Child.*, 59: 793, 1940.
- Vinayak, V.K.; Jain, P., and Naik, S.R.: Demonstration of antibodies in giardiasis using the immunodiffusion technique with giardia cysts as antigen. *Am. J. Trop. Med. Parasit.*, 72: 581-582, 1978.
- Vinayak, V.K., Dutt, P., and Mehta, S.: Uses and limitations of monoclonal antibodies to giardia lamblia - specific 66-kDa copro-antigen in copro-immunodiagnosis of giardiasis. *FEMS. Immun. Med. Microbiol.*; 6: 37-44, 1993.
- Visvesvara, G.S.; Meyer, E.A. and Healy, G.R.: Antigenic analysis of giardia lamblia. Abstracts 51st. Annual Meeting. American Society of Parasitologists, 1976.
- Visvesvara, G.S., and Healy, G.R.: The possible use of an indirect immunofluorescent test using axenically grown giardia lamblia antigens in diagnosing giardiasis, in waterborne transmission of giardiasis. Environmental Protection Agency, 600, 9-79-001, P.:53-63, 1979.
- Visvesvara,^(v) G.S.; Phillip, D.; Smith, M.D., et al.: An immunofluorescent test to detect serum antibodies to giardia lamblia. *Ann. Intern. Med.*; 93: 802-804, 1980.

Visvesvara, G.S., and Healy, G.R.: The possible use of an indirect immunofluorescent test using axenically grown giardia lamblia antigens in diagnosing giardiasis, in waterborne transmission of giardiasis (Jakubowski, W., and Hoff, J.C. eds). Environmental Protection Agency, 600/7-79-001, P.:53-63, 1980.

Visvesvara, G.S.; Smith, P.D.; Healy, G.R., and Brown, W.R.: An immunofluorescence test to detect serum antibodies to giardia lamblia. Ann. Int. Med., 93: 802-805, 1980.

Voller, A.: Fluorescent antibody methods and their use in malaria research. Bull. WHO, 30: 343, 1964.

Voller, A.; Bidwell, D.E., and Bartlet, A.: Enzyme immunoassays in diagnostic medicine. Bull. Wld. Hlth. Org., 53: 55-56, 1976.

Voller, A.; Bidwell, D.E., and Bartlet, A.: The enzyme - linked immunosorbent assay (ELISA). A guide with abstracts of microplate applications. Sponsored and available from: Dynatech Europe, Borough House, P.: 35-40, 1979.

Voller, A.; Draper, C.; Bidwell, D.E., and Baralett, A.: Microplate enzyme - linke immunosorbent assay for Chagas' disease. Lancet, 1: 426, 1974.

Walker, W.A.: Host defence mechanisms in the gastro-intestinal tract. Pediatr., 57: 901-916, 1976.

- Walzer, P.D.; Wolfe, M.S., and Schultz, M.G.: Giardiasis in travellers. *J. Infect. Dis.*, 124: 235-237, 1971.
- Wanner, R.G.; Atchley, F.O., and Wasley, M.A.: Association of diarrhea with giardia lamblia in families observed weekly for occurrence of enteric infections. *Am. J. Trop. Med. Hyg.*, 12: 851, 1963.
- Weber, G.: Polarization of the fluorescence of macromolecules- 2. Fluorescent conjugates of ova albumin and bovine serum albumin. *Biochem. J.*; 51: 155, 1952.
- Welch, P.B.: Giardiasis with unusual clinical findings. Preliminary report. *Am. J. Dig. Dis.*, 10: 52, 1944.
- Weller, T.H., and Coons, A.H.: Fluorescent antibody studies with agents of Varicella and Herpes zoster propagated in vitro. *Proc. Soc. Exp. Biol. Med.*, 86: 789, 1954.
- Wenyon, C.M., and O'Connor, F.W.: Human intestinal protozoa in the Nasr East. London, Wellcome - Bureau of scientific Research, London, 2: 8, 1917.
- Westphal, B., and Georgi, R. (1923): In Wenyon, C.M.: Protozoology. Vol. 1. London - Bailliere - Tindall and Cox, P.: 125-133.
- Wilcocks, G., and Manson - Bahr, P.E.C.: Giardiasis. Manson's tropical disease. 17th ed., Bailliere - Tindall, P.: 186-188, 1972.
-

- Wittner, M.; Maayan, S., Farrer, W., and Tanowitz, H.B.:
Diagnosis of giardiasis by two methods. Arch. Pathol. Lab.
Med.; 107: 524-527, 1983.
- Wolfe, M.S.: Giardiasis. J.A.M.A., 23: 1362-1365, 1975.
- Wolfe, M.S.: Current concepts in parasitology: Giardiasis. North.
Eng. J. Med.; 298: 319-321, 1978.
- Wolfe, M.S.: Pathogenesis of giardia lamblia. Principles. J. Infect.
Dis., 2: 2143-2144, 1979.
- Wolfe, MS.: Giardiasis. J.A.M.A.; 233: 1362-1365, 1975.
- Wolfson, J.S.; Richter, J.M.; Waldron, M.A.; Weber, D.J.:
Cryptosporidiosis in immunocomponent patients. N. Engl. J.
Med.; 312: 1278-1282, 1985.
- Woodruff, A.W.: Giardiasis. Price's textbook of the practice of
medicine. 12th ed., Oxford University Press, P.:204, 1979.
- Wright,^a R.A.; Spencer, H.G.; Brodsky, R.E., and Vernon, T.M.:
Giardiasis in Colorado: An epidemiologic study. Am. J.
Epidem., 105: 330-336, 1977.^a
- Wright, S.G., and Tomkins, A.M.: Quantifications of the
lymphocyte infiltrate in jejunal epithelium in giardiasis.
Clin. Exp. Immunol., 29: 408-412, 1977.^b
- Wright, S.G.; Moody, A.H.; Tomkins, A.M., and Ridley, D.S.:
Fluorescent antibody studies in giardiasis. Gut, 18: 986,
1977.^c
-

- Yardley, J.H., and Bayless, T.M.: Giardiasis. *Gastroenterol.*, 52: 301, 1967.
- Yardley, J.J.; Takano, J., and Hendrix, T.R.: Epithelial and other mucosal lesions of the jejunum in giardiasis. Jejunal biopsy studies. *Bull. John Hopkins Hosp.*, 115: 389-406, 1964.
- Young, M.D.: Cockroaches as carriers of giardia cysts. *J. Parasit.*, 23: 102-103, 1937.
- Zamcheck, N.; Hoskins, L.C.; Winower, J.; Broitman, S.A., and Cottliets, L.S.: Histology and ultrastructure of the parasite and the intestinal mucosa in human giardiasis: effects of atebrine therapy. *Gastroenterol.*, 44: 860, 1963.
- Zinnaman, H.H. and Kaplan, A.P.: The association of giardiasis with reduced intestinal secretory immunoglobulin. *A. Am. J. Dig. Dis.*, 17: 793-797, 1972.
- Zinneman, H.H., and Kaplan, A.P.: The association of giardiasis with reduced intestinal secretory immunoglobulin. *Am. J. Dig. Dis.*, 17: 793-797, 1972.
- Zisman, M.: Blood group A and giardiasis. *Lancet*, 17: 1285, 1977.