

REFERENCES

REFERENCES**A**

1- Abdel-Aal, H.; Ibrahim, A.; El-Tounsy, H. and Khalifa, T. (1973):

Immunopathological studies in lichen planus.

Al-Azhar Med. J.; 2:137.

2- Abdel-Wahab, M.F.; Zakaria, S.; Kamel, M.; Abdel-Khaliq, M.K.; Mabrouk, M.A. and Salama, H. (1994):

High seroprevalence of hepatitis C infection among risk group in Egypt.

Am. J. Trop. Med. Hyg.; 51:563.

3- Abraham, S.C.; Ravich, W.J.; Anhalt, G.J. and Yardley, J.H. (2000):

Esophageal lichen planus: case report and review of literature.

Am. J. Surg. Pathol.; 24:1678.

4- Abuaf, N.; Lunel, F. and Gital, P. (1993):

Non-organ specific autoantibodies associated with chronic hepatitis C virus.

J. Hepatol.; 18:359.

5- Agrawal, S.; Garg, V.K.; Joshi, A.; Agarwalla, A. and Sah, S.P. (2000):

Lichen planus after HBV vaccination in a child: a case report from Nepal.

J. Dermatol.; 27:618.

-
- 5- Akasu, R.; From, L. and Kahn, H.J. (1993):
Lymphocyte and macrophage subsets in active and inactive lesions of lichen planus.
Am. J. Dermatopathol.; 15:217.
- 6- Albert, M.R.; Li, U.L.J.; Buhac, J.; Dover, J.S. and Gonzalez, E. (1998):
Lichen planus localized to the nails.
J. Cutan. Med. Surg.; 3:109.
- 7- Alter, M.J.; Shapiro, C.N.; Coleman, P.J. and Margolis, H.S. (1994):
Viral hepatitis in North America.
In: Nishioka, K.; Suzuki, H.; Mishimoto, Oda, T., eds. Viral Hepatitis and Liver Disease. New York, NY: Springer-Verlag NY Inc., 439.
- 8- Anstey, A. and Marks, R. (1993):
Colocalization of lichen planus and vitiligo.
Br. J. Dermatol.; 128:103.
- 9- Antinori, S.; Esposito, R.; Aliprandi, C.A. and Tandini, G. (1991):
Erythema multiforme and hepatitis C.
Lancet; 337:428.
- 10- Arndt, K.A. (1987):
Lichen planus. In: Dermatology in General Medicine.

Textbook and Atlas, 3rd edition. Edited by Fitzpatrick, T.B.; Eisen, A.Z. and Wolff, H.; Freedberg, I.M. and Austen, K.F. Published by McGraw-Hill Book Co., New York, 967.

11- Arrieta, J.J.; Rodriguez-Inigo, E.; Casqueiro, M.; Bartolome, J. and Carreno, V. (2000):

Detection of hepatitis C virus replication by in situ hybridization in epithelial cells of anti-hepatitis C virus-positive patients with and without oral lichen planus. *Hepatology*; 32:97.

12- Ayala, F.; Balato, N. and Tranfaglia, A. (1986):

Oral erosive lichen planus and chronic liver disease. *J. Am. Acad. Dermatol.*; 14:134.

13- Bagan, J.V.; Aguirre, J.M.; Del Olmo, J.A.; Penarrocha, M.; Rodrigo, J.M. and Cardona, F. (1994):

Oral lichen planus and chronic liver disease: a clinical and morphometric study of the oral lesions in relation to transaminase elevation.

Oral Surg. Oral Med. Oral Pathol.; 78:337.

14- Bain, L. and Geronemus, R. (1989):

The association of lichen planus of the penis with squamous cell carcinoma in situ and verrucous squamous carcinoma.

J. Dermatol. Surg. Oncol.; 15:413.

B

- 15- Barker, J.N.W.N.; Navsariid, H.A. and Leigh, I.M. (1988):**
Gamma-interferon induced human keratinocyte HLA-DR synthesis: the role of dermal activated T-cells.
Br. J. Dermatol.; 119:567.
- 16- Barnett, J.H. and Barnett, S.M. (1984):**
Lichenoid drug reactions to chlorpropamid and tolazamide.
Cutis; 34:542.
- 17- Barone, E.J.; Jones, J.C. and Schaefer, J.E. (2000):**
Inflammatory skin disorders.
In: Skin Disorders, edited by Barone, E.J.; Jones, J.C. and Schaefer, J.E. Published by Lippincott Williams & Wilkins; Ch. 10, p. 137.
- 18- Beaird, L.M.; Kabloon, N.; Fanco, J. and Fairleg, J.A. (2001):**
Incidence of hepatitis C in lichen planus.
J. Am. Acad. Dermatol.; 44:311.
- 19- Bellman, B.; Reddy, R.K. and Falanga, V. (1995):**
Lichen planus associated with hepatitis C.
Lancet; 346:1234.
- 20- Bergfeld, W.F.; Valenzuela, R. and Beutner, E.H. (1987):**
Lichen planus.
In: Beutner, E.H.; Chorzelski, T.P.; Kaumar, V., eds. Immunopathology of the Skin, 3rd ed. New York: Churchill Livingstone, 647-58.

21- Bhattacharya, M.; Kaur, I. and Kumar, B. (2000):

Lichen planus:a clinical and epidemiological study.
J. Dermatol.; 27:576.

22- Biermann, H. and Rauterberg, E.W. (1998):

Expression of fetal cytokeratins in epidermal cells and
colloid bodies in lichen planus.
J. Cutan. Pathol.; 25:35.

23- Black, M.M. (1972):

The pathogenesis of lichen planus.
Br. J. Dermatol.; 86:302.

24- Black, M.M. (1996):

Lichen planus and lichenoid disorders.
In:Textbook of Dermatology (Champion, R.H.; Burton,
J.L.; Ebling, F.J.G., eds.), 6th ed. P. 1899.

**25- Bloor, B.K.; Malik, F.K.; Odell, E.W. and Margan, P.R.
(1999):**

Qualitative assessment of apoptosis in oral lichen planus.
Oral Surg. Oral Med. Oral Pathol. Oral Radiol.; 88:187.

26- Bong, J.L.; Lucke, T.W. and Douglas, W.S. (2000):

Lichenoid drug eruption with proton pump inhibitors.
B.M.J.; 320:283.

27- Bonkovsky, U.L. and Mehta, S. (2001):

Hepatitis C:a review and update.
J. Am. Acad. Dermatol.; 44:159.

- 28- *Bouassida, S.; Boudaya, S.; Turki, H.; Gueriani, H. and Zahaf, A. (1998):*
Actinic lichen planus: 32 cases.
Ann. Dermatol. Venereol.; 125:408.
- 29- *Boxman, I.; Lowik, C.; Aarden, L. and Ponc, M. (1993):*
Modulation of IL-6 production and IL-1 activity by
keratinocyte-fibroblast interaction.
J. Invest. Dermatol.; 101:316.
- 30- *Boyd, A.S.; Kenneth, H. and Neldner, L.T. (1991):*
Lichen planus.
J. Am. Acad. Dermatol.; 25:593.
- 31- *Boyd, A.S.; Lillian, B.; Nanney, P. and Lloyd, E. (1998):*
Immunoperoxidase evaluation of lichen planus biopsies for
hepatitis C virus.
International Journal of Dermatology; 37:260.
- 32- *Brudy, L.; Janier, M.; Reboul, D.; Baviera, E.; Bonvalet, D.
and Daniel, F. (1997):*
Erosive lichen planus of the scalp.
Ann. Dermatol. venereol.; 124:703.
- 33- *Buffet, C.; Charnaux, N. and Laurent-Puig, P. (1994):*
Enhanced detection of antibodies to hepatitis C virus by the
use of a third-generation recombinant immunoblot assay.
J. Med. Virol.; 43:259.



34- Camisa, C.; Nett, J.C. and Olsen, R.G. (1984):

Use of indirect immunofluorescence in Lupus erythematosus, Lichen planus overlap syndrome and additional diagnostic clue.

J.Am.Acad.Dermatol.; 11:1050

35- Camisa, C.; Allen, C.M. and Bowen, B. (1986):

Indirect immunofluorescence of oral lichen planus.

J. Oral Pathol.; 15:218.

36- Carrozo, M.; Gandolfo, S.; Carbone, M.; Colombatto, P.;

Brocaletti, R.; Garzino-Demo, P. and Ghisetti, V. (1996):

Hepatitis C virus infection in Italian patients with oral lichen planus: a prospective case-control study.

J. Oral Pathol. Med.; 25:527.

37- Carrozzo, M.; Francia, D.I.; Gandoffo, S.; Carbone, M.;

Conrotto, D. and Fasano, M.F. (2001):

Increased frequency of HLA-DR6 allele in Italian patients with hepatitis C virus-associated oral lichen planus.

Br. J. Dermatol.; 144:803.

38- Carson, C.W.; Conn, D.L.; Czaja, A.J.; Wright, T.L. and

Brecher, M.E. (1993):

Frequency and significance of antibodies to hepatitis C virus in polyarteritis nodosa.

J. Rheumatol.; 20:304.

- 39- *Cha, T.A.; Beall, E.; Irvine, B. and Kolberg, J. (1992):*
At least five related, but distinct, hepatitis C viral
genotypes exist.
Proc. Natl. Acad. Sci, USA; 89:7144.
- 40- *Chan, S.W.; McOmish, F. and Holmes, E.C. (1992):*
Analysis of a new hepatitis C virus type and its
phylogenetic relationship to existing variants.
J. Gen. Virol.; 73:1131.
- 41- *Choo, Q.L.; Kuo, G. and Weiner, A.J. (1989):*
Isolation of a DNA clone derived from a blood-borne non-
A, non-B viral hepatitis genome.
Science; 244:359.
- 42- *Chuang, T.Y.; Stittle, L.; Brashear, R. and Lewis, C. (1999):*
HCV and lichen planus: a case-control study of 340
patients.
J. Am. Acad. Dermatol.; 41:787.
- 43- *Ciaccio, M. and Rebora, A. (1990):*
Lichen planus following HBV vaccination: a coincidence?
Br. J. Dermatol.; 122:424.
- 44- *Clausen, J.; Kjaergaard, J. and Bierring, F. (1981):*
The ultrastructure of dermo-epidermal junction of lichen
planus.
Acta Derm. Venereol.; 61:101.

-
- 45- Cohen, P.R. and Deleo, V.A. (1990):**
Disorders of porphyrin metabolism.
In: Alper, J.C., ed. Genetic Disorder of the Skin.
Chicago: Mosby-Year Book: 79.
- 46- Conklin, R.J. and Blasberg, B. (1987):**
Oral lichen planus.
Dermatol. Clin.; 5:663.
- 47- Connelly, M.G. and Winkelmann, R.K. (1985):**
Coexistence of lichen sclerosis, morphea and lichen planus.
J. Am. Acad. Dermatol.; 12:844.
- 48- Copeman, P.W.; Schroeter, A.L. and Kierland, R.R. (1970):**
An unusual variant of lupus erythematosus of lichen
planus.
Br. J. Dermatol.; 83:269.
- 49- Cotton, B.W.K.; Van den Hurk, J.J.M.A. and Vander Staak,
W.B.J.M. (1972):**
Lichen planus inborn error of metabolism.
Br. J. Dermatol.; 87:341.
- 50- Cottoni, F.; Solinas, A. and Piga, M.R. (1988):**
Lichen planus, chronic liver diseases and immunologic
involvement.
Arch. Dermatol. Res.; 280:555.

- 51- *Cottoni, F.; Tedde, G.; Solinas, A. and Deplano, A. (1991):*
Lichen planus associated with anti-liver-kidney
microsome-positive chronic active hepatitis and
hyperthyroidism.
Arch. Dermatol.; 127:1730.
- 52- *Cribier, B.; Garnier, C.; Laustrial, D. and Heid, E. (1994):*
Lichen planus and hepatitis C virus infection: an epidemiologic study.
J. Am. Acad. Dermatol.; 31:1070.
- 53- *Curtis, A. and Raskin, M.D. (1997):*
Apoptosis and cutaneous biology.
J. Am. Acad. Dermatol.; 36:885.
- 54- *Darwish, N.M.; Abbas, M.O.; Abdelfattah, F.M. and Darwish, M.A. (1992):*
Hepatitis C virus infection in blood donors in Egypt.
J. Egypt. Public Health Assoc., 67:223.
- 55- *De Jong, E.M.G.J. and Van De Kerkof, P.C.M. (1996):*
Coexistence of palmoplantar lichen planus and lupus erythematosus with response to treatment using acitretin.
Br. J. Dermatol.; 134:538.
- 56- *De Jong, E.M.G.J.; Van Erp P.E.J.; Ruiter, D.J. and Van De Kerkof, P.C.M. (1991):*
Immunohistochemical detection of proliferation and differentiation of discoid lupus erythematosus.
J. Am. Acad. Dermatol.; 25:1032.

- 57- *Delellis, R.A.; Sternberger, L.A.; Mann, R.B.; Banks, P.M. and Nakane, P.K. (1979):*

Immunoperoxidase technics in diagnostic pathology.
Report of a workshop sponsored by the National Cancer
Institute.

Am. J. Clin. Pathol.; 71:483.

- 58- *Del-Olmo, J.A.; Pascual, I.; Bagan, J.V.; Serra, M.A.; Escudero, A. and Rodrigo, J.M. (2000):*

Prevalence of hepatitis C virus in patients with lichen
planus of the oral cavity and chronic liver disease.

Eur. J. Oral Sci.; 108:378.

- 59- *Divano, M.C.; Parodi, A. and Rebora, A. (1992):*

Lichen planus, liver-kidney, microsomal (LKM1)
antibodies and hepatitis C virus antibodies.

Dermatology; 185:132.

- 60- *Divano, M.C.; Parodi, A. and Rebora, A. (1999):*

Antibodies in Lichen planus.

Dermatology, 188:205.

- 61- *Domingo, P.; Ris, J.; Mninez, E. and Casas, F. (1990):*

Erythema nodosum and hepatitis C.

Lancet; 336:1377.

- 62- *Donahue, J.G.; Munoz, A. and Ness, P.M. (1992):*

The declining risk of post-transfusion hepatitis C virus
infection.

N. Engl. J. Med.; 327:369.

63- Dubreuilh, W. (1906):

Histologie du lichen planus des mupeux.

Ann. Dermatol. Venereol.; 7:123. Quoted from Mignogna et al., 2000.

64- Dupin, N.; Chosidow, O.; Lunel, F.; Fretz, C.; Szpirglas, H. and Frances, C. (1997):

Oral lichen planus and hepatitis C virus infection: a fortuitous association.

Arch. Dermatol.; 133:1052.

65- Dupond, A.S.; Lacour, J.P.; Lafont, C. and Orlonne, J.P. (1998):

Prevalence of hepatitis C virus in oral erosive lichen.

Ann. Dermatol. Venereol.; 125:676.

66- Dupond, A.S.; Lacour, J.P.; Lafont, C. and Ortonne, J.P. (1999):

Prevalence of hepatitis C virus in erosive oral lichen planus.

Ann. Dermatol. Venereol.; 126:1.

67- Ebner, H.; Erlach, E. and Gebhart, W. (1973):

Untersuchungen über die blasenbildung beim lichen ruber planus.

Arch. Dermatol.; 247:193. Quoted from Toussaint and Camino, 1997.

E

- 68- *Edmund, J.G.; Charles, C.C.; Olive, S.P. and George, D.S. (1986):*

Immunocytochemistry:its evolution and criteria for its application in the study of Epon-embedded cell and tissue.
Am. J. of Anatomy; 175:135.

- 69- *Edwards, L. (1989):*

Vulvar lichen planus.
Arch. Dermatol.; 125:1677.

- 70- *Edwards, L. and Friedrich, E.G. (1988):*

Desquamative vaginitis:lichen planus in disguise.
Obstet. Gynecol.; 71:832.

- 71- *El-Darouti, M. and Abu-El-Ela, M. (1996):*

Necrolytic acral erythema:a cutaneous marker of viral hepatitis C.
Int. J. Dermatol.; 35:252.

- 72- *Ellagehausen, P.; Elsner, P. and Burg, G. (1998):*

Drug-induced lichen planus.
Clin. Dermatol.; 16:325.

- 73- *El-Sayed, N.M.; Gomatos, P.J.; Rodler, G.R.; Wierzba, T.F.; Darwish, A. and Khashaba, S. (1996):*

Seroprevalence survey of Egyptian tourism workers for hepatitis B virus, hepatitis C virus, human immunodeficiency virus, and Treponema pallidum

infections:association of hepatitis C virus infections with specific regions in Egypt.

Am. J. Trop. Med. Hyg.; 55:179.

74- El-Zawahry, M. (1963):

Skin disease in Arabian countries.

Textbook, Vol. I, Published by Author, P. 15.

75- El-Zawahry, M.; El-Komy, M.; Kamel, I. and El-Zawahry, M.B. (1983):

Lichen planus:a clinicopathological study.

M.S. Thesis, Cairo University, P. 140.

76- El-Zayadi, A.R.; Selim, O. and Ibrahim, E.H. (1997):

Does schistosomiasis play a role in the high seroprevalence of HCV antibody among Egyptians?

Trop. Gastroenterol.; 18:98.

77- Engvall, E. and Periman, P. (1971):

Enzyme linked immunosorbent assay (ELISA):quantitative assay of IgG.

Immunochemistry; 8:871.

78- Enomoto, N.; Takada, A.; Nakao, T. and Date, T. (1992):

There are two major types o hepatitis C virus in Japan.

Biochem. Biophys. Res. Commun.; 170:1021.

79- Erkek, E.; Bozdogan, O.O. and Olut, A. (2001):

Hepatitis C virus infection prevalence in lichen planus:examination of lesional and normal skin of hepatitis

C virus-infected patients with lichen planus for the presence of hepatitis C virus RIII A.

Clin. Exp. Dermatol.; 26:540.

- 80- Evans, A.V.; Roest, M.A.; Fletcher, C.L.; Lister, R. and Hay, R.J. (2001):**

Isolated lichen planus of the toe nails treated with oral prednisolone.

Clin. Exp. Dermatol.; 26:412.

- 81- Fayyazi, A.; Schweyer, S.; Soruri, A.; Duong, L.Q.; Radzun, H.J.; Peters, J.; Parwaresch, R. and Berger, H. (1999):**

T-lymphocyte and altered keratinocytes express interferon-gamma and interleukin-6 in lichen planus.

Arch. Dermatol. Res.; 291:485.

- 82- Femiano, F.; Cozzolino, F. and Gaeta, G.M. (1999):**

Recent advances on the pathogenesis of oral lichen planus (OLP):The adhesion molecules.

Minerva Stomatol.; 48:151.

- 83- Flageul, B.; Hassan, F.; Pinquier, L.; Blanchet-Bardon, C. and Dubertret, L. (1999):**

Lichen pemphigoid associated with developing hepatitis B in a child.

Ann. Dermatol. Venereol.; 126:604.



- 84- Freedberg, I.M. and Fitzpatrick, T.B. (1999):**

Dermatology in General Medicine, 5th ed.

New York:McGraw-Hill, Health Professions Division

Variant Title. 3002.

- 85- Gandolfo, S.; Carrozo, M.; Lodi, J.; Carbone, M. and Garzino-Demo, P. (1999):**

Oral lichen planus in patients infected or non-infected with hepatitis C virus:the rate of autoimmunity.

J. Oral Pathol. Med.; 28:16.

- 86- Gattoni, A.; Cecere, A.; Romano, C.; Caiazzo, R. and Tancredi, L. (1997):**

Hepatitis C and systemic diseases.

Clinica Therapeutica; 148:133.

- 87- Gheril, G.; Russo, G.P.; Cappugi, E.; Sgambati, L. and Gheri Bryk, L. (1999):**

The oligosaccharidic component of the glycoconjugates in lichen planus, granuloma annulare, seborrheic keratosis and palmoplantar keratoderma:lectin histochemical study.

Histol. Histopathol.; 14:697.

- 88- Gibstine, C.F. and Esterly, N.B. (1984):**

Lichen planus in monozygotic twins.

Arch. Dermatol.; 120:580.

G

- 89- *Goihman-Yahr, M.; Essensfeld-Yahr, E. and Rojas-Martinez, G. (1980):*

Erosive lichen planus and fibroxanthosarcoma (malignant fibrohistiocyoma): coincidence or association.
Cutis; 26:515.

- 90- *Gordon, S.C. (1996):*

Extrahepatic manifestation of hepatitis C.
Digestive Diseases; 14:157.

- 91- *Gorsky, M.; Raviv, M.; Moskona, D.; Laufer, M. and Bodner, L. (1996):*

Clinical characteristics and treatment of patients with oral lichen planus in Israel.
Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod.;
82:644.

- 92- *Graham-Brown, R.A.C.; Sarkany, I. and Sherlock, S. (1982):*

Lichen planus and primary biliary cirrhosis.
Br. J. Dermatol.; 106:699.

- 93- *Grakoui, A.; Wychowsky, C.; Lin, C.; Feinstone, S.M. and Rice, C.M. (1993):*

Expression and identification of hepatitis C virus polyprotein cleavage products.
J. Virol.; 67:1385.

94- Grunnet, N. and Schmidt, H. (1983):

Occurrence of lichen planus in a family, genetic susceptibility or coincidence?

Clin. Exp. Dermatol.; 8:397.

95- Gruppo Italiano, S. (1990):

Lichen planus and liver disease.

B.M.J.; 300:227.

96- Gupta, A.K. and Gorsulowsky, D.C. (1987):

Unilateral lichen planus: an unusual presentation.

Arch. Dermatol.; 123:295.

97- Haake, A.R. and Polakowska, R.R. (1993):

Cell death by apoptosis in epidermal biology.

J. Invest. Dermatol.; 101:107.

98- Haddad, J.; Deny, P.; Munz-Gothel, C.; Ambrosini, J.; Trinchet, J.C. and Pateron, D. (1992):

Lymphocytic sialadenitis of Sjogren's syndrome associated with chronic hepatitis C virus liver diseases.

Lancet; 339:321.

99- Hadziyannis, S.J. (1998):

Skin diseases associated with hepatitis C virus infection.

J. Eur. Acad. Dermatol., Venereol.; 10(1):12.

100- Halevy, S. and Shai, A. (1993):

Lichenoid drug eruption.

J. Am. Acad. Dermatol.; 29:249.



101- Hampfy, G.C.; Malstrom, J.M. and Aalberg, V.A. (1987):

Psychiatric disturbance in patients with oral lichen planus.
Oral Surg., Oral Med., Oral Pathol.; 63:929.

102- Happle, R. (1998):

"Zoster form" lichen planus: the bizarre consequences of a misnomer.
Acta Dermatol. Venereologica; 78:300.

103- Harder, M.K. and Kasba, E.E. (1990):

Pruritic zosteriform eruption.
Arch. Dermatol.; 126:665.

104- Harewood, G.C.; Murray, J.A. and Cameron, A.J. (1999):

Esophageal lichen planus: the Mayo Clinic Experience.
Dis. Esophagus; 12:309.

105- Harti, C.; Steen, K.H.; Wegner, H.; Seifert, H.W. and bieber, T. (1999):

Unilateral linear lichen planus with mucous membrane involvement.
Acta. Dermatol. Venereol.; 79:145.

106- Hassan, N.F.; Arthur, R.R.; Abdallah, M.Y.; El-Sharkawy, M.S.; Saad, M.D. and Hackbart, B.C. (1997):

Hepatitis C antibody prevalence in blood donors in different governorates in Egypt.
Trop. Med. Hyg.; 91:271.

- 107- Hearth-Holmes, M.; Zahradka, S.L.; Beathge, B.A. and Wolf, R.E. (1991):**

Leukocytoclastic vasculitis associated with hepatitis C.
Am. J. Med.; 90:765.

- 108- Hitchins, L.; Fucich, L.F.; Freeman, S.M.; Millikan, L.E. and Marrogi, A.J. (1997):**

Immunophenotyping as a diagnostic tool to differentiate lichen planus from chronic graft versus host disease:diagnostic observations on two patients.
J. Invest. Med.; 45:463.

- 109- Hongcharu, W.; Baldassano, M. and Gonzalez, E. (2000):**

Generalized lichen amyloidosis associated with chronic lichen planus.
J. Am. Acad. Dermatol.; 43:346.

- 110- Hsu, S.; Ghohestani, R.F. and Uitto, J. (2000):**

LP pemphigoides with IgG autoantibodies to the 180 kd bullous pemphigoid antigen.
J. Am. Acad. Dermatol.; 42:136.

- 111- Iaylor, C.P. and Burns, J. (1974):**

The demonstration of plasma cells and other immunoglobulin-containing cells in formalin fixed, paraffin-embedded tissue using peroxidase labelled antibody.
J. Clin. Pathol.; 27:14.



- 112- Idogawa, M.; Yuji, H.; Toshiaki, H.; Tado, I. and Kohzoh, I. (1999):**

A case of thymoma and hypogammaglobulinemia (Good's Syndrome) with lichen planus.

Nihon. Rinsho. Meneki. Gakkai. Kai. Shi. (Abst.); 22:137.

- 113- Imhof, M.; Papal, H.; Lee, J.H.; Zeuzem, S. and Milbradt, R. (1997):**

Prevalence of hepatitis C antibodies and evaluation of hepatitis C virus genotypes in patients with lichen planus.

Dermatology; 195:1.

- 114- Isaac, M. and McNeely, M.C. (1995):**

Dermatitis herpetiformis associated with lichen planopilaris.

J. Am. Acad. Dermatol.; 33:1050.

- 115- Jone, T. and Gaede, M.D. (1983):**

Clinical Pathology.

Book of Clinical Pathology, Published by Williams Wilkins, Chapter I, P. 1.

- 116- Jubert, C.; Pawlotsky, J.M.; Douget, F.; Andre, C.; Deforges, L. and Bretogne, S. (1994):**

Lichen planus and hepatitis C virus related chronic active hepatitis.

Arch. Dermatol.; 130:73.



117- Kanwar, A.J.; Ghosh, S.; Tani, G.P. and Kaur, S. (1993):

Twenty-nail dystrophy due to Lichen planus in a patient with alopecia areata.

Clin. Exp. Dermatol.; 18:293.

118- Kaplan, B. and Barnes, L. (1985):

Oral lichen planus and squamous carcinoma.

Arch. Otolaryngol.; 111:543.

119- Katta, R. (2000):

Lichen planus.

American Family Physician; 61:3327.

120- Kaur, S.; Singh, M. and Radotra, B.D. (1987):

Positive Nikolsky's and bullae-spread signs in acute bullous lichen planus.

Arch. Dermatol.; 123:1122.

121- Kirtak, N.; Inaloz, H.S. and Erbagei, Z. (2000):

The prevalence of hepatitis C virus infection in patients with lichen planus in Gaziantep region of Turkey.

Eur. J. Epidemiol.; 16:1159.

122- Kofoed, M.L. and Wantzin, G.L. (1985):

Familial lichen planus.

J. Am. Acad. Dermatol.; 13:50.

123- Krengel, S.; Tebbe, B.; Goerdt, S. and Orfanos, C.E. (1999):

Hepatitis C virus associated dermatoses: a review.

Hautarzt; 50:629.

124- Kumar, B.; Sthuraman, G.; Khandelwal, W. and Kaur, I.

(1999):

Urolithiasis in lichen planus.

Dermatology; 199:280.

125- Lacy, M.F.; Reade, P.C. and Hay, K.D. (1983):

Lichen planus: a theory of pathogenesis.

Oral Surg., Oral Med., Oral Pathol.; 56:521.

126- Lam, J.P.H.; McOmich, F.; Burns, S.M.; Yap, P.L.; Mok,

J.Y.Q. and Simmonds, P. (1993):

Infrequent vertical transmission of hepatitis C virus.

J. Infect. Dis.; 167:572.

127- Lau, J.N.; Mizokami, M. and Kolberg, J.A. (1995):

Application of six hepatitis C virus genotyping system to sera from chronic hepatitis C patients in the United States.

J. Infect. Dis.; 171:281.

128- Lembo, G.; Balato, N. and Patruno, C. (1987):

Lichenoid contact dermatitis due to aminoglycoside antibiotics.

Contact Dermatitis; 17:122.

129- Lever's, W.F. (1997):

Histopathology of the skin, 8th ed. Elder D, ed. In: Chief, Elenitsas, R.; Jaworski, C.; Johnson, B. Jr.; eds. Philadelphia, Lippincott-Raven.



Variant Little: Histopathology of the Skin. (XVII, 1073, P. 14).

130- Lewis, F.M. (1998):

Vulval lichen planus.

Br. J. Dermatol.; 138:569.

131- Lewis, F.M. and Harrington, C.L. (1994):

Squamous cell carcinoma arising in vulval Lichen planus.

Br. J. Dermatol.; 131:703.

132- Liden, C. (1986):

Lichen planus in relation to occupational and non-occupational exposure to chemicals.

Br. J. Dermatol.; 115:23.

133- Lin, A.N.; Srolovitz, H. and Billick, R.C. (1986):

Familial lichen planus.

Cutis; 37:135.

134- Lombardi, P.; Compolmi, P. and Sertoli, A. (1983):

Lichenoid dermatitis caused by nickel salts.

Contact Dermatitis; 9:520.

135- Lo Muzio, L.; Mignogna, M.D.; Favia, G.; Procaccini, M.; Testa, N.F. and Buccì, E. (1998):

The possible association between oral lichen planus and oral squamous cell carcinoma: a clinical evaluation of 14 cases and a review of the literature.

Oral Oncol.; 34:239.

136- Loustaud-Ratti, V. and Lunel, F. (2000):

Extrahepatic manifestation of hepatitis C virus infection.
Rev. Prat. (Abst.); 50:1089.

137- Lowenthal, L.L. and Pisanti, S. (1984):

Oral lichen planus according to the modern medical model.
J. Oral Med.; 39:224.

138- Lucke, T.; Fallowfield, M. and Burden, D. (1999):

Lichen planus associated with milia.
Clin. Exp. Dermatol.; 24:266.

139- Luiz, C.J.; Jose, C. and Robert, O.K. (1998):

Basic Histology.
Text Book of Histology, 9th edition, P. 1-3., by Appleton
& Lange. A Simon & Schuster Company.

140- Lunel, F.; Musset, C. and Cacoub, P. (1994):

Cryoglobulinemia in chronic liver disease:role of hepatitis
C virus and liver damage.
Gastroenterology; 106:1291.

141- Magnusson, B. (1967):

Lichen ruber bullosus and tumours in internal organs.
Dermatologica; 134:166.

142- Magrin, S.; Craxi, A. and Fabiano, C. (1991):

Hepatitis C virus replication in "autoimmune" chronic
hepatitis.
J. Hepatol.; 13:364.

M

143- Mahood, J.M. (1983):

Familial lichen planus.

Arch. Dermatol.; 119:292.

144- Mangia, A.; Andriulli, A.; Zenarola, P.; Lomuto, M.; Cascavilla, I.; Quadri, R. and Negro, F. (1999):

Lack of hepatitis C virus replication intermediate RNA in diseased skin tissue of chronic hepatitis C patients.

J. Med. Virol.; 59:277.

145- Martell, M.; Esteban, J.I. and Quer, J. (1992):

Hepatitis C virus circulates as a population of different but closely related genomes:quasispecies nature of hepatitis C virus genome distribution.

J. Virol.; 66:3225.

146- Mason, D.Y. and Taylor, G.R. (1975):

Staining of the A antigen in human erythrocytes.

J. Clin. Pathol.; 28:594.

147- Medenica, M. and Lorincz, A. (1997):

Lichen planus:an ultrastructural study.

Acta Derm. Venereol.; 57:55.

148- Mehregan, D.A.; Van Hale, H.M. and Mullen, S.A. (1992):

Lichen planopilaris:clinical and pathologic study of 45 patients.

J. Am. Acad. Dermatol.; 27:935.

149- McCartan, B.E. and Lamey, P. (2000):

Lichen planus-specific antigen in oral lichen planus and oral lichenoid drug eruptions.

Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod.; 89:585.

150- Midona, A. and Zina, G. (1970):

Lichen ruber pemphigoides: manifestation paraneoplasique? Dermatologica; 140:36.

151- Mignogna, M.D.; Lo Muzio, L.; Favio, G.; Mignogna, R.E.;

Carbone, R. and Bucci, E. (1998):

Oral lichen planus and HCV infection.

Int. J. Dermatol.; 37:575.

152- Mignogna, M.D.; Lorenzo, L.O.M.; Lucio Lo Russo, D.D.S.;

Stefano Fedele, D.D.S.; Elvira Ruoppo, D.D.S. and Eduardo Bucci, M.D. (2000):

Oral lichen planus: different clinical features in HCV-positive and HCV-negative patients.

Int. J. Dermatol.; 39:134.

153- Miriam, J.A. (2000):

Updated on viral hepatitis.

American Association for the study of Liver Disease; Oct 27-28.

- 154- *Mohamed, M.K.; Frank, C.; Strikland, G.T., Lavanchy, D.; Arthur, R.R. and Magder, L.S. (2000):*
The role of antischistosomal therapy in the spread of hepatitis C virus in Egypt.
Lancet; 355:877.
- 155- *Moriarty, G.C.; Moriarty, C.M. and Sternberger, L.A. (1973):*
Ultrastructural immunocytochemistry by unlabelled antibodies and the peroxidase-antiperoxidase complex (PAP). A technique more sensitive than radioimmunoassay.
J. Histochem. Cytochem.; 21:825.
- 156- *Mouly, F.; Pawlotsky, J.M. and Schaeffer (1995):*
Association of porphyria cutanea tarda and lichen planus in a patient with chronic hepatitis C virus infection.
Br. J. Dermatol.; 132:158.
- 157- *Murillo, D.E.; Sanchez-Yus, E. and Novo-Lens, R. (1999):*
Lichen nitidus of the palms: a case with peculiar histopathologic features.
Am. J. Dermatopathol.; 21:162.
- 158- *Murti, P.R.; Daftary, D.K. and Bhonsle, R.B. (1986):*
Malignant potential of oral lichen planus: observation in 722 patients from India.
J. Oral Pathol.; 15:71.

159- Nagao, Y.; Sata, M.; Tanikawa, K.; Itoh, K. and Kameyama,

T. (1995):

Lichen planus and hepatitis C virus in the Northern Kyushu region of Japan.

Eur. J. Clin. Invest.; 25:910.

160- Nagao, Y.; Sata, M.; Kameyama, T. and Ueno, T. (2000):

Immunohistochemical study of oral Lichen planus-associated HCV infection.

Eur. J. Intern. Med.; 11:277.

161- Nakamura, S.; Hiroki, A. and Shinohara, M. (1996):

Oral involvement in chronic graft versus host disease after allogenic bone marrow transplantation.

Oral Surg., Oral Med., Oral Pathol.; 82:556.

162- Naldi, L.; Sena, P.; Brevi, A. and Cainelli, T. (1991):

Epidemiological evidence of the association between lichen planus and two immuno-related diseases, alopecia areata and ulcerative colitis.

Arch. Dermatol.; 127:688.

163- Nanda, A.; Al-Ajmi, H.S.; Al-Sabah, H.; Al-Hasawi, F. and Alsaleh, Q.A. (2001):

Childhood lichen planus: a report of 23 cases. Pediatr. Dermatol.; 18:1.

- 164- Nasa, G.L.A.; Cottoni, F.; Mulargia, M.; Carcassi, C.; Vacca, A.; Pizzoti, A.; Ledda, A.; Montesu, M.A.; Cerimele, D. and Conlu, L. (1995):**

HLA antigen distribution in different clinical subgroups demonstrates genetic heterogeneity in lichen planus.

Br. J. Dermatol.; 132:897.

- 165- Neuman-Jensen, B.; Worsaae, N. and Dabelsteen, E. (1980):**

Pemphigus vulgaris and Pemphigus foliaceus coexisting with oral lichen planus.

Br. J. Dermatol.; 102:585.

- 166- Nigam, P.K.; Sharmal, L.; Agrawal, J.K.; Singh, G. and Khurana, S.K. (1987):**

Glucose tolerance studies in lichen planus.

Dermatologica; 175:284.

- 167- Nissalo, S.; Hietanen, J.; Malmstrom, M.; Hakkanen, M. and Konttinen, Y.T. (2000):**

Disorder-specific changes in innervation in oral lichen planus and lichenoid reactions.

J. Oral Pathol. Med.; 29:361.

- 168- Ognjenovic, M.; Karelovic, D.; Cekic-Arambasin, A.; Tadin, I. and Vrebalov-Cindro, V. (1998):**

Lichen planus and HLA-DR.

Coll. Antropol.; 22:97.

169- Ohto, H.; Terazawa, S. and Sasaki, N. (1994):

Transmission of hepatitis C virus from mother to infants.
N. Engl. J. Med.; 330:744.

170- Okochi, H.; Nashiro, K. and Tsuchida, T. (1990):

Lichen planus pemphigoides: case report and result of immunofluorescence and immunoelectron microscopic study.
J. Am. Acad. Dermatol.; 22:626.

171- Okamoto, H.; Kurai, K.; Okada, S. and Yamamoto, K. (1992):

Full-length sequence of a hepatitis C virus genome having poor homology to related isolates: Comparative study of four distinct genotypes.
Virology; 188:331.

172- Olsen, R.G.; Du Plessis, D.P. and Schulz, E.J. (1984):

Indirect immunofluorescence microscopy of lichen planus.
Br. J. Dermatol.; 110:9.

173- Oomen, G. Temmerman, L. and Kint, A. (1986):

Lichen planus pemphigoides.
Clin. Exp. Dermatol.; 11:92.

174- Panconseni, E. (1984):

Psychosomatic dermatology in "Clinics in Dermatology Stress and Skin Disease". Vol. 2, No. 4,
Published by J.B. Lippincott, Philadelphia, USA, P. 114.

- 175- Papini, M.; Bruni, P.L.; Bettacchi, L. and Liberati, F. (1994):**
Sudden onset of oral ulcerative lichen in a patient with chronic hepatitis C on treatment with a-interferon.
Int. J. Dermatol.; 33:221.
- 176- Parodi, G.; Guarrera, M. and Rebora, A. (1987):**
Lichenoid photocontact dermatitis to mask ambrette.
Contact Dermatitis; 16:136.
- 177- Patrick, L. (1999):**
Hepatitis C:epidemiology and review of complementary alternative medicine treatments.
Altern. Med. Rev.; 4:220.
- 178- Patrone, P.; Slinco, G.; La Pia, E.; Frattasio, A. and De Francesco, V. (1998):**
Surgery and cyclosporin A in the treatment of erosive lichen planus of the feet.
Eur. J. Dermatol.; 8:243.
- 179- Patterson, J.W. (1991):**
The spectrum of lichenoid dermatitis.
J. Cutan. Pathol.; 18:67.
- 180- Pawlotsky, J.M.; Ben Yahia, M. and Andr, C. (1994):**
Immunological disorder in hepatitis C virus chronic active hepatitis.
Hepatology; 19:841.

-
- 181- Pawlotsky, J.M.; Bélec, L. and Gresenguet, G. (1995b):**
High prevalence of hepatitis B, C and E markers in young sexually active adults from the Central Africa Republic.
J. Med. Virol.; 46:269.
- 182- Pawlotsky, J.M.; Benchiki, H.; Pellet, C.; Duval, J.; Dnumeaux, D.; Revuz, J. and Bagot, M. (1995c):**
Lichen planus and hepatitis C virus (HCV)-related chronic hepatitis: Evaluation of HCV genotypes.
- 183- Pawlotsky, J.M.; Dhumeux, D. and Bagot, M. (1995a):**
Hepatitis C virus in Dermatology.
Arch. Dermatol.; 131:1185.
Br. J. Dermatol., 133:666.
- 184- Pawlotsky, J.M.; Roudot-Thoraval, F.; Simmonds, P. and Meller, J. (1995d):**
Extrahepatic immunologic manifestations in chronic hepatitis C and hepatitis C virus serotypes.
Ann. Intern. Med.; 122:169.
- 185- Pellicano, R.; Palmas, F.; Leone, N.; Vanni, E.; Carrozzo, M.; Gandolfo, S. and Pulatti, P. (2000):**
Previous tuberculosis, hepatitis C virus and lichen planus.
A report of 10 cases, a causal or causal link.
Panminerva Med. (Abst.); 42:77.

- 186- *Petrou-Amerikanou, C.; Markopoulos, A.K.; Betazi, M.; Karamitsos, D. and Papanagotou, P. (1998):*
Prevalence of oral lichen planus in diabetes mellitus according to the type of diabetes.
Oral Dis.; 4:37.
- 187- *Poljacki, M.; Gajinov, J.; Ivkov, M.; Matić, M. and Golusin, Z. (2000):*
Skin diseases and hepatitis virus C infection.
Med. Pregl.; 33:141.
- 188- *Polonowita, A.D.; Firth, N.A. and Rich, A.M. (1999):*
Verruciform xanthoma and concomitant lichen planus of the oral mucosa. A report of three cases.
Int. J. Oral Maxillofac. Surg.; 28:62.
- 189- *Porter, S.r.; Kirby, A.; Oslen, I. and Barrett, W. (1997):*
Immunologic aspects of dermal and oral lichen planus: a review.
Oral Surg., Oral Med., Oral Pathol., Oral Radiol. Endod.; 83:308.
- 190- *Powell, F.C.; Rogers, R.S. and Dickson, E.R. (1986):*
An association between HLA-DR1 and lichen planus.
Br. J. Dermatol.; 114:474.

191- Rabinovich, O.F.; Khanukova, L.M. and Khamidulina, K.F.

(1999):

The characteristics of the immune status of patients with lichen ruber planus.

Stomatologiya. Mosk.; 78:20.

192- Rebora, A. and Rongioletti, F. (1984):

Lichen planus and chronic active hepatitis.

Acta Derm. Venereol.; 64:52.

193- Rebora, A.; Rongioletti, F.; Drago, F. and Parodi, A. (1999):

Lichen planus as side effect of HBV vaccination.

Dermatology; 198:1.

194- Reichel, M. and Mauro, T.M. (1991):

Urticaria and hepatitis C.

Lancet; 336:822.

195- Robbins, L.; Kumar, V. and Cotran, R. (1994):

Pathologic basis of diseases.

Textbook of Histopathology, 5th edition. P. 1199. By W.B.

Saunders Company.

196- Rodriguez-Nunez, I.; Blanco-Carrion, A.; Garcia, A.G. and

Rey, J.G. (2001):

Peripheral T-cell subsets in patients with reticular and atrophic-erosive oral lichen planus.

Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod.; 91:180.

- 197- Rojo-Moreno, J.L.; Bagan, J.V.; Rojo-Moreno, J.; Donat, J.S.; Millan, M.A. and Jimenez, Y. (1998):**

Psychologic factor and oral lichen planus. A psychometric evaluation of 100 cases.

Oral Surg., Oral Med., Oral Pathol., Oral Radiol. Endod.; 86:687.

- 198- Rose, V.L. (1999):**

CDC Issues New Recommendations for the prevention and control of hepatitis C virus infection. (Special Medical Report).

Published by The American Academy of Family Physicians, March 1.

- 199- Roudot-Thoraval, F.; Pawlotsky, J.M. and Thiers, V. (1993):**

Lack of mother-to-infant transmission of hepatitis C virus in human immunodeficiency virus-seronegative women:a prospective study with hepatitis C virus RNA testing.

Hepatology; 17:772.

- 200- Roy, K. and Bagg, J. (1999):**

Hepatitis C virus and oral disease:a critical review.

Oral Dis.; 5:250.

- 201- Roy, K.M.; Dickson, E.M.; Staines, K.S. and Bagg, J. (2000):**

Hepatitis C virus and oral lichen planus/lichenoid reactions:lack of evidence for an association.

Clin. Lab.; 46:251.

- 202- Ryan, M.; Phizackerley, P.J.R. and Ryan, T.J. (1976):**

Glucose-6-phosphate dehydrogenase in lichen planus skin.

Br. J. Dermatol.; 94:607.

- 203- Rybojad, M.; Moraillon, I.; Laglenne, S.; Vignon Pennamen, M.D.; Bonvalet, D.; Prigent, F.; Saada, V.; Merle, F.; Crouzet, F.; Combiaghi, S. and Morel, P. (1998):**

Lichen planus:12 cases.

Ann. Dermatol. Venereol.; 125:679.

- 204- Sanchez-Perez, J.; De Castro, M.; Buezo, G.F.; Fernandez-Herrera, J.; Borque, M.J. and Garcia-Diez, A. (1996):**

Lichen planus and hepatitis C virus:prevalence and clinical presentation of patients with lichen planus and hepatitis C virus infection.

Br. J. Dermatol.; 134:715.

- 205- Sanchez-Perez, J.; Rios-Buceta, L.; Fraga, J. and Garcia-Diez, A. (2000):**

Lichen planus with lesions on the palms and/or soles:prevalence and clinicopathological study of 36 patients.

Br. J. Dermatol.; 142:310.

- 206- Sasaki, G.; Yokozeki, H.; Katayama, I. and Nishioka, K. (1996):**

Three cases of linear lichen planus caused by dental metal compounds.

J. Dermatol.; 23:890.

S

- 207- *Sawamura, D.; Yaguchi, T.; Hashimoto, I.; Nomura, K.; Konta, R. and Umeki, K. (1998):*
Coexistence of generalized morphea with histological changes in lichen sclerosus et atrophicus and lichen planus.
J. Dermatol.; 25:409.
- 208- *Schiødt, M.; Holmstrup, P. and Dabelsteen, E. (1981):*
Deposits of immunoglobulins, complement, and fibrinogen in oral lupus erythematosus, lichen planus, and leukoplakia.
Oral Surg., Oral Med., Oral Pathol.; 51:603.
- 209- *Scully, G. and El-Kom, M. (1985):*
Lichen planus:review and update on pathogenesis.
J. Oral Pathol.; 14:431.
- 210- *Scully, C.; Beyli, M.; Ferreiro, M.C.; Ficarra, C. and Wray, D. (1998):*
Update on oral lichen planus:etiopathogenesis and management.
Crit. Rev. Oral Biol. Med.; 9:86.
- 211- *Shai, A. and Halery, S. (1992):*
Lichen planus and lichen planus-like eruption:pathogenesis and associated diseases.
Int. J. Dermatol.; 31:379.
- 212- *Sharma, R. and Maheshwari, V. (1999):*
Childhood lichen planus:a report of fifty cases.
Pediatric Dermatol.; 16:345.

- 213- Shimoyama, T.; Horie, N.; Kato, T.; Kaneko, T. and Komiyama, K. (2000):**
Helicobacter pylori in oral ulcerations.
J. Oral Sci.; 212:225.
- 214- Shiohara, J.; Moriya, N. and Tanaka, Y. (1988):**
Immunopathologic study of lichenoid skin diseases: correlation between HLA-DR-positive keratinocyte or Langerhans cells and epidermotropic cells.
J. Am. Acad. Dermatol.; 18:67.
- 215- Sigurgeirsson, B. and Lindelof, B. (1991):**
Lichen planus and malignancy. An epidemiologic study of 2071 patients and a review of the literature.
Arch. Dermatol.; 127:1684.
- 216- Silva, M. and Cheinquer, H. (1992):**
HCV-associated idiopathic thrombocytopenic purpura (ITP).
Gastroenterology; 102:889.
- 217- Silverman, S.; Gorsky, M. and Lozada-Nur, F. (1985):**
A prospective follow-up study of 570 patients with oral lichen planus: persistence, remission, and malignant association.
Oral Surg., Oral Med., Oral Pathol.; 60:30.
- 218- Silverman, S.J. and Gorsky, M. (1990):**

Epidemiologic and demographic update in oral cancer: California and National Data 1973 to 1985.

J. Am. Dent. Assoc.; 120:495.

219- Simmonds, P. (1995):

Variability of hepatitis C virus.

Hepatology; 21:570.

220- Soufir, N.D.; Descamps, N.; Crickx, B.; Thibault, V. and Frances, C. (1999):

Hepatitis C virus infection in cutaneous polyarteritis nodosa: a retrospective study of 16 cases.

Arch. Dermatol.; 135:1001.

221- Sternberger, L.A.; Hardy, P.H. Jr.; Cuculis, J.J. and Meyer, H.G. (1979):

The unlabelled antibody-enzyme method of immunohistochemistry. Preparation and properties of soluble antigen-antibody complex (horseradish peroxidase-antihorseradish peroxidase) and its use in identification of spirochetes.

J. Histochem. Cytochem.; 18:315.

222- Strumia, R.; Venturini, D. and Boccla, S. (1993):

UVA and interferon- α therapy in a patient with lichen planus and chronic hepatitis C.

Int. J. Dermatol.; 32:386.

223- Subbush, C.; Gumber, M.D. and Sanjiv Chopra, M.D. (1995):

Hepatitis C: a multifaceted disease.

Ann. Intern. Med.; 123:615.

224- Suzuki, H. (1994):

Viral hepatitis in Japan.

In: Nishioka, K.; Suzuki, H.; Mishiro, S.; Oda, T., eds. Viral Hepatitis and Liver Disease. NY: Springer-Verlag NY Inc.; 426.

225- Takeuchi, Y.; Iwase, N.; Suzuki, M. and Tsuyuki, S. (2000):

Lichen planus with involvement of all twenty nails and the oral mucous membrane.

J. Dermatol.; 27:294.

226- Tan, S.H.; Tan, K.C. and Tham, S.N. (1993):

Immunological characterization of the lichen planus infiltrate using monoclonal antibodies.

Ann. Acad. Med. Singapore; 22:286.

227- Tanei, R.; Watanabe, K. and Nishiyama, S. (1995):

Clinical and histopathologic analysis of the relationship between lichen planus and chronic hepatitis C.

J. Dermatol.; 22:316.

228- Tanei, R.; Ohta, Y. and Katsuoka, K. (1997):

Lichen planus and Sjogren-type sicca syndrome in a patient with chronic hepatitis C.

J. Dermatol.; 24:20.



- 229- Thaler, M.M.; Park, C.K. and Landers, D.V. (1991):**
Vertical transmission of hepatitis C virus.
Lancet; 338:17.
- 230- Tosti, A.; Fanti, P.A.; Morelli, R. and Bardazzi, F. (1991):**
Tachyonychia associated with alopecia areata:a clinical and pathologic study.
J. Am. Acad. Dermatol.; 25:266.
- 231- Tosti, A.; Peluso, A.M.; Fanti, P.A. and Piraccini, B.M. (1993):**
Nail lichen planus:clinical and pathologic study of twenty-four patients.
J. Am. Acad. Dermatol.; 28:724.
- 232- Tucker, S.C. and Coulson, I.H. (1999):**
Lichen planus is not associated with hepatitis C virus infection in patients from North-West England.
Acta Derm. Venereol.; 79:378.
- 233- Usman, A.; Kimyai-Asadi, A.; Stiller, M.J. and Alam, M. (2001):**
Lichenoid eruption following hepatitis B vaccination:First North American Case Report.
Pediatr. Dermatol.; 18:123.





234- Van Den Haute, V.; Antoine, J.L. and Lachapelle, J.M.

(1989):

Histopathological discriminant criteria between lichenoid drug eruption and idiopathic lichen planus:retrospective study on selected samples.

Dermatologica; 179:10.

235- Van Doorn, L.J. (1994):

Molecular biology of the hepatitis C virus.

J. Med. Virol.; 43:345.

236- Virgili, A.; Robert, E. and Rebora, A. (1992):

Hepatocellular carcinoma and lichen planus.

Dermatology; 184:137.

237- Vitali, C.; Wattiaux, M.J. and Youinou, P. (1993):

Preliminary criteria for the classification of Sjogren's syndrome.

Arthur, R.H.; 36:340.



238- Walsh, L.J.; Savage, N.W.; Ishii, T. and Seymour, G.J.

(1990):

Immunopathogenesis of oral lichen planus.

J. Oral Pathol. Med.; 19:389.

~~240- Weedon, D. (1990):~~

Apoptosis.

Adv. Dermatol.; 5:243.

Y

- 239- Yamamoto, T.; Osaki, T.; Yoneda, K. and Ueda, E. (1994):**

Cytokine production by keratinocyte and mononuclear infiltrate in oral lichen planus.

J. Oral Pathol. Med.; 23:309.

- 240- Yamamoto, T. and Osaki, T. (1995):**

Characteristic cytokines generated by keratinocytes and mononuclear infiltrates in oral lichen planus. J. Invest. Dermatol.; 104:784.

- 241- Yamamoto, T.; Nakane, T. and Osaki, T. (2000):**

The mechanism of mononuclear cell infiltrate in oral lichen planus: the role of cytokines released from keratinocyte.

J. Clin. Immunol.; 20:294.

- 242- Young, K.K.Y.; Resnick, R.M. and Myers, T.W. (1993):**

Detection of hepatitis C virus RNA by a combined reverse transcription-polymerase chain reaction assay.

J. Clin. Microbiol.; 31:882.

Z

- 243- Zalewska, A.; Brzezinska-Blaszczyk, E.; Omulecki, A. and Pietrzak, A. (1997):**

Functional studies of skin mast cells in lichen planus.

Archives of Dermatological Research; 289:261.

- 244- Zhao, Z.Z.; Savage, N.W. and Walsh, L.J. (1998):**

Associations between mast cells and laminin in oral lichen planus.

J. Oral Pathol. Med.; 27:163.

245- Zignego, A.L.; Macchia, D. and Monti, M. (1992):

Infection of peripheral mononuclear blood cells by hepatitis C virus.

J. Hepatol.; 15:382.

246- Zylberger, H.; Thiers, V.; Lagorce, D.; Squadrito, G. and Pol, S. (1999):

Epidemiological and virological analysis of couples infected with hepatitis C virus.

Gut; 45:112.