

References

REFERENCES

- Abell, E. (1994) :** Embryology and anatomy of the hair follicle. In : Olsen, E.A. (ed) Disorders of Hair Growth, Diagnosis and treatment. Pub McGraw-Hill, Inc. p. 1-19.
- Abraham, G.E.; Maroulis, G.B.; Buster, G.E.; Chang, R.J. and Marshall, J.R. (1976) :** Effect of dexamethasone or serum cortisol and androgen levels in hirsute patients. Obstet. Gynecol; 47 : 395 Quoted from Maroulis, (1981).
- Acland, K.M. and Barlow, R.J. (2000) :** Lasers for the dermatologist, British Journal of Dermatology : 143 : 244-255.
- Adashi, E.Y. and Rosenwaks, Z. (1987) :** Hirsutism and virilization. In : Rosenwaks, Z.; Benjamine, F. and Martin, L. (ed), Gynecology principles and practice. Macmillan publishing company, New York, Collier Macmillan, Canada, Inc., Collier Macmillan publishers, London, P : 611.
- Akiyama, M.; Dale, B.A.; Sun, T.T.; and Hobrock, K.P. (1995) :** Characterization of hair follicle bulge in human fetal skin : The human fetal bulge is pool of undifferentiated keratinocytes. J. Invest. Dermatol.; 105 : 844-850.
- Alster, T.S. (1997) :** Laser asisted hair removal. In : Manual of cutaneous laser technique, edited by Alster T.S. and lipincott-Raven.; P. 127.
- Anderson, R.R. (1999) :** Laser tissue interaction. In : Goldman M.P. and Fitzpatrick P.E. (eds) : Cutaneous laser surgery. St. Louis, Mosby.; P. 6.
- Anderson, R.R. and Parrish, J.A. (1981):** The optics of human skin. J. Invest. Dermatol.; 77 : 13 – 19.
- Anderson, R.R. and Parrish, J.A. (1983) :** Selective photothermolysis precise microsurgery selective absorption of pulsed radiation. Science; 220 : 524. Arch. Dermatol. 119 : 279.

- Ash, K.; Newman, J.; Lord, J. and McDaniel, D.H. (1999) :** Hair removal using a long pulsed alexandrite laser. *Dermatol. Clinic*; 17 : 392 – 393. *Aust. J. Dermatol.*, 26 : 19.
- Balfour J.A. and McClellan, K. (2001) :** Topical eflornithine. *Am. J. Clin. Dermatol*; 2 (3) : 197 – 201.
- Basini, P.L.; Luci, A.; Gulimberti, M. and Ferranti, G. (1999) :** Long-term epilation with long-pulsed neodimium : YAG laser-*Dermatol Surg* 25 (3) : 175-8.
- Barker, D.J.N. (1987):** The epidemiological evidence relating to spironolactone and malignant diseases in man. *J. Drug Dev.*; 2 (suppl) : 22-25.
- Barnes, R. and Rosenfield, R.L. (1989) :** The polycystic ovary syndrome; pathogenesis and treatment. *Ann. Intern. Med.*, 110 : 386 – 99.
- Barth, J.H.; Cherry, C.A.; Wojnarowska, F. and Dawber, R.P. (1989) :** Spironolactone is an effective and well tolerated for hirsute women. *J. Clin. Endocrinol. Metab.*, 68 : 966.
- Bates, G.W. and Cornwell, C.E. (1991) :** Iatrogenic causes of hirsutism. *Clinical Obstet. and Gynecol.*, 34 : 848-851.
- Belsile, S. and Love, E.J. (1986) :** Clinical efficacy and safety of cyproterone Acetate in severe hirsutism : Results of Multicentered Canadian Study. *Fertil. Steril.*, 46 : 1015.
- Bergfeld, W.F. and Redmond, G. (1991):** Antiandrogens : In Wolverton, S.E.; Wilkin, J.K. (eds) : *systemic Drugs for skin Diseases*, W.B.; Saunders Company. Philadelphia P. 327.
- Bernhisel, M.A. and Hammond, C.B. (1990):** Androgen excess. In Scott, J.R.; Disaia, P.J.; Hammond, C.B. and Spellacy, W.N. (eds), *Danforth's obstetric and Gynecology*. J.B. lippincott company, philadelphia, P : 773.
- Bertolino, A.P. and Freedberg, T.M. (1987) :** Hair. In : Fitzpatrick, T.B.; Eisen, I.Z.; Wolff, K; Freedberg I.M. and Austen, K.F. (eds) : *Dermatology in General Medicine*. Vol. 1, 4th Edition, New York, McGraw – Hill.; P : 643.

- Biffignandi, P.; Maussuchetti, C. and Molinatti, G.M. (1984):** Female hirsutism: Patho-physiological considerations and therapeutic implications. *Endocrinol. Reviews*, 5: 498.
- Braithwaite, S.; Jabamoni, R. and Maywood, (1983) :** Hirsutism. *Arch, Dermatol.*, 119 : 279.
- Breckwoldt, M. (1980):** Side effects and contraindications of treatment with antiandrogens. In : Hammerstein, J.; Lanchnit-Fixon, U.; Neuman, F. and Plewig, G. (eds); *Androgenization in women- Excerpta medica*, Amsterdam – Oxford – Princeton, 1st ed., P : 266.
- Campbell, M.J. and Machin, D. (1993):** Medical statistics, A common sense approach. 2nd ed. John Wiley & Sons. New York; Chichester; Brisbane; Toronto & Singapore.
- Corenbulm, B. (1987) :** Antiandrogen therapy for hirsutism (the north American Experience). In : Greenblatt, R.B., Mahesh, V.B. and Gambrell, R.D. (eds), *the cause and management of hirsutism; A practical approach to the control of unwanted hair*. The parthenon publishing Group, New Jersey, USA, P : 161.
- Courtois, M.; Loussouarn, G.; Hourseau, S.; Grollier, J.F. (1995) :** Ageing and hair cycles. *Br. J. Dermatol.*, 132 : 86 – 93.
- Crippa, P.R.; Cristofolletti, V.; Romeo, N. (1978) :** A band model for melanin deduced from optical absorption and photoconductivity experiments. *Biochim. Biophys. Acta*. 538: 164 – 70 Quoted from Khalifa (1991).
- Cumming, D.C.; Yang, J.C.; Rebar, R.W. and Yen, S.S.C. (1982) :** Treatment of hirsutism with spironolactone. *J Am A*, 247 : 1295.
- Daniel, W.W. (1987) :** Biostatistics, A. foundation for analysis in the health sciences, 4th ed. John Wiley & Sons New – York; Chichester; Brisbane, Toronto & Singapore.
- Dawber, R.P.R. and Neste, D.V. (1995a) :** Excess hair growth. In : *Hair and Scalp Disorder* 1st ed. London, Martin Dunitz. Ltd, ; P : 139.

- Dawber, R.P.R. and Neste, D.V. (1995b):** Hair Color. In : Hair and scalp Disorders 1st ed. London, Martin Dunitz Ltd.; P : 231.
- Dawber, R.P.R. and Neste, D.V. (1995c):** Hair science In : Hair and scalp Disorders 1st ed. London, Martin Dunitz Ltd.; P : 1-23.
- Dawber, R.P.R.; deBerker, D. and Wojnarowska, F.T. (1998) :** Disorders of hair. In : Rook, A.; Wilkinson, D.S.; Ebling, F.J.G. Champion R.H. and Burton J.I. (eds) : textbook of Dermatology. Vol 7, 6th ed. Oxford, London, Edinburgh. Blackwell, Scientific publications, P : 2869.
- Dierickx, C.C.; Alora, M.B. and Dover, J.S. (1999) :** A clinical overview of hair removal using lasers and light sources. Dermatol Clinic.; 17 : 357 – 366.
- Dierickx, C.C.; Grossman, M.C.; Farinelli, W.A. and Anderson, R.R. (1998a):** Permanent hair removal by normal mode ruby laser: Arch. Dermatol.; 134 : 837.
- Dierickx, C.C.; Grossman, M.C.; Farinelli, W.A.; Manuskiatti, W.; Duque, V.; Lin, D. and Anderson, R.R. (1998b):** Hair removal by a pulsed infrared laser system. Lasers Surg. Med.; S 10 : 42.
- Dodah, I.M. (1988) :** Effect of spironolactone therapy on sex hormone binding globulin in hirsute females. M. Sc. Thesis in Dermatology and Venereology, Mansoura Faculty of Medicine. Egypt. P : 181 – 6.
- Dorrington-Ward, P.; McCartney, A.C.; Holland, S.; Scully, J.; Carter, G.; Algybandzedeh, J. and Wise, P. (1985) :** The effect of spironolactone. on hirsutism and female androgen metabolism. Clin. Endocrinol., 23 : 161.
- Dover, J.S.; Margolis, R.J. and Polla, L.L. (1989) :** Pigmented guinea pig skin irradiated with Q-switched ruby laser pulses : morphologic and histologic findings. Arch. Dermatol 125 : 43-9.
- Dunaif, A. (1988) :** Hirsutism. In : Difficult Diagnosis in Dermatology edited by Lebwohl, M. pub. Churill livingstone., P. 375.

- Duque, V.; Dierickx, C.; Lin, D.; Farinelli, W.A. and Anderson, R.R. (1998) :** Comparison between different spot sizes, temperatures and interval between first and second treatment. *Lasers Surg Med.*; S 10 : 39.
- Ebling, F.G. (1987) :** Biology of hair follicles In : fitzpatrick, T.B.; Eisen, A.V.; Wolff, K. Freesberg, I.M. and Austen, K.F. (eds) : *Dermatology in General Medicine*. Vol. 1, 4th ed. New York, McGraw – Hill., P : 213.
- Ebling, F.J.; Thomas, A.K.; Cooke, I.D.; Valerie, A.R.; Skinner, J. and Marion, C. (1977) :** Effect of cyproterone acetate on hair growth, sebaceous secretion and endocrine parameters in a hirsute subject. *Br. J. Dermatol.*, 97 : 371. Quoted from Khalifa (1991).
- Ettinger, B.; Goldfield, E.B.; Burrill, K.C.; Van Werder, K. and Forsham, P.H. (1973):** Plasma testosterone stimulation suppression dynamics in hirsute women. *Am. J. Med.*; 54: 195. Quoted from Maroulis (1981).
- Falsetti, L.; Gambera, A.; Platto, C. and Legrenzi, L. (2000) :** Management of hirsutism, *Am. J. Clin. Dermatol.* 2 : 89 – 99.
- Ferriman, D. and Gallwey, J.D. (1961) :** Clinical Assessment Of Body Hair Growth In Women. *J. Clin. Endocrinol. Metab.*, 21 : 1440 Quoted from Rittmaster (1997).
- Finkelstein, L.H. and Balaststein, L.M. (1991) :** Epilation of hair bearing urethral graphs using Nd : YAG laser. *J. urol.*; 146 : 840.
- Flamigni, S.; Venturoli, S. and Fabbri, R. (1989) :** Long-term management of hirsutism patients with cyproterone acetate. In: spona, J. and Aydinlink, S. (eds), *Hirsutism and Endocrine Dermatological problems*. The pathenon publishing Group, New Jersy, USA, P : 29.
- Frey, H. and Aakvaag, A. (1981) :** The treatment of essential hirsutism in women with cyproterone acetate and ethinyl estradiol; clinical and endocrinal effects in 10 cases. *Acta obstet. Gynecol. Scand.*, 60 : 295.

- Fritsch, C.; Goerz, G. and Ruzicka, T. (1998) :** Photodynamic therapy in dermatology. Arch. Dermatol., 134: 207 – 214.
- Fruzzetti, F.; Bersi, C.; Parrini, D.; Ricci, C. and Genazzani, A.R. (1999) :** Treatment of hirsutism : comparisons between different antiandrogens with central and peripheral effects. Fertil and steril., 71 : 445 – 51.
- Gabrilove, J.L.; Seman, A.T.; Sabet, R.; Mitty, H.A. and Nicolis, G.L. (1981) :** Virilizing adrenal adenoma with studies on steroid content of the adrenal effluent and a review on the literature. Endocr. Rev. 12 : 462.
- Gambrell, R.D. (1987) :** Hormonal therapy. In : Greenblatt, R.B.; Mahesh, V.B. and Gambrell, R.D. (eds) the cause and management of hirsutism; a practical approach to the control of unwanted hair. The Parthenon Publishing group, New Jersey, USA. P : 137.
- Gault, D.T. Grobbelar, A.O. Grover, R.; Liew, S.H.; Philp, B.; Clement, R.M. and Kiernan, M.N. (1999) :** The removal of unwanted hair using a ruby laser. Br. J. plast. Surg., 52 : 173 – 177.
- Givens, J.R. (1985) :** Treatment of Hirsutism with spironolactone. Fertil. Steril. 43 : 841.
- Goldberg, D.J. (1995) :** Topical suspension assisted laser hair removal. Laser surg. Med.; S7 – 47.
- Goldberg, D.J.; Littler, C.M. and Wheeland, R.G. (1997) :** Topical suspension assisted QS Nd : YAG laser hair removal. Dermatol. Surg. 23: 741 – 745.
- Gordon, G.G. (1970) :** Effect of medroxyprogesterone acetate (provera) on the metabolism and biological activity of testosterone. J. Clin. Endocrinol Metab 30 : 449 – 465. Quoted from Hughes, 1994.
- Grossman, M.C.; Dierickx, C.C.; Farinelli, W.; Folte, T. and Anderson, R.R. (1996) :** Damage to hair follicles by normal mode ruby lasers pulses. J. Am. Acad. Dermatol.; 35 : 889-94.

- Grossman, M.C.; Wimberly, J. and Dwyer, P. (1995) :** PDT for hirsutism lasers surg. Med. Suppl. 7 : 44.
- Hammerstein, J. and Cupceancu, B. (1969) :** Behandlung des hirsutismus mit cyproteronacetat. Darsch. Med. Wschr., 94 : 829. Quated from Hammerstein et al. (1983).
- Hammerstein, J.; Meckies, J.; Les-Rossberg, J.; Matzl, L. and Zielske, F. (1975) :** Use of cyproterone Acetate In The Treatment of acne, hirsutism and virilism. J. Steroid Biochem., 6 : 827 Quoted from Bergfeld and Redmond (1991).
- Hammerstein, J.; Mottz, L. and Schwartz, U. (1983) :** Antiandrogens in the treatment of acne and hirsutism. J. Steroid. Biochem., 19:591.
- Hatcher, R. A.; Stewart, F.; Stewart, G. K. J. Tussel, J.; Bowen, S.C. and Cates, W. (1988) :** (eds), Combined oral contraceptives Contraceptive technology. Irvington publishers, Inc., New York, 14th eds., P : 194.
- Holdaway, I.M.; Croxon, M.S.; Ibberston, H.K. Shechan, A.; Knox, B. and France, J. (1985) :** Cyproterone acetate as an initial treatment and maintenance therapy for hirsutism. Acta. Endocrinal; 109 : 522.
- Hughes, C.L. (1994) :** Hirsutism. In : Olsen, E.A. (ed) : Disorders of Hair Growth, Diagnosis and treatment. New York pub. McGraw-Hill, Inc. P. 337.
- Ismail, A.A.A.; Davidson, D.W.; Souka, A.R.; Barnes, E.W.; Irvine, W.J.; Kilimnik, H. and Van der Beeken, Y. (1974) :** The evaluation of the role of androgens in hirsutism and the use of a new antiandorgen. J. Clin. Endocrinol. Metab., 39 : 81 – 95 Quoted from Leshin (1987).
- Ito, S. and Jimbo, K.O. (1983) :** Quantitative analysis of eumelanine and phaeomelanine in hair and melanomas, J. Invest. Dermatol. 80, : 268-72.
- Jacques, S.L. (1992) :** Laser-tissue interactions : photochemical, photothermal, and photomechanical. Surg. Clin. North. Am.; 72 : 541.

- Jones, K.R.; Katz, M.; Keyzer, and Gordon, W. (1981) :** Effect of cyproterone acetate on rate of growth in hirsute females. *Br. J. Dermatol.*, 105 : 685-92.
- Karpas, A.E. (1987a):** Iatrogenic hirsutism. In: Greenblatt, R.B.; Mahesh, V.B. and Gambrell, R.D. (eds), the cause and management of hirsutism; A practical approach to the control of unwanted hair. The parthenon publishing Group, New Jersey, USA, P: 61.
- Karpas, A.E. (1987b):** The adrenal as a source of androgen. In : Greenblatt, R.B.; Mahesh, V.B. and Gambrell, R.D. (eds), the cause and management of hirsutism; A practical approach to the control of unwanted hair. The parthenon publishing Group, New Jersey, USA, P: 61.
- Kessel, B. and Liu, J. (1991) :** Clinical and laboratory evaluation of hirsutism. *Clin. Obstet. Gynecol.* 34 : 805 – 16.
- Khalifa, M.A. (1991):** Hirsutism: Hormonal and Therapeutic Evaluation. M.D. thesis in Dermatology and venereology, Benha Faculty of medicine-Egypt, p: 4-5.
- Kilmer, S.L.; Chotzen, V.A. and Calkin, J. (1999) :** Hair removal study comparing the Q-switched Nd : YAG and long pulsed Ruby and Alexandrite lasers. *Lasers surg. Med*; S10 : 203.
- Kligman, A.M. (1959):** The human hair cycle. *J. Invest. Dermatol.*, 33 : 307 Quoted from Khalifa (1991).
- Kligman, A.M. (1961) :** Pathological dynamics of human hair loss. Telogen effluvium, *Arch. Dermatol.*; 83 : 175 Quoted from Khalifa (1991).
- Kuriloff, D.B.; Finn, D.G. and Kimmelman, C.P. (1988) :** Pharyngoesophageal hair growth : the role of laser epilation. *Otolaryngol Head Neck surg*; 98 : 342 – 5. Quoted from Grossman et al., 1996.
- Kutten, F.; Couillin, P.; Girard, F.; Billaud, L.; Vincens, C.; Bouckkine, C.; Thalabard, J.; Mauldelonde, T.; Sprizer, P.; Mowszowicz, I.; Boue, A. and Mauvais-Jarvis, P. (1985):** Late-onset adrenal hyperplasia in hirsutism. *New. Eng. J. Med.* 313 : 224.

- Kutten, F.; Rigaud, C.; Wright, F. and Mauvais-Jarvis, P. (1980) :** Treatment of hirsutism by oral cyproterone acetate and percutaneous estradiol, *J. Clin. Endocrinol Metab.*, 51 : 1107.
- Kvedar, J.C.; Gibson, M. and Krusinski, P.A. (1985) :** Hirsutism evaluation and treatment. *J. Am. Acad. Dermatol*; 12 : 215 – 25.
- Larsson-Cohn, U.; Fahraeus, L.; Von-Schenck, H. and Wallentin, L. (1986) :** Effects on the lipoprotein metabolism of an antiandrogen-estrogen oral contraceptive drug. *Acta obstet. Gynecol. Scand*; 65 : 125 – 128.
- Lask, G.; Elman, M.; Stakine, M.; Waldman, A. and Rozenberg, Z. (1997) :** Laser assisted hair removal by selective photothermolysis. *Dermatol. Surg*; 123 : 787- 9.
- Lavker, R.M.; Miller, S.; Wilson, C. (1993) :** Hair follicle stem cells : Their location, role in hair cycle, and involvement in skin tumor formation. *J. Invest. Dermatol.*; 101 : 165 – 265.
- Leshin, M. (1987) :** Hirsutism. *Ann. J. Med. Sci.*, 294 : 369 – 83.
- Levesque, H.; Trivalle, C.; Manchan, N.D.; Vinel, J.P.; Moore, N.; Hemet, J.; Courtosi, H.; Bercoff, E. and Bourreille, J. (1989) :** Fulminant hepatitis due to cyproterone acetate (letter). *Lancet*, 28 : 215 – 6.
- Liew, S.H.; Grobbelar, A.; Gault, D.; Sanders, R.; Green, C. and Linge, C. (1999):** Hair removal using the ruby laser: Clinical efficacy in Fitzpatrick skin types I-V and histological changes in epidermal melanocytes. *Br. J. Dermatol.* 140: 1105-1109.
- Lloyd, C.W. (1963) :** Central nervous system regulation of endocrine function in the human. In : Nalbandov, A.V. (ed.), *Advances in neuroendocrinology*. Urbana, University of Illinois press, P : 480. Quoted from Maroulis (1981).
- Little, C.M. (1999) :** Hair removal using an Nd : YAG laser system. *Dermatol. Clinic*; 17 : 428.

- Lobo, R.A. (1992) :** Hirsutism In *sciarti* (ed) : Gynecology and Obstetrics, Vol. 5, rev. ed. Philadelphia, J.B. lippincott, 1992, chap. 28, pp 1-18. Quoted from Hughes, (1994).
- Lobo, R.A.; Paul, W.L. and Goebelsmann, U. (1981):** Dehydroepiandrosterone sulfate as an indicator of adrenal androgen function. *Obstet. Gynecol.*, 57 : 69.
- Lobo, R.A.; Shoupe, D.; Serafini, P.; Brinton, D. and Harton, R. (1985):** Effects of two doses of spironolactone on serum androgens and anagen hair in hirsute women. *Fertil. Steril.*, 43 : 200.
- Lucas, K.J. (2001) :** Finasteride cream in hirsutism. *Endocr. Pract.*; 7(1) : 5-10.
- Lui, H. (1998) :** Advances in dermatologic lasers. *Dermatol. Clinic.*, 16 : 261-68.
- Lumb, G; Newberne, P. and Rust, J.H. (1978):** Effects in animals of chronic administration of spironolactone- A review. *J. Environ. Pathol. Toxicol. Oncol.* 1: 641-660. Quoted from Bergfeld and Redmond (1991).
- Marcondes, J.A.; Wajchenberg, B.L.; Abujamra, A.C.; Luthold, W.W.; Samojlik, E. and Kirschner, M.A. (1990) :** Monthly cyproterone acetate in the treatment of hirsute women : Clinical and laboratory effects. *Fertil. Steril.*, 53 : 40 – 4.
- Maroulis, G.B. (1981):** Evaluation of hirsutism and Hyperandrogenaemia. *Fertil, steril*, 36 : 273.
- Maroulis, G.B. and Abraham, G.E. (1983) :** Diagnostic Tests In Hirsutism. In : Mahash V.b., and Greenblatt, R.b. (ed), *Hirsutism And Virilism*. John Wright, Psg. Inc., Boston-Bristol-London 1st ed., P : 295.
- McCoy, S.; Evans, A. and James, C. (1999) :** Histological study of hair follicles treated with a 3-msec pulsed ruby laser. *Laser Surg. Med.* 24 : 142 – 150.

- Speroff, L.; Glass, R.H. and Kase, N.G. (1989) :** (eds.), Hirsutism. Clinical Gynecologic Endocrinology and Infertility. Williams and Wilkins, Baltimore, Hong Kong, London, Sydney, 4th ed., P : 233.
- Spicer, M.S. and Goldberg, D.J. (1996) :** Laser in dermatology. J. Am. Acad. Dermatol. 34 : 1-19.
- Stein, I.F. and Leventhal, M.L. (1935) :** Amenorrhea associated with bilateral polycystic ovaries, Am. J. obstet. Gynecol., 29 : 181. Quoted from Adashi and Rosenwaks 1987.
- Thomas, A.K.; Slobodniuk, R.; Taft, J.; Cooper, M.; Montalio, J. and Jerums, G. (1985) :** The treatment of hirsutism; experience with cyproterone acetate and spironolactone. Aust. J. Dermatol., 26 : 29.
- Tope, W.D. and Hordinsky, M.K. (1998):** A hair's breadth closer ? Arch. Dermatol., 134 : 387 – 42.
- Tse, Y. (1999) :** Hair removal using a pulsed intense light source. Dermatol. Clinic.; 17 : 377- 85.
- Underhill, R. and Dewhurst, J. (1979):** Further clinical experience in the treatment of hirsutism with cyproterone acetate. Br. J. Obstet. Gynecol., 86 : 139.
- Vermeulen, A. and Ando, S. (1979):** Metabolic clearance rate and interconversion of androgen and the influence of the free androgen fraction. J. Clin. Endocrinol-Metab. 48 : 320
Quoted from Maroulis, 1981.
- Vigersky, R.A.; Mehlman, I.; Glass, A.R. and Smith, C.E. (1980) :** Treatment of hirsute women with cimetidine. N. Engl. J. Med., 303 : 1042.
- Wagner, R.F.; Tomich, J.M. and Grande, D.J. (1985) :** Electrolysis and thermolysis for permanent hair removal. J. Am. Acad. Dermatol. 12 : 441.
- Wayjen, V.R.G. and Ende, V.D.A. (1989) :** Clinical results and metabolic effects of long-term treatment of hirsutism with cyproterone acetate. In : Spona, J. and Aydinlink, S. (eds), Hirsutism and endocrine dermatological problems. The Parthenon Publishing Group, New Jersey, USA, P : 39.

- Wheeland, R.G. (1997) :** Laser assisted hair removal. *Dermatol. Clinic.*; 15 : 459-77.
- White, F.E.; White, M.C.; Drury, P.L.; Fry, I.K. and Besser, G.M. (1982):** Value of computed tomography of the abdomen and chest in investigation of cushing's syndrome. *Br. Med. J.*, 284 : 771.
- Wild, R.A.; Painter, P.C. and Coulson, P.B. (1985) :** Lipoprotein lipid concentrations and cardiovascular risk in women with polycystic ovary syndrome. *J Clin Endocrinol Metab.* 61 : 946.
- Williams, R.; Haroonjiam, H.; Isaghobiam, K.; Menaker, G. and Moy, R. (1998):** A clinical study of hair removal using the long pulsed ruby laser. *Dermatol. Surg.*; 24 : 872-42.
- Williams, R.M.; Christian, M.M. and Moy, R.L. (1999):** Hair removal using the long pulsed ruby laser *Dermatol. Clin.*; 17 : 367 – 72.
- Wright, R.C. (1992) :** Traumatic folliculitis of the legs : A Persistent case associated with use of a home epilating device. *J. Am. Acad. Dermatol.*; 27 : 771-2.
- Wysowski, D.K. and Fourcroy, J.L. (1994):** Safety of flutamide, *Fertil. Steril.* 62: 1089-90.
- Ylostalo, P.; Laakso, L.; Viinika, L.; Ylikorkala, O. and VinKo, R. (1981):** Cyproterone acetate in the treatment of hirsutism. *Acta obstet. Gynecol. Scand.*, 60 : 399.
- Yucelten, D.; Erenus, M.; Gurbuz, D. and Durmusoglu, F. (1999) :** Recurrence rate of hirsutism after 3 different antiandrogen therapies. *J. Am. Acad. Dermatol.*; 41 (1) : 64 – 8.