

REF

REFERENCES

- Apfelberg, D.B. (1984) : Argon Laser therapy of verrucous
Nevi Plastic and Reconstructive surgery; 74,1:112-
113.
- Apfelberg, D.B, Maser, M.R, Lash, H., and White, N.,(1985):
Benefit of the CO₂ laser in oral Hemangioma
Excision".
Plast. Reconst. Surg; 75, 1 : 46-50.
- Arabian, A., and Spagnolo, S.V. (1984): Laser therapy in
patient with primary lung Cancer " .
Chest; 86 4 : 519-523.
- Baggish, M.S. (1979) : CO₂ laser treatment for condyloma
acuminata, Veneral infections.
Gynecol. Obst; 55 : 711-715 .
- Barsocm, M.S, Khattar, N.Y, Rish Allah, A.A.: (1978) :
"Technical aspects of injection sclerotherapy of
acute esophageal variceal Hge as seen by Radio-
graphy " .
Br. J. Surg; 65: 588-579.
- Bass, M.S, Cleary, C.V, Perkins, E.S, and Wheeler, C.B.(1979):
Single treatment laser iridotomy,
Br. J. Ophthalmol; 63 : 29.

Bellina, J.H: (1974) : Gynecologic Applications of laser ,
Gynecol, Obst., 4 : 24-34.

Belsey, R.H.R (1980) : Palliative management of esophageal
Carcinoma,
Am. J. Surg; 139:789-94 ,

Boley, S.J, Sammartano, R., and Adams, A., (1977). The nature
and etiology of vascular ectasia of the colon,
Gastro-entrology; 72 : 650-60.

Bown, J.A, Salmon, P.R, Kelly, D.F, et al., (1979): Argon
Laser photocoagulation in dog.
Gut ; 26 : 680 - 87.

Bown, S.G, Swain, C.P, Storey, D.W, Collins, G., and Clark,
C.G. (1985) : Endoscopic laser treatment of vascular
anomalies of upper , G.I.T, Gut; 26; 1338-1348.

Bulow, H. Bulon, U., and Frohnuller, H.G. (1979) : "Transurethral
laser urethrotomy in man " .
J. Urol; 121 : 286 .

Cerullo, L.J, Burkner, L.P.: (1984) : Use of laser Neurosurgery"
Surg. Clin. of North . Am; 64, 5:995-1000 .

Cochrane, J.P.S, Becon, J.P, Creasey, G.H, and Russell,

R.C.G. (1980) : Wound healing after laser surgery:
an experimental study,

Br. J. Surg. 67:740-743.

Cochrane, J.P.S. (1986) : Laser in surgical practice, Recent
Advances in surgery, Edited by Russell, R.C.G.;
12:18 .

Cotton, P.B, Rosenberg, M.T, Waldram, R.P.L, and Axon, A.T.R:
(1973): Early endoscopy of esophagus, stomach and
duodenal bulb in patients with Haematemesis and
Melaena, Britich, Med. J ; 11 : 505-509.

Dennis, M.B, Silverstein, F.E, Gilbert, D.A, and peoples,
J.E. (1981) : Evaluation of Nd-YAG photocoagulation.
Using a new experimental ulcer model with a single
bleeding Artery, Gastro enterology ; 80:1522-7 .

Dixon, J.A, Berenson, M.M, and McCloskey, D.W (1979) :Neo
dymium YAG laser treatment of experimental canine
gestric bleeding, Gastro-enterology, 77:647-651.

Dolsky, R.L. (1984) : Argon Laser in skin surgery "

Surg. " Clinic. of North. Am. J. 64,5:861-870.

Dougherty, T.J.(1982) : " Photo radiation therapy for
bronchogenic cancer "

Chest ; 81 , 3 : 265-266 , March,

Dougherty, T.J. (1984) : Laser photoradiation therapy"

Surg Clin. of North America, 64 , 5 : 1009-1010.

Dougherty, T.J, Weishaupt, K.P, Boyle, D.G.(1985):Photodynamic
therapy and cancer.

Recent advances in dermatology; 5 : 216.

Dreno, B., Patrice, T., Litoux, P, and Barriere, H.(1985):

"The benefit of chilling in Argon laser treatment
of port-wine stains " .

Plast. Reconst. Surg; 75, 1:42-45.

Dronfield, M.W, and Fergason, R.(1977) : A prospective

randomised study of endoscopy and radiology in
acute upper G.I. bleeding,

Lancet; I : 1167 - 9.

- Dumon, J.F, Rebound, E., Carbe, L., Aucompte, F., and Meric, B., (1982) : Treatment of tracheo-bronchial lesions by laser photo-radiation" .
Chest ; 81 : 278-284.
- Dwyer, R.M, Hoberback, B., Bass , M, and Chenow (1976) :
gastric hemostasis by laser photo-coagulation in man preliminary report.
J.A.M.A; 23 : 1383.
- Finkelstein, L.H. (1984) : CO₂ laser surgery in urology .
Surg. Clinic. of North. Am; 64 ; S ; 913-930, od
- Fleischer, D. (1982) : Nd-YAG laser therapy for active variceal bleeding.
Gastro-enterology : 82 , 5.2 : 1058 .
- Fleischer, D., Kessler, F., and Haye, O. (1982) Endoscopic Nd-YAG laser therapy for carcinoma of esophagus ,
A new palliative approach.
Am., J. Surg; 143 ; 280.
- Fleischer, D., (1984) " Endoscopic laser therapy for G.I. Neoplasms " " Surg. Cline of North. Am; 64,5:947.

- Fleischer, D., and Sivak, M.V. :(1984) : Nd-YAG laser therapy as palliative treatment for advanced adeno-carcinoma of the gastric cardia, Gastroenterology; 87:815-820.
- Flores, J.T, Apfelberg, D.B, Maser, M.R, and white, D. (1984) : " Angiokeratoma of fordyce:successful treatment with the Argon laser, plast. Reconst. Surg; 74, 6 : 835-838.
- Foster, D.N, Miloszwski, K.J.A, Losowsky, M.S.(1978) : stigmata of recent hge in diagnosis and prognosis of upper gastro intestinal bleeding. Br. Med.J; 1: 1173-77 .
- Fuller, T.A.: (1984) : The Characteristics in operation of surgical lasers. Surgical, Clin. of North. Am; 64,5 : 845-644 ,
- Gelb, A.F, and Epstein, J.D (1984): Laser in treatment of lung cancer " . Chest ; 86 , 5 ;662-660.

Gilbert, D.A, Silverstein, F.E, Protell, R.L; (1978) :

" Animal endoscopic studies of CO₂ assisted argon
laser photo-coagulation" .

Gastro-entriology; 7HA : 1037 ,

Goldman, L. (1973) : Effects of new laser systems on the
skin Arch. Dermatol., 108 : 385-390.

Goldman, L. (1984) : Current and future development in
laser surgery.

Surg. Clinic. of North . Am. 64 , 5 : 1005-1006 ,

Goodale, R.L, Okada, A., Gonzales, R.(1970): Rapid-endoscopic
control of bleeding gastric erosion by laser radition
Arch. Surg. 101 : 211.

Hall, R.R, Beach., A.D., Baker, E. and Morison, P.C.A (1971)

Incision of tissue by CO₂ laser.

Nature , 232 : 131-132 .

Hall , P.R. (1977) : Hemostatic incision of the liver :CO₂
laser compared with surgical Diathermy Br. J. Sur.:
58. 7 : 538-540.

Hofstetter, A. and Frank, F.(1983): Laser in urology "

Year book Medical publishers. Quoted by Malloy,

T.R, from Surg. clinics of North Am; 64,5:910.

Isner, J.M, Michlewitz, H, Clarke, R.H, and Salem ,

D.N (1985) : Laser assisted debridment of Aortic
valve Calcium " .

Am. heart . J ; 109 , 3,1 : 448 - 452.

Jensen, D.M, Machicado, G.A, and Tapia, J.I. (1980):Endoscopic

coagulation of telangectasia with Argon laser photo-

coagulation and Bipolar electro-coagulation with

chronic gastro-I. Bleeding. " Gast. Intest,Endoscop;

26: 200.

Joffe, S.N. (1984) Non-operative management of esophageal

variceal bleeding "

Br. J. Surg., Vol. 71, No. 2, Page 85-91.

Johnston, J.H, Jensen, D.M, Mautner, W. (1981) " Argon laser

treatment of bleeding canine gastric ulcers,

Limitation and guidelines for endoscopic use " .

Gastro-enterology ; 80 : 708-716 .

Johnston, J.H, Jensen, D.M, and Mautner, W. (1982)

Comparison of endoscopic electro-coagulation and
laser photo-coagulation of bleeding canine gastric
ulcer.

Gastro-enterology ; 82:904-910.

Karlan, M.S, Ossoff, R.H. (1984) Laser physics

Surg. Clin. North . Am; 64 , 5 : 981-983.

Katon, R.M. (1976) : Experimental control of G.I. Hge via
the endoscope.

Gastro-enterology ; 70 : 272-277.

Kiefhaber , P. (1979) : Clinical use of the Nd-YAG laser
to stop upper G.I. bleeding .

Gastroenterology ; 77 , 3 ; 494 .

Kiefhaber, P. (1984) Laser photo coagulation for management
of oesophageal varices.

Br. J. Surg; 71 , 2 : 88 .

Kirschner, R.L.: (1984) : Cutaneous plastic surgery with the

CO₂ laser " . Surg. Clinic of North . Am. 64,5:871,

Lambert, R., and Sabhen, G. (1983) : Laser therapy for colo-
rectal Neoplasms, laser Surg. Med., 3:147 Quoted
from Surg. Clinic. of North America by Fliescher,D.,
64 , 5 : 948 , Oct. (1984).

Landthaler, M., Haina, D., Waidelich, W., Braun.Falco, O. (1984):

" Laser Therapy of venous lakes and Telangiectasias " Plastic and Reconstructive surgery; 73 ,
1:78-81.

Laurence, B.H, Vallon, A.G, Armengol, J.R, and Sudry D

(1980) : Endoscopic laser photo. coagulation for
bleeding peptic ulcers.

Lancet, January. 19 : 124.

Lee, G., Ikada, R., Herman, I., and Dwyer, R.M, Hussein,

H. (1983) : The qualitative effects of laser irradiation on human arterio-sclerotic disease. American heart, Journal; 105 , 6 : 885 - 889 ,

Levine, N., Stellar, S.: Use of CO₂ laser for the debridement of third degree burns, Ann. Surg. 179:246.

Lo cicero, J., Frederiksdn , J.W., Hartz, R.S., and Michaelis,

L.L. (1985) :

Experimental air leak in lung sealed by low enery

CO₂ laser irradiation chest; 87/6/June :

820-822.

Machicado, G.A, Jensen, D.M, Tapia J.I., and Mautner, W.:

(1981) :

Treatment of bleeding Canine duodenal and esophageal
ulcers with Argon laser and Bipolar electrocoagula-
tion " .

Gastro-eneterology; 859 - 865 .

MacLeod, I.A, Mills, P.R, Joffe, S.N, and Carter, D.A.

(1983) : Nd-YAG laser photo-coagulation for major
hge from peptic ulcer and single vessele

British medical, Journal ; 286, 345-348.

Maiman, T.N. (1960): stimulated optical radiation in Ruby
nature, 187 : 493 -494 .

Malloy, T.R, and Wein, A.J (1984) : Urology Nd-YAG laser
surgery." Surg. Clinic of North Am. 64,5:905-910.

Mizushima, K., Masada, R., Nawik, M., et al., (1984) :

Endoscopic therapy of the Nd-YAG laser in early
gastric cancer and gastric polyps " .

Surg. Clin. of North. Am. 64 , 5 ; 951 .

Mohr, R.M, McDonnell, B.C, Unger, M., and Mauer, T.P(1984)

Safety considerations and safety protocol for laser
surgery.

Surg. Clinic. of North America, 64 , No. 5 :851,

- Nath, G., Gorisch, W., and Kiefhaber, P. (1973) :
Transmission of a powerful argon laser beam through
a fiberoptic flexible gastroscope for operative
gastrosocopy. Endoscopy ; 5 : 213-215.
- Noe, J.M, Barsky, S.H, Geer, D.E, et al. (1980): "Port-wine
stains and Response to argon therapy " Plastic,
Reconst. Surgery ; 65 : 130-136.
- Noe, J.M.: (1984) Laser therapy of venous lakes and
Telangiectasias " Plast. Reconst, Surg. 73,1:82-83.
- Orda, R., Wiznitzer, T., Goldwasser, B., Bubies, J.J, Levene,
S., and Kaye, R.M., (1977) :
Partial hepatectomies with a hand held laser knife;
and experimental study " .
Br. J. Surg, 64 : 857-61.
- Papp, J.P.: Endoscopic electro- coagulation of upper gastro-
intestinal Hge.
JAMA ; 236 : 2076 - 2079 .
- Piercy, J.R.A, Auth, D.C, Silverstein, F.E, Willared, H.R,
and Davis, D.M : (1978) : Electrosurgical treatment
of experimental bleeding canine gastric ulcers :
Gastro-enterology ; 74 : 534.

Polanyi, T.G. (1976) : Laser energy Sources in Endoscopic surgery. Endoscopy; 189 Edited by Berci, G.

Ried, W.H, Ritchie, M.A, and Ferguson Pell, M.(1983).

Switched Ruby laser treatment of black Tattoos "

Britich Journal of plastic surg. 36:455-454.

Rutgeerts, P., Vantrappen, G., Janssens, J., and Geboes:

(1982) Controlled trial of Nd-YAG laser treatment of upper diagestive hge.

Gastro-enterology ; 83 : 410 - 416 .

Shafir, R. Zweig, A., and Bronstein, L. A.:(1978):" Use of

CO₂ laser in Abdomino-perineal Resection for epidermo-perineal Resection for epidermoid and carcinoma"

Br. J. Surg. 65 : 565 - 566.

Shapshay, S.M, Beamis, J.F, and Shahian , D.V (1985) :

" The use of laser in thoracic surgery "

Chest ; 87:16 : 706 .

Silverstein, F.E Auth, D.C and Rubein, C.E, (1976) :

High power Argon laser treatment via standard Endoscopes,

Gastro-enterology ; 71:588 .

Silverstein, F.E, Protell, R.L, and Piercey, J. (1977)

Endoscopic laser treatment, comparison of the
efficacy of high and low power photo-coagulation
in control of severely bleeding-experimental ulcer,
Gastro-enterology 73 : 481-486.

Silverstein, F.E, Protell, R.L, Gulacsik, B.S, and Deltenre,

M. (1978) : Endoscopic laser treatment, development
and testing of gas-jet assisted. Argon laser wave-
guide in control of bleeding experimental ulcers.
Gastro-eneterology ; 74 : 232 .

Silverstein, F.E, Protell, R.L, and Gilbert, D.A. (1979)

Argon vs. Nd-YAG laser photo-coagulation of exper-
imental canine gastric ulcers.
Gastro-eneterology ; 77 , 491-496.

Smith, J.A, Dixon, J.A. (1984) : "Laser photo-radiation in
urologic surgery ".

The journal of urology; 131 : 631-634 .

Smith, J.A, Dixon, J.A.: (1984) Argon laser phototherapy of
superficial transitional cell carcinoma of the bladder.
J. Urol; 131 : 655 - 656 .

Smith, J.A, Dixon, J.A. (1984) : Nd-YAG laser treatment of
benign urethral strictures " .

The Journal of urology ; 131 : 1080, 1081 .

Strong, M.S, Jako, G.Y, Polany ; T.G, et al., (1973) :

" Laser surgery in aero-diagestic tract "

Am. J. Surg; 126 : 00 .

Strong, M.S, Polanyi, T.G., and Wallace, R.A.(1974) :

Bronchoscopic CO₂ laser surgery .

Ann. Oto Rhinol. Laryngol, 83:769.

Swain, C.P, Bown, S.G, Storey, D.W, and Northfield,T.C.:

(1981): controlled trials of argon laser photo-
coagulation in bleeding peptic ulcer. The lancet;
12:1314 .

Swain, C.P, Bown, S.G, Edwards , D.A.W, and Kirkham, J.S.:

(1984) : Laser recanalization of obstructing fore-
gut cancer " Br. J. Surg. . 71 : 112-115.

Unger, M. (1984): Bronchoscopic utilization of Nd-YAG laser
for obstructing lesions of the trachea and bronchi,
Surg clinics of North America, 64 ,5:931-984.

Vallon, A.G, Cotton, P.B, Laurence, B.H, Armengol Miro,
and Saloved:(1981) .

Randomised trial of endoscopic argon laser photo-
coagulation in bleeding peptic ulcer,

Gut ; 22 : 228 - 233 .

Vincet, R.G. (1983) : Laser therapy for advanced carcinoma
of the trachea and bronchus " .

Chest ; 84 , 5 : 509-510.

Waitman, A.M, Grant, D.Z, and Chateau, F.(1982): Argon

laser phto-coagulation treatment of patients with
acute and chronic bleeding secondary to telangiecta-
sias.

Gastro intestinal Endoscope, 28:153.

Watson, G.M, Wickttam , J.E.A, Mills, T.N, Bown S.G, Swain,

P., and Salmon, P.R. (1983) : "Laser fragmentation
of renal calculi." J. of urology; 55 : 613-616 .

Yanai, A., Fukuda, O., Sayano, S., Takayama, O., and

Kataigi T. (1985) : "Argon laser therapy for port-
winestains: effects and limitations ".

Plastic, Reconst. Surg; 75 , 4.:520-525.