





References



REFERENCES

- **Abromich TD (1972)** : Pathways of water exchange in the fetoplacental unit at midpregnancy. J. Obstet. Gynecol, Brit. Cwlth, 79 : 1099.
- **Abramovich DR and Page KR (1973)** : Pathways of water transfer between liquor amnii and the fetoplacental unit at-term. Eu. J. Obstet. Gynecol, 3 : 155.
- **Ahmed AI and Versi E (1993)** : Prolonged pregnancy curr-opin- Obstet. Gynecol, oct, 5 (5) : 669-74.
- **Alfirevic Z and Neilson JP (1995)** : Doppler ultrasonography in high risk pregnancies : Systematic review with meta-analysis. Am. J. Obstet. Gynecol, 172 : 1379.
- **American College of Obstetricians and Gynecologists (1987)** : Technical Bulletin No. 110 , November .
- **American College of Obstetricians and Gynecologists (1994)** : Antepartum fetal Surveillance. Technical Bulletin No. 188. January.
- **American College of Obstetricians and Gynecologists (1995)** : Fetal Heart Rate patterns : Monitoring , Interpretation , and Management . Technical Bulletin No 207 , July .
- **American College of Obstetricians and Gynecologists (1995)** : Quality, Evaluation, and Improvement in practice : Post-term pregnancy, committee on Quality Assessment, Criteria set No 10, August.
- **Apgar V, Holaday DA, James LS, et al (1958)** : Evaluation of the new born infant, Second report : JAMA, 168 : 1985.

- **Badalian SS, Chao CR, fox HE, et al (1993)** : Fetal breathing related nasal fluid flow velocity in uncomplicated pregnancies. Am. J. Obstet. Gynecol, 169 : 563.
- **Barnes JS, Hamlett JD, Hibbard BM, et al (1972)** : Assessment of reduction in the volume of liquor amnii. J. Obstet. Gynecol, Brit. Cwlth, 79:299.
- **Barr M, and Cohen MM (1991)** : ACE inhibitor fetopathy and hypocalvaria : The kidney-skill connection. Teratology, 44 : 485.
- **Barrett JM, Salyer SL and Boehm FH (1981)** : The non stress test : An evaluation of 1.000 patients. Am. J. Obstet. Gynecol, 141 : 153.
- **Begum F, Buckshee K and Rande JN (1996)** : Antenatal fetal assessment using biophysical profile score Bangladesh Med. Res. Counc. Bull. Aug, 22(2) : 51 - 9.
- **Bishop EH (1964)** : Pelvic scoring for elective induction. Obstet . Gynecol, 24 : 266-288.
- **Blumenthal PD, Ramanous K and kierson R (1990)** : Randomized trial of Dilapan and laminaria as cervical ripening agents before induction of labour. Obstet. Gynecol, 5 : 365.
- **Bochner, Castrol CF, and williams J (1988)** : The efficacy of starting post-term antenatal testing at 41 weeks as compared to 42 weeks of gestational age. Am. J. Obstet. Gynecol, 159 : 550.
- **Boyed ME, Usher RH, McLean FH, et al (1988)** : Obstetric consequences of post maturity. Am.J. Obstet. Gynecol, 158 : 334.
- **Brace RA (1988)** : Amniotic fluid dynamics increasy, Resinlke R (eds) : Maternal and fetal medicine practice. Philadelphia W.B. Sounds. P. 128 - 135.
- **Bresadola M, La Mastro F, Arena V, et al (1995)** : prognostic value of biophysical profile score in post-date pregnancy. Clin. exp. Obstet. Gynecol, 22(4) : 330-8.

- **Calvert JP & Richards CJ (1979)** : Fetal breathing movements and fetal distress. Br. J. Obstet & Gynecol, 86 : 607.
- **Campbell MK, Obstbye T and Irgens LM (1997)** : Post-term birth : risk factors and Outcomes in a 10-year Cohort of Norwegian births. Obstet. Gynecol, Apr; 89 (4) : 543-8.
- **Carlson D, Platt L, Medearis A, et al (1990)** : Quantitable polyhydramnios : Diagnosis and management. Obstet. Gynecol, 75 : 989.
- **Carlv-Smith (1990)** : Amniotic fluid assessment. Obstet, Gynecol, clinics of North America, Vol. 17 No. 1, March .
- **Carmichael L, Campbell K, and Natale R (1984)** : Decrease in human fetal breathing movements prior to spontaneous labour at term. Am. J. Obstet. Gynecol, 148 : 675.
- **Chamberlain PF, Manning FA, Morrison I, et al (1984)** : Ultrasonic evaluation of amniotic fluid volume. II : Relationship of increase amniotic fluid volume to perinatal outcome. Am. J. Obstet. Gynecol, 150 : 250.
- **Chamberlain PF, Manning FA, Morrison I, et al (1984)** : Ultrasound evaluation of the amniotic fluid volume. The relationship of marginal and decreased amniotic fluid volume to perinatal outcome. Am. J. Obstet. Gynecol, 150 : 245-9.
- **Chari RS, Friedman SA, O'Brien JM, et al (1995)** : Daily antenatal testing in women with sever pre eclampsia. Am. J. Obstet. Gynecol, 173 : 1207.
- **Chudleigh P and Pearce MJ (1992)** : Obstetric Ultrasound. London : Churchill Living stone . Longman group UK limited , p 214 - 221 .
- **Clark SL, Sabey P, and Jolley K (1989)** : Non-Stress test with acoustic stimulation and amniotic fluid assessment : 5973 test without unexpected fetal death Am. J. Obstet. Gynecol, 160 : 694.
- **Clement D, Schifrin BS, and Kates RB (1987)** : Acute oligohydramnios in post date pregnancy. Am. J. Obstet. Gynecol, 157 : 884.

- **Cohen HE, Sacks EJ, Herman HA, et al (1974)** : Cardiovascular response to hypoxaemia and acidemia. *Am. J. Obstet. Gynecol*, 120 : 817.
- **Collins E and Turner G (1979)** : Maternal effects of regular salicylate ingestion in pregnancy. *The lancet*, 4:335.
- **Copel J, Grannum PA, Hobbins JC, et al (1988)** : Doppler ultrasound in obstetrics. *Williams Obstetrics*, 17th ed. Norwalk, CT, Appleton & Lange.
- **Crane JP, Beaver HA, and cheung SW (1985)** : Antenatal ultrasound findings in fetal triploidy syndrome. *J ultrasound Med*. 4 : 519-24.
- **Croom CJ, Baniyas BB, Ramos-Santos, et al (1992)** : Do Semiquantitative amniotic fluid indices reflect actual volume I. *Am. J. Obstet. Gynecol*, Oct, 167 (4) : 995-9.
- **Cunningham FG, Gant NF and MacDonald PS (1993)** : Hypertensive disorders in pregnancy. *Williams Obstetrics*. Nineteenth ed, Appleton and lang Norwalk, California.
- **Devoe LD (1990)** : The non stress test. *Obstet. Gynecol. Clinical of north America*, 17 : 110.
- **Devoe LD and Mckenzie JR (1985)** : Clinical Sequelae of extended non stress test. *Am. J. Obstet. Gynecol*, 151 : 1074.
- **Devoe LD, Castillo RA, and Scherline DM (1985)** : Critical reappraisal of the non-stress test as a diagnostic test, *Am. J. Obstet. Gynecol*, 152 : 1047.
- **Devoe LD, Yano G and Azor H (1986)** : The application of multiple parameter scoring to antepartum fetal heart rate testing. *Obstet. Gynecol, Clinical of North America*, 13 : 103.
- **Dimitrios S, Mastroglannis MD and Robert A (1995)** : labour induced using Methods that do not involve oxytocin clinical. *Obstet. Gynecol*, 38 (2) : 259-266.

- **Donner C, Vermeylen D, Kirkpatrick K, et al (1995)** : Management of the growth-restricted fetus : The role of noninvasive test and fetal blood sampling. *Obstet. Gynecol*, 85 : 965.
- **Dubinsky T, Lau M, Powell F, et al (1997)** : predicting poor neonatal outcome : A comparative study of non invasive antenatal testing methods. *Am. J. Roentgenol*, Mar, 168 (3) : 827-31.
- **Eden RD, Gergely RZ, Schiffrin BS, et al (1982)** : Comparison of antepartum testing schemes for the management of the post date pregnancy. *Am. J. Obstet. Gynecol*, 144 : 683.
- **Fabre E, Gonzalez de Agüero R, Agustin JL, et al (1996)** : Perinatal mortality in term and post-term births. *J. Perinat. Med*, 24 (2) : 163-9.
- **Fischer MD, Richard L, Maryanne MacDonnell MD, et al (1993)** : Amniotic fluid volume estimation in the post date pregnancy : A comparison of techniques. *Obstet & Gynecol*, 81 : 698-704.
- **Fox HE, Iglis J, and Brecher SM (1979)** : Fetal breathing movements in uncomplicated pregnancies : relation to gestational age. *Am. J. Obstet. Gynecol*, 134 : 544.
- **Freeman RK (1975)** : The use of the oxytocin challenge test for antepartum clinical evaluation of uteroplacental respiratory function. *Am. J. Obstet. Gynecol*, 121 : 481.
- **Freeman RK, Anderson G and Cestex WD (1982)** : A prospective multi-institutional study of antepartum fetal heart rate monitoring. Risk of perinatal morbidity and mortality according to antepartum fetal heart rate monitoring. *Am. J. Obstet. Gynecol*, 143 : 771.
- **Freeman RK, Garite TJ, Modanlou H, et al (1981)** : Post date pregnancy utilisation of contraction stress testing for primary fetal surveillance. *Am. J. Obstet. Gynecol*, 140 : 128.

- **Freeman RK, Goebblasman U, Nochimson D, et al (1976)** : An evaluation of the significance of a positive oxytocin challenge test. *Obstet. Gynecol*, 47 : 8.
- **Frydman R, Le laidier, Saint B, et al (1992)** : Induction of labour in women at term with mifepristone Ru (486) : A double blind, randomised placebo controlled study, 80 : 972.
- **Fuentes A and Williams M (1995)** : Cervical assessment, clinical obstetrics & Gynecology, 38 : 224-231.
- **Gauthier RJ, Evertson LR, and Paul RH (1979)** : Antepartum fetal heart rate testing. *Am. J. Obstet. Gynecol*, 133 : 34.
- **Gelman SR, Spellacy WN, Wood S, et al (1980)** : Fetal movements and ultrasound : Effects of maternal I.V. glucose administration. *Am. J. Obstet. Gynecol*, 137 : 459.
- **Grannum P, Berkowitz RL, and Hobbis JC (1979)** : The ultrasonic changes in the maturing placenta and their relation to fetal pulmonary maturity. *Am. J. Obstet. Gynecol*, 133 : 915.
- **Grubb DK, and Paul RH (1992)** : Amniotic fluid index and prolonged antepartum fetal heart rate decelerations. *Obstet. Gynecol*, 79 : 588.
- **Harding JA, Jackson DM and Lewis DF (1991)** : Correlation of AFI & NST in patients with premature rupture of membrane. *Am. J. Obstet. Gynecol*, 165 : 1088-94.
- **Hill LM, Breckle R, Thomas MI, et al (1987)** : Polyhydramnios : ultrasonically detected prevalence and neonatal outcome. *Obstet. Gynecol*, 69 : 21.
- **Hoskin IA, Frieden FJ and Young BK (1991)** : variable decelerations in reactive non-stress test with decreased amniotic fluid index predict fetal compromise. *Am. J. Obstet. Gynecol*, 165 : 1094.
- **Jarrel SE and Sokol RJ (1979)** : Clinical use of stressed and non stressed monitoring Techniques. *Clin. Obstet. Gynecol*, 22 : 617.

- **Jeffrey P and Phelan MD (1989)** : The post date pregnancy : An over view.
Clinical Obstetrics and Gynecology, 32(2) : 221-27.
- **Jeng CJ, Lee JF, Wang KJ, et al (1992)** : Decreased amniotic fluid index in term pregnancy. J. Repord. Medicine. Sept 37 (9) : 789 : 92.
- **Keirse MJNC (1992)** : Estrogen for cervical ripening. In chalmers I, Enkir M, Veirse MJNC (eds) : Effective care in pregnancy and childbirth. Oxford university press, P 1057.
- **Keirse MJNC (1993)** : Prostaglandins in preinduction cervical ripening. Meta-analysis of world wide clinical experience. J Repord Med, 38 : 89-100.
- **Khouzami VA, Johnson JW, Herandez E, et al (1981)** : urinary estrogens in post-term pregnancy. Am. J. Obstet. Gynecol, 141 : 205.
- **Lauersen NH (1983)** : Fetal surveillance with non-stress and stress test. In modern management of high-risk pregnancy, New York and London, Plenum Medical Book company, P 297.
- **Lauria MR, Gonik B and Romero R (1995)** : Pulmonary hypoplasia : Pathogenesis , diagnosis , and antenatal prediction . Obstert. Gynecol , 86 : 446.
- **Lee GY, Diloreto PC, and O'laine JM (1975)** : A study of fetal heart rate acceleration patterns. Obstet. Gynecol, 45 : 142.
- **Leveno KJ, Quirk JG and Cunningham FG (1989)** : prolonged prgnancy. I. Observations concerning the causes of fetal distress . Am. J. Obstet. Gynecol, 150 : 465.
- **Leveno KJ, Quirk JG, Canningham FG et al, (1984)** : Prolonged pregnancy, I. Observations concerning the cause of fetal distress. Am. J. Obstet. Gynecol, 150 : 465.
- **Lind T, and Hytten FE (1970)** : Relation of amniotic fluid volume to fetal weight in the first half of pregnancy. Lancet 1 : 1447.

- **Low JA (1991)** :-The current status of maternal and fetal blood flow velocimetry. Am. J. Obstet. Gynecol, 164 : 1049.
- **Lucas WE, Ancil AO, and Callgan DA (1965)** : The problem of post-term pregnancy. Am. J. Obstet. Gynecol; 91 : 241.
- **Mackenzie IZ (1994)** : labour induction including pregnancy termination for fetal anomaly. In : James DK, steer PJ, Weiner CP and Gonik B (eds). High risk pregnancy management options. Philadelphia : WB saunders.
- **MacLeannon AH, Green RC, Grant B, et al (1986)** : Ripening of the human cervix and induction of labour with intracervical procain relaxin. Obstet. Gynecol, 68 : 598-601.
- **Manning FA, Harman CR, Metillogous F, et al (1990)** : fetal assessment based on fetal biophysical profile scoring. Positive predictive value of the very abnormal test. Am. J. Obstet. Gynecol, 162 : 398.
- **Manning FA, Morrison I and Harman CR (1990)** : The abnormal biophysical profile score. predictive accuracy according to score composition. Am. J. Obstet. Gynecol, 162 : 918.
- **Manning FA, Morrison I, Lange IR, et al (1987)** : Fetal biophysical profile scoring : Selective use of the non-stress test. Am. J. Obstet. Gynecol, 156 : 709.
- **Manning FA, Morrison I, lange IR, et al (1985)** : Fetal assessment based on fetal biophysical profile scoring : Experience in 12620 referred high - risk pregnancies. Am. J. Obstet. Gynecol , 151 : 343.
- **Manning FA, Platt TD, and Sipos L (1980)** : Antepartum fetal evaluation, development of a fetal biophysical profile. Am. J. Obstet. Gynecol, 136 : 787.
- **Manning MD, Frank A, Rosaline Snijders MS, et al (1993)** : Fetal biophysical profile score : Correlation with antepartum umbilical venous fetal PH. Am. J. Obstet. Gynecol, 169 : 755-63.

- **Marks MS and Divon MY (1992)** : Longitudinal study of the amniotic fluid index in post-term pregnancy. *Obstet. Gynecol* , 79 : 229 - 33.
- **Marpeau L, Keskes J, Vincenti O, et al (1988)** : value and danger of indomethacin use in pregnancy. *J. Gynecol. Obstet, Biol. Reprod.* 17 : 115-22.
- **Mastrogianis DS and Knuppel L (1995)** : Misoprostol to induce labour. *Clinical. Obstet. Gynecol*, 38 : 259-66.
- **Matsuura M, Murata Y, Hirano T, et al (1996)** : The effects of developing autonomic nervous system on FHR variabilities determined by the power spectral analysis. *Am. J. Obstet. Gynecol*, 174 : 380.
- **McLean F and Mittendorf R (1991)** : Post-term infants too big or too small? *J. Obstet. Gynecol*, 164 : 619.
- **Mercer B, Pilgrim P and Sibai BM (1991)** : Labour induction with continous low dose oxytocin infusion : A randomized trial. *Obstet. Gynecol*, 77 : 659-663.
- **Mercer LJ and Brown LG (1986)** : Fetal outcome with oligohydramnios in the second trimester. *Obstet. Gynecol*, 67 : 840-2.
- **Michael Y, Divon MD, Ariel D et al (1995)** : longitudinal measurement of amniotic fluid index in post-term pregnancies and its association with fetal outcome. *Am. J. Obstet. Gynecol*, 172 : 142-6.
- **Miller DA, Rabello YA and paul RH (1996)** : The modified biophysical profile : Antepartum testing in the 1990s. *Am. J. Obstet. Gynecol*, 174 : 812.
- **Miller F, Miller D, Paul R, et al (1996)** : Is one fetal heart rate acceleration during a non-stress test as reliable as two in predicting fetal status? *Am. J. Obstet. Gynecol*, 174 : 337.
- **Mongelli M, Wilcox M and Gardosi J (1996)** : Estimating the date of confinement : Ultrasonographic biometry versus Certain menstrual date. *Am. J. Obstet. Gynecol*, 174 : 278-281.

- **Moore TR, and Clayle JE (1990)** : The amniotic fluid index in normal human pregnancy Am. J. Obstet. Gynecol, 162 : 1168-73.
- **Murata Y and Martin CB (1982)** : Systolic time intervals of fetal cardiac cycle. Obstet. Gynecol, 44 : 224.
- **Myoung OA and Jeffrey P (1989)** : Epidemiologic aspects of the post date pregnancy clinical Obstetrics and Gynecology, 32(2) : 228-234.
- **Naeye RL (1980)** : Causes of perinatal mortality excess in prolonged gestation. Am. J. Obstet. Gynecol, 108 : 429.
- **Nageotte MP, Towers CV, Asrat T, et al (1994)** : perinatal outcome with the Modified biophysical profile. Am. J. Obstet. Gynecol, 170 : 1672.
- **Nahum CG, Stanislaw H, Huffaker BJ, et al (1995)** : Fetal weight gain at term : linear with minimal dependence on maternal obesity. Am. J. Obstet Gynecol 172 : 1387.
- **Neldam Steen (1982)** : **Fetal movements** : Acomparision between maternal assessment and registration by means of dynamic ultrasound. Danish, Med, Bull, 29 : 197.
- **Nijhuis JG, Prechtl HF, Martin CB, et al (1982)** : Are there behavioural states in the human fetus? Early hum. Dev. 6 : 177.
- **Nochimson DJ, Turbevilla JS, and Terry JE (1978)** : The non stress test. Obstet. Gynecol, 51 : 419.
- **Nwsou EC, Weelch CR, Manasse PR, et al (1993)** : Longitudinal assessment of amniotic fluid index. Br. J. Obstet. Gynecol, 100 : 816-819.
- **O'Driscoll KM, Coughlan M, Fenton V, et al (1977)** : Active management of labour, care of the fetus. Brit. Med. J. 75 : 903-16.
- **Patrick J, Campell K, Carmichael L, et al (1980)** : A definition of human fetal apnea and the distribution of fetal apneic intervals during the last 10 weeks of pregnancy. Am. J. Obstet. Gynecol, 136 : 471.

- **Patrick J, Carmichael L, Chess L, et al (1984)** : Acceleration of fetal heart rate at 28 to 40 week's gestation. Am. J. Obstet. Gynecol, 148 : 35.
- **Patrick J, Fetterson W, Vick R, et al (1978)** : Human fetal breathing and gross body movements at 34-35 weeks of gestation. Am. J. Obstet. Gynecol, 130 : 693.
- **Paul RH and Miller FG (1978)** : Antepartum fetal heart rate monitoring. Clin. Obstet. Gynecol, 21 : 375.
- **Pearson JF and Weaver JB (1976)** : Fetal activity and fetal well-being. Br. Med. J, 1 : 1305.
- **Phelan J and Lewis P (1981)** : Fetal heart rate decelerations during a non stress test. Obstet. Gynecol 57 : 228.
- **Phelan JP (1989)** : The postdate pregnancy : an over view. Clin Obstet. Gynecol, 32 (2) : 221-227.
- **Phelan JP, Rutherford SE, ohn MO, et al (1987)** : Amniotic fluid assessment using the four quadrant technique in pregnancy between 36 and 42 week gestation. J. Reprod. Med. 32 : 540.
- **Philipson EH, Sokol RJ, and william T (1983)** : oligohydramnios : Clinical associations and predictive value for intrauterine growth retardation. Am. J. Obstet. Gynecol, 146 : 271-8.
- **Pillai M and James D (1990)** : The development of fetal heart rate patterns during normal pregnancy. Obstet. Gynecol, 76 : 812.
- **Pipkin FB (1984)** : Medical statistics Made easy. London : Churchil Living stone. The print House ltd, P 66 - 85.
- **Ray M, Freeman R and Pien S (1972)** : Clinical experience with the oxytocin challenge test. Am. J. Obstet. Gynecol, 114 : 1.
- **Rayburn WF (1989)** : PGE₂ gel for cervical ripening and induction of labour. A critical analysis. Am. J. Obstet. Gynecol, 160 : 529.
- **Rayburn WF (1990)** : Fetal body movements monitoring. Obstet. Gynecol, Clinical of north America, 17 : 95.

- **Read JA and Miller FC (1977)** : Fetal heart rate acceleration in response to acoustic stimulation as a measure of fetal well-being. *Am. J. Obstet. Gynecol*, 129 : 512.
- **Richardson BS, Hohiner AR, and Muggler PA (1982)** : Effect of glucose on fetal breathing movement and electrocortical activity in fetal limbs. *Am. J. Obstet. Gynecol*, 142 : 678.
- **Roach VJ and Rogers MS (1997)** : pregnancy outcome beyond 41 weeks gestation. *International Journal of Gynecology & Obstetrics*, 59 : 19 - 24.
- **Robert D and Eden MD (1989)** : Post date pregnancy : Antenatal Assessment of fetal well-being. *Clinical Obstetrics and Gynecology* 32 (2) : 235-244.
- **Robson SC, Robin AS, John L, et al (1992)** : Intrapartum amniotic fluid index and its relationship to fetal distress. *Am. J. Obstet. Gynecol*, 166 : 78-82.
- **Ron M, Adoni A, Celnikier HD, et al (1980)** : The significance of baseline tachycardia in the post-term fetus . *Int. J Gynecol. Obstet*, 18 : 76.
- **Rutherford SE, Phelan JP, Smith CV, et al (1987)** : The four quadrant assessment of amniotic fluid volume : An adjunct to antepartum fetal heart rate testing, *Obstet, Gynecol*, 70 : 333 - 336.
- **Sachs DA (1993)** : Fetal macrosomia and gestational diabetes : what's the problem? *Obstet. Gynecol*, 81 : 773.
- **Salamalekis E, Vitoratos N, Loghis C, et al (1994)** : The predictive value of a non stress test taken 24h before delivery in high risk pregnancies. *Int. J Gynecol, Obstet*, 45 : 105-107.
- **Sanchez-Ramos L, Kaumitz AM, Delvalle GO, et al (1993)** : Labour induction with PGE₂, methyle analogue misoprostol versus oxytocin : Randomized trial. *Obstet. Gynecol*, 81 : 3326.

- **Sarno AP, Ahn MO, and phelan JP (1990)** : Intrapartum amniotic fluid volume at term : Association of ruptured membranes. Oligohydramnios and increased fetal risk. J. report Med. 35 : 719-23.
- **Sarno AP, Ahn Mo, Brar HS, et al (1989)** : Intrapartum doppler velocimetry, amniotic fluid volume and fetal heart as predictors of subsequent fetal distress. I. An initial report. Am. J. Obstet. Gynecol, 161 : 1508-14.
- **Sas sone D and Toohey J (1991)** : The biophysical profile in labour. Obstet. Gynecol, 76 : 360.
- **Schneider JM, Olson RW, and Curet LB (1978)** : Screening of fetal and neonatal risk in the post date pregnancy. Am. J. Obstet. Gynecol, 131 : 473.
- **Schwarz BE (1985)** : The onset of labour. progress in Obstetrics and Gynecology, vol. II, edited by studed J and Edenburg H, London, Melbourne and NewYork, Churchill Livingstone. Ch.1.P6.
- **Seeds AE (1980)** : Current concepts of amniotic fluid dynamics. Am. J. Obstet. Gynecol, 138(5) : 575.
- **Shenker LM, Kalhayn LR, Caroline F, et al (1991)** : Significance of oligohydramnios complicating pregnancy. Am. J. Obstet. Gynecol, 164 : 1597-1600.
- **Sherer DM, Cullen JB, Thompson HO, et al (1990)** : Transient oligohydramnios in a severely hypovolaemic gravid women at 35 weeks gestation, with fluid reaccumulating immediately after intravenous maternal hydration. Am. J. Obstet. Gynecol, 162 : 770-1.
- **Shime J, Gare DJ, Anderews J, et al (1984)** : Prolonged pregnancy : Surveillance of the fetus and neonate and the course of labour and delivery. Am. J. Obstet. Gynecol, 184 : 547.

- **Shime J, Librach CL, Gare DJ, et al (1986)** : The influence of prolonged pregnancy on infant development at one and two years of age. Am. J. Obstet. Gynecol, 154 : 341.
- **Shirley K and william F (1995)** : Out patient cervical ripening . Clinical. Obstet. Gynecol, 38 : 301-309.
- **Silver RK, Dooley SL, and Mac Gregor SN (1990)** : Fetal acidosis in prolonged pregnancy can not be attributed to cord compression alone. Am. J. Obstet. Gynecol, 159 : 666.
- **Silver RK, Dooley SL, Tamura RK, et al (1987)** : Umbilical cord size and amniotic fluid volume in prolonged pregnancy. Am. J. Obstet. Gynecol, 157 : 716-20.
- **Smith CV, Greenspoon J, and phelan JP (1987)** : The clinical utility of NST in the conservative management of patients with preterm PROM. J. Reprod. Med. 32 : 1.
- **Smith JH, Anand KJ, Cotes PM, et al (1988)** : Antenatal fetal heart rate variation in relation to the respiratory and metabolic status of the compromised human fetus. Br. J. Obstet. Gynecol, 95 : 980.
- **Sorokin Y, Pillay S, Dieker LJ, et al (1981)** : A comparison between maternal and real-time ultrasound assessment of fetal movements. Am. J. Obstet. Gynecol, 140 : 456.
- **Soronkin Y, Bottoms SF, Dierker CJ, et al (1982)** : The clustering of fetal heart rate changes and fetal movements in pregnancies between 20 and 30 weeks gestation. Am. J. Obstet. Gynecol, 143 : 952.
- **Steer PJ (1986)** : Postmaturity-much add about nothing? Br. J. Obstet. Gynecol, 93 : 105.
- **Sze - Ya Y and Weilkerson E (1991)** : Biophysical profile score of 4 , reactive non stress test and adequate amniotic fluid volume a reliable indicator of fetal well - being. Am. J. Obstet. Gynecol, 164 : 363.

- **Trimmer KJ, Leveno KJ, Peters MT, et al (1990)** : Observations on the cause of oligohydramnios in prolonged pregnancy. Am. J. Obstet. Gynecol, 163 : 1900-1903.
- **Vindla S and James D (1995)** : Fetal behavior as a test of fetal well-being Br.J. Obstet. Gynecol, 102 : 597.
- **Vintzileos AM, Campbell WA, Nochimson DJ, et al (1987)** : Preterm rupture of membrane : a risk factor for development of abruptio placentae. Am. J. Obstet. Gynecol, 156 : 1235-8.
- **Vintzileos AM, Campell WA, and Nochimson DJ (1983)** : The use and misuse of the biophysical profile. Am. J. Obstet. Gynecol, 156 : 527.
- **Vintzileos AM, Gaffney SE, and Samger LM (1987)** : The relationships among the fetal biophysical profile, umbilical cord PH and Apgar scores. Am. J. Obstet. Gynecol, 157 : 627.
- **Vintzileos AM, Gaffney SE, Sabinger LM, et al (1987)** : The relationship between fetal biophysical profile and cord PH in patients undergoing cesarean sections before the onset of labour. Obstet. Gynecol, 70 : 196.
- **Vorherr H (1975)** : Placental insufficiency in relation to post-term pregnancy and fetal post maturity. Am.J. Obstet. Gynecol, 123 : 67.
- **Wallenburg HC, Stole LA, and Janssens J (1982)** : The pathogenesis of placental infarction. Am. J. Obstet. Gynecol, 116 : 835.
- **Wax JR, Castigan RN, and Callan NA (1993)** : Effect of fetal movement on the amniotic fluid index Am. J. Obstet. Gynecol, 168 : 188-9.
- **Weiner Z, Divon My, Katzn, et al (1996)** : Multivariant analysis of antepartum fetal test in predicting neonatal out come of growth retarded fetuses. Am. J. Obstet. Gynecol, 174 : 338.
- **Weingold AB (1982)** : The management of prolonged pregnancy. In petkin RM, Zlatink FJ, (Ed), year book of Obstetrics and Gynecology, Chicago london : year book medical publisher, P. 70.

- **Weinstein D, Ezra Y, Picard R, et al (1996)** : Expectant management of post-term patients : Observations and outcome. J. Matern. fetal. Med. 5 (5): 293-7.
- **Wheeler J, Gennser G, Lindvall R, et al (1980)** : Changes in fetal heart rate associated with fetal breathing movement. Br. J. Obstet. Gynecol, 87 : 1068.
- **Wing MD, Deborah A, Margaret M, et al (1995)** : A comparison of misoprostol and prostaglandin E₂ gel for preinduction cervical ripening and labour induction. Am. J. Obstet. Gynecol, 172 : 1804-10.
- **Yeh SY, Petrucha RA, and platt LD (1986)** : Possible role of ultrasonic placental grading in the management of post-term pregnancies. Am. J. Obstet. Gynecol, 145 : 675.
- **Youssef AA, Abdulla SA and Sayed EH (1993)** : Superiority of amniotic fluid index over amniotic fluid pocket measurement for predicting bad fetal outcome. South Med. J. 86 (4) : 426-429.
- **Zhang J and Bowes WA (1995)** : Birth weight for gestational age patterns by race sex and parity in the united states population. Obstet. Gynecol, 86: 200-208.