

REFERENCES

REFERENCES

Abdel-Nabi E.A., Motawee E., Lasheen N. et al., (1989):

A study of vertigo and dizziness in the premenstrual period.
J. Laryngol .Otol., 98:273 - 276.

Abraham G.H. (1983):

Nutritional factors in the etiology of the premenstrual tension syndrome.
J.Reprod. Med., 28:405 - 446.

Abraham G.E. (1986):

Management of the premenstrual tension syndrome;
Rational for a nutritional medicine :
New caanan, C.T Keates. P.144 - 148 .

Abraham G.E. (1990):

Premenstrual problems.
Obstet. Gynecol. 3 (12) : 1 - 39.

Adjuwon CA, Faunders A, Segal SJ, et al (1984):

Serum prolactin profiles of normal human conceptual cycle.
Int. J Gynecol – Obstet . 22 : 213 219 .

Alton-Chamla A., Favre G., Gonadard JR., et al. (1980):

Premenstrual syndrome and atopy : A double – blind clinical evaluation of
treatment with a gamma globulin / histamine complex.
Pharmacotherapeutica 2 (7) : 481 489 .

Akamatsu H, Zouboulis C and Orfanos C (1993):

Spironolactone effect on cultured human facial sebocytes.
J. Invest. Dermatol., 100 : 5, 660 - 662.

American Psychiatric Association (1987):

Late Luteal Phase Dysphoric Disorder. In American Psychiatric Association, Eds.
Diagnostic and Statistical Manual of mental disorders (DSM-III-R). 3rd edn.
(revised). Washington. DC

Andersch B.(1988):

Bromocriptine and premenstrual symptoms: A survey of double – blind trials.
Obst. Gynecol – survey 38 : 643 -646.

Andersch B and Eriksson E (1992):

Clomipramine effectively reduces premenstrual irritability and dysphoria,
a placebo controlled study.

Acta psychiatrica scandinavica . 85 (1) : 39 - 47.

Armeanu MC., Frolich M and Lequin RM (1986):

Circadian rhythm of prolactin during the menstrual cycle.

Fertil.& Steril. 46 (2) : 315 - 318 .

Asscher AW and Jones JH (1985):

Capillary permeability to plasma proteins.

Postgrad. Med. J., 41 : 425 - 426.

Backstrom T., and Mattsson B. (1985):

Correlation of symptoms in premenstrual tension syndrome to oestrogen and
Progesterone in blood plasma.

Neuropsychobiology 1 :80 - 84 .

Baird DT., Fraser I S. (1989):

Blood production and ovarian secretion rates of estradiol. 17

In women throughout the menstrual cycle.

J Clin Endocrinol. Metab. 30 : 1009.

Belchetz PE., Plant TM., Nakai Y., Keogh EJ and Knobil E. (1978):

Hypophyseal responses to continuous and intermittent delivery of hypothalamic
gonadotropin- releasing hormone.

Science 202 : 631 - 633.

Ben- David M., Schenker JG. (1983):

Transient hyperprolactinemia : A correctable cause of idiopathic female infertility.

J. clin. Endocrinol. Metab. 57 : 442.

Benedetto G., Massobrio M. and Zonca M. (1987):

Menstrual migraine : A possible pathogenic implication of platelet function.

Gynecol. Endocrinol., 1 :345 - 353 .

Berek J.S., Adashi E.Y. and Hillard P.A. (1996):

Reproduction physiology . In Novak's Textbook of Gynecology 12th edition.

P.P. 150 - 173 . Edited by Charles W. Mitchell.

Bernsted L., Luggin R. and Peterson B. (1988):

Psychological considerations of the premenstrual syndrome.

Acta Psychiatr. Scand., 69 : 455.

Birnbaum S.J (1984):

Premenstrual tension syndrome.
Clinic. Obstet. Gynecol., 7 (1) : 178.

Blank MS., Dufau MS (1986):

Definition of bioactive prolactin pulsations during the menstrual cycle.
Clin – Endocrinol 24 (1) : 1 .

Brahams D (1981):

Premenstrual Syndrome: A disease of the mind ?
Lancet, 2 : 1238 - 1240.

Brayshaw ND, and Brayshaw DD. (1988):

Thyroid hypofunction in premenstrual syndrome .
N. Engl .J. Med. 315 : 1486 .

Brezewinski A., Wurtman J., Wurtman R., et al . (1990):

D-fenfluramine suppresses the increased caloric and carbohydrate intake and improves the mood of women with premenstrual depression.
Obestet & Gynecol., 76 : 206 - 301.

Brooks and Gunn J. (1988):

Differentiating premenstrual symptoms and syndromes .
Psychosom. Medicine. P, 48 : 385 – 387 .

Brown JJ., Davies DL., Lever AF, et al (1979):

Variations in plasma renin during the menstrual cycle.
Br . Med. J., 2 : 1114.

Brown RS., Ramirez DE. And Taub JM. (1981):

The prescription of exercise for depression.
Phys. Sports Med., 6 : 34 – 45.

Brush MG ., and Goudsmit EM. (1988):

Vitamins, essential fatty acids and minerals in relation to the etiology and management of premenstrual syndrome. In functional disorders of the menstrual cycle (ed. MG Brush and EM. Goudsmit), PP. 69 – 89. Wiley. Chichester..

Burnet RB, Radden HS, Easterbrook EG et al., (1995):

Premenstrual syndrome and spironolactone.

- Aust. NZ J. Obstet. Gynecol; 31 : 366 – 368.
- Casson P., Hahn PM., Van Vugt DA et al., (1990):**
 Lasting response to ovariectomy in severe intractable premenstrual syndrome.
 Am. J. Obstet. Gynecol., 162 : 99 – 105.
- Casper RF and Hearn MT (1996):**
 The effect of hysterectomy and bilateral oophorectomy in women with severe premenstrual syndrome.
 American Journal of Obstetric and Gynecology.
- Charvat J., and Holecek V. (1976):**
 Studies on antidiuretic hormone .
 Acta Med. Acad. Sci. Hung 23 : 81 -83 .
- Chuong CJ., Coulam CB., Kao PC., et al.(1985):**
 Neuropeptide level in PMS.
 Fertil. Steril. 44 :760 - 763..
- Chuong CJ and Kinch RA (1990):**
 Premenstrual Syndrome . In Principles and Practice of Clinical Gynecology .
 Second eds., Edited by Kase NG , Weingold AB and Gershenson DM .
 New York Churchill Livingstone Inc., P. 669 – 684.
- Cole EN., Everted D., Horrobin DF et al., (1975):**
 Is prolactin a fluid and electrolyte regulating hormone in men ?
 J Physiology . 252 : 254 - 261.
- Cohen MR et al, (1981):**
 Behavioral effects after high dose naloxone administration to normal volunteers.
 Lancet., 2 : 1110 - 1121..
- Collier HO and Sweatman WJ (1968):**
 Antagonism by fenamates of prostaglandin F_{2α} and of flow reacting substance on human bronchial muscle.
 Nature ., 219 : 864 – 865 .
- Conn PM and Crowley WF (1994):**
 Gonadotropin – releasing hormone and its analogs.
 Annu. Rev. Med. 45 : 391 – 405.
- Dalton K (1979):**
 Menstrual and acute psychiatric illnesses.
 Br. Med. J. Jan., 148 – 149.

Dalton K (1985):

Diagnosis and clinical features of premenstrual syndrome. In Dawood MY, Mc Guire GL, Demers LM (eds): Premenstrual syndrome and Dysmenorrhea. Baltimore, Urban & Schwarzenberg, P, 13 - 22.

Dalton K (1987):

The premenstrual syndrome and progesterone therapy.
Chicago Year Book Medical Publishers., 15 : 103 - 110.

Dennerstein L., Spencer-Gardner C., Gotts G et al (1989):

Progesterone and the premenstrual syndrome. A double blind crossover trial.
Br. Med. J. 290 : 1617 - 1620..

Denny M., Hawthorn R and Hart DM (1991):

Low dose danazol in the treatment of premenstrual syndrome.
Postgraduate Medical Journal 67 : 450 - 454.

Depirro R., Fusco A., Bertoli A et al., (1988):

During the menstrual cycle in normal women Insulin receptors.
Clin. Endocrinol. Metab., 47 : 1387 - 1390.

Dierschke DJ., Bhattacharya AN., Atkinson LE et al., (1977):

Circadian oscillations of plasma LH levels in the ovariectomized rhesus monkey.
Endocrinology, 87 : 850 - 853.

Dorrington-Ward, P., Mc Cartney, A.C.E, Holland et al., (1989):

The effect of spironolactone on hirsutism and female androgen metabolism.
Clin. Endocrinol., 23 : 161 - 167.

Edwards OM and Bayless RI (1988):

Urinary excretion of water and electrolytes in normal females during the follicular and luteal phases of the menstrual cycle. The effect of posture.
Clin. Scin., 45 : 495 - 499.

Facchinetti F., Petraglia F and Genazzani AR (1987):

Localization and expression of the three opioid systems.
Semin. Reprod. Endocrinol. 5 : 103 - 108.

Facchinetti MD., Porola Borlla MD., Grazia Sances MD., et al (1996):

Oral magnesium successfully relieves premenstrual mood changes.
Obstet. Gynecol., 78 : 117 - 119.

Farah FS and Shbaklu A (1981):

Auto- immune progesterone urticaria.
J.Allergy Clin. Immunology ., 48 : 257 - 260.

Faratian B., Gaspar A., O'Brien P., Johnson I. And Filshie G. (1989) :

Premenstrual weight gain, abdominal swelling and perceived body image.
Am. J. Obst. Gynecol., 150 : 200 – 205.

Ferin M (1985):

Role of the endogenous opiates in reproduction.
Contemp Obstet. Gynecol. , April, P. 83 - 88.

Filicori M., Butler JP and Crowley WF (1984):

Neuroendocrine regulations of the corpus luteum in the human.
J. Clin. Invest. 73 (6) : 1638 - 1644.

Filicori M., Santoro N., Merriam GR and Crowley WF (1986):

Characterization of the physiological pattern of episodic gonadotropin secretion throughout the human menstrual cycle.
J. Clin. Endocrinol. Metab. 62 : 1136 – 1144.

Fisher AM (1981):

Is the hand of nature and women can not escape it?
Clinics in Obstet. Gynecol., 8 (1) : 121- 125.

Frank R.T. (1931):

The hormonal causes of premenstrual tension.
Arch. Neurol. Psychiatry 26 , 1053 - 1057.

Freeman EW., Sondheimer SJ., Rickels K et al (1993):

Gonadotropin- releasing hormone agonist in treatment of premenstrual symptoms with and without comorbidity of depression: a pilot study.
J.Clin. Psychiatry. 54 : 192 – 195.

Freeman EW., Rickels K., Sondheimer SJ and Polansky M (1995):

A double- blind trial of oral progesterone, alprazolam and placebo in treatment of severe premenstrual syndrome.
JAMA . 274 : 51 – 57.

Freeman EW, Rickels K and Sondheimer SJ (1997):

Fluvoxamine for premenstrual dysphoric disorder: A Pilot study.
J. Clin. Psychiatry. 67: 115 – 119.

Fritz MA and Speroff L (1989):

The endocrinology of the menstrual cycle. The interaction of folliculogenesis and neuroendocrine mechanism. In Wallach EE, Kempers RD (eds) : *Modern Trends in infertility and Conception Control*, Vol 3 , Chicago, Year Book Publishers Inc, P, 5-7.

Fuxe K., Lofstorm A., Hokfelt T., et al (1978):

Influence of central catecholamines on LHRH containing pathways.
Clin. Obstet. Gynecol., 5 : 251 - 256.

Gardner K and Sanders D (1994):

Premenstrual Syndrome, In., *Women's Problems in General Practice*.
Third edition., edited by ANN Mc PHERSON ., General Practitioner
Oxford. P.152 – 170.

Giannini AJ., Sullivan B., Sarachene J., et al (1988):

Clonidine in the treatment of premenstrual syndrome . A subgroup study.
J. Clin Psychiatry 49 : 62 - 67.

Gindoff PR and Ferin M (1987):

Brain Opioid Peptides and menstrual cyclicity.
Semin. Reprod. Endocrinol. 5 : 125 - 133.

Gold MS and Kleber HD (1981):

Clinical utility of clonidine in opiate withdrawal: A study of 100 patients .
In Lal H., Fieding s (eds): *Psychopharmacology of clonidine*.
NewYork., Alan R. Liss P, 299 - 303.

Goldstein A (1978):

Endorphins : Physioly and clinical implications.
Ann NY Acad. Sci. 311 : 49 - 58.

Goldstein DS., Levinson P and Keiser HR (1988):

Plasma and urinary catecholamines during the human ovulatory cycle.
Am. J. Obstet. & Gynecol. 146 : 824 - 828.

Graham CA and Shermin BB (1992):

A prospective treatment study of premenstrual symptoms using a triphasic oral contraceptive.
J.Psychosom. Res. April ., 36 (3) 257 - 266.

Grossman A (1987):

Opioid peptides and reproductive function.
Semin. Reprod. Endocrinol. 5 : 115 - 124.

Hsia LS and Long MH (1990):

“ Premenstrual syndrome” ,

Journal of Nurse-Midwifery, Vol. 35 (6) 351 -357.

Hughes J., Smith TW., Kosterlitz LH et al., (1985):

Identification of two related pentapeptides from the brain with opiate agonist activity.

Nature 258 : 577 - 580.

Hussain SY., O'Brien PMS., Desauza V., Okonofue F and Dandoma P (1990):

Reduced atrial natriuretic peptide concentrations in premenstrual syndrome.

Br. J. Obstet. Gynecol., Vol 97, Pp. 397 - 400.

Jakubowicz DL., Grodard E and Dewhurst SJ (1989):

The treatment of premenstrual tension with mefenamic acid:Analysis of prostaglandin concentrations.

Brit. J. Obstet. & Gynecol. 91 : 78 - 84.

Johnson JA., Davis JO., Baumber JS et al., (1980):

Effects of estrogen and progesterone on electrolyte balance in normal dogs.

Am. J. Physiol., 219 : 169 - 174.

Joshi SG., Bank JF., Henriques ES., et al (1982) :

Serum levels of a progesterone- associated endometrial protein during the menstrual cycle and pregnancy.

J.Clin. Endocrinol. Metab. 55 : 642 - 646.

Joskleinen., Gerben Terriet and Paukinschild (1994):

Vitamin $\beta 6$ in the treatment of the premenstrual syndrome.

A review British J. of obstet. And Gynecol., vol. 97, P, 847 - 852.

Karten MJ and Rivier JE (1986):

Gonadotropin-releasing hormone analog design. Structure function studies towards the development of agonists and antagonists:Rationale and perspective.

Endocrinol. Rev. 7 : 44.

Kashiwagi T., Mc Clure JN and Wetzel RD (1986):

Premenstrual affective syndrome in psychiatric disorders.

Dis. Nerv. Syst., 37 : 116 - 119.

Kendall KE., Paula D and Schunrr Ph D (1987):

The effect of vitamin $\beta 6$ supplementation on premenstrual symptoms.

Obstet. Gynecol., 70, 2 : 145 - 149.

Kinch RAH and Steinberg S (1989):

Premenstrual tension and dysmenorrhea. In advances in clinical Obstetrics and Gynecology , Vol. 2, edited by Osafsky HJ., Williams and Wilkins, Baltimore, London , P, 173 - 185.

Klein E and Uhde T (1988):

Controlled study of verapamil for treatment of panic disorder.
Am. J. Psychiatry, 145 : 431 - 437.

Knobil E (1980):

Neuro-endocrine control of the menstrual cycle.
Recent Prog. Horm. Res. 36 : 53 - 88.

Landau RL and Lugibihl K (1978):

Inhibition of the sodium-relating influence of aldosterone by progesterone
J Clin Endocrinol metab 18 : 1237 - 1240.

Lark SM (1985):

The premenstrual syndrome prevention diet.
New woman , February: 18- 23.

Lewis LL, Greenblatt EM and Rittenhouse CA (1995):

Pulsatile release patterns of luteinizing hormone and progesterone in relation to symptom onset in women with premenstrual syndrome.
Fertility & sterility Vol. 64, No. 2, August, P 288 - 292.

Lightman J and Forsling M (1980):

Evidence for endogenous opioid control of vasopressin release in man
J.Clin. Endocrinol. Metab., 50 : 569 - 580.

Lurie S and Bernstein R (1990):

The premenstrual syndrome .
Obstetrics & Gynecology.
Survey, Vol. 45, No.4, 220 - 228.

Magos A and Studd J (1985):

Progesterone and the premenstrual syndrome
A double-blind crossover trial .
Br. Medical J 291 :213 - 219.

Magos AL and Studd JW (1989):

The premenstrual syndrome, Progress in Obstet. And Gynecology ,Vol, 4.
Edited by John Studd, London , Churchill Livingstone, P, 334 - 350.

Magos A., Brincot M and Studd J (1993):

Trend analysis of the symptoms of 150 women with a history of the premenstrual syndrome.
Am. J. Obstet. Gynecol., 155 : 277 - 282.

Massil HY and O'Brien PM (1987):

Approach to the management of premenstrual syndrome.
Clin. Obstet Gynecol., 30 : 443 - 452.

Maxon WS and Hargrove JT (1988):

Physiology of the normal menstrual cycle. A physiologic Basis for premenstrual symptoms. In: Keye WYR, editor. The premenstrual syndrome.
Philadelphia: Saunders, P, 47 - 65.

Mazer G and Israel SL (1941):

Premenstrual tension as abnormal manifestation of the menstrual cycle, In diagnosis and treatments of menstrual disorders and sterility, edited by Mazer G and Israel SL., William Heinemann Medical Books Ltd., London, P, 112 - 118.

McGuinness BW (1991):

Skin pigmentation and menstrual cycle.
Br. Med. J. 2 : 563- 568.

McNatty KP., Sawers RA and McNeilly AS (1984):

A possible role of prolactin in control of steroid secretion by the human graafian follicle.
Nature, 250 - 653 - 658.

Melis GB., Maris V., Paoletti AM et al (1986):

Involution of endogenous gabaergic system in the modulation of gonadotropin secretion in normal cycling women.
J. Endocrinol. Invest, 9 (1) : 71 -77.

Merryman W., Boiman R., Barnes L., et al (1984):

Progesterone "anaesthesia" in human subjects.
J.CLIN. Endocrinol. Metab. 14 : 1567 - 1570.

Merriana GR., Brody SA and Almeida OF (1983):

Endocrinology of the menstrual cycle: Implication for premenstrual syndrome.
In proceedings of the National Institute of Mental Health, premenstrual syndrome workshop,
National Institute on Mental Health, Bethesda, M.P.

Mira M., Stewart PM and Abraham SF (1988):

Vitamin and trace elements status in premenstrual syndrome.
Amer. J. Clin. Nutrition 47 : 636- 640

Mira M., McNeil D., Fraser I., et al (1989):
Mefenamic acid in the treatment of premenstrual syndrome.
Obstet. & Gynecol. 68 : 395 - 399.

Moos RH (1968):
Topology of menstrual cycle symp.
Am. J. Obstet. Gynecol., 103 : 390 - 492.

Moos RH (1969):
The development of menstrual distress questionnaire.
Psychosom. Med., 30 : 853 - 858.

Morriss NM and Undry JR (1982):
Contraceptive pills and the day to day feelings of well-being.
Am. J. Obstet. & Gynecol., 113 : 763.

Mortola J., Girton L., Beck L and Yen S (1990):
Diagnosis of premenstrual syndrome by a simple , prospective and reliable
instrument : The calender of premenstrual experiences.
Obstet. & Gynecol. 76 : 302 - 307.

Mortola JF., Girton L and Fischer U (1991):
Successful treatment of severe premenstrual syndrome by combined use of
gonadotropin – releasing hormone agonist and estrogen /progestin.
J. Clin. Endo. Metab. 72 : 250 - 251.

Mortola JF (1992):
“Assessment and management of premenstrual syndrome”,
Current Opinion in obstetrics and Gynecology, Vol. 4, Pp. 877 – 885.

Mortola JF (1997):
Pathophysiology and treatment of premenstrual syndrome.
Curr. Opin. Endocrinol. Diabetes 2 : 483 - 489.

Morton JH (1980):
Premenstrual tension.
Am. J. Obstet. & Gynecol. 60 : 343 - 352.

Morton JH (1982):
Premenstrual tension in psychosomatic obstetrics Gynecology and endocrinology.
Edited by Kroger W.s., Springfield, Illinois, Charles C. Thomas Publisher P. 113.

Quoted from Logue C.M. and Moos R.H. (1968) Premenstrual prevalence and risk factors.
Psychosom. Med., 48 : 388 - 400.

Mosconyl LG (1985) :

The role of neuroendocrine system in immunopathological process.
Immunological aspects of Allergy and Allergic diseases.
Volume 6, Edited by Rajka s. Korossy , New York, Plenum Press. P. 81 – 118.

Munday MR., Brush MG and Taylor RW (1987):

Correlation between progesterone, oestradiol and aldosterone levels in the premenstrual syndrome.
Clin. Endocrinol. 14 : 1 - 9.

Muse KM., Cetel NS., Futterman LA and Yen SS (1984):

The premenstrual syndrome effects of medical ovariectomy .
N. Eng. J. Med. 311 : 1345 - 1349.

Muse KM (1991) :

“ Premenstrual Syndrome”
The Journal of Reproductive Medicine, Vol. 173 (2) 646 - 651.

Nader S (1991):

“ Premenstrual Syndrome;”
The journal of Reproductive Medicine, Vol.90 (1) 173 – 176, 178 ,180.

Nilsson LC., Eriksson E., Carisson M., et al (1985):

Clonidine for relief of premenstrual syndrome.
Lancet, 2 : 549 - 551.

O'Brien PMS., Selby C., Symonds EM (1980):

Progesterone, Fluid and electrolyte in premenstrual syndrome.
Br. Med. J. 280 : 1161 - 1167.

O'Brien PM., Graven P., Selby C and Symonds EM (1986):

Treatment of premenstrual syndrome by spironolactone.
Br. J. Obstet. Gynecol., 86 : 142 - 147.

O'Brien PMS (1990):

The premenstrual Syndrome.
British Journal of family Planning, 15 , (suppl.) 13 -18.

O'Brien PMS (1993):

Helping women with premenstrual syndrome.
Br. Medical Journal . 307; 1471-1575.

O'Brien PMS (1995):

Premenstrual syndrome.
Oxford : Blackweel Scientific Publication.

O'Paril S., Ehrlich EN and Lindheimer MD (1989):

Effects of progesterone on renal sodium handling in man : relation to aldosterone excretion and plasma renin activity.
Clin. Sci., 49 : 139 - 144.

Pariser SF., Stern SL., Shank ML., et al (1985):

Premenstrual Syndrome ; Concerns , Controversies, and Treatments.
AM. J. Obstet. & Gynecol., 153 : 599 - 603.

Parsons L and Sommers SC (1988):

Premenstrual tension and secondary dysmenorrhea. In Gynecology, Vol. I, 2nd edition, edited by Parsons L and Sommers SC , W.B Saunder Company, Philadelphia London, Toronto, P, 749 -755.

Paulson MJ (1981):

Psychological concomitants of premenstrual tension.
Amer. J Obstet. & Gynecol. 81 : 733 - 740.

Pearlstein TB (1995):

" Hormones and depression : What are the facts about premenstrual syndrome, menopause and hormone replacement therapy?",
Am. J. Obstet Gynecol, Vol. 173, (2) 646 – 651.

Penny RJ., Tilders FJ and Thody AJ (1989):

The role of dopaminergic tuberhypophisial neurones in the maintenance of basal melanocyte stimulating hormone levels in rats.
J.Endocrinol., 80 : 58 - 64.

Plouffe I JR., Stewart K., Graft KS et al (1996):

Diagnostic and treatment results from a southeastern academic center-based premenstrual syndrome clinic; : the first year
Am. J. Obstet. Gynecol. 169 : 295 - 307.

Porth CM (1994):

Pathophysiology, 4th edn, JB. Lippincott Company, Philadelphia.

Puolokka J., Makarainen L and Vinikkal Ylikarkalao (1985):

Biochemical and clinical effects of treating the premenstrual syndrome with

prostaglandin synthesis precursors.
J.Reprod. Med., 30 : 149 - 153.

Preedy JR., Aitken EH (1986):

The effect of estrogen on water and electrolyte metabolism:
J. Clin. Invest 35 : 423 - 430.

Quigly ME and Yen SSC (1980):

The role of endogenous opiates on LH secretion during the menstrual cycle.
J.Clin. Endocrinol. Metab. 51 : 179 -182.

Rapkin AJ., Buckman TD., Sutphin MS., et al (1988):

Platelet monoamine oxidase B activity in women with premenstrual syndrome.
Am. J. Obstet. & Gynecol. 159 : 1536 - 1540.

Rapkin AJ (1992):

The role of serotonin in premenstrual syndrome.
Clin. Obstet. & Gynecol., 35 : 629 -633.

Reid RL and Yen SSC (1981):

Premenstrual syndrome.
Am. J. Obstet. Gynecol., 159 : 1536 - 1540.

Reid RL and Yen SSC (1983):

The premenstrual syndrome .
Clin Obstet. & Gynecol. 26 : 710 - 717.

Reid, R.L. & Yen, S.S.C.(1987):

Premenstrual syndrome.
Am. J. Obstet. 139 : 85 – 104.

Reid RL (1988):

Etiology : Medical theories of the premenstrual syndrome.
In:Keye WR, editor. Philadelphia : Saunders. P, 66 - 93.

Reid RL (1989):

Premenstrual syndrome. Current problems in Obstetrics , Gynecology and Fertility,
Vol 8. Chicago, Year book Medical Publishers Inc, P. 1 - 57.

Reid RL., Casson P., Hahn PM and Van Vugt DA (1990):

Lasting response to ovariectomy in severe intractable premenstrual syndrome.
Am. J. Obstet. & Gynecol. 162 : 99 - 105.

Rickels K., Freeman E and Sondheimer S (1989):

Buspirone in the treatment of premenstrual syndrome.
Lancet 1 : 777 - 779.

Roport JR., Quigley ME and Yen SSC(1981):

Endogenous opiates modulate pulsatile LH release in humans.
J. Clin . Endocrinol. Metab. 52 : 584 - 589.

Royal College of General Practitioners (1974):

Oral contraceptives and health .
London., Pitman Medical.

Rubinow DR., Hoban MC., Grover GN., et al (1988):

Changes in plasma hormones across the menstrual cycle in patients with menstrually related mood disorder and in control subjects.
Am. J. Obstet.& Gynecol. 158 : 5 - 11.

Rubinow DR and Roy- Byrne PP (1990):

Premenstrual syndrome: Overview from a methodologic perspective.
Am. J. Psychiatry., 141 : 163 - 169.

Ruble DN (1987):

Menstrual symptoms.
A reinterpretation Science, 197 : 291 - 292.

Sampson GA (1989):

Premenstrual syndrome : A double - blind controlled trial of progesterone and placebo.
Br. J. Psychiatry, 135 : 209 - 219.

Sarno AP., Miller EM and Lundblad EG (1987):

Premenstrual syndrome: Beneficial effects of periodic , low – dose danazol.
Obstet. & Gynecol. 70 : 33 - 36.

Searle GD (1996):

Pharmacol. Of aldosterone antagonist spironolactone
Clin. End. Metab. 35 : 1151 - 1154.

Selye H ((1969):

Spironolactone actions, independent of mineralocorticoid blockade.
Steroids ; 13 : 803 - 808.

Severs WB., Summy- Long J., Taylor JS., et al (1985):

A central effect of angiotensin : release of pituitary pressor material.

Shelley WB., Preucel RW and Spoont SS (1984):

Autoimmune progesterone dermatitis – Cure by oophorectomy.
JAMA., 190 : 147 - 151.

Smith S., Rinerhart JS., Ruddock VE and Schiff I (1987):

Treatment of premenstrual syndrome with alprazolam: Results of a double-Blind.
Placebo controlled , randomized cross-over clinical trial.
Obstet .& Gynecol., 70 : 37 - 43.

Smith S and Schiff I (1993):

Modern management of premenstrual syndrome.
New York: Norton Medical Books.

Spicer DV., Pike MC., Pike A ., Rude R., Shoupe D and Richardson (1993):

J. Pilot trial of a gonadotropin hormone agonist with replacement hormones as
a prototype contraceptive to prevent breast cancer., 73 : 112 - 119 .

Steiner M., Hasket RF and Carrall BJ (1984):

Circadian hormone secretory profiles in women with severe premenstrual tension syndrome.
British J. of Obstet. & Gynecol., Vol. 91 : 466 - 471.

Steiner M., Steinberg S., Stewart D., et al (1995):

Fluoxetine in the treatment of premenstrual dysphoria.
New England Journal of Medicine 332 : 1529 - 1534.

Steingold KA., Lobo RA., Judd HW., et al (1986):

The effect of bromocriptine on gonadotropin and steroid secretion in polycystic
ovarian disease.
J. Clin. Endocrinol. Metab. 62 : 1048 - 1051.

Soules MR., Steiner RA., Cohen NL., Bremner WJ and Clifton DK (1985):

Slowing of pulsatile luteinizing hormone secretion in women during the follicular
phase of the menstrual cycle.
Nocturnal J. Clin. Endocrinol. Metab. 61 : 43 - 49.

Taylor RW (1987):

Premenstrual tension and depression.
Clinics in Obstet. &Gynecol., 8 (1) : 111 - 117.

Toft MB and Boolsen SW (1989):

Clinical approach to women with severe mastalgia and the therapeutic possibilities.
Acta Obstetrica et Gynecologica Scandinavica , (suppl. 123) : 185 - 189.

Tollan A, Oian P, Fadnes HO and Maltau JM (1993):

Evidence for altered transcapillary fluid balance in women with the premenstrual syndrome.
Acta Obstet. Gynecol. Scand. 72 : 238 - 242.

Toth A., Lesser ML., Naus G., et al (1988):

Effects of doxycycline on premenstrual syndrome. A double-blind randomized clinical trial.
J.Int. Med. Res. 16 : 270 - 279.

Trott A., Trott A and Trott E (1998):

Premenstrual syndrome: Diagnosis and treatment.
Del. Med. Jourale. Vol, 68 (7) : 357 - 361.

Vainder M (1981):

Theory and rationale in the treatment of premenstrual tension and dysmenorrhea.
Indust. Med. Surg., 20 : 199 - 201.

Van Keep PA and Leher P (1984):

The premenstrual syndrome, an epidemiological and statistical exercise, Edited by P.A. Van Keep. Lancaster, England. MTP Press Limited, P, 31 -41.

Varma TR (1984):

Hormones and electrolytes in premenstrual syndrome.
Int. J. Gynecol. Obstet. 22 : 51 - 57.

Vellacott ID, Shroff NE, Pearce MY et al., (1993):

A Double- blind, placebo- controlled evaluation of spironolactone in the premenstrual Syndrome.
Curr. Med. Res. Opin. 10 : 450 - 456.

Vellacott ID and O'Brien PMS (1995):

Effect of spironolactone on premenstrual syndrome.
J. Reproductive medicine. 32 : 429 - 434.

Wang M, Hammarback S, Lindhe BA and Backstrom T (1995):

Treatment of premenstrual syndrome by spironolactone.
Acta Obstetrica et Gynecologica Scandinavica . 74 : 803 - 808.

Wardlaw SL., Wehrenberg WB., Ferin M et al (1982):

Effects of sex steroids on β -endorphin in hypophysial portal blood.
J.Clin Endocrinol. Metab. 55 : 877 - 879.

Watts JF., Butt WR., Edwards RS and Halder G (1985):

Hormonal studies in women with premenstrual syndrome.
Br. J. Obstet. Gynecol., 92 : 247 - 250.

Wentz AC (1988):

Premenstrual syndrome in Novak's text book of Gynecology.
11th edition, edited by Brown CL and Vaughn VM. Library of Congress
Cataloging. P, 251 - 259.

West CP., Lumsden MA and Baird DE (1989):

Modification of symptoms of the premenstrual syndrome during ovarian suppression
with goserelin (zoladex) depot-potential for research and clinical investigation.
J. Psychosom. Obstet Gynecol., 10 : 88 - 91.

Wickes S (1988):

"Premenstrual Syndrome",
Primary care, vol. 15 (3) 473 - 487.

Wilson, J.D. (1988):

Androgen abuse by athletes.
Endocr. Rev., 9 : 181 - 199.

Wong WH., Fresman R., Levan N et al., (1992):

Changes in the capillary filtration coefficient of cutaneous vessels in women with
premenstrual tension syndrome.
Am. J. Obstet. Gynecol., 114 : 950 - 954.

Woods NF., Most A and Dery GK (1982)

Prevalence of perimenstrual symptoms.
Am. J. Pub. Health 72 : 1257 - 1260.

Yen SSC (1986):

Neuroendocrine control of hypophyseal function.
In Yen SSC, Jaffe RB (eds): Reproductive Endocrinology and Clinical Management.
Philadelphia, WB Saunders Co, P. 33 - 39.

Zelevnik AJ (1987):

Premenstrual elevation of systemic estradiol reduces serum levels of follicle- stimulating
hormone and lengthens the follicular phase of the menstrual cycle in rhesus monkeys.
Endocrinology 109 : 352 - 360.