

References

REFERENCES

- 1- Abramson, C. (1972).
Staphylococcal enzymes : In Cohen, J.O. (ed.):
The Staphylococci , p. 187 - 248 .
John Wiley & Sons, Inc. New York . London .
- 2- Alexander Ogston (1880) .
Cited by Cohen, J.O. (ed.) : The Staphylococci,

p. 1 - 20 .
John Wiley & Sons, Inc. New York . London .
- 3- Allwood, M.C. and Russell, A.D. (1966).
Some factors influencing the survival of heat
damaged Staph. aureus .
Can. J. Microbiol. 12 : 1295 - 1297 .
- 4- Amin, V.M. ; Von Ruden, K.L. and Olson, N.F. (1966).
Resistance of coagulase positive staphylococci
to heat and hydrogen peroxide .
Bact. Proc. 1966 : 3 .
- 5- Baer, E.F. (1968) .
Proposed revision of the method for isolating
coagulase positive staphylococci from food .
J. Assoc. Offic. Analyt. Chem. 51 : 865 - 866.
- 6- Bahnson, H.T. ; Spencer, F.C. and Bennett, I.L. (1957).
Staphylococcus infection of heart and great

vessels due to silk sutures .

Ann. Surg. 146 : 399 - 406 .

- 7- Bailey, W.R. and Scott, E.G. (1974).

Diagnostic Microbiology: A textbook for isolation and identification of pathogenic microorganisms . 4th edition, p. 111 -115

The C.V. Mosby Company , St. Louis.

8- Baird-Parker, A.C. (1963).

A classification of micrococci and staphylococci based on physiological and biochemical tests .

J. Gen . Microbiol. 30 : 409 - 427 .

- 9- Baird-Parker, A.C. (1965).

Staphylococci and their classification .

Ann. N. Y. Acad. Sci. 128 : 4 - 25 .

- 10- Baird-Parker, A.C. (1972).

Classification and resistance to physical agents:

In Cohen, J.O. (ed.) : The Staphylococci, p. 1-20 .

John Wiley & Sons, Inc. New York . London.

- 11- Baird-Parker, A.C. (1974).

Micrococcaceae . In Buchanan, R.E. and Gibbons, N.W. (eds.) : Bergey's Manual of Determinative

Bacteriology. 8th edition, p.483

The Williams and Wilkins Company, Baltimore

- 12- Baird-Parker, A.C. and Davenport, E. (1965).

The effect of recovery medium on the isolation of Staph. aureus after heat treatment and after the storage of frozen or dried cells.

J. Appl. Bact. 28 : 390 -402 .

- 13- Barber, M. and Kuper, S.W.A. (1951).

Identification of Staph. pyogenes by the phosphatase reaction .

J. Path. & Bact. 63 : 65 - 68 .

- 14- Becker, F.T. ; Coventry, W.D. and Tuura, J.L. (1959).

Recurrent oral and cutaneous infections associated with cyclic neutropenia .

A. M. A. Arch. Dermatol. 80 : 731 -741 .

- 15- Bentley, D.W. and Lepper, M. H. (1968).

Septicemia related to indwelling venous catheter.

J. Am. Med. Assoc. 203 : 1749 - 1752 .

- 16- Bergdoll, M. S. (1972).

The enterotoxins . In Cohen, J.O. (ed.) : The Staphylococci , p. 301 .

John Wiley & Sons, Inc. New York. London

- 18- Bergdoll, M.S. ; Reiser, R.F. and Spitz, J. (1976).
Staphylococcal enterotoxins detection in food.
Food Technol. 30 : 80 .
- 19- Billroth, T. (1874).
Cited from: Cohen, J. O. (ed) : The Staphylococci,
p. 1 - 20 .
John Wiley & Sons, Inc. New York . London.
- 20- Blair, E. B. ; Emerson, J.S. and Tull, A. H. (1967).
A new medium , salt mannitol plasma agar, for
the isolation of Staph. aureus .
Am. J. of Clin. Path. 47 : 30 .
- 21- Bluhm , L. and Ordal, Z.J. (1968).
Effect of sublethal heat on the metabolic activity of Staph. aureus MF 31 .
Bact. Proc. 1968 : 143 .
- 22- Braude, A.I. ; Davis, C.E. and Fierer, J. (1981).
Medical Microbiology and Infectious Diseases,
p. 275 - 281 .
W. B. Saunders Company . Philadelphia . London.
- 23- Briody, B.A. and Gillis, R.E. (1974).
Microbiology and Infectious Diseases , p. 306.
Mc Graw-Hill Book Company . A Blakiston Publication . New York .

- 24- Browning, C.H. and Adamson, H.S. (1950).
Stable dwarf - colony forms produced by Staph.
pyogenes.
J. Path. & Bact. 62 ; 499
- 25- Calhoun, C.L. and Frazier, W.C. (1966).
Effect on available water on thermal resistance of three non-spore forming species of bacteria
Appl. Microbiol, 14 ; 416 - 420
- 26- Chesbro, W.R. and Auburn, K. (1967).
Enzymatic detection of the growth of Staph.
aureus in foods.
Appl. Microbiol. 15 ; 1150 - 1159 .
- 27- Christie, R. and Keogh, E.V. (1940) .
Physiological and serological characteristics of staphylococci of human origin .
J. Path. & Bact. 51 : 189 .
- 28- Cluff, L.E. ; Reynolds, R.C. ; Page, D.L. ; et al. (1968).
Staphylococcal bacteremia and altered host resistance.
Ann. Internal Med. 69 : 859 - 873.
- 29- Colebrook, L. ; Duncan, J.M. and Ross, W.P.D. (1948).

- 30- Collins, R.N. ; Braun, P.A. ; Zinner, S.H. ; et al.
(1968).

Risk of local and systemic infection with poly-
ethylene intravenous catheters : A prospective
study of 213 catheterizations.

New Engl. J. Med. 279 : 340 - 343 .

- 31- Cowan, S.T. and Steel, K.J. (1964).

Comparison of differentiating criteria for

staphylococci and micrococci .

J. Bact. 88 : 804 - 805 .

- 32- Cruickshank, R. (1937).

Staphylocoagulase .

J. Path. & Bact. 45 : 295 .

- 33- Cruickshank, R. (1953).

The epidemiology of some skin infections .

Brit. Med. J. 1 : 55 -59 .

- 34- Cruickshank, R. ; Duguid, J.P. ; Marmion, B.P. ; et al.
(1975).

Medical Microbiology : The practice of medical
microbiology. Vol 11 , 12th edition , p.356 -366
Churchill Livingstone . Edinburgh . London

- 36- Di Salvo, J.W. (1958).
Desoxyribonuclease activity of micrococci .
Med. Tech. Bull. 9 : 191 - 196 .
- 37- Dossett, J.H. ; Kronvall, G. ; Williams, R.C. ; et al.
(1969).
Antiphagocytic effects of staphylococcal
protein A .
J. Immunol. 103 : 1405 - 1410 .
- 38- Duguid, J.P. ; Marmion, B.P. and Swain, R.H.A. (1978).
Medical Microbiology : Vol 1 : Microbial
Infections, 13th edition , p. 236 - 245 .
Churchill Livingstone . Edinburgh ,
- 39- Duhamel, R.C. ; Schur, P.H. ; Brendel, K. ; et al.
(1979).
pH gradient elution of human IgG₁ , IgG₂ , and
IgG₄ from protein A sepharose .
J. Immunol. Meth. 31 : 211 .
- 40- Duthie, E.S. (1954).
Evidence for two forms of staphylococcal coagul-

42- Eisler, D.M. (1961).

Coagulation of human plasma by Pasturella pestis.

J. Bact, 81 : 241 - 245 .

43- Elek, S. (1956).

Experimental staphylococcal infections in the skin of man .

Ann. N. Y. Acad. Sci. 65 : 85 - 90 .

44- Elek, S.D. and Levy, E. (1950).

Distribution of haemolysins in pathogenic and non-pathogenic staphylococci.

J. Path. & Bact. 62 : 541 - 554 .

45- Essers, L. and Radebold, K. (1980).

Rapid and reliable identification of Staph. aureus by a latex agglutination test .

J. Clin. Microbiol. 12 : 641 - 643 .

46- Evans, J.B. ; Buettner, L.G. and Niven, C.F. (1952).

Occurrence of streptococci that give a false positive coagulase test .

J. Bact. 64 : 433 - 434 .

47- Evans, J.B. and Pate, C.A. (1980).

Cited from: Wilson, G. ; Miles, A. and Parker, M.T. (eds.) : Topley and Wilson's Principles of

- 48- Eykyn, S. ; Phillips, I. and Evans, J. (1970).

Vancomycin for staphylococcal shunt site infection in patients on regular haemodialysis .
Brit, Med. J. 3 : 80 - 82 .

- 49- Fairbrother, R.W. (1940).

Coagulase production as a criterion for the
classification of the staphylococci .
J. Path. & Bact. 50 : 83 - 88.

- 50- Fildes, P. ; Richardson, G.M. ; Knight, B.C.J.G. ;
et al. (1936).

A nutrient mixture suitable for the growth of
Staph. aureus .

Brit. J. Exp. Path. 17 : 481 - 484 .

- 51- Finegold, S.M. and Sweeny, E.E. (1961) .

New selective and differential medium for
coagulase positive staphylococci allowing rapid
growth and strain differentiation .
J. Bact. 81 : 636 .

- 52- Fisk, R.T. and Mordvin, O.E. (1943).

Cited from: Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley and Wilson's Principles
of Bacteriology, Virology and Immunity . Vol. 11
7th edition , p. 218 - 245 .

Edward Arnold .

53- Forsgren, A. (1968).

Protein A from Staph. aureus.

J. Immunol. 100 : 927 - 930 .

54- Forsgren, A. (1970) .

Significance of protein A production by staphylococci .

J. Infect, & Immun, 2 : 672 - 673 .

55- Forsgren, A. and Sjöquist, J. (1966).

Protein A from Staph. aureus : Pseudo-immune reaction with human γ -globulin .

J. Immunol. 97 : 822 - 827 .

56- Forsgren, A. and Sjöquist, J. (1967),

Protein A from Staph. aureus : Reaction with rabbit γ -globulin .

J. Immunol. 99 : 19 - 24 .

57- Gati, I. and Toth, K. (1967).

Place of staphylococci in obstetric and gynecologic pathology .

Gynecol. Obstet. 66 : 465 - 482 .

58- Genigeorgis, C. ; Savoukidis, M. and Martin, S.

- 59- Gillespie, E.H. (1943).

The routine use of the coagulase test for staphylococci .

Mon. Bull. Emer. Pub. Heal. Labor. Ser. 2 ; 19 .

- 60- Gillespie, W.A. and Alder, V.G. (1952).

Production of opacity in egg yolk media by
coagulase positive staphylococci.

J. Path. & Bact. 64 : 187 - 200 .

- 61- Goodman, M.A. and Benson, E.A. (1970).

An evaluation of current trends in the management of breast abscesses .

Med. J. Australia 1 ; 1034 - 1039 .

- 62- Gross, C.E. and Vinton, C. (1947).

Thermal death time of a strain of staphylococcus in meat .

Food Res. 12 : 188 - 202 .

- 63- Grov, A. and Rude, S. (1967).

Immunochemical examination of phenylhydrazine treated Staph. aureus cell walls .

Acta. Pathol. Microbiol. Scand. 71 : 417 - 421.

- 64- Hájek, V. (1976).

Cited from: Wilson, G. ; Miles, A. and Parker, M.T. (eds.) : Topley & Wilson's Principles of

7th edition , p. 218 - 245 .

Edward Arnold .

65- Hájek, V. and Marsálek, E. (1971) .

Cited from: Wilson, G. ; Miles, A. and Parker, M.T. (eds.) : Topley & Wilson's Principles of Bacteriology, Virology and Immunity . Vol. 11
7th edition , p. 218 - 245 .

Edward Arnold .

66- Hájek, V. and Marsálek, E. (1974).

Cited from : Baird-Parker, A.C. (ed)

Ann. N. Y. Acad. Sci. 236 : 10

67- Hale, J.H. (1947).

Studies on staphylococcus mutation : Characteristics on the " G " (Gonidial) variant and factors concerned in its production .

Brit. J. Exp. Path. 28 : 202 - 210 .

68- Hammond, R.K. and White, D.C. (1970).

Carotenoid formation by Staph. aureus .

J. Bact. 103 : 191 - 198 .

69- Hoffmann, F.M. and Streitfeild, M.M. (1965).

The antibiotic activity associated with preparation of delta haemolysin of Staph. aureus.

Can. J. Microbiol. 11 : 203

70- Hueter, C. (1872).

Cited from : Cohen, J.O. (ed.) : The Staphylococci , p. 1 - 20 .

John Wiley & Sons, Inc. New York. London.

71- Hugh, R. and Ellis, M.A. (1968).

The neotype strain for Staph. epidermidis (Winslow & Winslow 1908) Evans 1916 ,

Int. J. Syst. Bact. 18 : 231 - 239 .

72- Hugo, W.B. (1971).

The inhibition and destruction of microorganisms.
Academic Press, London.

73- Hussey, H.H. and Katz, S. (1950).

Infection resulting from narcotic addiction.
Am. J. Med. 9 : 188 - 193 .

74- Iandolo, J.J. (1965).

Characterization of thermal injury of Staph. aureus MF 31 .

Dissertation Abstr. 26 : 2418 .

75- Iandolo, J.J. and Ordal, Z.J. (1966).

Repair of thermal injury of Staph. aureus MF 31.
J. Bact. 91 : 134 -142 .

76- James, A.M. and Brewer, J.E. (1968).

Non-protein components of the cell surface of
Staph. aureus.

Biochem. J. 107 : 817 - 821 .

77- Jarvis, J.D. and Wynn, C.D. (1969).

A short survey of the reliability of DNase as an adjunct in the determination of staphylococcal pathogenicity .

J. Med. Lab. Technol. 26 : 131 - 133 .

78- Jawetz, E. ; Melnick, J.L. and Adelberg, E.A. (1980).

Review of Medical Microbiology . 14th edition

p. 190 - 194 .

Lange Medical Publications . Los Altos

79-Jefferson, J. (1967).

Lyell's toxic epidermal necrolysis : a staphylococcal aetiology ?

Brit. Med. J. 2 : 802 - 804 .

80- Jensen, K. (1958).

Cited from : Wilson, G. ; Miles, A. and Parker, M.T. (eds.) : Topley & Wilson's Principles of Bacteriology, Virology and Immunity . Vol. 11 7th edition , p. 218 - 245 .

Edward Arnold .

81- Jensen, O. ; Rosendal, K. ; Bülow, P. et al. (1969).

Changing staphylococci and staphylococcal infections : a ten year study of bacteria and cases of bacteremia .

New Engl. J. Med. 281 : 627 - 635

82- Johnson, A. ; Rountree, P.M. ; Smith, M. et al.

(1960).

Survey of staphylococcal infections of the skin and subcutaneous tissues in general practice in Australia, May - December 1958 , National Health & Medical Research Council, Special Rept. Ser. No. 10 , Canberra .

83- Joklik, W.K. ; Willett, H.P. and Amos, D.B. (1984) .

Zinsser Microbiology : 18th edition , p. 444

Appleton-Century-Crofts . Norwalk . Connecticut.

84- Julianelle, L.A. and Wieghard, C.W. (1934).

Immunological specificity of carbohydrates derived from staphylococci .

Proc. Soc. Exp. Biol. N. Y. 31 : 947 - 949 .

85- Julianelle, L.A. and Wieghard, C.W. (1935).

Immunological specificity of staphylococci occurrence of serological types .

J. Exp. Med. 262 : 11 - 31 .

86- Kadan, R.S. ; Mortin, W.H. and Mickelsen, R. (1963).

Effects of ingrediants used in condensed and frozen dairy products on thermal resistance of potentially pathogenic staphylococci .

Appl. Microbiol. 11 : 45 - 49 .

87- Kassanoff, I. ; Nahmias, A.J. and Abrutyn, E. (1971).
 Fatal staphylococcal septicemia associated with
 use of jet injector for measles vaccination .
 Pediatrics 47 : 135 - 137 .

88- Klastersky, J. ; Beumer, J. and Daneau, D. (1971).
 Bacteriophage types and antibiotic susceptibi-
 lity of Staph. aureus .

Appl. Microbiol. 22 : 1000 ,

89- Klebs, E. (1872).

Cited from : Cohen, J.O. (ed.) : The Staphylo-
 cocci , p. 1 - 20 ,

John Wiley & Sons, Inc, New York , London ,

90- Kloos, W.E. and Schleifer, K. H. (1975).
 Simlified scheme for routine identification of
 human staphylococcal species .
 J. Clin. Microbiol. 11 : 82 - 88 .

91- Kloos, W.E. and Smith, P.B. (1980).
 Staphylococci : In Lennette, E.H. ; Balows, A. ;
 Hausler, W.J. ; et al. (eds.) : Manual of Clin-

strains isolated from patients with scalded skin syndrome .

J. Clin. Microbiol. 1 : 397 .

93- Kronvall, G. ; Quie, P.G. and Williams, R.C. (1970).

Quantitation of staphylococcal protein A : Determination of equilibrium constant and number of protein A residues on bacteria .

J. Immunol, 104 : 273 - 278 .

94- Kronvall, G. ; Seal, U.S. ; Finstad, J. ; et al.
(1970).

Phylogenetic insight into evolution of mammalian
Fc fragment of γ G -globulin using staphylococcal
protein A .

J. Immunol. 104 : 140 - 147 .

95- Kronvall, G. and Williams, R.C. (1969).

Differences in anti - protein A activity among
IgG subgroups

J. Immunol. 103 : 828 .

96- Lacey, R.W. (1975).

- 103- Lyell, A. ; Dick, H.M. and Alexander, J.O'D. (1969).
Outbreak of toxic epidermal necrolysis associated with staphylococci .
Lancet 2 : 787 - 789 .
- 104- Magid, Z. and Khafaga, H. (1965).
Bacteriological and serological study of chronic prostatitis patients .
Brit. J. Venereal Dis, 41 : 202 - 207 ,
- 105- Mah, R.A. ; Fung, D.Y.C. and Morse, S.A. (1967).
Nutritional requirements of Staph. aureus S-6.
Appl. Microbiol. 15 : 866 - 870 .
- 106- Malveaux, F.J. and San Clemente, C.L. (1967).
Elution of loosely bound acid phosphatase from Staph. aureus .
Appl. Microbiol. 15 : 738 - 743 .
- 107- Many, P. ; Larribaud, J. ; Lapeyre, J. ; et al.
(1967).
Staphylococcae urethritis .
Bull. Soc. Franc. Dermatol. Syphilol. 74 : 428.
- 108- May, J.R. and Roberts, D.E. (1969).

In Braude, A.I. ; Davis, C.E. and Fierer, J.
(eds.) : Medical Microbiology and Infectious
Diseases , p. 1563 - 1567 .

W. B. Saunders Company . Philadelphia . London.

110- Melish, M.E. and Glasgow, L.A. (1970).

The Staphylococcal Scalded Skin Syndrome. Devel-
opment of an experimental model.

New Engl. J. Med. 282 : 1114 - 1119 .

111- Miller, M.E. and Nilsson, U.R. (1970).

A familial deficiency of the phagocytosis enha-
ncing activity of serum related to a dysfuncti-
on of the 5th component of complement .

New Engl. J. Med. 282 : 354 - 358 .

112- Miller, W.R. and Jay, A.R. (1962).

Staphylococcal pneumonia in influenza .

Arch. Inter. Med. 109 : 276 - 286 .

113- Morse, S.I. (1978).

Staphylococci : In Davis, B.D. ; Dulbecco, R. ;
Eisen, H.N. ; et al. (eds.) : Microbiology .
3rd edition .

Hagerstown , Harper and Row .

114- Morse, S.I. (1981) .

Staphylococci : In Braude, A.I. ; Davis, C.E.

and Infectious Diseases , p. 275 - 281 .

W. B. Saunders Company . Philadelphia. London.

115- Morton, H.E. and Cohn, J. (1972).

Coagulase and DNase activity of staphylococci
isolated from clinical sources .

Appl. Microbiol. 23 : 725 - 733 .

116- Mudd, S. (1970).

A successful parasite : Parasite-host interact-

ion in infection by Staph. aureus . In Mudd, S.

(ed.) : Infectious Agents and host reaction,

p. 197 , Philadelphia , Saunders ,

117- Munch-Petersen, E. (1961).

Cited from : Cohen, J.O. (ed.) : The Staphylo-
cocci , p. 1 - 20 .

John Wiley & Sons, Inc. New York. London .

118- Myrick, B.A. and Ellner, P.D. (1982).

Evaluation of the latex agglutination test for
identification of Staph. aureus .

J. Clin. Microbiol. 15 : 275 - 277 .

119- Nickerson, D.S. ; White, J.H. ; Kronvall, G. ; et
al. (1970).

120- Nielsen, N.H. (1970).

Genetic homology among staphylococci .

Bact. Proc. 1970 : 45 .

121- Nolan, C.M. and Beaty, H.N. (1976).

Staph. aureus bacteremia . Current clinical patterns .

Amer. J. Med. 60 : 495 - 500 .

122- Oeding, P. (1965) .

Antigenic properties of staphylococci .

Ann. N. Y. Acad. Sci. 128 : 183 - 190 .

123- Pariza, M.W. and Iandolo, J.J. (1969).

Coagulase production by injured Staph. aureus

MF-31 during recovery .

Appl. Microbiol. 17 : 836 - 838 .

124- Parker, M.T. (1984).

Staphylococcus and micrococcus : In Wilson, G. ;

Miles, A. and Parker, M.T. (eds.) : Topley and

Wilson's Principles of Bacteriology , Virology

and Immunity . Vol. 11 , 7th edition , p. 218-245.

Edward Arnold .

126- Pennock, C.A. and Huddy, R.B. (1967) .

Phosphatase reaction of coagulase -ve staphylococci and micrococci .

J. Path & Bact. 93 : 685 - 688 .

127- Petersdorf, R.G. ; Fusco, J.J. ; Harter, D.H. ; et al. (1959).

Pulmonary infection complicating Asian influenza

Arch. Inter. Med. 103 : 262 - 272 ,

128- Peterson, P.K. ; Verholf, J. ; Sabbath, L.D. ; et al. (1977).

Effect of protein A on staphylococcal opsonization .

Infect. Immunol. 15 : 760 .

129- Peyrn, G. ; Wexler, L.F. and Novick, R.P. (1969).

Naturally occurring penicillinase plasmids in Staph. aureus.

J. Bact. 98 : 215 - 221 .

130- Phillips, R.W. and Eyre, J.D. (1958).

Septic thrombophlebitis with septicemia . Rep-

131- Price, K.M. and Kneeland, Y. (1954).

A mucoid form of micrococcus pyogenes Var aureus
which shows capsular swelling with specific
immune serum .

J. Bact. 67 : 472 - 475 .

132- Price, K.M. and Kneeland, Y. (1956).

Cited from : Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley & Wilson's Principles of

Bacteriology , Virology and Immunity . Vol. 11

7th edition , p. 218 - 245 .

Edward Arnold .

133- Rayman, M.K. ; Park, C.E. ; Philpott, J. ; et al.

(1975) .

Reassessment of the coagulase and thermostable
nuclease tests as a means of identifying Staph.
aureus .

Appl. Microbiol. 29 : 451 - 454 .

134- Report (1965).

Cited from : Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley & Wilson's Principles of
Bacteriology , Virology and Immunity . Vol. 11
7th edition, p. 218 - 245 .

uracil in anaerobic growth .

Biochem. J. 30 : 2184 - 2190 .

137- Richmond, M.H. (1965).

Wild type variants of exopenicillinase from

Staph. aureus .

Biochem. J. 94 : 584 .

138- Rohan, N.J. and Miller, W.E. (1969) .

Pin tract osteomyelitis .

Southern Med. J. 62 : 1316 - 1319 .

139- Rosdahl, V.T. (1973).

Cited from : Wilson, G. ; Miles, A. and Parker,

M.T. (eds.) ; Topley & Wilson's Principles of

Bacteriology , Virology and Immunity .Vol.11

7th edition , p. 218 - 245 .

Edward Arnold .

140- Rosenbach, F.J. (1884).

Cited from : Cohen, J.O. (ed.) : The Staphylococci , p. 1-20 .

John Wiley & Sons, Inc. New York. London ,

141- Sakane, T. and Green, I. (1978).

- 142- Sanderson, A.R. ; Juergens, W.G. and Strominger, J.L.
(1961).

Cited from : Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley & Wilson's Principles of
Bacteriology , Virology and Immunity . Vol. 11
7th edition , p. 218 - 245 .

Edward Arnold .

143- Schindler, G.A. and Schuhardt, V.T. (1964)

Lysostaphin : a new bacteriolytic agent for

the staphylococcus .

Proc. Nat. Acad. Sci. Wash. 51 : 415 .

- 144- Schleifer, K.H. and Kloos, W.E. (1975).

A simple test for the separation of staphylococci from micrococci .

J. Clin. Microbiol. 1 : 337 - 338 .

- 145- Schlievert, P.M. ; Shands, K.N. ; Dan, B.B. ; et al.
(1981) .

Cited from : Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley & Wilson's Principles of
Bacteriology , Virology and Immunity. Vol. 11
7th edition , p. 218 - 245 .

Edward Arnold

Appl. Microbiol. 12 : 146 - 149 .

- 147- Shafer, W.M. and Iandolo, J.J. (1978).

Chromosomal locus for staphylococcal enterotoxin B.

Infect. Immun. 20 : 273 .

- 148- Shulman, J.A. and Nahmias, A.J. (1972).

Staphylococcal Infections : Clinical Aspects.

In Cohen, J.O. (ed.) : The Staphylococci, p. 457

John Wiley & Sons, Inc. New York . London .

- 149- Skvaril, F. (1976).

The question of specificity in binding human

IgG subclasses to protein A sepharose .

Immunochemistry 13 : 871 .

- 150- Slim, M.S. ; Firzli, S.S. and Melham, R.E. (1965).

Staphylococcic pneumonia in infants under the age of six months .

Diseases Chest 48 : 6 - 13 .

- 151- Smith, I.M. (1958).

Staphylococcal Infections , p. 45 - 49 .

Year Book Publishers .

New Engl. J. Med. 276 : 1229 - 1233 .

- 153- Sperber, W.H. and Tatini, S.R. (1975).

Interpretation of the tube coagulase test for
the identification of Staph. aureus .

Appl. Microbiol. 29 : 502 - 505 .

- 154- Stickler, D.J. and Freestone, M. (1971) .

Coagulase and DNase tests for staphylococci ,

Med, Lab, Technol, 28 : 96 - 98 ,

- 155- Stiles, M.E. and Witter, L.D. (1965).

Thermal inactivation , heat injury , and recovery of Staph. aureus .

J. Dairy Sci. 48 : 677 - 681 .

- 156- Thatcher, F.S. and Simon, W. (1956) .

A comparative appraisal of the properties of
staphylococci isolated from clinical sites and
from dairy products .

Can. J. Microbiol. 2 ; 703 - 714 .

- 157- Thomas, C.T. ; White, J.C. and Longréé, K. (1966).

Thermal resistance of salmonella and staphylococci in foods.

Appl. Microbiol. 14 : 815 - 820 .

- 158- Tirunavayanan, M. C. (1968)

staphylococci . Study of phosphatase using
p-nitrophenyl phosphatase as substrate .

Acta. Path. Microbiol. Scand. 74 : 573 - 590 .

159- Troller, J. A. (1972).

Effect of water activity on enterotoxin A pro-
duction and growth of Staph. aureus .

Appl. Microbiol. 24 : 440 .

160- Tullach, L.G. ; Adler, V.G. and Gillespie, W.A.

(1960).

Treatment of chronic furunculosis .

Brit. Med. J. 2 : 354 - 356 .

161- Turk, D.C. and Porter, I.A. (1978).

Text Book of Medical Microbiology . 4th, p. 93

The English Language Book Society & Hodder .

Stoughton.

162- Turner, F.J. and Schwartz, B.S. (1958).

The use of a lyophilized human plasma standar-
dized for blood coagulation factors in the coa-
gulase and fibrinolytic tests .

J. Lab. Clin. Med. 52 : 888 - 894 .

164- Tzagaloff, H. and Novick, R.P. (1977).

Geometry of cell division in Staph. aureus .

J. Bact. 129 : 343 .

165- Verwey, W.F. (1940).

Cited from : Wilson, G. ; Miles, A. and Parker,

M.T. (eds.) : Topley & Wilson's Principles of

Bacteriology , Virology and Immunity . Vol. 11

7th edition , p. 218 - 245 .

Edward Arnold ,

166- Von Recklinghausen (1871) .

Cited from : Cohen, J.O. (ed.) : The Staphylo-
cocci , p. 1 - 20 .

John Wiley & Sons, Inc. New York . London .

167- Walker, G.C. and Harmon, L.G. (1966).

Thermal resistance of Staph. aureus in milk ,
whey , and phosphate buffer .

Appl. Microbiol. 14 : 584 - 590 .

168- Warren, R. ; Rogolsky, M. ; Wiley, B.B. ; et al.
(1974).

Effect of ethidium bromide on elimination of
exfoliative toxin and bacteriocin production
in Staph. aureus

J. Bact. 118 : 980 .

169- Weckman, B.G. and Catlin, B.W. (1957).

DNase activity of micrococci from clinical sources .

J. Bact. 73 : 747 - 753 .

170- Wiley, B.B. and Maverakis, N.H. (1968).

Evidence of a multiplicity of capsular types of Staph. aureus .

Bact. Proc. 1968 : 90 .

171- Williams, R.E.O. and Harber, G.J. (1946).

Determination of coagulase and alpha-haemolysin production by staphylococci .

Brit. J. Exp. Path. 27 : 72 .

172- Williams Smith (1959).

Diseases due to bacteria . Vol 11 . Staphylococcal Diseases , p. 557 .

Academic Press Inc. Publishers . New York.

173- Willis, A.T. ; Jacobs, S.I. and Goodburn, G.M. (1964).

Pigment production , enzymatic activity and antibiotic sensitivity of staphylococci : Subdivision of the pathogenic group .

J. Path. & Bact. 87 : 157 - 167 .

174- Willis, A.T. ; O'Connor, J.J. and Smith, J.A. (1966).

Colonial pigmentation of Staph. aureus .

175- Willis, A.T. and Turner, G.C. (1962).
Staphylococcal lipolysis and pigmentation .
J. Path. & Bact. 84 : 337 .

176- Willis, A.T. and Turner, G.C. (1963).
Staphylococcal in the hospital enviroment .
J. Path. & Bact. 85 : 395 .

177- Wise, R.I. and Spink, W.W. (1954).

The influence of antibiotics on the origin of
small colonies (G Variants) of Micrococcus
pyogenes ver. aureus .

J. Clin. Invest. 33: 1611 - 1622 .

178- Wiseman, G.M. (1975) .
The haemolysins of Staph. aureus .
Bact. Rev. 39 : 317 .

179- Yesair, J. ; Bohrer, C.W. and Cameron, E.J. (1946).
Effect of certain environmental conditions on
heat resistance of micrococci .
Food Res. 11 : 327 - 331 .

180- Yoshida, K. ; Ohtomo, T. and Minegishi, Y. (1977).
Cited from : Wilson, G. ; Miles, A. and Parker,
M.T. (eds.) : Topley & Wilson's Principles of
Bacteriology , Virology and Immunity . Vol 11
7th edition , p. 218 - 245 .

181- Youmans, G.P. ; Paterson, P.V. and Sommers, H.M.

(1975).

The Biologic and Clinical Basis of Infectious
Diseases . p. 596 - 609 .

W.B. Saunders Company . Philadelphia . London.

182- Zarzour, J.V. and Belle, E.A. (1978).

Evaluation of three test procedures for identification of Staph. aureus from clinical sources.

J. Clin. Microbiol. 7 : 133 - 136 .

183- Zen-Yoji, H. ; Terayama, T. ; Benoki, M. ; et al.

(1961).

Cited from : Cohen, J.O. (ed.) : The Staphylococci , p. 187 - 247 .

John Wiley & Sons, Inc. New York . London .