

REFERENCES

Alkjaersig N, Fletcher AP, Narayan M, et al (1987):

Course and resolution of coagulopathy in nephrotic children.
Kidney Int 31:772.

Appel GB, Blum CB, Chien S, et al (1985):

The hyperlipidemia of nephrotic syndrome: Relation to plasma albumin concentration, oncotic pressure and viscosity. N Engl J Med 312:1544.

Arbeitsgemeinschaft für Pädiatrische Nephrologie (1981):

Alternate-day prednisone is more effective than intermittent prednisone in frequently relapsing nephrotic syndrome. Eur J Pediatr 135:229.

Arbeitsgemeinschaft für Pädiatrische Nephrologie (1987):

Cyclophosphamide treatment of steroid-dependent nephrotic syndrome: Comparison of 8-week with 12-week course. Arch Dis Child 62:1102.

Bergrem H (1983):

Pharmacokinetics and protein binding of prednisone in patients with nephrotic syndrome and patients undergoing hemodialysis. Kidney Int 23:876.

Bergstein JM (1996):

Conditions particularly associated with proteinuria. In Behrman RE, Kliegman RM, Arvin AM (eds): Textbook of Pediatrics, 15th ed. WB Saunders, Philadelphia, p 1498.

Bergstrand A, Bollgren I, et al (1973):

Idiopathic nephrotic syndrome of childhood: Cyclophosphamide-induced conversion from steroid refractory to highly sensitive disease. Clin Nephrol 1:302.

Bernard DB (1988):

Extrarenal complications of the nephrotic syndrome. Kidney Int 33:1184.

Bertolatus JA, Abuyousef M, Hunsiker LG (1987):

Glomerular sieving of high molecular weight proteins in proteinuric rats. Kidney Int 31:1257.

Brenner BM, Hostetter TH, Humes HD (1978):

Molecular basis of proteinuria of glomerular origin. N Engl J Med 298:826.

Bridges CR, Myers DB, Brenner BM, et al (1982):

Glomerular charge alterations in human minimal change nephropathy. Kidney Int 22:677.

British Association for Pediatric Nephrology (1991):

Levamisole for corticosteroid-dependent nephrotic syndrome in childhood. Lancet 337:1555.

Brown AJ, Dusso AS, Slatopolsky E (1995):

Vitamin D metabolites. In Massry SG, Glassock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, P 215.

Brown EA, Markandu ND, Sagnella GA, et al (1984):

Lack of effect of captopril on the sodium retention of the nephrotic syndrome. *Nephron* 37:43.

Brown EA, Sagnella GA, Jones BE (1982):

Evidence that some mechanism other than the renin system causes sodium retention in nephrotic syndrome. *Lancet* 2:1237.

Brown EM, Chen CJ (1989):

Calcium, magnesium and the control of PTH secretion. *Bone Miner* 5:249.

Cameron JS (1984):

Coagulation and thromboembolic complications in the nephrotic syndrome. *Adv Nephrol* 13:75.

Chan MK, Chan KW, Jones B (1987):

Immunoglobulins (IgG, IgA, IgM, IgE) and complement components (C₃, C₄) in nephrotic syndrome due to minimal change and other forms of glomerulonephritis, a clue for steroid therapy ? *Nephron* 47:125.

Chan YL, Mason RS, Parmentier M, et al (1983):

Vitamin D metabolism in nephrotic rats. *Kidney Int* 24:336.

Cobbold H, Rink TJ (1987):

Fluorescence and bioluminescence measurements of cytoplasmic free calcium. *Biochem J* 248:313.

Coburn JW, Slatopolsky E (1991):

Vitamin D, parathyroid hormone, and the renal osteodystrophies.

In Brenner BM, Rector FC Jr. (eds): The Kidney, 4th ed. WB Saunders, Philadelphia, p 2036.

Cundy T, Reid I (1995):

Calcium, phosphate and magnesium. In Marshall WJ, Bangert SK (eds): Clinical Biochemistry. Churchill Livingstone, New York, p 87.

D'Amico G, Ferrario F (1993):

Mesangiocapillary glomerulonephritis. J Am Soc Nephrol 2: S 159.

Drumond MC, Kristal B, Myers BD, Deen WM (1994):

Structural basis for reduced glomerular filtration capacity in nephrotic humans. J Clin Invest 94:1187.

Dusso A, Lopez-Hilker S, Rapp N, Slatopolsky E (1988):

Extra-renal production of calcitriol. Kidney Int 34:368.

Elzouki AT, Jaiswal OP (1990):

Evaluation of chlorambucil therapy in steroid-dependent and cyclophosphamide-resistant children with nephrosis. Pediatr Nephrol 4:459.

Esparza AR, Hahn SI, Garella S, Abuelo JG (1981):

Spectrum of acute renal failure in nephrotic syndrome with minimal (or minor) glomerular lesions: Role of hemodynamic factors. Lab Invest 45:510.

Estevez ME, Voyern LE, Craviotto RJ, et al (1989):

Dysfunction of monocyte-macrophage system in the idiopathic

minimal change nephrotic syndrome. *Acta Pediatr Scand* 78:87.

Favus MJ (1985):

Factors which influence absorption and secretion of calcium in the small intestine and colon. *Am J Physiol* 248:G147.

Feinstein EI, Kaptien EM, Nicoloff JT, Massry SG (1982):

Thyroid function in patients with nephrotic syndrome and normal renal function. *Am J Nephrol* 2:70.

Fetchick DA, Betolini DR, Sarin PS, et al (1986):

Production of 1,25-dihydroxyvitamin D₃ by human T cell lymphotropic virus-I-transformed lymphocytes. *J Clin Invest* 78:592.

Freitag J, Martin KJ, Hruska KA, et al (1978):

Impaired parathyroid hormone metabolism in patients with chronic renal failure. *N Engl J Med* 298:29.

Freundlich M, Bourgoignie JJ, Zilleruelo G, et al (1985):

Bone modulating factors in nephrotic children with normal glomerular filtration rate. *Pediatrics* 76:280.

Freundlich M, Bourgoignie JJ, Zilleruelo G, et al (1986):

Calcium and vitamin D metabolism in children with nephrotic syndrome. *J Pediatr* 108:383.

Freundlich M, et al (1994):

Bone histopathology in children with nephrotic syndrome and normal glomerular filtration rate. *J Am Soc Nephrol* 5:849.

Garin EH, Grant MD, Silverstein JH (1989):

Insulin like growth factors in patients with active nephrotic syndrome. Am J Dis Child 143:865.

Garin EH, Sauville PJ, Richard GA (1983):

Impaired primary antibody response in experimental nephrotic syndrome. Clin Exp Immunol 52:595.

Geers A, Koomans H, Roos J, et al (1984):

Functional relationships in the nephrotic syndrome. Kidney Int 26:324.

Giangiaco J, Cleary TG, Cole BR, et al (1975):

Serum immunoglobulins in the nephrotic syndrome. N Engl J Med 293:8.

Gitelman HF (1967):

Estimation of total calcium. Anal Biochem 18:521.

Glassock RJ (1993):

Therapy of idiopathic nephrotic syndrome in adults. Am J Nephrol 13:422.

Glassock RJ (1994):

Role of cyclosporine in glomerular diseases. Cleve Clin J Med 61:363.

Glassock RJ (1995):

Other metabolic and endocrine complications of the nephrotic syndrome. In Massry SG, Glassock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 695.

Glassock RJ (1995):

Proteinuria. In Massry SG, Glassock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 600.

Glassock RJ, Cohen AH, Alder SG (1996):

Primary glomerular diseases. In Brenner BM (ed): The Kidney, 5th ed. WB Saunders, Philadelphia, p 1423.

Goldstein DA, Haldiman B, Sherman D, et al (1981):

Vitamin D metabolites and calcium metabolism in patients with nephrotic syndrome and normal renal function. J Clin Endocrinol Metab 25:116.

Goldstein DA, Oda Y, Kurokawa K, Massry SG (1977):

Blood levels of 25-hydroxyvitamin D in nephrotic syndrome. Ann Intern Med 87:664.

Gonzalo A, Mampaso F, Gallego N, et al (1985):

Clinical significance of IgM mesangial deposits in the nephrotic syndrome. Nephron 41:246.

Goodwin JF (1970):

Estimation of serum inorganic phosphorus. Clin Chem 16:776.

Gorensek MJ, Lebel MH, Nelson JD (1988):

Peritonitis with nephrotic syndrome. Pediatrics 81:849.

Grishman E, Ehrenreich T, Churg J (1988):

The morphologic spectrum of primary and secondary nephrotic syndrome in man. In Cameron JS, Glassock RJ (eds): The Nephrotic Syndrome. Marcel Dekker, New York, p 285.

Grymonprez A, Proesmans W, Van Dyck M, et al (1995):

Vitamin D metabolites in childhood nephrotic syndrome. *Pediatr Nephrol* 9:278.

Gur A, Adefuin PY, Siegel NJ, Hayslett JP (1976):

A study of the renal handling of water in lipoid nephrosis. *Pediatr Res* 10:197.

Habener JF, Rosenblatt M, Potts JT Jr. (1984):

Parathyroid hormone: Biochemical aspects of biosynthesis, secretion, action, and metabolism. *Physiol Rev* 64:985.

Habib R, Churg J, Bernstein J, et al (1984):

Minimal change disease, mesangial proliferative glomerulonephritis and focal sclerosis: Individual entities or a spectrum of disease ? In Robinson RR (ed): *Nephrology*. Springer-Verlag, New York, p 634.

Habib R, Girardin E, Gagnadou MF, et al (1988):

Immunopathologic findings in idiopathic nephrosis: Clinical significance of glomerular "immune deposits". *Pediatr Nephrol* 2:402.

Habib R, Niaudet P (1994):

Comparison between pre-and-post-treatment renal biopsies in children receiving cyclosporine for idiopathic nephrosis. *Clin Nephrol* 42:141.

Hare R (1950):

Determination of serum creatinine. *Proc Soc Exp Biol* 41:148.

Harris RC, Ismail N (1994):

Extrarenal complications of the nephrotic syndrome. Am J Kidney Dis 23:477.

Haws RM, Baum M (1993):

Efficacy and diuretic therapy in children with nephrotic syndrome. Pediatrics 91:1142.

Haycock GB (1994):

steroid responsive nephrotic syndrome. In postlethwaite RJ (ed): Clinical Pediatric Nephrology, 2nd ed. Butterworth-Heinemann, Oxford, p 210.

Henderson RG, Russell RGG, Ledingham JGG, et al (1974):

Effects of 1,25-dihydroxycholecalciferol on calcium absorption, muscle weakness and bone disease in chronic renal failure. Lancet 1:379.

Holdsworth DR, Stephens P, Dowling JP, Atkins RC (1977):

Reversible acute renal failure in the nephrotic syndrome with minimal glomerular pathology. Med J Aust 2:532.

Holick MF (1989):

Vitamin D: Biosynthesis, metabolism and mode of action. In DeGroot LJ, Besser GM, Cahill GF Jr, et al (eds): Endocrinology, 2nd ed. WB Saunders, Philadelphia, p 902.

Holick MF, Clark MB (1978):

The photobiogenesis and metabolism of vitamin D. Fed Proc 37:2567.

Hruska KA, Slatopolsky E (1997):

Disorders of phosphorus, calcium, and magnesium metabolism. In Schrier RW, Gottschalk CW (eds): Diseases of the Kidney, 6th ed. Little, Brown, Boston, p 2477.

Huang JP, Bai KM, Wang BL (1992):

Vitamin D and calcium metabolism in children with nephrotic syndrome of normal renal function. Chin Med J Engl 105:828.

Humphreys MH (1994):

Mechanisms and management of nephrotic edema. Kidney Int 45:266.

Huttunen N (1976):

Congenital nephrotic syndrome of Finnish type. Arch Dis Child 51:344.

Hyams JS, Carey DE (1988):

Corticosteroids and growth. J Pediatr 113:249.

Ichikawa I, Rennke HG, Hoyer JR, et al (1983):

Role for intrarenal mechanisms in the impaired salt excretion of experimental nephrotic syndrome. J Clin Invest 71:91.

International Study of Kidney Disease in Children (1978):

Nephrotic syndrome in children: Prediction of histopathology from clinical and laboratory characteristics at time of diagnosis. Kidney Int 13:159.

International Study of Kidney Disease in Children (1981):

The primary nephrotic syndrome in children: Identification of pati-

ents with minimal change nephrotic syndrome from initial response to prednisone. J Pediatr 98:561.

International Study of Kidney Disease in Children (1984):

Minimal change nephrotic syndrome in children: Deaths during the first 5-15 years observations. Pediatrics 73:497.

Jackson EC, McAdams J, Strife F, et al (1987):

Differences between membranoproliferative glomerulonephritis types I and III in clinical presentation, glomerular morphology and complement perturbation. Am J Kidney Dis 9:115.

Joven J, Villabona C, Vilella E, et al (1990):

Abnormalities of lipoprotein metabolism in patients with nephrotic syndrome. N Engl J Med 323:579.

Kashtan C, Melvin T, Kim Y (1988):

Long-term follow up of patients with steroid-dependent, minimal change nephrotic syndrome. Clin Nephrol 29:79.

Kawashima H, Torikai S, Kurokawa K (1981):

Localization of 25-hydroxyvitamin D₃-1 α -hydroxylase and 24-hydroxylase along the rat nephron. Proc Natl Acad Sci 78:1199.

Kayne LH, Koteva A, Campbell AW, Lee D (1995):

Intestinal absorption of calcium. In Massry SG, Glasscock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 327.

Kaysen GA (1988):

Albumin metabolism in nephrotic syndrome: The effect of dietary

protein intake. Am J Kid Dis 12:461.

Kaysen GA (1993):

Plasma composition in the nephrotic syndrome. Am J Nephrol 13:347.

Kaysen GA, Gambertoglio J, Felts J, et al (1987):

Albumin synthesis, albuminuria and hyperlipidemia in nephrotic patients. Kidney Int 31:1368.

Kaysen GA, Gambertoglio J, Jiminez J, et al (1986):

Effect of dietary protein intake on albumin synthesis in nephrotic patients. Kidney Int 29:572.

Keane WF (1994):

Lipids and the kidney. Kidney Int 46:910.

Kernsky AM, Ingelfinger JR, Grupe WE (1987):

Peritonitis in nephrotic syndrome. Am J Dis Child 136:732.

Khamiseh G, Vaziri ND, Oveisi F, et al (1991):

Vitamin D absorption, plasma concentration and urinary excretion of 25-hydroxyvitamin D in nephrotic syndrome. Proc Soc Exp Biol Med 196:210.

Kher KK (1992):

Nephrotic syndrome. In Kher KK, Makker SP (eds): Clinical Pediatric Nephrology. McGraw-Hill, New York, p 137.

Kher KK, Sweet M, Makker SP (1988):

Nephrotic syndrome in children. Curr Probl Pediatr 18:199.

Lim P, Jacob E, Tock EPC, et al (1977):

Calcium and phosphorus metabolism in nephrotic syndrome. Q J Med 46:327.

Llach F (1985):

Hypercoagulability, renal vein thrombosis and other thrombotic complications of nephrotic syndrome. Kidney Int 28:429.

Loschiavo C, Previato G, Valvo E, et al (1981):

Clinical significance of urinary fibrinogen products in renal disease. Study of two methods and correlation with histological findings of intraglomerular coagulation. Nephron 28:200.

Lowenstein J, Schacht RG, Baldwin DS (1981):

Renal failure in minimal change nephrotic syndrome. Am J Med 70:227.

Lund B, Sorenson OH, et al (1980):

Stimulation of 1,25-dihydroxyvitamin D production by parathyroid hormone and hypocalcemia in man. J Clin Endocrinol Metab 50:480.

MacIntyre I (1989):

Calcitonin: Physiology, biosynthesis, secretion, metabolism and mode of action. In DeGroot LJ, Besser GM, Cahill GF Jr., et al (eds): Endocrinology, 2nd ed. WB Saunders, Philadelphia, p 892.

Malas J, sibley R, Mauer M (1983):

Value of needle allograft biopsy: A retrospective study of biopsies performed during putative rejection episodes. Ann Surg 197:226.

Mallick NP (1977):

The pathogenesis of minimal change nephropathy. Clin Nephrol 7: 87.

Mampaso F, Leyva-Cobian F, Martinez-Montero JG, et al (1983):

Mesangial proliferative glomerulonephritis with unusual intramembranous granular dense deposits. Clin Nephrol 19:92.

Massry SG (1995):

Metabolic and endocrine complications of the nephrotic syndrome: Calcium and vitamin D. In Massry SG, Glasscock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 684.

Massry SG, Kaptein EM (1995):

Hypercalcemia and hypocalcemia. In Massry SG, Glasscock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 345.

Masumoto O, Ohyama Y, Okuda K (1988):

Purification and characterization of vitamin D 25-hydroxylase from rat liver mitochondria. J Biol Chem 263:14256.

McEnery PT, Strife CF (1982):

Nephrotic syndrome in childhood: Management and treatment in patients with minimal change disease, mesangial proliferation or focal glomerulosclerosis. Pediatr Clin North Am 29:875.

McSheehy PM, Chambers TJ (1986):

Osteoplastic cells mediate osteoclastic responsiveness to parathyroid hormone. Endocrinology 118:824.

McVicar M, Exeni R, Susin M (1980):

Nephrotic syndrome and multiple tubular defects in children, an early sign of focal segmental sclerosis. J Pediatr 97:918.

Mehls O (1990):

Is it correct to supplement patients with nephrotic syndrome with vitamin D and calcium ? Pediatr Nephrol 4:519.

Mendoza SA, Tune BM (1992):

Treatment of childhood nephrotic syndrome. J Am Soc Nephrol 3:889.

Mendoza SA, Tune BM (1995):

Management of the difficult nephrotic patient. Pediatr Clin North Am 42:1459.

Meyrier A (1994):

Treatment of nephrotic syndrome with cyclosporin A. What remains in 1994 ? Nephrol Dial Transplant 9:596.

Meyrier A, Noel L-H, Auriche P, Callard P (1994):

Long-term renal tolerance of cyclosporin treatment in adult idiopathic nephrotic syndrome. Kidney Int 45:1446.

Miltenyi M (1979):

Urinary protein excretion in healthy children. Clin Nephrol 12:216.

Miyata J, Takebayashi S, Taguchi T, et al (1986):

Evaluation and correlation of clinical and histological features of focal segmental glomerulosclerosis. Nephron 44:115.

Mizokuchi M, Kubota M, Tomino Y, Koide H (1992):

Possible mechanism of impaired calcium and vitamin D metabolism in nephrotic rats. *Kidney Int* 42:335.

Moore DH, Shackelford PG, Robson AM, et al (1980):

Recurrent pneumococcal sepsis and defective opsonization after pneumococcal capsular polysaccharide vaccination in a child with nephrotic syndrome. *J Pediatr* 96:882.

Moorthy AV, Zimmerman SW, Burkholdre PM (1976):

Nephrotic syndrome in Hodgkin's disease: Evidence for pathogenesis alternative to immune complex deposition. *Am J Med* 61:471.

Morita M, White RHR, Coad NAG, Raafat F (1990):

The clinical significance of the glomerular location of segmental lesions in focal segmental glomerulosclerosis. *Clin Nephrol* 33:211.

Nakahama H, Otita Y, Yamazaki M, et al (1988):

Pharmacokinetics and pharmacodynamic interactions between furosemide and hydrochlorothiazide in nephrotic patients. *Nephron* 49:223.

Neuhaus TJ, Barratt TM (1995):

Minimal change disease. In Massry SG, Glasscock RJ (eds): *Textbook of Nephrology*, 3rd ed. Williams & Wilkins, Baltimore, p 710.

Niaudet P, et al (1984):

Treatment of idiopathic nephrotic syndrome with levamisole. *Acta*

Paediatr Scand 76:637.

Ordonez JD, Hiatt RA, Killebrew EJ, Fireman BH (1993):

The increased risk of coronary heart disease associated with nephrotic syndrome. *Kidney Int* 44:638.

Palcoux JB, Niaudet P, Goumy P (1994):

Side effects of levamisole in children with nephrosis. *Pediatr Nephrol* 8:263.

Parker SH, Happer KB, Yakes WF (1989):

Image directed percutaneous biopsies with a biopsy gun. *Radiol* 171:663.

Ponticelli C, et al (1980):

Intravenous methylprednisolone in minimal change nephrotic syndrome. *Br Med J* 1:685.

Ponticelli C, Passerini P (1991):

Alkylating agents and purine analogues in primary glomerulonephritis with nephrotic syndrome. *Nephrol Dial Transplant* 6:381.

Ponticelli C, Passerini P (1994):

Treatment of the nephrotic syndrome associated with primary glomerulonephritis. *Kidney Int* 46:595.

Popovtzer MM, Knochel JP, Kumar R (1992):

Disorders of calcium, phosphorus, vitamin D and parathyroid hormone activity. In Schrier RW (ed): *Renal and Electrolyte Disorders*, 4th ed. Little, Brown, Boston, p 287.

Praga M, Anders A, Hernandez E, et al (1991):

Tubular dysfunction in nephrotic syndrome: Incidence and prognostic implications. *Nephrol Dial Transplant* 6:683.

Querfeld U, Gnasso A, Haberbosch W, et al (1988):

Lipoprotein profiles at different stages of nephrotic syndrome. *Eur J Pediatr* 147:233.

Radhakrishnan J, Appel AS, Valeri A, Appel GB (1993):

The nephrotic syndrome, Lipids and risk factors for cardiovascular disease. *Am J Kidney Dis* 22:135.

Raij L, Keane WF, Leonard A, Shapiro F (1976):

Irreversible acute renal failure in idiopathic nephrotic syndrome. *Am J Med* 61:207.

Reichel H, Koeffler HP, Norman AW (1989):

The role of the vitamin D endocrine system in health and disease. *N Engl J Med* 320:980.

Reimold EW (1980):

Changes in zinc metabolism during the course of the nephrotic syndrome. *Am J Dis Child* 134:46.

Remuzzi A, Pergolizzi R, Mauer MS, Bertani T (1990):

Three-dimensional morphometric analysis of segmental glomerulosclerosis in the rat. *Kidney Int* 38:851.

Remuzzi G, Bertani T (1990):

Is glomerulosclerosis is a consequence of altered glomerular permeability to monomolecules? *Kidney Int* 38:384.

Remuzzi G, Bertani T, Schieppati A (1993):

Idiopathic membranous nephropathy. Lancet 342:1277.

Rennke HG, Patel Y, Venkatachalam MA (1978):

Glomerular filtration of proteins, clearance of anionic, neutral and cationic horseradish peroxide in the rat. Kidney Int 13:278.

Richmond W (1973):

Estimation of serum cholesterol by enzymatic colorimetric method. Clin Chem 19:1350.

Rivkees SA, Crawford JD (1988):

The relationship of gonadal activity and chemotherapy-induced gonadal damage. JAMA 259:2123.

Rodky F (1965):

Direct spectrophotometric determination of albumin in human serum. Clin Chem 11:478.

Rosen JF, Chesney RW (1983):

Circulating calcitriol concentrations in health and disease. J Pediatr 103:1.

Rosenthal H, Cundiff H (1956):

Determination of total serum protein. Clin Chem 2:395.

Rouse D, Suki WN (1995):

Renal handling of calcium. In Massry SG, Glassock RJ (eds): Textbook of Nephrology, 3rd ed. Williams & Wilkins, Baltimore, p 339.

Sato KA, Gray RW, Lemann J (1982):

Urinary excretion of 25-hydroxyvitamin D in health and the nephrotic syndrome. J Lab Clin Med 99:325.

Schnaper HW, Robson AM (1997):

Nephrotic syndrome: Minimal change disease, focal glomerulosclerosis and related disorders. In Schrier RW, Gottschalk CW (eds): Diseases of the kidney, 6th ed. Little, Brown, Boston, p 1725.

Schott GD, Wills MR (1976):

Muscle weakness in osteomalacia. Lancet 1:626.

Schreiner GE (1971):

The nephrotic syndrome. In Strauss MB, Welt LG (eds): Diseases of the Kidney, 2nd ed. Little, Brown, Boston, p 503.

Schrier RW (1988):

Pathogenesis of sodium and water retention in high-output and low-output cardiac failure, nephrotic syndrome, cirrhosis and pregnancy. Part 1. N Engl J Med 319:1065.

Schwartz MM, Korbet SM (1993):

Primary focal segmental glomerulosclerosis: Pathology, histological variants and pathogenesis. Am J Kidney Dis 22:874.

Shalhoub RJ (1974):

Pathogenesis of lipoid nephrosis: A disorder of T cell function. Lancet 2:556.

Sharples P, Poulton J, White RHR (1985):

Steroid-responsive nephrotic syndrome is more common in Asians. Arch Dis Child 60:1014.

Shaw AB, Pisdon P, Lewis-Jackson J (1983):

Protein-creatinine index and Albustix in assessment of proteinuria. Br Med J 287:929.

Shimizu T, Yamasaki F, Imai M, Yoshitomi K (1990):

Regulation of calcium transport in the distal nephron segments. Kidney Int 37:461.

Sibley R, Kim Y (1984):

Dense intramembranous deposit disease. New Pathologic features. Kidney Int 25:660.

Sibley R, Mahan J, Mauer SM, Vernier RL (1985):

A clinicopathological study of forty-eight infants with nephrotic syndrome. Kidney Int 27:544.

Srivastava RN, Agarwal RK, Moudgil A, Bhuyan U (1986):

Late resistance to corticosteroids in nephrotic syndrome. J Pediatr 108:70.

Strife CF, Jackson E, Forrestal J, West CD (1986):

Effect of the nephrotic syndrome on the concentration of serum complement components. Am J Kidney Dis 86:37.

Strife CF, Jackson EC, McAdams AJ (1984):

Type III membranoproliferative glomerulonephritis: Long-term clinical and morphological evaluation. Clin Nephrol 21:323.

Suda T, Takahashi N, Abe E (1992):

Role of vitamin D in bone resorption. J Cell Biochem 49:53.

Trompeter RS (1994):

Steroid resistant nephrotic syndrome. In Postlethwaite RJ (ed): Clinical Paediatric Nephrology, 2nd ed. Butterworth-Heinemann, Oxford, p 226.

Tsoukas CK, Provvedini DM, Manolagas SC (1984):

1,25-dihydroxyvitamin D₃: A novel immunoregulatory hormone. Science 224:1438.

Tulassay T, Rascher W, Lang RE, et al (1987):

Atrial natriuretic peptide and other vasoactive hormones in nephrotic syndrome. Kidney Int 31:1391.

Tulassay T, Rascher W, Scharer K (1989):

Intra-and-extra-renal factors of oedema formation in the nephrotic syndrome. Pediatr Nephrol 3:92.

Usberti M, Federico S, Meccareliello S, et al (1984):

Role of plasma vasopressin in impairment of water excretion in nephrotic syndrome. Kidney Int 25:422.

Vaziri ND (1993):

Endocrinological consequences of the nephrotic syndrome. Am J Nephrol 13:360.

Vaziri ND, Alikhani J, Patel B, et al (1988):

Increased levels of protein C concentrations, total and free proteins in nephrotic syndrome. Nephron 49:20.

Vaziri ND, Kaupke CJ, Barton CH, Gonzales E (1992):

Plasma concentration and urinary excretion of erythropoietin in adult nephrotic syndrome. *Am J Med* 92:35.

Vaziri ND, Paule P, Toohey J, et al (1984):

Acquired deficiency and urinary excretion of antithrombin III in nephrotic syndrome. *Arch Intern Med* 144:1802.

Wagoner RD, Stanson AW, Holly KE, et al (1983):

Renal vein thrombosis in idiopathic membranous glomerulopathy and nephrotic syndrome. *Kidney Int* 23:368.

Warwick GL, Fox JG, Boulton-Jones JM (1994):

The relationship between urinary albumin excretion rate and serum cholesterol in primary glomerular disease. *Clin Nephrol* 41:135.

Williams SA, Makker SP, Grupe WE (1978):

Seizures: A significant side effect of chlorambucil therapy in children. *J Pediatr* 93:516.

Yamamoto M, Igarashi T, Muramatsu M, et al (1989):

Hypocalcemia increases and hypercalcemia decreases the steady-state level of parathyroid hormone messenger RNA in the rat. *J Clin Invest* 83:1053.

Yoshimura A, Idenra T, Iwasaki S, et al (1992):

Aggravation of minimal change nephrotic syndrome by administration of human albumin. *Clin Nephrol* 37:109.

Zilleruelo G, et al (1984):

Persistence of serum lipid abnormalities in children with idiopathic nephrotic syndrome. *J Pediatr* 104:61.